

August 22,  
2024

Tracking Number: nRM2031146817  
2024 Second Quarter Groundwater Monitoring Report  
Northeast Drinkard Unit #829, #830, #922, #928, and #929  
Lea County, New Mexico

**REVIEWED**

By Mike Buchanan at 4:02 pm, Jan 08, 2025

Review of the 2024 Second Quarter Groundwater Monitoring Report for #829, 830, 922, 928, and 929: content is satisfactory

1. Please continue to conduct groundwater monitoring on a quarterly calendar year schedule, as prescribed.
2. Provide a four (4) day business notice to OCD prior to conducting the next sampling event.
3. Send notice of sampling via email to: [OCD.Enviro@emnrd.nm.gov](mailto:OCD.Enviro@emnrd.nm.gov) or

[michael.buchanan@emnrd.nm.gov](mailto:michael.buchanan@emnrd.nm.gov)

4. Gauge each monitoring well (MW-1 through MW-4) as prescribed.
5. Please include a contingency plan for those wells that continue to remain dry, request a variance, or drill wells deeper if needed. Please propose which option is best suited for the site conditions.

Prepared for:


**Apache**

303 Veterans Airpark Lance  
Midland, TX 79701

Prepared by:

**Larson & Associates, Inc.**  
Environmental Consultants

507 North Marienfeld Street, Suite 202  
Midland, Texas 79701  
(432) 687-0901



Mark J. Larson

Certified Professional Geologist #10490



Daniel St. Germain  
Staff Geologist

LAI Project No: 19-0112-22

**This Page Intentionally Left Blank**

**Contents**

1.0 EXECUTIVE SUMMARY ..... 1

2.0 INTRODUCTON ..... 2

    2.1 Background..... 2

3.0 GROUNDWATER INVESTIGATION ..... 3

    3.1 Monitoring Well Installations ..... 3

4.0 GROUNDWATER MONITORING..... 3

    4.1 Depth to Groundwater and Groundwater Potentiometric Surface Elevation..... 3

    4.2 Groundwater Samples and Analysis ..... 3

        4.2.1 Organic Analysis ..... 4

        4.2.2 Inorganic Analysis..... 4

5.0 CONCLUSIONS..... 4

6.0 RECOMMENDATIONS..... 5

**List of Tables**

Table 1	Monitor Well Completion and Gauging Summary
Table 2	Groundwater Analytical Data Summary

**List of Figures**

Figure 1	Topographic Map
Figure 2	Aerial Map
Figure 3	Site Map
Figure 4	Groundwater Potentiometric Map, July 29, 2024
Figure 5	Chloride Concentration in Groundwater, July 29, 2024
Figure 6	TDS Concentration in Groundwater, July 29, 2024

**List of Appendices**

Appendix A	NMOCD Communications
Appendix B	Monitoring Well Completion Records
Appendix C	Laboratory Report
Appendix D	Chloride Control Chart
Appendix E	TDS Control Chart

Incident ID: nRM2031146817  
2024 Second Quarter Groundwater Monitoring Report  
Lea County, New Mexico  
August 22, 2024

## 1.0 EXECUTIVE SUMMARY

Larson & Associates, Inc. (LAI) has prepared this report on behalf of Apache Corporation (Apache) for submittal to the New Mexico Oil Conservation Division (NMOCD) District I in Hobbs and Santa Fe, New Mexico. This report presents 2024 second (2<sup>nd</sup>) quarter groundwater monitoring results for the Northeast Drinkard Unit (NEDU) #829, #830, #922, #928, and #929 (Sites). The Sites are located in Section 22, Township 21 South, Range 37 East, in Lea County, New Mexico. The approximate geodetic position is North 32.46294° and West -103.15153°.

The following activities occurred on July 29, 2024:

- Gauged depth to groundwater in four monitor wells (MW-1 through MW-4).
- Purged and collected groundwater samples from four monitor wells (MW-1 through MW-4) for laboratory analysis of benzene, toluene, ethylbenzene, and xylenes (BTEX), total dissolved solids (TDS), and chloride.

The following observations are documented in this report:

- Depth to groundwater ranged from 40.52 feet below ground surface (bgs) in MW-4 to 54.49 feet bgs in MW-1.
- Groundwater elevation ranged between 3,371.42 feet above mean sea level (MSL) at MW-4 (upgradient) and 3,355 feet above MSL at MW-3 (downgradient).
- BTEX compounds were below the analytical method reporting limit (RL) and New Mexico Water Quality Control Commission (NMWQCC) human health standards in samples from all monitor wells.
- Chloride was reported above the NMWQCC domestic water quality standard of 250 milligrams per liter (mg/L) in the groundwater sample from well MW-1 (1,480 mg/L).
- TDS was reported above the NMWQCC domestic water quality standard of 1,000 mg/L in the groundwater samples from wells MW-1 (2,500 mg/L) and MW-2 (1,020 mg/L).

Apache proposes the following:

- Apache will continue groundwater monitoring on a quarterly (4 times per year) schedule.
- Gauge all monitoring wells for depth to groundwater and collect groundwater samples from monitoring wells with sufficient groundwater during each quarterly event.
- Analyze samples for BTEX, chloride and TDS.
- Apache will provide notice to the NMOCD in Hobbs and Santa Fe, New Mexico, at least 48 hours prior to each monitoring event via the NMOCD web portal.

Incident ID: nRM2031146817  
2024 Second Quarter Groundwater Monitoring Report  
Lea County, New Mexico  
August 22, 2024

## 2.0 INTRODUCTON

LAI has prepared this report on behalf of Apache for submittal to the NMOCD District I in Hobbs and Santa Fe, New Mexico. This report presents 2024 quarterly groundwater monitoring results for the second quarter on July 29, 2024. The NMOCD was notified via web portal on July 17, 2024. During the second quarterly event, groundwater samples were collected from monitor wells MW-1 through MW-4, at the NEDU #829, #830, #922, #928, and #929 located in Lea County, New Mexico. The legal description is Section 22, Township 21 South, Range 37 East. The geodetic coordinates are as follows:

Site	North (°)	West (°)
NEDU #829	32.462947	-103.151539
NEDU #830	32.463967	-103.155761
NEDU #922	32.457803	-103.151181
NEDU #928	32.458019	-103.155831
NEDU #929	32.458022	-103.151450

Figure 1 presents a topographic map. Figure 2 presents an aerial map. Figure 3 presents a site map. Appendix A presents NMOCD communications.

### 2.1 Background

On April 6, 2001, the landowner reported to the NMOCD that an Apache contractor was closing drilling pits at the Sites by disposing pit fluid in open trenches adjacent to the drilling pits. Apache was notified and submitted the initial C-141 on April 23, 2001. NMOCD assigned the trenches remediation permit 1RP-313.

On April 23, 2001, Apache submitted a work plan for remediating the trenches. NMOCD approved the work plan on May 8, 2001. The work plan stated that the trenches at wells #829, #830 and #929 would be excavated to approximately 19 feet bgs and to approximately 13 feet bgs at #928. There is no evidence that the trench was excavated at #922. An Apache contractor collected bottom and composite samples from the excavations and found chloride above the remediation closure limits in all excavations. TPH was reported above the NMOCD closure limits in the excavation at #928. No documentation is available in NMOCD files to confirm the remediation.

On October 31, 2019, Apache submitted an administrative summary and path forward for remediating and closing the trenches. The plan requested a variance approval from the NMOCD to excavate soil to a depth of approximately four (4) feet bgs at each trench and install a 20-mil polyethylene liner in the bottom of the excavations. Additionally, Apache committed to installing monitoring wells hydraulically down gradient (east - southeast) approximately 50 feet from the trench. On May 19, 2021, the NMOCD approved the administrative summary and path forward for remediation but stated that “preapproval for monitoring well locations on map before installation” was required. On July 14, 2021, NMOCD approved the monitor well locations.

Incident ID: nRM2031146817  
2024 Second Quarter Groundwater Monitoring Report  
Lea County, New Mexico  
August 22, 2024

### 3.0 GROUNDWATER INVESTIGATION

#### 3.1 Monitoring Well Installations

On July 19 and 20, 2021, Scarborough Drilling, Inc. (SDI), under the supervision of LAI, installed monitoring wells MW-1, MW-2, MW-3, and MW-4 utilizing an air rotary drilling rig at locations specified in the New Mexico Office of the State Engineer (OSE) permits. The wells were completed in 5-inch diameter borings advanced between about 65 and 76 feet below ground surface (bgs). Monitoring wells MW-1, MW-2, MW-3, and MW-4 were completed at depths of 74.08, 74.86, 65.35 and 76.01 feet bgs, respectively. The monitoring wells are completed with a 2-inch schedule 40 threaded PVC casing and 20 feet of 0.010-inch factory slotted screen installed above and below the groundwater level observed during drilling. Graded silica sand is positioned around the well screens to a depth about 2 feet above the screen. Sodium bentonite chips extend around the PVC riser and above the sand to about 1-foot bgs. The wells are secured with locking steel sleeves anchored in concrete.

On July 27 through 30, 2021, the wells were developed by pumping with an electric submersible pump to remove sediment disturbed drilling and well installation. Approximately 40 gallons of water were removed from each well was placed in 55-gallon drums and disposed in a NMOCD permitted commercial saltwater disposal well (SWD).

West Company, a State of New Mexico licensed Professional Land Surveyor (PLS Number 23263) surveyed the monitoring wells for location and elevation including top of casing and natural ground surface. Figure 3 presents Site drawing showing the monitoring well locations. Table 1 presents the monitoring well completion and gauging summary. Appendix B presents the boring logs and well completion records.

### 4.0 GROUNDWATER MONITORING

#### 4.1 Depth to Groundwater and Groundwater Potentiometric Surface Elevation

On July 29, 2024, LAI personnel gauged monitoring wells MW-1 through MW-4 for depth to groundwater. Groundwater was gauged in monitoring well MW-1 (54.49 feet bgs), MW-2 (55.25 feet bgs), MW-3 (51.22 feet bgs), and MW-4 (40.52 feet bgs). The groundwater potentiometric surface elevation was recorded 3,371.42 feet above MSL in well MW-4 (upgradient) and at 3,555 feet above MSL at well MW-3 (downgradient). The groundwater flow direction was from northwest to southeast at a gradient of about 0.013 ft/ft. Figure 4 presents the groundwater potentiometric surface map for July 29, 2024.

#### 4.2 Groundwater Samples and Analysis

On July 29, 2024, LAI personnel collected groundwater samples from monitoring wells MW-1 through MW-4, after removing approximately three (3) well volumes of groundwater by purging with dedicated disposable polyethylene bailers. The samples were transferred to labeled laboratory containers and delivered under chain-of-custody control and preservation to Eurofins Laboratories

Incident ID: nRM2031146817  
2024 Second Quarter Groundwater Monitoring Report  
Lea County, New Mexico  
August 22, 2024

(Eurofins), a National Environmental Laboratory Accreditation Conference (NELAC) accredited laboratory, in Midland, Texas. The samples were analyzed the samples for BTEX according to EPA SW-846 Method SW-8260D, TDS by Method SM 2540C, and chloride by EPA Method 300. A duplicate sample was collected from MW-2 for laboratory quality assurance and quality control (QA/QC). The purged groundwater was placed in a portable tank and disposed in a NMOCD permitted commercial saltwater disposal well (SWD). Table 2 presents the laboratory analytical summary. Appendix C presents the laboratory report.

#### 4.2.1 Organic Analysis

BTEX concentrations were below the laboratory RL and NMWQCC human health standards in all groundwater samples. The results are consistent with previous groundwater monitoring events.

#### 4.2.2 Inorganic Analysis

The chloride concentration was above NMWQCC domestic water quality standard in the sample from well MW-1 (1,480 mg/L). Chloride concentrations were below NMWQCC domestic water quality standard of 250 mg/L in monitoring wells MW-2 (218 mg/L), MW-3 (111 mg/L), and MW-4 (131 mg/L). Chloride was reported at 218 mg/L in the QA/QC sample, DUP-1, and was a 4.1 percent change from the original chloride value of 209 mg/L reported for MW-2. No data exceptions were noted in the laboratory report case narratives. The chloride concentrations are consistent with previous groundwater monitoring events. Figure 5 presents the chloride concentration map for July 29, 2024. Appendix D presents the chloride control chart.

TDS concentrations were reported above the NMWQCC domestic water quality standard of 1,000 mg/L in groundwater samples collected from wells MW-1 (2,670 mg/L) and MW-2 (1,020 mg/L). TDS concentrations were below the NMWQCC domestic water quality standard in groundwater samples from wells MW-3 (631 mg/L) and MW-4 (755 mg/L). TDS was reported at 1,030 mg/L in the QA/QC sample, DUP-1, and was a 1 percent change from the original chloride value of 1,020 mg/L reported for MW-2. No data exceptions were noted in the laboratory case narratives. The TDS concentrations are consistent with previous groundwater monitoring events. Figure 6 presents the TDS concentration map for July 29, 2024. Appendix E presents the TDS control chart.

## 5.0 CONCLUSIONS

The following observations are documented in this report:

- Groundwater elevation ranged between 3,371.42 feet above MSL at well MW-4 (upgradient) and 3,355 (MSL) at well MW-3 (downgradient).
- The groundwater flow direction was from northwest to southeast at a gradient of about 0.013 feet per foot (ft/ft).
- BTEX concentrations were below the analytical method RL and NMWQCC human health standards in all groundwater samples collected from monitoring wells MW-1 through MW-4.



Incident ID: nRM2031146817

2024 Second Quarter Groundwater Monitoring Report

Lea County, New Mexico

August 22, 2024

- Chloride concentrations were above the NMWQCC domestic water quality standard of 250 mg/L in the sample from MW-1 (1,480 mg/L), and below the standard in samples from MW-2 (218 mg/L), MW-3 (111 mg/L), and MW-4 (131 mg/L).
- TDS concentrations were above the NMWQCC domestic water quality standard (1,000 mg/L) in the groundwater samples MW-1 (2,670 mg/L) and MW-2 (1,020 mg/L), and below the standard in samples from MW-3 (631 mg/L) and MW-4 (755 mg/L).

## 6.0 RECOMMENDATIONS

Apache proposes the following:

- Continue groundwater monitoring on a quarterly (4 times per year).
- Gauge each well (MW-1 through MW-4) for depth to groundwater and collect groundwater samples from monitoring wells with sufficient groundwater during each quarterly event.
- Apache will provide notice to the NMOCD in Hobbs and Santa Fe, New Mexico at least 48 hours prior to each monitoring event via the NMOCD web portal.



## **Tables**

**Table 1**  
**Monitoring Well Completion and Gauging Summary**  
**Apache Corportaion, NEDU Drill Pits**  
**Lea County, New Mexico**

Well Information									Groundwater Data				
Well ID	Drill Date	Well Depth (TOC Feet)	Well Depth (Feet BGS)	Well Diameter (inches)	Screen Interval (Feet BGS)	Casing Stickup (Feet)	TOC Elevation (Feet AMSL)	Surface Elevation (Feet AMSL)	Date Gauged	Depth to Water (Feet TOC)	Depth to Water (Feet BGS)	Water Column (Feet)	Groundwater Elevation (Feet AMSL)
MW-1	07/19/2021	74.08	71.08	2	70.85-50.85	3.00	3,417.34	3417.34	07/29/2021	57.40	54.40	16.68	3,359.94
									11/08/2021	57.40	54.40	16.68	3,359.94
									03/02/2022	57.36	54.36	16.72	3,359.98
									05/24/2022	57.32	54.32	16.76	3,360.02
									08/17/2022	57.40	54.40	16.68	3,359.94
									12/14/2022	57.39	54.39	16.69	3,359.95
									03/10/2023	57.41	54.41	16.67	3,359.93
									06/05/2023	57.41	54.41	16.67	3,359.93
									09/08/2023	57.48	54.48	16.60	3,359.86
									12/28/2023	57.51	54.51	16.57	3,359.83
									03/18/2024	57.53	54.53	16.55	3,359.81
									07/29/2024	57.49	54.49	16.59	3,359.85
MW-2	07/19/2021	74.86	71.86	2	71.68-51.68	3.00	3,411.66	3408.43	07/29/2021	54.81	51.81	20.05	3,356.85
									11/08/2021	54.85	51.85	20.01	3,356.81
									03/02/2022	54.91	51.91	19.95	3,356.75
									05/24/2022	54.91	51.91	19.95	3,356.75
									08/17/2022	55.04	52.04	19.82	3,356.62
									12/14/2022	55.08	52.08	19.78	3,356.58
									03/10/2023	55.18	52.18	19.68	3,356.48
									06/05/2023	55.25	52.18	19.61	3,356.41
									09/08/2023	55.27	52.27	19.59	3,356.39
									12/28/2023	55.31	52.31	19.55	3,356.35
									03/18/2024	55.36	52.36	19.50	3,356.30
									07/29/2024	55.25	52.25	19.61	3,356.41

**Table 1**  
**Monitoring Well Completion and Gauging Summary**  
**Apache Corporaion, NEDU Drill Pits**  
**Lea County, New Mexico**

Well Information									Groundwater Data				
Well ID	Drill Date	Well Depth (TOC Feet)	Well Depth (Feet BGS)	Well Diameter (inches)	Screen Interval (Feet BGS)	Casing Stickup (Feet)	TOC Elevation (Feet AMSL)	Surface Elevation (Feet AMSL)	Date Gauged	Depth to Water (Feet TOC)	Depth to Water (Feet BGS)	Water Column (Feet)	Groundwater Elevation (Feet AMSL)
MW-3	07/20/2021	65.35	62.75	2	65.15-45.15	2.60	3,409.32	3406.01	07/29/2021	53.55	50.95	11.80	3,355.77
									11/08/2021	53.67	51.07	9.68	3,355.65
									03/02/2022	53.83	51.23	11.52	3,355.49
									05/24/2022	53.88	51.28	11.47	3,355.44
									08/17/2022	54.08	51.48	11.27	3,355.24
									12/14/2022	54.21	51.61	11.14	3,355.11
									03/10/2023	54.30	51.70	11.05	3,355.02
									06/05/2023	54.37	51.77	10.98	3,354.95
									09/08/2023	54.39	51.79	10.96	3,354.93
									12/28/2023	54.46	51.86	10.89	3,354.86
									03/18/2024	54.42	51.82	10.93	3,354.90
									07/29/2024	54.32	51.72	11.03	3,355.00
MW-4	07/20/2021	76.01	72.93	2	75.81-55.81	3.08	3,415.02	3412.51	07/30/2021	44.38	41.30	31.63	3,370.64
									11/08/2021	43.44	40.36	32.57	3,371.58
									03/02/2022	43.44	40.36	32.57	3,371.58
									05/24/2022	43.50	40.42	32.51	3,371.52
									08/17/2022	42.63	39.55	33.38	3,372.39
									12/14/2022	43.64	40.56	32.37	3,371.38
									03/10/2023	43.62	40.54	32.39	3,371.40
									06/05/2023	43.71	40.63	32.30	3,371.31
									09/08/2023	43.76	40.68	32.25	3,371.26
									12/28/2023	43.58	40.50	32.43	3,371.44
									03/18/2024	43.47	40.39	32.54	3,371.55
									07/29/2024	43.60	40.52	32.41	3,371.42

**Table 1**  
**Monitoring Well Completion and Gauging Summary**  
**Apache Corporaion, NEDU Drill Pits**  
**Lea County, New Mexico**

Well Information									Groundwater Data				
Well ID	Drill Date	Well Depth (TOC Feet)	Well Depth (Feet BGS)	Well Diameter (inches)	Screen Interval (Feet BGS)	Casing Stickup (Feet)	TOC Elevation (Feet AMSL)	Surface Elevation (Feet AMSL)	Date Gauged	Depth to Water (Feet TOC)	Depth to Water (Feet BGS)	Water Column (Feet)	Groundwater Elevation (Feet AMSL)

**Notes:**

Monitoring wells installed by Scarborough Drilling, Inc. Lamesa, Texas with 2 inch schedule 40 PVC casing and screen.

bgs: below ground surface

TOC: top of casing

AMSL: above mean sea level

**Table 2**  
**Groundwater Sample Analytical Data Summary**  
**Apache Corporation, NEDU Drill Pits**  
**Lea County, New Mexico**

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Chloride (mg/L)	TDS (mg/L)
NMWQCC Standard:		*0.005	*1	*0.7	*0.62	**250	**1,000
MW-1 (NEDU #830)	07/29/2021	<0.00200	<0.00200	<0.00200	<0.00400	446	2,510
	11/08/2021	<0.00200	<0.00200	<0.00200	<0.00400	1,270	2,490
	03/02/2022	<0.00200	<0.00200	<0.00200	<0.00400	1,250	2,500
	05/24/2022	<0.00200	<0.00200	<0.00200	<0.00400	912	2,500
	08/17/2022	<0.00200	<0.00200	<0.00200	<0.00400	1,070	2,670
	12/14/2022	<0.00200	<0.00200	<0.00200	<0.00400	893	2,520
	03/10/2023	<0.00100	<0.00100	<0.00100	<0.00100	1,210	2,600
	06/05/2023	<0.00200	<0.00200	<0.00200	<0.00400	1,140	2,950
	09/08/2023	<0.00200	<0.00200	<0.00200	<0.00400	1,010	3,000
	12/28/2023	<0.00100	<0.00100	<0.00100	<0.0100	1,040	3,210
	03/18/2024	<0.00200	<0.00200	<0.00200	<0.00400	1,280	2,500
	07/29/2024	<0.00200	<0.00200	<0.00200	<0.00400	1,480	2,670
MW-2 (NEDU #922)	07/29/2021	0.0391	<0.00200	<0.00219	<0.00400	268	1,170
	11/08/2021	<0.00200	<0.00200	<0.00200	<0.00400	279	1,100
	03/02/2022	<0.00200	<0.00200	<0.00200	<0.00400	253	1,110
	05/24/2022	<0.00200	<0.00200	<0.00200	<0.00400	200	1,100
	08/17/2022	<0.00200	<0.00200	<0.00200	<0.00400	239	1,080
	12/14/2022	<0.00200	<0.00200	<0.00200	<0.00400	167	983
	03/10/2023	<0.00100	<0.00100	<0.00100	<0.00100	282	1,030
	06/05/2023	<0.00200	<0.00200	<0.00200	<0.00400	303	1,160
	09/08/2023	<0.00200	<0.00200	<0.00200	<0.00400	232	1,110
	12/28/2023	<0.00100	<0.00100	<0.00100	<0.0100	248	1,130
	03/18/2024	<0.00200	<0.00200	<0.00200	<0.00400	326	988
	07/29/2024	<0.00200	<0.00200	<0.00200	<0.00400	218	1,020
MW-3 (NEDU #929)	07/29/2021	0.00407	<0.00200	<0.00200	<0.00400	128	663
	11/08/2021	<0.00200	<0.00200	<0.00200	<0.00400	122	644
	03/02/2022	<0.00200	<0.00200	<0.00200	<0.00400	114	664
	05/24/2022	<0.00200	<0.00200	<0.00200	<0.00400	114	647
	08/17/2022	<0.00200	<0.00200	<0.00200	<0.00400	111	645
	12/14/2022	<0.00200	<0.00200	<0.00200	<0.00400	97.9	381
	03/10/2023	<0.00100	<0.00100	<0.00100	<0.00100	121	635
	06/05/2023	<0.00200	<0.00200	<0.00200	<0.00400	151	778
	09/08/2023	<0.00200	<0.00200	<0.00200	<0.00400	117	708
	12/28/2023	<0.00100	<0.00100	<0.00100	<0.0100	124	700

**Table 2**  
**Groundwater Sample Analytical Data Summary**  
**Apache Corporation, NEDU Drill Pits**  
**Lea County, New Mexico**

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Chloride (mg/L)	TDS (mg/L)
NMWQCC Standard:		*0.005	*1	*0.7	*0.62	**250	**1,000
	03/18/2024	<0.00200	<0.00200	<0.00200	<0.00400	143	650
	07/29/2024	<0.00200	<0.00200	<0.00200	<0.00400	111	631
<b>MW-4</b> (NEDU #928)	07/30/2021	<0.00200	<0.00200	<0.00200	<0.00400	<b>559</b>	<b>1,030</b>
	11/08/2021	<0.00200	<0.00200	<0.00200	<0.00400	203	832
	03/02/2022	<0.00200	<0.00200	<0.00200	<0.00400	182	836
	05/24/2022	<0.00200	<0.00200	<0.00200	<0.00400	171	827
	08/17/2022	<0.00200	<0.00200	<0.00200	<0.00400	165	797
	12/14/2022	<0.00200	<0.00200	<0.00200	<0.00400	134	327
	03/10/2023	<0.00100	<0.00100	<0.00100	<0.00100	176	810
	06/05/2023	<0.00200	<0.00200	<0.00200	<0.00400	194	864
	09/08/2023	<0.00200	<0.00200	<0.00200	<0.00400	160	825
	12/28/2023	<0.00100	<0.00100	<0.00100	<0.0100	160	792
	03/18/2024	<0.00200	<0.00200	<0.00200	<0.00400	183	781
	07/29/2024	<0.00200	<0.00200	<0.00200	<0.00400	131	755
Dup-1 (MW-2)	07/29/2021	<0.00200	<0.00200	<0.00200	<0.00400	244	<b>1,160</b>
Dup-2 (MW-4)	07/30/2021	<0.00200	<0.00200	<0.00200	<0.00400	235	<b>1,030</b>
Dup-1 (MW-2)	11/08/2021	<0.00200	<0.00200	<0.00200	<0.00400	<b>270</b>	<b>1,100</b>
Dup-1 (MW-2)	03/02/2022	<0.00200	<0.00200	<0.00200	<0.00400	<b>268</b>	<b>1,090</b>
Dup-1 (MW-2)	05/24/2022	<0.00200	<0.00200	<0.00200	<0.00400	189	<b>1,100</b>
Dup-1 (MW-2)	08/17/2022	<0.00200	<0.00200	<0.00200	<0.00400	246	<b>1,090</b>
Dup-1 (MW-2)	12/14/2022	<0.00200	<0.00200	<0.00200	<0.00400	171	<b>1,100</b>
Dup-1 (MW-2)	03/10/2023	<0.00100	<0.00100	<0.00100	<0.00100	217	<b>1,000</b>
Dup-1 (MW-2)	06/05/2023	<0.00200	<0.00200	<0.00200	<0.00400	242	<b>1,270</b>
Dup-1 (MW-2)	09/08/2023	<0.00200	<0.00200	<0.00200	<0.00400	229	<b>1,180</b>
Dup-1 (MW-2)	12/28/2023	<0.00100	<0.00100	<0.00100	<0.0100	<b>251</b>	<b>1,100</b>
Dup-1 (MW-2)	03/18/2024	<0.00200	<0.00200	<0.00200	<0.00400	<b>306</b>	<b>1,050</b>
Dup-1 (MW-2)	07/29/2024	<0.00200	<0.00200	<0.00200	<0.00400	209	<b>1,030</b>

**Table 2**  
**Groundwater Sample Analytical Data Summary**  
**Apache Corporation, NEDU Drill Pits**  
**Lea County, New Mexico**

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	Chloride (mg/L)	TDS (mg/L)
NMWQCC Standard:		*0.005	*1	*0.7	*0.62	**250	**1,000

**Notes:**

Analysis performed by Eurofins Laboratories, Midland, Texas by EPA SW-846 Method 8021B (BTEX), Method 300 (chloride), and Method 2540C (TDS).

All values reported in milligrams per liter (mg/L); equivalent to parts per million (ppm)

<: indicates parameter concentration is less than the analytical method reporting limit (RL).

\*: NMWQCC human health standard

\*\*: NMWQCC domestic water quality standard

bgs: below ground surface

**Bold and highlighted indicates that parameter concentration is above NMWQCC limits.**



## **Figures**





Figure 1 - Topographic Map





NEDU 830

MW-1

32°27'51.8510",  
103°09'04.9988"

NEDU 829

NEDU 922

MW-2

32°27'40.6165",  
103°09'00.2782"

NEDU 928


MW-4

32°27'28.7092",  
103°09'18.5540"

NEDU 929

MW-3

32°27'27.0997",  
103°09'03.6657"



**Apache Corporation**  
1RP-313 - NEDU 928, 929, 922, 829, 830 Drill P  
Sec. 22, T. 21 S., R. 37 E.  
Lea County, New Mexico  
32° 27' 46.61"N  
103° 09' 05.54"W

**Larson & Associates, Inc.**  
Environmental Consultants

Figure 2 - Aerial Map






Figure 3 - Site Map







Figure 4 - Groundwater Potentiometric Map, July 29, 2024



**Legend**


-  - Monitoring Well Location and Chloride Concentration in Groundwater, mg/L, July 29, 2024
-  - Exceeds NMWQCC Domestic Water Quality Standard: 250 mg/L

500 0 500  
Graphic Scale in Feet


**Apache Corporation**  
1RP-313 - NEDU 928, 929, 922, 829, 830 Drill P  
Sec. 22, T. 21 S., R. 37 E.  
Lea County, New Mexico  
32° 27' 46.61"N  
103° 09' 05.54"W


**Larson & Associates, Inc.**  
Environmental Consultants

Figure 5 - Chloride Concentration in Groundwater, July 29, 2024



**Legend**

-  - Monitoring Well Location and TDS Concentration in Groundwater, mg/L, July 29, 2024
- RED** - NMWQCC Domestic Quality Standard: 1000 mg/L



**Apache Corporation**  
1RP-313 - NEDU 928, 929, 922, 829, 830 Drill Pit  
Sec. 22, T. 21 S., R. 37 E.  
Lea County, New Mexico  
32° 27' 46.61"N  
103° 09' 05.54"W



Figure 6 - TDS Concentration in Groundwater, July 29, 2024



## **Appendix A**

### **NMOCD Communications**

[NOTIFY] Notification Of Sampling (C-141N) Application

Submission Information

Submission ID:	365007	Districts:	Artesia
Operator:	[873] APACHE CORPORATION	Counties:	Eddy
Description:	APACHE CORPORATION [873] , NEDU 829 DRILL PIT , nRM2031146817		
Status:	APPROVED		
Status Date:	07/17/2024		
References (2):	fEEM0209352748, nRM2031146817		

Forms

This application type does not have attachments.

Questions

Prerequisites

Incident ID (n#)	nRM2031146817
Incident Name	NRM2031146817 NEDU 829 DRILL PIT @ 0
Incident Type	Release Other
Incident Status	Remediation Closure Report Received
Incident Facility	[fEEM0209352748] O D E C O INC

Location of Release Source

Site Name	NEDU 829 DRILL PIT
Date Release Discovered	04/01/2001
Surface Owner	Private

Sampling Event General Information

Please answer all the questions in this group.

What is the sampling surface area in square feet	1,000
What is the estimated number of samples that will be gathered	5
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	07/29/2024
Time sampling will commence	09:00 AM
Warning: Notification can not be less than two business days prior to conducting final sampling.	
Please provide any information necessary for observers to contact samplers	Dan (432) 664-5357
Please provide any information necessary for navigation to sampling site	32.458022, -103.151450

Acknowledgments

This submission type does not have acknowledgments, at this time.

Comments

No comments found for this submission.

Conditions

**Summary:** Ibaker (7/17/2024), Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29. accepted.

Reasons

No reasons found for this submission.

## **Appendix B**

### **Monitoring Well Completion Records**

## BORING RECORD

GEOLOGIC UNIT	DEPTH	Start: 10:49 MST Finish: 12:37 DESCRIPTION LITHOLOGIC	DESCRIPTION USCS	GRAPHIC LOG	Surface Elevation: TOC Elevation:		REMARKS	
					NUMBER	RECOVERY	DEPTH	BACKGROUND PID READING SOIL: _____ PPM SOIL: _____ PPM
	0	Sand, 10YR 5/6, Yellowish Brown, Fine Grained Quartz Sand, Well Sorted, Dry	SW					
	5	Silty Sand, 10YR 5/6, Yellowish Brown, Fine Grained Quartz Sand, Well Sorted, Dry	SM					
	10	Sand, 7.5YR 7/6, Reddish Yellow, Fine Grained Quartz Sand, Dry, Poorly Sorted						
	15							
	20							
	25	Sand, 7.5YR 7/6, Reddish Brown, Fine Grained Quartz Sand, Dry, 4.75mm Clasts, Poorly Sorted	SW					
	30							
	35							
	40	Silty Sand, 7.5YR 8/6, Pink, Well Sorted, Fine Grained Quartz Sand, Dry						
	45	10 YR 7/6, Yellowish Brown, Fine Grained Quartz Sand, Well Sorted Dry						
	50	10 YR 7/6, Yellowish Brown, Moderately Sorted, 2mm Quartz Clasts, Dry	SM					
	55	Water Injected at 55'						
	60							
	65							
	70							
	75	TD: 71.08'						

57.88  
Depth to  
Water

57.88  
Depth to  
Water

Graded  
Silica Sand

2" Sch. 40  
PVC  
Threaded  
0.0.0" Slotted  
Screw

70.85  
71.08

Cap

- ☐ ONE CONTINUOUS AUGER SAMPLER
- ☐ STANDARD PENETRATION TEST
- ☐ UNDISTURBED SAMPLE
- ☐ WATER TABLE ( 24 HRS )

- ☐ WATER TABLE ( TIME OF BORING )
- ☐ LABORATORY TEST LOCATION
- ☐ PENETROMETER ( TONS/ SQ. FT )
- ☐ NO RECOVERY

JOB NUMBER : 19-0112-22/ Apache

HOLE DIAMETER : 5'

LOCATION : NEDU #830

LAI GEOLOGIST : R. Nelson

DRILLING CONTRACTOR : SDI

DRILLING METHOD : Air Rotary

**Larson & Associates, Inc.**  
Environmental Consultants

DRILL DATE :  
07/19/2021

BORING NUMBER :  
MW-1

## BORING RECORD

GEOLOGIC UNIT	DEPTH	Start: 13:17 MST Finish: 14:40 DESCRIPTION LITHOLOGIC	DESCRIPTION USCS	GRAPHIC LOG	Surface Elevation: TOC Elevation:		NUMBER	RECOVERY	DEPTH	REMARKS
										BACKGROUND PID READING
	0	Sand, 7.5YR 4/6, Strong Brown, Fine Grained Quartz Sand, Well Sorted, Dry	SW							SOIL : _____ PPM SOIL : _____ PPM
	5									
	10	Silty Sand, 7.5YR 7/4, Pink, Fine Grained Quartz Sand, Moderately Sorted, Dry, Quartz Clasts 2mm	SM							
	15	7.5YR 6/6, Reddish Yellow, Fine Grained Quartz Sand, Moderately Sorted, Dry, Fine to Medium Quartz Clasts								
	20									
	25	Sand, 7.5YR 7/6, Reddish Yellow, Fine Grained Quartz Sand, Dry	SW							
	30	7.5YR 7/6, Reddish Yellow, Fine Grained Quartz Sand, Quartz Clasts								
	35									
	40	Silty Sand, 7.5YR 5/6, Strong Brown, Fine Grained Quartz Sand, Well Sorted, Dry								
	45									
	50	7.5YR 5/6, Strong Brown, Fine Grained Quartz Sand, Well Sorted, Dry, Quartz Clasts	SM							
	55	Medium to Coarse Grained Water Injected at 55'								
	60									
	65									
	70									
	75	TD: 71.86'								

57.88  
Depth to  
Water

57.88  
Depth  
to  
Water

Graded  
Silica Sand

2" Sch. 40  
PVC  
Threaded  
0.0.0" Slotted  
Screw

71.68  
71.86

Cap

ONE CONTINUOUS AUGER SAMPLER

STANDARD PENETRATION TEST

UNDISTURBED SAMPLE

WATER TABLE ( 24 HRS )

WATER TABLE ( TIME OF BORING )

LABORATORY TEST LOCATION

PENETROMETER ( TONS/ SQ. FT )

NR NO RECOVERY

JOB NUMBER : 19-0112-22/ Apache

HOLE DIAMETER : 5'

LOCATION : NEDU #922

LAI GEOLOGIST : R. Nelson

DRILLING CONTRACTOR : SDI

DRILLING METHOD : Air Rotary

**Larson & Associates, Inc.**  
Environmental Consultants

DRILL DATE :  
07/19/2021

BORING NUMBER :  
MW-2

BORING RECORD																												
GEOLOGIC UNIT	DEPTH	Start: 13:45 Finish: 14:50 DESCRIPTION LITHOLOGIC	DESCRIPTION USCS	GRAPHIC LOG	PID READING										SAMPLE		REMARKS											
					PPM X _____										NUMBER	PID READING	RECOVERY	DEPTH	BACKGROUND PID READING									
					2	4	6	8	10	12	14	16	18	SOIL : _____ PPM						SOIL : _____ PPM								
	0	2.5YR 4/6, Red, Fine Grained Quartz Rich Sand, Very Well Sorted, Well Rounded, Unconsolidated Increase in Depth Lithology Remains Same Color Changes to 2.5YR 7/3 to 7/4 Light Reddish Brown at 13'	SM																		13:50							
	5				1										5													
	10				2											10							13:54					
	15				3												15							13:58				
	20				4													20							14:03			
	25				5														25							14:10		
	30				6															30							14:13	
	35				7																						14:20	
	40				8																							14:22
	45				9																							14:25
	50				10																							14:30
	55				11																							14:42
	60				12																							14:44
	65	13																							14:50			
		TD: 65.35'																										

Depth to Water: 53.71

☐

 ONE CONTINUOUS AUGER SAMPLER
 

☐

 STANDARD PENETRATION TEST
 

☐

 UNDISTURBED SAMPLE
  WATER TABLE ( 24 HRS )

WATER TABLE ( TIME OF BORING )
 

☐

 LABORATORY TEST LOCATION
 

☐

 PENETROMETER ( TONS/ SQ. FT )
 

☐

 NO RECOVERY

JOB NUMBER : Apache/19-0112-22  
 HOLE DIAMETER : 5"  
 LOCATION : NEDU 929  
 LAI GEOLOGIST : T. Jackson  
 DRILLING CONTRACTOR : SDI  
 DRILLING METHOD : Air Rotary

DRILL DATE : 7/20/2021  
 BORING NUMBER : MW- 3



## BORING RECORD

GEOLOGIC UNIT	DEPTH	Start: 9:35 Finish: 12:10 DESCRIPTION LITHOLOGIC	DESCRIPTION USCS	GRAPHIC LOG	PID READING										SAMPLE			REMARKS	
					PPM X _____										NUMBER	PID READING	RECOVERY	DEPTH	BACKGROUND PID READING
					2	4	6	8	10	12	14	16	18						
	0	Sand, 2.5YR 4/6, Red, Fine Grained Quart Sand, Very Well Sorted, Well Rounded, Unconsolidated, Quartz Rich Sand	SM																
	5														1		5		9:38
	10														2		10		9:40
	15	Sand, 2.5YR 7/4, Light Reddish Brown, Very Fine to Fine Grained Quartz Sand, Moderately Sorted, Sub Angular to Sub Rounded, with Depth Decrease in Grain Size and Becomes Well Sorted, Quartz Rich Sand													3		15		9:40
	20														4		20		9:42
	25														5		25		9:45
	30	7.5YR 8/3, Pink, Fine to Medium Grained Quartz Sand, Sub Rounded to Sub Angular, Moderately Sorted, Quartz Rich Sand	SM												6		30		10:30
	35														7		35		10:35
	40	7.5YR 6/4, Light Brown, Fine Grained Quartz Sand, Well Sorted, Rounded to Sub Rounded, with Depth Increase in Consolidation and Cementation, Quartz Rich Sand													8		40		10:38
	45														9		45		11:14
	50	7.5YR 7/4, Light Reddish Brown, Poorly Sorted, Fine to Coarse Grained Quartz Sand, Rounded to Angular, Very Consolidated with Red Sandstone Fragments in Cuttings, Quartz Rich Sand																	
	55																		
	60	Introduced Water with Drilling	SM																
	65																		
	70																		
	75	TD: 76.01																	

Depth to Water: 41.05

☐ ONE CONTINUOUS AUGER SAMPLER  
☐ STANDARD PENETRATION TEST  
☐ UNDISTURBED SAMPLE  
☐ WATER TABLE ( 24 HRS )

WATER TABLE ( TIME OF BORING )  
 LABORATORY TEST LOCATION  
 PENETROMETER ( TONS/ SQ. FT )  
 NO RECOVERY

DRILL DATE : 7/20/2021  
 BORING NUMBER : MW-4

JOB NUMBER : Apache/ 19-0112-22  
 HOLE DIAMETER : 5"  
 LOCATION : NEDU 928  
 LAI GEOLOGIST : T. Jackson  
 DRILLING CONTRACTOR : SDI  
 DRILLING METHOD : Air Rotary

## **Appendix C**

### **Laboratory Report**



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Brenda Balbino  
Larson & Associates, Inc.  
507 N Marienfeld  
Suite 202  
Midland, Texas 79701

Generated 8/6/2024 11:08:48 PM

## JOB DESCRIPTION

NEDU Pits  
19-0112-22

## JOB NUMBER

880-46633-1

Eurofins Midland  
1211 W. Florida Ave  
Midland TX 79701

See page two for job notes and contact information.



# Eurofins Midland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Generated  
8/6/2024 11:08:48 PM

Authorized for release by  
Holly Taylor, Project Manager  
[Holly.Taylor@et.eurofinsus.com](mailto:Holly.Taylor@et.eurofinsus.com)  
(806)794-1296

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Laboratory Job ID: 880-46633-1  
SDG: 19-0112-22

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
Surrogate Summary . . . . .	9
QC Sample Results . . . . .	10
QC Association Summary . . . . .	13
Lab Chronicle . . . . .	14
Certification Summary . . . . .	16
Method Summary . . . . .	17
Sample Summary . . . . .	18
Chain of Custody . . . . .	19
Receipt Checklists . . . . .	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

Qualifiers

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Larson & Associates, Inc.  
Project: NEDU Pits

Job ID: 880-46633-1

Job ID: 880-46633-1

Eurofins Midland

Job Narrative  
880-46633-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 7/30/2024 9:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.2°C.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for analytical batch 880-87101 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland



## Client Sample Results

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

Client Sample ID: MW-3

Lab Sample ID: 880-46633-1

Date Collected: 07/29/24 10:20

Matrix: Water

Date Received: 07/30/24 09:00

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L			08/01/24 01:18	1
Toluene	<2.00	U	2.00	ug/L			08/01/24 01:18	1
Ethylbenzene	<2.00	U	2.00	ug/L			08/01/24 01:18	1
m,p-Xylenes	<4.00	U	4.00	ug/L			08/01/24 01:18	1
o-Xylene	<2.00	U	2.00	ug/L			08/01/24 01:18	1
Xylenes, Total	<4.00	U	4.00	ug/L			08/01/24 01:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130		08/01/24 01:18	1
1,4-Difluorobenzene (Surr)	98		70 - 130		08/01/24 01:18	1

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400	mg/L			08/01/24 01:18	1

## Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	111		2.50	mg/L			07/31/24 09:34	5

## General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	631		50.0	mg/L			08/01/24 17:46	1

Client Sample ID: MW-4

Lab Sample ID: 880-46633-2

Date Collected: 07/29/24 11:10

Matrix: Water

Date Received: 07/30/24 09:00

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L			08/01/24 01:38	1
Toluene	<2.00	U	2.00	ug/L			08/01/24 01:38	1
Ethylbenzene	<2.00	U	2.00	ug/L			08/01/24 01:38	1
m,p-Xylenes	<4.00	U	4.00	ug/L			08/01/24 01:38	1
o-Xylene	<2.00	U	2.00	ug/L			08/01/24 01:38	1
Xylenes, Total	<4.00	U	4.00	ug/L			08/01/24 01:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130		08/01/24 01:38	1
1,4-Difluorobenzene (Surr)	97		70 - 130		08/01/24 01:38	1

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400	mg/L			08/01/24 01:38	1

## Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	131		5.00	mg/L			07/31/24 09:39	10

## General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	755		50.0	mg/L			08/01/24 17:46	1

Eurofins Midland

## Client Sample Results

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

Client Sample ID: MW-2

Lab Sample ID: 880-46633-3

Date Collected: 07/29/24 12:10

Matrix: Water

Date Received: 07/30/24 09:00

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L			08/01/24 01:58	1
Toluene	<2.00	U	2.00	ug/L			08/01/24 01:58	1
Ethylbenzene	<2.00	U	2.00	ug/L			08/01/24 01:58	1
m,p-Xylenes	<4.00	U	4.00	ug/L			08/01/24 01:58	1
o-Xylene	<2.00	U	2.00	ug/L			08/01/24 01:58	1
Xylenes, Total	<4.00	U	4.00	ug/L			08/01/24 01:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130		08/01/24 01:58	1
1,4-Difluorobenzene (Surr)	97		70 - 130		08/01/24 01:58	1

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400	mg/L			08/01/24 01:58	1

## Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	218		5.00	mg/L			07/31/24 09:44	10

## General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	1020		50.0	mg/L			08/01/24 17:46	1

Client Sample ID: MW-1

Lab Sample ID: 880-46633-4

Date Collected: 07/29/24 12:40

Matrix: Water

Date Received: 07/30/24 09:00

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L			08/01/24 02:19	1
Toluene	<2.00	U	2.00	ug/L			08/01/24 02:19	1
Ethylbenzene	<2.00	U	2.00	ug/L			08/01/24 02:19	1
m,p-Xylenes	<4.00	U	4.00	ug/L			08/01/24 02:19	1
o-Xylene	<2.00	U	2.00	ug/L			08/01/24 02:19	1
Xylenes, Total	<4.00	U	4.00	ug/L			08/01/24 02:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130		08/01/24 02:19	1
1,4-Difluorobenzene (Surr)	98		70 - 130		08/01/24 02:19	1

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400	mg/L			08/01/24 02:19	1

## Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1480		10.0	mg/L			07/31/24 09:49	20

## General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	2670		200	mg/L			08/01/24 17:46	1

Eurofins Midland

Client Sample Results

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

Client Sample ID: DUP-1  
Date Collected: 07/29/24 00:00  
Date Received: 07/30/24 09:00

Lab Sample ID: 880-46633-5  
Matrix: Water

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	<2.00	U	2.00	ug/L			08/01/24 02:39	1	
Toluene	<2.00	U	2.00	ug/L			08/01/24 02:39	1	
Ethylbenzene	<2.00	U	2.00	ug/L			08/01/24 02:39	1	
m,p-Xylenes	<4.00	U	4.00	ug/L			08/01/24 02:39	1	
o-Xylene	<2.00	U	2.00	ug/L			08/01/24 02:39	1	
Xylenes, Total	<4.00	U	4.00	ug/L			08/01/24 02:39	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	106		70 - 130				08/01/24 02:39	1	
1,4-Difluorobenzene (Surr)	97		70 - 130				08/01/24 02:39	1	
Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Total BTEX	<0.00400	U	0.00400	mg/L			08/01/24 02:39	1	
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	209	F1	5.00	mg/L			07/31/24 09:55	10	
General Chemistry									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Total Dissolved Solids (SM 2540C)	1030		50.0	mg/L			08/01/24 17:46	1	

Surrogate Summary

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

Method: 8021B - Volatile Organic Compounds (GC)  
Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	BFB1	DFBZ1				
		(70-130)	(70-130)				
880-46633-1	MW-3	107	98				
880-46633-2	MW-4	106	97				
880-46633-3	MW-2	101	97				
880-46633-4	MW-1	104	98				
880-46633-5	DUP-1	106	97				
LCS 880-87105/34	Lab Control Sample	99	99				
LCSD 880-87105/35	Lab Control Sample Dup	103	101				
MB 880-87105/39	Method Blank	107	92				
MB 880-87144/5-A	Method Blank	105	91				
Surrogate Legend							
BFB = 4-Bromofluorobenzene (Surr)							
DFBZ = 1,4-Difluorobenzene (Surr)							

## QC Sample Results

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

## Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-87105/39

Matrix: Water

Analysis Batch: 87105

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L			08/01/24 00:15	1
Toluene	<2.00	U	2.00	ug/L			08/01/24 00:15	1
Ethylbenzene	<2.00	U	2.00	ug/L			08/01/24 00:15	1
m,p-Xylenes	<4.00	U	4.00	ug/L			08/01/24 00:15	1
o-Xylene	<2.00	U	2.00	ug/L			08/01/24 00:15	1
Xylenes, Total	<4.00	U	4.00	ug/L			08/01/24 00:15	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130		08/01/24 00:15	1
1,4-Difluorobenzene (Surr)	92		70 - 130		08/01/24 00:15	1

Lab Sample ID: LCS 880-87105/34

Matrix: Water

Analysis Batch: 87105

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	100	109.8		ug/L		110	70 - 130
Toluene	100	100.5		ug/L		100	70 - 130
Ethylbenzene	100	102.3		ug/L		102	70 - 130
m,p-Xylenes	200	211.3		ug/L		106	70 - 130
o-Xylene	100	104.8		ug/L		105	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: LCSD 880-87105/35

Matrix: Water

Analysis Batch: 87105

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	100	107.9		ug/L		108	70 - 130	2	20
Toluene	100	98.57		ug/L		99	70 - 130	2	20
Ethylbenzene	100	100.3		ug/L		100	70 - 130	2	20
m,p-Xylenes	200	206.7		ug/L		103	70 - 130	2	20
o-Xylene	100	102.7		ug/L		103	70 - 130	2	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	103		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: MB 880-87144/5-A

Matrix: Water

Analysis Batch: 87105

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 87144

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L		07/31/24 11:44	07/31/24 13:17	1
Toluene	<2.00	U	2.00	ug/L		07/31/24 11:44	07/31/24 13:17	1

Eurofins Midland

## QC Sample Results

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-87144/5-A

Matrix: Water

Analysis Batch: 87105

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 87144

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	<2.00	U	2.00	ug/L		07/31/24 11:44	07/31/24 13:17	1
m,p-Xylenes	<4.00	U	4.00	ug/L		07/31/24 11:44	07/31/24 13:17	1
o-Xylene	<2.00	U	2.00	ug/L		07/31/24 11:44	07/31/24 13:17	1
Xylenes, Total	<4.00	U	4.00	ug/L		07/31/24 11:44	07/31/24 13:17	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	07/31/24 11:44	07/31/24 13:17	1
1,4-Difluorobenzene (Surr)	91		70 - 130	07/31/24 11:44	07/31/24 13:17	1

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-87101/3

Matrix: Water

Analysis Batch: 87101

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.500	U	0.500	mg/L			07/31/24 08:25	1

Lab Sample ID: LCS 880-87101/4

Matrix: Water

Analysis Batch: 87101

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	25.0	24.01		mg/L		96	90 - 110

Lab Sample ID: LCSD 880-87101/5

Matrix: Water

Analysis Batch: 87101

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	25.0	24.08		mg/L		96	90 - 110	0	20

Lab Sample ID: 880-46633-5 MS

Matrix: Water

Analysis Batch: 87101

Client Sample ID: DUP-1

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	209	F1	250	513.3	F1	mg/L		122	90 - 110

Lab Sample ID: 880-46633-5 MSD

Matrix: Water

Analysis Batch: 87101

Client Sample ID: DUP-1

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	209	F1	250	514.1	F1	mg/L		122	90 - 110	0	20

Eurofins Midland

QC Sample Results

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 880-87329/1

Matrix: Water

Analysis Batch: 87329

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<25.0	U	25.0	mg/L			08/01/24 17:46	1

Lab Sample ID: LCS 880-87329/2

Matrix: Water

Analysis Batch: 87329

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1000	994.0		mg/L		99	80 - 120

Lab Sample ID: LCSD 880-87329/3

Matrix: Water

Analysis Batch: 87329

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	1000	975.0		mg/L		98	80 - 120	2	10

Lab Sample ID: 880-46633-1 DU

Matrix: Water

Analysis Batch: 87329

Client Sample ID: MW-3

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	631		634.0		mg/L		0.5	10

QC Association Summary

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

GC VOA

Analysis Batch: 87105

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-46633-1	MW-3	Total/NA	Water	8021B	87144
880-46633-2	MW-4	Total/NA	Water	8021B	
880-46633-3	MW-2	Total/NA	Water	8021B	
880-46633-4	MW-1	Total/NA	Water	8021B	
880-46633-5	DUP-1	Total/NA	Water	8021B	
MB 880-87105/39	Method Blank	Total/NA	Water	8021B	
MB 880-87144/5-A	Method Blank	Total/NA	Water	8021B	
LCS 880-87105/34	Lab Control Sample	Total/NA	Water	8021B	
LCSD 880-87105/35	Lab Control Sample Dup	Total/NA	Water	8021B	

Prep Batch: 87144

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-87144/5-A	Method Blank	Total/NA	Water	5035	

Analysis Batch: 87247

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-46633-1	MW-3	Total/NA	Water	Total BTEX	
880-46633-2	MW-4	Total/NA	Water	Total BTEX	
880-46633-3	MW-2	Total/NA	Water	Total BTEX	
880-46633-4	MW-1	Total/NA	Water	Total BTEX	
880-46633-5	DUP-1	Total/NA	Water	Total BTEX	

HPLC/IC

Analysis Batch: 87101

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-46633-1	MW-3	Total/NA	Water	300.0	
880-46633-2	MW-4	Total/NA	Water	300.0	
880-46633-3	MW-2	Total/NA	Water	300.0	
880-46633-4	MW-1	Total/NA	Water	300.0	
880-46633-5	DUP-1	Total/NA	Water	300.0	
MB 880-87101/3	Method Blank	Total/NA	Water	300.0	
LCS 880-87101/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 880-87101/5	Lab Control Sample Dup	Total/NA	Water	300.0	
880-46633-5 MS	DUP-1	Total/NA	Water	300.0	
880-46633-5 MSD	DUP-1	Total/NA	Water	300.0	

General Chemistry

Analysis Batch: 87329

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-46633-1	MW-3	Total/NA	Water	SM 2540C	
880-46633-2	MW-4	Total/NA	Water	SM 2540C	
880-46633-3	MW-2	Total/NA	Water	SM 2540C	
880-46633-4	MW-1	Total/NA	Water	SM 2540C	
880-46633-5	DUP-1	Total/NA	Water	SM 2540C	
MB 880-87329/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 880-87329/2	Lab Control Sample	Total/NA	Water	SM 2540C	
LCSD 880-87329/3	Lab Control Sample Dup	Total/NA	Water	SM 2540C	
880-46633-1 DU	MW-3	Total/NA	Water	SM 2540C	



Lab Chronicle

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

Client Sample ID: MW-3  
Date Collected: 07/29/24 10:20  
Date Received: 07/30/24 09:00

Lab Sample ID: 880-46633-1  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	87105	08/01/24 01:18	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			87247	08/01/24 01:18	SM	EET MID
Total/NA	Analysis	300.0		5			87101	07/31/24 09:34	CH	EET MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	87329	08/01/24 17:46	SMC	EET MID

Client Sample ID: MW-4  
Date Collected: 07/29/24 11:10  
Date Received: 07/30/24 09:00

Lab Sample ID: 880-46633-2  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	87105	08/01/24 01:38	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			87247	08/01/24 01:38	SM	EET MID
Total/NA	Analysis	300.0		10			87101	07/31/24 09:39	CH	EET MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	87329	08/01/24 17:46	SMC	EET MID

Client Sample ID: MW-2  
Date Collected: 07/29/24 12:10  
Date Received: 07/30/24 09:00

Lab Sample ID: 880-46633-3  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	87105	08/01/24 01:58	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			87247	08/01/24 01:58	SM	EET MID
Total/NA	Analysis	300.0		10			87101	07/31/24 09:44	CH	EET MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	87329	08/01/24 17:46	SMC	EET MID

Client Sample ID: MW-1  
Date Collected: 07/29/24 12:40  
Date Received: 07/30/24 09:00

Lab Sample ID: 880-46633-4  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	87105	08/01/24 02:19	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			87247	08/01/24 02:19	SM	EET MID
Total/NA	Analysis	300.0		20			87101	07/31/24 09:49	CH	EET MID
Total/NA	Analysis	SM 2540C		1	25 mL	200 mL	87329	08/01/24 17:46	SMC	EET MID

Client Sample ID: DUP-1  
Date Collected: 07/29/24 00:00  
Date Received: 07/30/24 09:00

Lab Sample ID: 880-46633-5  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	87105	08/01/24 02:39	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			87247	08/01/24 02:39	SM	EET MID
Total/NA	Analysis	300.0		10			87101	07/31/24 09:55	CH	EET MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	87329	08/01/24 17:46	SMC	EET MID

Eurofins Midland

Lab Chronicle

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

**Laboratory References:**  
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-25
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
Total BTEX		Water	Total BTEX

Method Summary

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET MID
5030B	Purge and Trap	SW846	EET MID

**Protocol References:**

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-46633-1  
SDG: 19-0112-22

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-46633-1	MW-3	Water	07/29/24 10:20	07/30/24 09:00
880-46633-2	MW-4	Water	07/29/24 11:10	07/30/24 09:00
880-46633-3	MW-2	Water	07/29/24 12:10	07/30/24 09:00
880-46633-4	MW-1	Water	07/29/24 12:40	07/30/24 09:00
880-46633-5	DUP-1	Water	07/29/24 00:00	07/30/24 09:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Login Sample Receipt Checklist

Client: Larson & Associates, Inc.

Job Number: 880-46633-1  
SDG Number: 19-0112-22

Login Number: 46633  
List Number: 1  
Creator: Vasquez, Julisa


List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

## **Appendix D**


### **Chloride Control Chart**





## **Appendix E**

### **TDS Control Chart**



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division

1220 S. St Francis Dr.

Santa Fe, NM 87505

CONDITIONS

Action 383409

CONDITIONS

Operator:  APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID:
	873
	Action Number: 383409
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Review of the 2024 Second Quarter Groundwater Monitoring Report for #829, 830, 922, 928, and 929: content is satisfactory 1. Please continue to conduct groundwater monitoring on a quarterly calendar year schedule, as prescribed. 2. Provide a four (4) day business notice to OCD prior to conducting the next sampling event. 3. Send notice of sampling via email to: OCD.Enviro@emnrd.nm.gov or michael.buchanan@emnrd.nm.gov 4. Gauge each monitoring well (MW-1 through MW-4) as prescribed. 5. Please include a contingency plan for those wells that continue to remain dry, request a variance, or drill wells deeper if needed. Please propose which option is best suited for the site conditions. 6. Submit the 2025 annual report(s) to OCD by April 1, 2026	1/8/2025