

Meter #: 67502059  
Name: DAUNTLESS 7 FED CTB ILP FL

|                   |                     |                  |          |       |       |        |        |        |       |       |         |
|-------------------|---------------------|------------------|----------|-------|-------|--------|--------|--------|-------|-------|---------|
| Pressure Base:    | 14.730 psia         | Meter Status:    | Active   | CO2   | N2    | C1     | C2     | C3     | IC4   | NC4   | IC5     |
| Temperature Base: | 60.00 °F            | Contract Hr.:    | Midnight | 0.482 | 0.183 | 39.575 | 24.272 | 18.822 | 2.690 | 6.637 | 1.550   |
| Atmos Pressure:   | 13.200 psi          | Full Wellstream: |          | NC5   | neo   | C6     | C7     | C8     | C9    | C10   |         |
| Calc Method:      | AGA3-1992           | WV Technique:    |          | 1.729 |       | 2.031  |        |        |       |       |         |
| Z Method:         | AGA-8 Detail (1992) | WV Method:       |          | Ar    | CO    | H2     | O2     | He     | H2O   | H2S   | H2S ppm |
| Tube I.D.:        | 4.0260 in           | HV Cond:         | Wet      |       |       | 0.000  | 0.000  | 0.000  | 2.029 | 0.000 | 1.500   |
| Tap Location:     | Upstream            | Meter Type:      | EFM      |       |       |        |        |        |       |       |         |
| Tap Type:         | Flange              | Interval:        | 1 Hour   |       |       |        |        |        |       |       |         |

| Hour  | Differential<br>(In. H2O) | Pressure<br>(psia) | Temp.<br>(°F) | Flow<br>Time<br>(hrs) | Relative<br>Density | Plate<br>(inches) | Volume<br>(Mcf) | Heating<br>Value<br>(Btu/scf) | Energy<br>(MMBtu) | Edited |
|-------|---------------------------|--------------------|---------------|-----------------------|---------------------|-------------------|-----------------|-------------------------------|-------------------|--------|
| 0     | 177.57                    | 68.77              | 90.03         | 0.65                  | 1.1247              | 2.0000            | 54              | 1870.94                       | 100               | Yes    |
| 1     | 180.26                    | 68.68              | 90.51         | 1.00                  | 1.1247              | 2.0000            | 83              | 1870.94                       | 156               | Yes    |
| 2     | 182.52                    | 68.68              | 90.26         | 1.00                  | 1.1247              | 2.0000            | 84              | 1870.94                       | 158               | Yes    |
| 3     | 184.19                    | 68.68              | 90.01         | 1.00                  | 1.1247              | 2.0000            | 84              | 1870.94                       | 157               | Yes    |
| 4     | 184.35                    | 68.65              | 89.40         | 1.00                  | 1.1247              | 2.0000            | 85              | 1870.94                       | 158               | Yes    |
| 5     | 195.08                    | 68.91              | 89.45         | 1.00                  | 1.1247              | 2.0000            | 86              | 1870.94                       | 162               | Yes    |
| 6     | 230.14                    | 69.73              | 88.87         | 1.00                  | 1.1247              | 2.0000            | 94              | 1870.94                       | 176               | Yes    |
| 7     | 237.87                    | 69.92              | 89.36         | 1.00                  | 1.1247              | 2.0000            | 96              | 1870.94                       | 179               | Yes    |
| 8     | 251.18                    | 70.22              | 91.64         | 1.00                  | 1.1247              | 2.0000            | 98              | 1870.94                       | 183               | Yes    |
| 9     | 256.34                    | 70.41              | 94.23         | 1.00                  | 1.1247              | 2.0000            | 99              | 1870.94                       | 185               | Yes    |
| 10    | 262.87                    | 70.54              | 96.22         | 1.00                  | 1.1247              | 2.0000            | 100             | 1870.94                       | 187               | Yes    |
| 11    | 268.90                    | 70.63              | 97.58         | 1.00                  | 1.1247              | 2.0000            | 101             | 1870.94                       | 189               | Yes    |
| 12    | 263.52                    | 70.45              | 98.59         | 1.00                  | 1.1247              | 2.0000            | 100             | 1870.94                       | 187               | Yes    |
| 13    | 276.66                    | 70.75              | 99.43         | 1.00                  | 1.1247              | 2.0000            | 102             | 1870.94                       | 191               | Yes    |
| 14    | 278.93                    | 70.77              | 99.82         | 1.00                  | 1.1247              | 2.0000            | 102             | 1870.94                       | 192               | Yes    |
| 15    | 272.62                    | 70.55              | 99.15         | 1.00                  | 1.1247              | 2.0000            | 101             | 1870.94                       | 189               | Yes    |
| 16    | 267.48                    | 70.36              | 98.03         | 1.00                  | 1.1247              | 2.0000            | 100             | 1870.94                       | 187               | Yes    |
| 17    | 253.44                    | 69.96              | 96.69         | 0.64                  | 1.1247              | 2.0000            | 62              | 1870.94                       | 116               | Yes    |
| 18    | 8.17                      | 64.37              | 94.61         | 0.02                  | 1.1247              | 2.0000            | 1               | 1870.94                       | 0                 | Yes    |
| 19    | 0.00                      | 56.53              | 89.17         | 0.00                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 20    | 0.00                      | 56.85              | 85.30         | 0.00                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 21    | 4.52                      | 64.40              | 83.99         | 0.02                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 1                 | Yes    |
| 22    | 16.23                     | 64.66              | 85.25         | 0.01                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 23    | 1.67                      | 64.43              | 84.50         | 0.00                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| Total | 238.23                    | 69.89              | 94.13         | 17.34                 | 1.1247              |                   | 1,632           |                               | 3,053             |        |

Meter #: 67502059  
Name: DAUNTLESS 7 FED CTB ILP FL

|                   |                     |                  |          |       |       |        |        |        |       |       |         |
|-------------------|---------------------|------------------|----------|-------|-------|--------|--------|--------|-------|-------|---------|
| Pressure Base:    | 14.730 psia         | Meter Status:    | Active   | CO2   | N2    | C1     | C2     | C3     | IC4   | NC4   | IC5     |
| Temperature Base: | 60.00 °F            | Contract Hr.:    | Midnight | 0.482 | 0.183 | 39.575 | 24.272 | 18.822 | 2.690 | 6.637 | 1.550   |
| Atmos Pressure:   | 13.200 psi          | Full Wellstream: |          | NC5   | neo   | C6     | C7     | C8     | C9    | C10   |         |
| Calc Method:      | AGA3-1992           | WV Technique:    |          | 1.729 |       | 2.031  |        |        |       |       |         |
| Z Method:         | AGA-8 Detail (1992) | WV Method:       |          | Ar    | CO    | H2     | O2     | He     | H2O   | H2S   | H2S ppm |
| Tube I.D.:        | 4.0260 in           | HV Cond:         | Wet      |       |       | 0.000  | 0.000  | 0.000  | 2.029 | 0.000 | 1.500   |
| Tap Location:     | Upstream            | Meter Type:      | EFM      |       |       |        |        |        |       |       |         |
| Tap Type:         | Flange              | Interval:        | 1 Hour   |       |       |        |        |        |       |       |         |

| Hour  | Differential<br>(In. H2O) | Pressure<br>(psia) | Temp.<br>(°F) | Flow<br>Time<br>(hrs) | Relative<br>Density | Plate<br>(inches) | Volume<br>(Mcf) | Heating<br>Value<br>(Btu/scf) | Energy<br>(MMBtu) | Edited |
|-------|---------------------------|--------------------|---------------|-----------------------|---------------------|-------------------|-----------------|-------------------------------|-------------------|--------|
| 0     | 0.00                      | 56.75              | 81.89         | 0.00                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 1     | 0.00                      | 56.59              | 81.26         | 0.00                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 2     | 0.00                      | 55.89              | 79.47         | 0.00                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 3     | 0.00                      | 55.77              | 78.50         | 0.00                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 4     | 20.11                     | 64.81              | 80.12         | 0.02                  | 1.1247              | 2.0000            | 1               | 1870.94                       | 1                 | Yes    |
| 5     | 0.00                      | 55.83              | 76.34         | 0.00                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 6     | 0.00                      | 55.26              | 75.19         | 0.00                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 7     | 7.94                      | 64.80              | 75.71         | 0.01                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 8     | 22.42                     | 64.88              | 80.79         | 0.02                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 1                 | Yes    |
| 9     | 6.46                      | 64.67              | 85.90         | 0.01                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 1                 | Yes    |
| 10    | 9.30                      | 64.69              | 93.43         | 0.03                  | 1.1247              | 2.0000            | 1               | 1870.94                       | 0                 | Yes    |
| 11    | 12.86                     | 64.65              | 99.47         | 0.03                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 1                 | Yes    |
| 12    | 12.45                     | 64.65              | 102.95        | 0.03                  | 1.1247              | 2.0000            | 1               | 1870.94                       | 2                 | Yes    |
| 13    | 24.81                     | 64.88              | 103.10        | 0.04                  | 1.1247              | 2.0000            | 1               | 1870.94                       | 2                 | Yes    |
| 14    | 20.71                     | 64.83              | 105.12        | 0.03                  | 1.1247              | 2.0000            | 1               | 1870.94                       | 1                 | Yes    |
| 15    | 15.21                     | 64.88              | 104.82        | 0.03                  | 1.1247              | 2.0000            | 1               | 1870.94                       | 1                 | Yes    |
| 16    | 20.12                     | 64.86              | 102.47        | 0.05                  | 1.1247              | 2.0000            | 1               | 1870.94                       | 3                 | Yes    |
| 17    | 20.84                     | 64.84              | 96.82         | 0.03                  | 1.1247              | 2.0000            | 1               | 1870.94                       | 1                 | Yes    |
| 18    | 1.15                      | 64.23              | 93.33         | 0.01                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 19    | 17.56                     | 64.76              | 87.19         | 0.01                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 1                 | Yes    |
| 20    | 10.96                     | 64.83              | 86.15         | 0.01                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 21    | 13.25                     | 64.76              | 84.38         | 0.02                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 1                 | Yes    |
| 22    | 0.00                      | 55.30              | 81.67         | 0.00                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| 23    | 0.00                      | 55.00              | 79.59         | 0.00                  | 1.1247              | 2.0000            | 0               | 1870.94                       | 0                 | Yes    |
| Total | 17.97                     | 64.80              | 96.78         | 0.37                  | 1.1247              |                   | 8               |                               | 16                |        |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

DEFINITIONS

Action 500609

DEFINITIONS

|                                                                             |                                                               |
|-----------------------------------------------------------------------------|---------------------------------------------------------------|
| Operator:<br>EOG RESOURCES INC<br>5509 Champions Drive<br>Midland, TX 79706 | OGRID:<br>7377                                                |
|                                                                             | Action Number:<br>500609                                      |
|                                                                             | Action Type:<br>[C-129] Amend Venting and/or Flaring (C-129A) |

DEFINITIONS

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:</p> <ul style="list-style-type: none"><li>• this application's operator, hereinafter "this operator";</li><li>• venting and/or flaring, hereinafter "vent or flare";</li><li>• any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";</li><li>• the statements in (and/or attached to) this, hereinafter "the statements in this";</li><li>• and the past tense will be used in lieu of mixed past/present tense questions and statements.</li></ul> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 500609

**QUESTIONS**

|                                                                             |                                                               |
|-----------------------------------------------------------------------------|---------------------------------------------------------------|
| Operator:<br>EOG RESOURCES INC<br>5509 Champions Drive<br>Midland, TX 79706 | OGRID:<br>7377                                                |
|                                                                             | Action Number:<br>500609                                      |
|                                                                             | Action Type:<br>[C-129] Amend Venting and/or Flaring (C-129A) |

**QUESTIONS**

|                                                                                                                                                                                                          |                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>Prerequisites</b>                                                                                                                                                                                     |                                      |
| <i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>                                |                                      |
| Incident ID (n#)                                                                                                                                                                                         | Unavailable.                         |
| Incident Name                                                                                                                                                                                            | Unavailable.                         |
| Incident Type                                                                                                                                                                                            | Flare                                |
| Incident Status                                                                                                                                                                                          | Unavailable.                         |
| Incident Facility                                                                                                                                                                                        | [fAPP2203924934] DAUNTLESS 7 FED CTB |
| <i>Only valid Vent, Flare or Vent with Flaring incidents (selected above in the Application Details section) that are assigned to your current operator can be amended with this C-129A application.</i> |                                      |

|                                                                                                                                                                                                                                                                                            |                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| <b>Determination of Reporting Requirements</b>                                                                                                                                                                                                                                             |                                                   |
| <i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>                                                                                                                                                 |                                                   |
| Was this vent or flare caused by an emergency or malfunction                                                                                                                                                                                                                               | Yes                                               |
| Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event                                                                                                                                                                                 | No                                                |
| Is this considered a submission for a vent or flare event                                                                                                                                                                                                                                  | Yes, major venting and/or flaring of natural gas. |
| <i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>                                                                                     |                                                   |
| Was there <b>at least 50 MCF</b> of natural gas vented and/or flared during this event                                                                                                                                                                                                     | Yes                                               |
| Did this vent or flare result in the release of <b>ANY</b> liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No                                                |
| Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence                                                                                                              | No                                                |

|                                                           |               |
|-----------------------------------------------------------|---------------|
| <b>Equipment Involved</b>                                 |               |
| Primary Equipment Involved                                | Not answered. |
| Additional details for Equipment Involved. Please specify | Not answered. |

|                                                                                                                                      |    |
|--------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>Representative Compositional Analysis of Vented or Flared Natural Gas</b>                                                         |    |
| <i>Please provide the mole percent for the percentage questions in this group.</i>                                                   |    |
| Methane (CH4) percentage                                                                                                             | 32 |
| Nitrogen (N2) percentage, if greater than one percent                                                                                | 0  |
| Hydrogen Sulfide (H2S) PPM, rounded up                                                                                               | 0  |
| Carbon Dioxide (CO2) percentage, if greater than one percent                                                                         | 3  |
| Oxygen (O2) percentage, if greater than one percent                                                                                  | 0  |
| <i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i> |    |
| Methane (CH4) percentage quality requirement                                                                                         | 0  |
| Nitrogen (N2) percentage quality requirement                                                                                         | 0  |
| Hydrogen Sulfide (H2S) PPM quality requirement                                                                                       | 0  |
| Carbon Dioxide (CO2) percentage quality requirement                                                                                  | 0  |
| Oxygen (O2) percentage quality requirement                                                                                           | 0  |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 500609

**QUESTIONS (continued)**

|                                                                             |                                                               |
|-----------------------------------------------------------------------------|---------------------------------------------------------------|
| Operator:<br>EOG RESOURCES INC<br>5509 Champions Drive<br>Midland, TX 79706 | OGRID:<br>7377                                                |
|                                                                             | Action Number:<br>500609                                      |
|                                                                             | Action Type:<br>[C-129] Amend Venting and/or Flaring (C-129A) |

**QUESTIONS**

| Date(s) and Time(s)                            |            |
|------------------------------------------------|------------|
| Date vent or flare was discovered or commenced | 08/25/2025 |
| Time vent or flare was discovered or commenced | 12:00 AM   |
| Time vent or flare was terminated              | 11:00 PM   |
| Cumulative hours during this event             | 2          |

| Measured or Estimated Volume of Vented or Flared Natural Gas              |                                                                                                                                 |
|---------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Natural Gas Vented (Mcf) Details                                          | Not answered.                                                                                                                   |
| Natural Gas Flared (Mcf) Details                                          | Cause: Repair and Maintenance   Producing Well   Natural Gas Flared   Released: 1,632 Mcf   Recovered: 0 Mcf   Lost: 1,632 Mcf. |
| Other Released Details                                                    | Not answered.                                                                                                                   |
| Additional details for Measured or Estimated Volume(s). Please specify    | Not answered.                                                                                                                   |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report.                                                      |

| Venting or Flaring Resulting from Downstream Activity             |          |
|-------------------------------------------------------------------|----------|
| Was this vent or flare a result of downstream activity            | No       |
| Was notification of downstream activity received by this operator | No       |
| Downstream OGRID that should have notified this operator          | 0        |
| Date notified of downstream activity requiring this vent or flare |          |
| Time notified of downstream activity requiring this vent or flare | 12:00 AM |

| Steps and Actions to Prevent Waste                                                                                              |                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control | False                                                                                                      |
| Please explain reason for why this event was beyond this operator's control                                                     | Not answered.                                                                                              |
| Steps taken to limit the duration and magnitude of vent or flare                                                                | Task is site specific but should have pre job planning meeting and look for ways to limit or avoid flaring |
| Corrective actions taken to eliminate the cause and reoccurrence of vent or flare                                               | Implement a scheduled maintenance program to avoid failures                                                |



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 500609

ACKNOWLEDGMENTS

|                                                                             |                                                               |
|-----------------------------------------------------------------------------|---------------------------------------------------------------|
| Operator:<br>EOG RESOURCES INC<br>5509 Champions Drive<br>Midland, TX 79706 | OGRID:<br>7377                                                |
|                                                                             | Action Number:<br>500609                                      |
|                                                                             | Action Type:<br>[C-129] Amend Venting and/or Flaring (C-129A) |

ACKNOWLEDGMENTS

|                                     |                                                                                                                                                                                                                                                                                                     |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I acknowledge that with this application I will be amending an existing incident file (assigned to this operator) for a vent or flare event, pursuant to 19.15.27 and 19.15.28 NMAC.                                                                                                                |
| <input checked="" type="checkbox"/> | I acknowledge that amending an incident file does not replace original submitted application(s) or information and understand that any C-129 forms submitted to the OCD will be logged and stored as public record.                                                                                 |
| <input checked="" type="checkbox"/> | I hereby certify the statements in this amending report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.                                                                         |
| <input checked="" type="checkbox"/> | I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment. |
| <input checked="" type="checkbox"/> | I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.                                                                                                    |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 500609

CONDITIONS

|                                                                             |                                                               |
|-----------------------------------------------------------------------------|---------------------------------------------------------------|
| Operator:<br>EOG RESOURCES INC<br>5509 Champions Drive<br>Midland, TX 79706 | OGRID:<br>7377                                                |
|                                                                             | Action Number:<br>500609                                      |
|                                                                             | Action Type:<br>[C-129] Amend Venting and/or Flaring (C-129A) |

CONDITIONS

| Created By | Condition                                                                                                                                                                                  | Condition Date |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| kagee      | If the information provided in this report requires further amendment(s), submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 8/29/2025      |