

Received by OCD: 12/2/2025 12:48:04 PM

HOURLY GAS VOLUME STATEMENT

November 26, 2025

Meter #: 14170675
Name: BANJO 5 FED COM CTB TANK FL TM

Pressure Base:	14.730 psia	Meter Status:	Active	CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.332	0.141	39.754	19.953	16.750	4.175	9.826	2.537
Atmos Pressure:	13.200 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		2.611		1.114	0.331	0.055	0.002		
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	4.0260 in	HV Cond:	Wet						2.419	0.001	0.000
Press. Comp.:	No	Meter Type:	EFM								
Temp. Comp.:	No	Interval:	1 Hour								

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	0	13.58	53.22	0	1.1724	1,000.0000	0	1907.99	0	Yes
1	0	13.64	51.22	0	1.1724	1,000.0000	0	1907.99	0	Yes
2	0	13.67	49.81	0	1.1724	1,000.0000	0	1907.99	0	Yes
3	0	13.70	48.91	0	1.1724	1,000.0000	0	1907.99	0	Yes
4	0	13.61	48.64	0	1.1724	1,000.0000	0	1907.99	0	Yes
5	0	13.67	47.79	0	1.1724	1,000.0000	0	1907.99	0	Yes
6	0	13.77	47.76	0	1.1724	1,000.0000	0	1907.99	0	Yes
7	0	13.65	46.83	0	1.1724	1,000.0000	0	1907.99	0	Yes
8	0	13.63	47.04	0	1.1724	1,000.0000	0	1907.99	0	Yes
9	0	13.69	48.52	0	1.1724	1,000.0000	0	1907.99	0	Yes
10	0	13.71	50.04	0	1.1724	1,000.0000	0	1907.99	0	Yes
11	0	13.64	62.99	0	1.1724	1,000.0000	0	1907.99	0	Yes
12	0	13.58	66.57	0	1.1724	1,000.0000	0	1907.99	0	Yes
13	0	13.56	66.89	0	1.1724	1,000.0000	0	1907.99	0	Yes
14	0	13.53	66.57	0	1.1724	1,000.0000	0	1907.99	0	Yes
15	0	13.55	71.62	0	1.1724	1,000.0000	0	1907.99	0	Yes
16	0	13.58	67.81	0	1.1724	1,000.0000	0	1907.99	0	Yes
17	0	13.57	60.31	0	1.1724	1,000.0000	0	1907.99	0	Yes
18	0	13.54	55.79	0	1.1724	1,000.0000	0	1907.99	0	Yes
19	15	14.69	61.87	15	1.1724	1,000.0000	16	1907.99	16	Yes
20	38	14.69	66.20	38	1.1724	1,000.0000	38	1907.99	38	Yes
21	35	14.69	64.86	35	1.1724	1,000.0000	35	1907.99	35	Yes
22	13	14.69	62.38	13	1.1724	1,000.0000	13	1907.99	13	Yes
23	10	14.69	56.79	10	1.1724	1,000.0000	10	1907.99	10	Yes
Total	112	14.69	63.87	112	1.1724		112		112	

Edit Reasons:

From	To	Edit Reason
11/25/2025 02:00 AM	11/26/2025 02:00 AM	Meter Data Import: Source Analysis Apply
11/26/2025 02:00 AM	11/27/2025 02:00 AM	Meter Data Import: Source Analysis Apply

Meter #: 14170675
Name: BANJO 5 FED COM CTB TANK FL TM

Pressure Base:	14.730 psia	Meter Status:	Active	CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.332	0.141	39.754	19.953	16.750	4.175	9.826	2.537
Atmos Pressure:	13.200 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		2.611		1.114	0.331	0.055	0.002		
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	4.0260 in	HV Cond:	Wet						2.419	0.001	0.000
Press. Comp.:	No	Meter Type:	EFM								
Temp. Comp.:	No	Interval:	1 Hour								

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	0	13.66	43.35	0	1.1724	1,000.0000	0	1907.99	0	Yes
1	0	13.67	40.54	0	1.1724	1,000.0000	0	1907.99	0	Yes
2	0	13.61	42.21	0	1.1724	1,000.0000	0	1907.99	0	Yes
3	0	13.63	37.66	0	1.1724	1,000.0000	0	1907.99	0	Yes
4	0	13.64	36.98	0	1.1724	1,000.0000	0	1907.99	0	Yes
5	0	13.69	35.86	0	1.1724	1,000.0000	0	1907.99	0	Yes
6	0	13.62	35.59	0	1.1724	1,000.0000	0	1907.99	0	Yes
7	0	13.81	35.61	0	1.1724	1,000.0000	0	1907.99	0	Yes
8	0	13.84	45.80	0	1.1724	1,000.0000	0	1907.99	0	Yes
9	0	13.92	59.50	0	1.1724	1,000.0000	0	1907.99	0	Yes
10	0	14.36	65.84	0	1.1724	1,000.0000	0	1907.99	0	Yes
11	0	14.45	72.41	0	1.1724	1,000.0000	0	1907.99	0	Yes
12	2	14.69	77.16	2	1.1724	1,000.0000	2	1907.99	2	Yes
13	2	14.69	80.81	2	1.1724	1,000.0000	3	1907.99	3	Yes
14	0	14.58	80.60	0	1.1724	1,000.0000	0	1907.99	0	Yes
15	1	14.69	81.99	1	1.1724	1,000.0000	0	1907.99	0	Yes
16	0	14.70	72.00	0	1.1724	1,000.0000	1	1907.99	1	Yes
17	0	14.35	65.49	0	1.1724	1,000.0000	0	1907.99	0	Yes
18	0	14.14	62.20	0	1.1724	1,000.0000	0	1907.99	0	Yes
19	0	14.70	56.22	0	1.1724	1,000.0000	0	1907.99	0	Yes
20	0	14.70	55.68	0	1.1724	1,000.0000	0	1907.99	0	Yes
21	0	14.34	53.47	0	1.1724	1,000.0000	0	1907.99	0	Yes
22	0	14.42	53.66	0	1.1724	1,000.0000	0	1907.99	0	Yes
23	0	14.19	53.30	0	1.1724	1,000.0000	0	1907.99	0	Yes
Total	6	14.63	75.94	6	1.1724		6		6	

Edit Reasons:

From	To	Edit Reason
11/26/2025 02:00 AM	11/27/2025 02:00 AM	Meter Data Import: Source Analysis Apply
11/27/2025 02:00 AM	11/28/2025 02:00 AM	Meter Data Import: Source Analysis Apply

Received by OCD: 12/2/2025 12:48:04 PM

HOURLY GAS VOLUME STATEMENT

November 28, 2025

Meter #: 14170675

Name: BANJO 5 FED COM CTB TANK FL TM

Pressure Base:	14.730 psia	Meter Status:	Active	CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.332	0.141	39.754	19.953	16.750	4.175	9.826	2.537
Atmos Pressure:	13.200 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		2.611		1.114	0.331	0.055	0.002		
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	4.0260 in	HV Cond:	Wet						2.419	0.001	0.000
Press. Comp.:	No	Meter Type:	EFM								
Temp. Comp.:	No	Interval:	1 Hour								

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	0	14.21	52.66	0	1.1724	1,000.0000	0	1907.99	0	Yes
1	0	14.26	51.54	0	1.1724	1,000.0000	0	1907.99	0	Yes
2	0	14.19	50.58	0	1.1724	1,000.0000	0	1907.99	0	Yes
3	0	14.35	48.67	0	1.1724	1,000.0000	0	1907.99	0	Yes
4	0	14.24	47.80	0	1.1724	1,000.0000	0	1907.99	0	Yes
5	0	14.13	47.80	0	1.1724	1,000.0000	0	1907.99	0	Yes
6	0	14.04	46.99	0	1.1724	1,000.0000	0	1907.99	0	Yes
7	0	14.11	47.85	0	1.1724	1,000.0000	0	1907.99	0	Yes
8	0	14.16	49.90	0	1.1724	1,000.0000	0	1907.99	0	Yes
9	0	14.27	56.73	0	1.1724	1,000.0000	0	1907.99	0	Yes
10	0	14.36	61.22	0	1.1724	1,000.0000	0	1907.99	0	Yes
11	25	14.70	76.39	25	1.1724	1,000.0000	25	1907.99	25	Yes
12	21	14.70	82.53	21	1.1724	1,000.0000	21	1907.99	21	Yes
13	0	14.05	70.77	0	1.1724	1,000.0000	0	1907.99	0	Yes
14	0	14.36	73.30	0	1.1724	1,000.0000	0	1907.99	0	Yes
15	0	14.33	71.61	0	1.1724	1,000.0000	0	1907.99	0	Yes
16	1	14.70	72.64	1	1.1724	1,000.0000	1	1907.99	1	Yes
17	0	14.19	69.26	0	1.1724	1,000.0000	0	1907.99	0	Yes
18	0	13.95	64.43	0	1.1724	1,000.0000	0	1907.99	0	Yes
19	0	14.04	59.13	0	1.1724	1,000.0000	0	1907.99	0	Yes
20	0	13.86	56.54	0	1.1724	1,000.0000	0	1907.99	0	Yes
21	0	13.67	54.24	0	1.1724	1,000.0000	0	1907.99	0	Yes
22	0	13.56	53.89	0	1.1724	1,000.0000	0	1907.99	0	Yes
23	0	13.97	51.21	0	1.1724	1,000.0000	0	1907.99	0	Yes
Total	47	14.69	78.83	47	1.1724		47		47	

Edit Reasons:

From	To	Edit Reason
11/27/2025 02:00 AM	11/28/2025 02:00 AM	Meter Data Import: Source Analysis Apply
11/28/2025 02:00 AM	11/29/2025 02:00 AM	Meter Data Import: Source Analysis Apply

Meter #: 14170675
Name: BANJO 5 FED COM CTB TANK FL TM

Pressure Base:	14.730 psia	Meter Status:	Active	CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.332	0.141	39.754	19.953	16.750	4.175	9.826	2.537
Atmos Pressure:	13.200 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		2.611		1.114	0.331	0.055	0.002		
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	4.0260 in	HV Cond:	Wet						2.419	0.001	0.000
Press. Comp.:	No	Meter Type:	EFM								
Temp. Comp.:	No	Interval:	1 Hour								

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	0	13.75	49.39	0	1.1724	1,000.0000	0	1907.99	0	Yes
1	0	13.65	47.23	0	1.1724	1,000.0000	0	1907.99	0	Yes
2	0	13.65	47.61	0	1.1724	1,000.0000	0	1907.99	0	Yes
3	0	13.81	46.27	0	1.1724	1,000.0000	0	1907.99	0	Yes
4	0	13.70	45.21	0	1.1724	1,000.0000	0	1907.99	0	Yes
5	0	13.63	44.51	0	1.1724	1,000.0000	0	1907.99	0	Yes
6	0	13.74	44.41	0	1.1724	1,000.0000	0	1907.99	0	Yes
7	0	13.74	45.09	0	1.1724	1,000.0000	0	1907.99	0	Yes
8	0	13.88	54.37	0	1.1724	1,000.0000	0	1907.99	0	Yes
9	0	14.14	71.44	0	1.1724	1,000.0000	0	1907.99	0	Yes
10	1	14.68	80.27	1	1.1724	1,000.0000	1	1907.99	1	Yes
11	1	14.70	81.34	1	1.1724	1,000.0000	1	1907.99	1	Yes
12	1	14.70	84.10	1	1.1724	1,000.0000	1	1907.99	1	Yes
13	2	14.70	86.88	2	1.1724	1,000.0000	2	1907.99	2	Yes
14	4	14.70	91.19	4	1.1724	1,000.0000	4	1907.99	4	Yes
15	1	14.70	95.63	1	1.1724	1,000.0000	1	1907.99	1	Yes
16	0	13.52	96.07	0	1.1724	1,000.0000	0	1907.99	0	Yes
17	0	13.54	79.07	0	1.1724	1,000.0000	0	1907.99	0	Yes
18	0	13.58	70.91	0	1.1724	1,000.0000	0	1907.99	0	Yes
19	0	13.60	55.12	0	1.1724	1,000.0000	0	1907.99	0	Yes
20	0	13.57	47.75	0	1.1724	1,000.0000	0	1907.99	0	Yes
21	0	13.65	45.79	0	1.1724	1,000.0000	0	1907.99	0	Yes
22	0	13.78	48.31	0	1.1724	1,000.0000	0	1907.99	0	Yes
23	0	13.68	41.86	0	1.1724	1,000.0000	0	1907.99	0	Yes
Total	10	14.64	86.27	10	1.1724		10		10	

Edit Reasons:

From	To	Edit Reason
11/28/2025 02:00 AM	11/29/2025 02:00 AM	Meter Data Import: Source Analysis Apply
11/29/2025 02:00 AM	11/30/2025 02:00 AM	Meter Data Import: Source Analysis Apply

Received by OCD: 12/2/2025 12:48:04 PM

HOURLY GAS VOLUME STATEMENT

November 30, 2025

Meter #: 14170675
Name: BANJO 5 FED COM CTB TANK FL TM

Pressure Base:	14.730 psia	Meter Status:	Active	CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.332	0.141	39.754	19.953	16.750	4.175	9.826	2.537
Atmos Pressure:	13.200 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		2.611		1.114	0.331	0.055	0.002		
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	4.0260 in	HV Cond:	Wet						2.419	0.001	0.000
Press. Comp.:	No	Meter Type:	EFM								
Temp. Comp.:	No	Interval:	1 Hour								

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	0	13.64	40.38	0	1.1724	1,000.0000	0	1907.99	0	Yes
1	0	13.67	40.82	0	1.1724	1,000.0000	0	1907.99	0	Yes
2	0	13.55	41.74	0	1.1724	1,000.0000	0	1907.99	0	Yes
3	0	13.60	39.71	0	1.1724	1,000.0000	0	1907.99	0	Yes
4	0	13.54	38.57	0	1.1724	1,000.0000	0	1907.99	0	Yes
5	0	13.63	37.60	0	1.1724	1,000.0000	0	1907.99	0	Yes
6	0	13.50	37.31	0	1.1724	1,000.0000	0	1907.99	0	Yes
7	0	13.53	36.24	0	1.1724	1,000.0000	0	1907.99	0	Yes
8	0	13.53	36.40	0	1.1724	1,000.0000	0	1907.99	0	Yes
9	0	13.56	39.08	0	1.1724	1,000.0000	0	1907.99	0	Yes
10	0	13.69	41.18	0	1.1724	1,000.0000	0	1907.99	0	Yes
11	0	13.58	48.58	0	1.1724	1,000.0000	0	1907.99	0	Yes
12	0	13.60	48.40	0	1.1724	1,000.0000	0	1907.99	0	Yes
13	0	13.60	50.72	0	1.1724	1,000.0000	0	1907.99	0	Yes
14	0	13.55	50.74	0	1.1724	1,000.0000	0	1907.99	0	Yes
15	0	13.56	51.59	0	1.1724	1,000.0000	0	1907.99	0	Yes
16	0	13.58	48.70	0	1.1724	1,000.0000	0	1907.99	0	Yes
17	0	13.59	43.83	0	1.1724	1,000.0000	0	1907.99	0	Yes
18	0	13.56	41.86	0	1.1724	1,000.0000	0	1907.99	0	Yes
19	0	13.59	40.34	0	1.1724	1,000.0000	0	1907.99	0	Yes
20	0	13.62	37.93	0	1.1724	1,000.0000	0	1907.99	0	Yes
21	0	13.58	36.49	0	1.1724	1,000.0000	0	1907.99	0	Yes
22	0	13.54	36.21	0	1.1724	1,000.0000	1	1907.99	1	Yes
23	0	13.59	35.69	0	1.1724	1,000.0000	0	1907.99	0	Yes
Total	1	13.56	41.54	1	1.1724		1		1	

Edit Reasons:

From	To	Edit Reason
11/29/2025 02:00 AM	11/30/2025 02:00 AM	Meter Data Import: Source Analysis Apply
11/30/2025 02:00 AM	12/01/2025 02:00 AM	Meter Data Import: Source Analysis Apply

Received by OCD: 12/2/2025 12:48:04 PM

HOURLY GAS VOLUME STATEMENT

December 1, 2025

Meter #: 14170675
Name: BANJO 5 FED COM CTB TANK FL TM

Pressure Base:	14.730 psia	Meter Status:	Active	CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.332	0.141	39.754	19.953	16.750	4.175	9.826	2.537
Atmos Pressure:	13.200 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		2.611		1.114	0.331	0.055	0.002		
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	4.0260 in	HV Cond:	Wet						2.419	0.001	0.000
Press. Comp.:	No	Meter Type:	EFM								
Temp. Comp.:	No	Interval:	1 Hour								

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	4	14.69	39.71	4	1.1724	1,000.0000	4	1907.99	4	Yes
1	6	14.69	45.31	6	1.1724	1,000.0000	6	1907.99	6	Yes
2	0	13.51	32.71	0	1.1724	1,000.0000	0	1907.99	0	Yes
3	0	13.53	32.30	0	1.1724	1,000.0000	0	1907.99	0	Yes
4	0	13.50	31.37	0	1.1724	1,000.0000	0	1907.99	0	Yes
5	0	13.48	31.61	0	1.1724	1,000.0000	0	1907.99	0	Yes
6	0	13.47	30.12	0	1.1724	1,000.0000	0	1907.99	0	Yes
7	0	13.48	30.15	0	1.1724	1,000.0000	0	1907.99	0	Yes
8	0	13.55	37.73	0	1.1724	1,000.0000	0	1907.99	0	Yes
9	0	13.50	48.80	0	1.1724	1,000.0000	0	1907.99	0	Yes
10	0	13.39	50.68	0	1.1724	1,000.0000	0	1907.99	0	Yes
11	19	14.69	78.51	19	1.1724	1,000.0000	19	1907.99	19	Yes
12	0	13.75	68.76	0	1.1724	1,000.0000	0	1907.99	0	Yes
13	0	13.53	65.10	0	1.1724	1,000.0000	0	1907.99	0	Yes
14	1	14.69	70.74	1	1.1724	1,000.0000	1	1907.99	1	Yes
15	0	13.62	73.95	0	1.1724	1,000.0000	0	1907.99	0	Yes
16	0	13.52	72.11	0	1.1724	1,000.0000	0	1907.99	0	Yes
17	0	13.70	63.04	0	1.1724	1,000.0000	0	1907.99	0	Yes
18	7	14.66	63.31	7	1.1724	1,000.0000	7	1907.99	7	Yes
19	0	13.65	51.65	0	1.1724	1,000.0000	0	1907.99	0	Yes
20	0	13.90	45.21	0	1.1724	1,000.0000	0	1907.99	0	Yes
21	0	13.86	45.53	0	1.1724	1,000.0000	0	1907.99	0	Yes
22	0	13.92	46.80	0	1.1724	1,000.0000	0	1907.99	0	Yes
23	0	13.81	42.78	0	1.1724	1,000.0000	0	1907.99	0	Yes
Total	37	14.67	65.88	37	1.1724		37		37	

Edit Reasons:

From	To	Edit Reason
11/30/2025 02:00 AM	12/01/2025 02:00 AM	Meter Data Import: Source Analysis Apply
12/01/2025 02:00 AM	12/02/2025 02:00 AM	Meter Data Import: Source Analysis Apply

HOURLY GAS VOLUME STATEMENT

December 2, 2025

Meter #: 14170675

Name: BANJO 5 FED COM CTB TANK FL TM

Pressure Base: 14.730 psia Meter Status: Active
Temperature Base: 60.00 °F Contract Hr.: Midnight
Atmos Pressure: 13.200 psi Full Wellstream:
Calc Method: AGA7 WV Technique:
Z Method: AGA-8 Detail (1992) WV Method:
Meter Size: 4.0260 in HV Cond: Wet
Press. Comp.: No Meter Type: EFM
Temp. Comp.: No Interval: 1 Hour

CO2	N2	C1	C2	C3	IC4	NC4	IC5
0.332	0.141	39.754	19.953	16.750	4.175	9.826	2.537
NC5	neo	C6	C7	C8	C9	C10	
2.611		1.114	0.331	0.055	0.002		
Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
					2.419	0.001	0.000

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	0	13.95	41.06	0	1.1724	1,000.0000	0	1907.99	0	Yes
1	0	13.97	37.06	0	1.1724	1,000.0000	0	1907.99	0	Yes
Total	0	13.96	39.06	0	1.1724		0		0	

Edit Reasons:

From	To	Edit Reason
12/01/2025 02:00 AM	12/02/2025 02:00 AM	Meter Data Import: Source Analysis Apply

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 531166

DEFINITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 531166
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: • this application's operator, hereinafter "this operator"; • venting and/or flaring, hereinafter "vent or flare"; • any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; • the statements in (and/or attached to) this, hereinafter "the statements in this"; • and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 531166

QUESTIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 531166
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites <i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>	
Incident Well	Unavailable.
Incident Facility	[fAPP2404528167] Banjo 5 FED COM CTB

Determination of Reporting Requirements <i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
<i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Not answered.
Additional details for Equipment Involved. Please specify	Not answered.

Representative Compositional Analysis of Vented or Flared Natural Gas <i>Please provide the mole percent for the percentage questions in this group.</i>	
Methane (CH4) percentage	40
Nitrogen (N2) percentage, if greater than one percent	0
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (CO2) percentage, if greater than one percent	0
Oxygen (O2) percentage, if greater than one percent	0
<i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i>	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 531166

QUESTIONS (continued)

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 531166
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	11/26/2025
Time vent or flare was discovered or commenced	07:00 PM
Time vent or flare was terminated	11:59 PM
Cumulative hours during this event	1

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Repair and Maintenance Producing Well Natural Gas Flared Released: 112 Mcf Recovered: 0 Mcf Lost: 112 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	False
Please explain reason for why this event was beyond this operator's control	Not answered.
Steps taken to limit the duration and magnitude of vent or flare	Task is site specific but should have pre job planning meeting and look for ways to limit or avoid flaring
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Implement a scheduled maintenance program to avoid failures

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 531166

ACKNOWLEDGMENTS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 531166
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
☒	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 531166

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 531166
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
santos gonzales	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	12/2/2025