



October 1, 2025

District Supervisor
 Oil Conservation Division, District 1
 1625 North French Drive
 Hobbs, New Mexico 88240

Re: Remediation Closure Request
ConocoPhillips
Wilder CTB Tank Overflow Release
Unit Letter A, Section 29, Township 26 South, and Range 32 East
Lea County, New Mexico
Incident ID NAPP2403967865

Sir or Madam:

Tetra Tech, Inc. (Tetra Tech) was contacted by ConocoPhillips Company (COP) to complete remedial actions for a release that occurred from a vessel associated with the Wilder Central Tank Battery (CTB). The release footprint is located in Public Land Survey System (PLSS) Unit Letter A, Section 29, Township 26 South, and Range 32 East, Lea County, New Mexico (Site). The release coordinates are 32.020098°, -103.689408°. The Site location is shown on Figures 1 and 2.

BACKGROUND

According to the State of New Mexico Form C-141 Initial Report (Appendix A), the release was discovered on February 8, 2024. The release was reported as the result of an oil tank overflow. The release was on-pad within an earthen berm. 86.3 barrels (bbls) of crude oil were reported released, of which 70 bbls were recovered. The spill calculator included with the Form C-141 indicates the release area to be 9,488 square feet. The New Mexico Oil Conservation District (NMOCD) received the initial Form C-141 report form for the release on April 2, 2024. The NMOCD Incident ID for this release is NAPP2403967865.

The February 2024 release overlapped a previous release footprint (Wilder CTB Vessel Release) discovered at the Wilder CTB on June 11, 2023. According to the State of New Mexico Form C-141 Initial Report, the previous release was reported as the result of a weld failure on the "gas buster" due to equipment failure. A "gas buster" is a simple separator vessel used to remove free or entrained gas from fluids. The gas buster typically comprises a vessel containing a series of baffles with a liquid exit on the bottom and a gas-vent line at the top of the vessel. 19.22 barrels (bbls) of produced water were reported released, of which 15 bbls were recovered. The spill calculator included with the Form C-141 indicates the release area to be 4,114 square feet. The New Mexico Oil Conservation District (NMOCD) received the initial Form C-141 report form for the release on June 21, 2023. The NMOCD Incident ID for the June 2023 Wilder CTB Vessel release is NAPP2317132356.

LAND OWNERSHIP

The Site is located on land managed by the Bureau of Land Management (BLM). The release footprint is wholly contained within developed on-pad areas. Following a historical release in the pasture area just west of the battery (NAPP230034271), a cultural survey of the surrounding vicinity was conducted by Goshawk Environmental Consulting. The area was negative for cultural resources. The BLM cleared the NAPP230034271 incident footprint (off-pad areas) for remediation activities following a review of the survey.

Tetra Tech

901 West Wall St., Suite 100, Midland, TX 79701

Tel 432.682.4559 Fax 432.682.3946 www.tetratech.com

SITE CHARACTERIZATION

A site characterization was performed and no sinkholes, residences, schools, hospitals, institutions, churches, springs, private domestic water wells, playa lakes, stream bodies, wetlands, incorporated municipal boundaries, subsurface mines, or floodplains are located within the distances specified in 19.15.29 New Mexico Administrative Code (NMAC). The Site is in an area of medium karst potential.

According to the New Mexico Office of the State Engineers (NMOSE) reporting system, there are no wells within $\frac{1}{2}$ mile (800 meters) of the Site with available water level data. The search radius was expanded and based on available data from three (3) water wells located within 950 meters (approximately 0.59 miles) of the Site, the average depth to groundwater is 278 ft below ground surface (bgs) with a minimum depth to groundwater of 180 feet bgs. The site characterization data is included in Appendix B.

REGULATORY FRAMEWORK

Based upon the release footprint location (on-pad and in areas immediately under or around production equipment) and in accordance with Subsection E of 19.15.29.12 NMAC, per 19.15.29.11 NMAC, the site characterization data was used in attempt to determine recommended remedial action levels (RRALs) for benzene, toluene, ethylbenzene, and xylene (collectively referred to as BTEX), total petroleum hydrocarbons (TPH), and chlorides in soil.

Based on the site characterization and in accordance with Table I of 19.15.29.12 NMAC, the RRALs for the Site are as follows:

Constituent	Site RRALs
Chloride	20,000 mg/kg
TPH (GRO+DRO+MRO)	2,500 mg/kg
GRO+DRO	1,000 mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

INITIAL SITE ASSESSMENT AND SAMPLING RESULTS

According to information provided by COP, Ensolum personnel were onsite to delineate and sample the release area and the surrounding vicinity in February 2024. Soil samples were collected from seven (7) locations within and around the release to evaluate the vertical and horizontal extent of the release. Sample locations SS05 through SS07 were sampled at a depth of 0.5 feet bgs within the release footprint. Sample Locations SS01 through SS04 were sampled to a depth of 0.5 feet bgs around the perimeter of the release footprint. The sample locations as provided by COP via Ensolum are shown on Figure 3.

According to the analytical table provided by COP via Ensolum, sample locations SS05 through SS07 were above RRALs for TPH and/or BTEX. Additionally, SS02 and SS05 through SS07 were above delineation standards for chloride (600 mg/kg) and TPH (100 mg/kg). Based on the provided analytical data, additional horizontal delineation north of SS02 and vertical delineation within the release footprint are required. Analytical results from the February 2024 sampling event have been transcribed from the provided Ensolum analytical table to Table 1. The analytical laboratory report was not provided to COP.

SITE ASSESSMENT SUMMARY AND APPROVED WORK PLAN

Tetra Tech personnel were on site to complete delineation and sample the release area and the surrounding vicinity in April 2024. Soil samples were collected from five (5) locations within and around the release to evaluate the vertical extent and complete horizontal delineation of the release. Trenches T-5-2024, T-6-2024, T-8-2024, and T-9-2024 were installed via mini-excavator to depths of 10 feet bgs at T-5-2024 and 6 feet bgs at the remaining locations. Trench T-7-2024 was installed north of the previously sampled location SS02 to depths of 2 feet bgs to complete horizontal delineation. The April 2024 trench locations are shown on Figure 4.

Results from the April 2024 soil sampling event are summarized in Table 2. Analytical results associated with T-5-2024 were above RRALs for TPH in the 0-1' depth interval. Results from T-6-2024 were above

Remediation Closure Request
October 1, 2025

ConocoPhillips

RRALs for TPH and BTEX to a depth of 3 feet bgs, and results from T-8-2024 were above RRALs for TPH and BTEX to a depth of 4 feet bgs. All other analytical results were below RRALs. Vertical delineation was achieved at the T-5 location. Horizontal delineation was completed to the north by trench location T-7-2024.

The Release Characterization and Remediation Work Plan (Work Plan) dated May 8, 2024, was prepared based on the results of the 2024 release assessment activities and submitted to the NMOCD and BLM for approval. The Work Plan was rejected on July 25, 2024, due to it being mistakenly submitted as a deferral request. As recommended by Scott Rodgers of the NMOCD, the Work Plan was resubmitted on August 2, 2024, and subsequently approved on August 8, 2024, with the following comments:

- *"The Remediation Plan is Conditionally Approved. All samples must be analyzed for all constituents listed in Table I of 19.15.29.12 NMAC. Floor confirmation samples should be delineated/excavated to meet closure criteria standards for site assessment/characterization/proven depth to water determination. Sidewall samples should be delineated/excavated to 600 mg/kg for chlorides and 100 mg/kg for TPH to define the edge of the release. The request to collect confirmation samples every 300 ft² is approved. A deferral of areas immediately under or around production equipment such as production tanks, wellheads, and pipelines where remediation could cause a major facility deconstruction can't be granted until all other areas have been remediated. The deferral request must specify which sample points are being requested for deferral including an explanation of why the contaminants can't be removed. Please submit the closure report by November 6, 2024."*

The Bureau of Land Management (BLM) approved the remediation plan on September 18, 2024, via email with the following comments:

- *"The BLM has accepted this plan for record. Please consider this the BLM's approval to move forward and begin work according to this plan. Please let us know if you run into any issues."*

A copy of the NMOCD and BLM approvals are included in Appendix C.

INTERIM REMEDIAL ACTION AND APPROVED DEFERRAL REQUEST

From September 23 to October 4, 2024, Tetra Tech personnel were onsite to supervise the remediation activities proposed in the approved Work Plan, including excavation, disposal, and confirmation sampling. The NMOCD district office was notified of the confirmation sampling events via the OCD Portal. Documentation of associated regulatory correspondence is included in Appendix C.

Impacted soils located in accessible areas outside of the tank battery facility were excavated as indicated in Figure 5. The areas within the release footprint were excavated to a maximum depth of 4 feet bgs. Due to safety concerns associated with working around pressurized lines and production equipment, impacted soils were excavated to the maximum extent practicable.

The results of the September-October 2024 confirmation sampling events are summarized in Table 3. All final confirmation soil samples (floor and sidewall) were below applicable cleanup levels for chloride, TPH, and BTEX with the exception of sample location NSW-2. Analytical results for NSW-2 (2') exceeded the reclamation requirement of 100 mg/kg for TPH. The sidewall associated with NSW-2 (2') was not expanded further due to encroachment on production lines north of the excavation in this location.

In anticipation of the impending decommissioning of the tank battery at the Wilder CTB Facility (scheduled to occur in the first quarter of calendar year 2025), liner material was placed along the floor and sidewalls of the remediated areas and backfilled with clean material.

On behalf of COP, Tetra Tech prepared an Interim Remediation Report and Deferral Request (dated November 6, 2024) for the remaining impacted area within the active battery facility. The deferral request was approved by the NMOCD on January 3, 2025 with the following conditions:

Remediation Closure Request
October 1, 2025

ConocoPhillips

- *"Deferral approved. Deferral of the areas around SS06 and NSW-2 is approved until plugging and abandonment or a major facility deconstruction, whichever comes first. A complete and accurate remediation report and/or reclamation report will need to be submitted at that time."*

A copy of the regulatory correspondence is included in Appendix C.

Following the completion of the interim remedial action and associated deferral request approval, COP conferred to Tetra Tech that it intended to decommission the Wilder CTB facility. Therefore, COP planned to complete remedial action once the facility is decommissioned.

FACILITY DECOMMISSIONING AND FINAL REMEDIATION ACTIVITIES

COP personnel completed facility decommissioning of the tank battery and immediate vicinity in the first quarter of 2025. All facility tanks and associated piping and production equipment were removed and properly disposed of. Following the tank battery decommissioning, COP elected to fully remediate the previously deferred areas within the containment berm associated with the subject release incident (Wilder CTB Tank Overflow - NAPP2403967865) as well as with the adjacent and overlapping Wilder CTB Vessel release incident (NAPP2317132356).

From March 18 to April 3, 2025, Tetra Tech personnel were onsite to supervise final remedial activities at the decommissioned Wilder CTB Tank Battery facility, including excavation, disposal, and confirmation sampling. Impacted soil in the previously deferred areas were excavated as indicated in Figure 6. The former tank battery area was excavated to depths ranging from 3 to 10 feet below surface grade following iterative confirmation sampling of the excavation floor and sidewalls. The remediated surface area was comprised of approximately 13,425 square feet. Two additional areas of clean backfill totaling approximately 530 square feet were re-excavated to remove the liner placed at the base of the excavations during the interim remedial activities.

Following an initial excavation to 3 feet bgs on the west side of the former tank battery and to 4 feet bgs throughout the remainder of the combined release footprint, confirmation floor and sidewall samples were collected every 200 square feet and submitted for laboratory analysis to verify the efficacy of the remediation activities. Confirmation samples were collected from sixty-nine (69) floor locations and ten (10) sidewall locations. Confirmation floor sample locations were labeled with FS-#. Confirmation sidewall sample locations were categorized with the cardinal direction (N, E, S, W) followed by SW-#.

At confirmation floor and sidewall locations where the initial confirmation soil sampling analytical results exceeded the applicable closure criteria, the excavation was expanded, and iterative confirmation samples were collected to encompass the original sample locations that triggered removal (nomenclature defined in Table 4) post-additional excavation.

Collected confirmation samples were placed into laboratory-provided sample containers, transferred under chain-of-custody and analyzed within appropriate holding times by Cardinal. The soil samples were analyzed for TPH (GRO+DRO+MRO) by EPA Method 8015M, BTEX by EPA Method 8021B, and chlorides by SM4500CI-B. The analytical results were directly compared to the reclamation limits and established Site RRALs to demonstrate compliance. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix D.

The results of the March 2025 confirmation sampling events are summarized in Table 4. All final confirmation soil samples (floor and sidewall) were below applicable cleanup levels for chloride, TPH, and BTEX. Final excavated areas, depths and confirmation sample locations are indicated in Figure 6.

All excavated material was transported offsite for proper disposal. Approximately 2,112 cubic yards of material were transported to the R360 Antelope Draw Facility in Jal, New Mexico. Copies of the waste manifests are available upon request. Photographs of the excavated area prior to backfill are included as Appendix E.

Remediation Closure Request
October 1, 2025

ConocoPhillips

Once acceptable confirmation sample results were received, the excavation was backfilled with clean material to pre-release grade. In accordance with 19.15.29.13 NMAC, the reclaimed area contained a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0. The caliche backfill material was sourced from the Cerberus Land & Cattle Headquarters Pit. A composite sample was collected from the backfill source and submitted to Cardinal to be analyzed for TPH via EPA Method 8015M, BTEX via EPA Method 8021B, and chlorides via Standard Method SM4500Cl-B. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix D. The analytical results associated with the backfill sample collected by Tetra Tech are summarized in Table 5.

Backfill operations were completed in one-foot lifts. Backfilled areas were wetted and rolled following each lift up to previous surface grade. The backfilled area was tested via nuclear density gauge testing to ensure adequate soil compaction goals.

Based on correspondence with COP, the lease pad that contained Wilder CTB Facility will be repurposed and will continue to be utilized by COP. Therefore, reclamation and restoration of the lease pad area were deemed unnecessary until final abandonment.

CONCLUSION

As described above, the tank battery facility in the Wilder CTB release area has been decommissioned and all equipment removed. The remedial work completed was successful in removing impacted soils in the previously deferred area below the tank battery and production equipment to a maximum depth of 10 feet bgs. ConocoPhillips respectfully requests NMOCD approval of the final remedial action executed for this release based on the confirmation sampling results and remediation activities performed.

Final reclamation and restoration shall take place in accordance with 19.15.29.12 NMAC once the Site is no longer being used for oil and gas production. A complete and accurate reclamation and restoration report will be submitted at that time.

Thus, ConocoPhillips requests closure of the Wilder CTB Tank Overflow release (NAPP2403967865). If you have any questions concerning the remediation activities for the Site, please call me at (512) 217-7254.

Sincerely,

Tetra Tech, Inc.



Ryan C Dickerson
Senior Project Manager



Samantha Abbott, P.G.
Project Manager

cc:

Mr. Sam Widmer, RMR – ConocoPhillips
Ms. Shelly Taylor – Bureau of Land Management
Ms. Crisha Morgan – Bureau of Land Management

List of Attachments

Figures:

- Figure 1 – Overview Map
- Figure 2 – Topographic Map
- Figure 3 – Approximate Release Extent and Site Assessment (Ensolum)
- Figure 4 – Approximate Release Extent and Site Assessment (Tetra Tech)
- Figure 5 – Interim Remedial Activities and Confirmation Sampling Locations
- Figure 6 – Final Remedial Extents and Confirmation Sampling Locations


Tables:


- Table 1 – Summary of Analytical Results – Soil Assessment (Ensolum)
- Table 2 – Summary of Analytical Results – Soil Assessment (Tetra Tech)
- Table 3 – Summary of Analytical Results – Interim Soil Remediation
- Table 4 – Summary of Analytical Results – Final Soil Remediation
- Table 5 – Summary of Analytical Results – Soil Backfill


Appendices:


- Appendix A – C-141 Form
- Appendix B – Site Characterization Data
- Appendix C – Regulatory Correspondence
- Appendix D – Analytical Laboratory Report
- Appendix E – Photographic Documentation


FIGURES














TABLES

TABLE 1
 SUMMARY OF ANALYTICAL RESULTS
 SOIL ASSESSMENT (ENSOLUM) - NAPP2403967865
 CONOCOPHILLIPS
 WILDER CTB TANK OVERFLOW
 LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth	Chloride	BTEX ²										TPH ³										
				Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX		TPH GRO		TPH DRO		TPH ORO		GRO+DRO		Total TPH		
				mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	
			Closure Criteria for Soils >4 ft bgs (GW >100 ft):	20,000 mg/kg		10 mg/kg		--		--		--		50 mg/kg		--		--		1,000 mg/kg		2,500 mg/kg		
SS01	2/19/2024	0.5	123		<0.00202		-		-		-		<0.00403		<50.5		<50.5		<50.5		<50.5		<50.5	
SS02	2/19/2024	0.5	122		<0.00199		-		-		-		<0.00398		<49.7		217		<49.7		217		217	
SS03	2/19/2024	0.5	204		<0.00200		-		-		-		<0.00399		<49.9		<49.9		<49.9		<49.9		<49.9	
SS04	2/19/2024	0.5	247		<0.00198		-		-		-		<0.00396		<50.2		<50.2		<50.2		<50.2		<50.2	
SS05	2/19/2024	0.5	2,310		0.0838		-		-		-		87.7		2,520		26,400		<252		28,920		28,900	
SS06	2/19/2024	0.5	9,210		<0.0404		-		-		-		41.9		1,890		22,400		<251		24,290		24,300	
SS07	2/19/2024	0.5	681		0.580		-		-		-		177		5,280		64,000		<253		69,280		69,300	

NOTES:

bgs: below ground surface

mg/kg: milligrams per kilogram

NMOCD: New Mexico Oil Conservation Division

NMAC: New Mexico Administrative Code

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

GRO: Gasoline Range Organics

DRO: Diesel Range Organics

ORO: Oil Range Organics

TPH: Total Petroleum Hydrocarbon

Concentrations in **bold** exceed the NMOCD Table I Closure Criteria or reclamation standard where applicable.

TABLE 2
 SUMMARY OF ANALYTICAL RESULTS
 SOIL ASSESSMENT (TETRA TECH) - NAPP2403967865
 CONOCOPHILLIPS
 WILDER CTB TANK OVERFLOW
 LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth	Chloride		BTEX ²								TPH ³								
					Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX		GRO		DRO		EXT DRO		
			ft. bgs	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q		
		Closure Criteria for Soils >4 ft bgs (GW >100 ft):	20,000 mg/kg		10 mg/kg		--		--		--		50 mg/kg		1,000 mg/kg		--		2,500 mg/kg		
T-5-2024	4/29/2024	0-1	272		0.215		2.24	QM-07	1.38		17.7	QM-07	21.5		1,000		5,090		723		6,813
		2-3	288		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		282		46.8		328.8
		3-4	416		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		467		86.9		553.9
		5-6	720		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		35.7		<10.0		35.7
		7-8	416		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
		9-10	368		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
T-6-2024	4/29/2024	0-1	176		0.869		12.7		5.90		68.8		88.2		2,970		8,530		1,080		12,580
		2-3	784		<0.050		1.68		0.772		14.7		17.1		477		2,770		395		3,642
		3-4	1,020		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		116		20.5		136.5
		5-6	1,060		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		34.1		<10.0		34.1
T-7-2024	4/29/2024	0-1	64		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
		1-2	80		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
T-8-2024	4/29/2024	0-1	464		0.667		16.6		6.56		76.9		101		3,260		8,420		1,310		12,990
		2-3	1,250		1.8		31.8		9.56		112		155		6,570		14,100		1,790		22,460
		3-4	1,170		<0.050		0.247		0.140		1.76		2.15		152		1,380		249		1,781
		5-6	880		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		138		41.9		179.9
T-9-2024	4/29/2024	0-1	400		<0.050		0.086		0.092		1.46		1.64		61.3		740		99.5		900.8
		2-3	128		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		17.2		<10.0		17.2
		3-4	112		<0.050		<0.050		<0.050		<0.150		<0.300		15.7		557		94.7		667.4
		5-6	64.0		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		13.2		<10.0		13.2

NOTES:

ft. Feet

bgs Below ground surface

mg/kg Milligrams per kilogram

TPH Total Petroleum Hydrocarbons

GRO Gasoline range organics

DRO Diesel range organics

1 Method SM4500Cl-B

2 Method 8021B

3 Method 8015M

Bold and italicized values indicate exceedance of proposed RRALs and Reclamation Requirements.

Shaded rows indicate intervals proposed for excavation.

QUALIFIERS:

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

TABLE 3
 SUMMARY OF ANALYTICAL RESULTS
 INTERIM SOIL REMEDIATION - NAPP2403967865
 CONOCOPHILLIPS
 WILDER CTB TANK OVERFLOW RELEASE
 LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth	Chloride ¹		BTEX ²								TPH ³								
					Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX		GRO		DRO		EXT DRO		Total TPH
			ft. bgs	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	(GRO+DRO+EXT DRO)	mg/kg
Site Reclamation Requirement for Surface (0-4 ft bgs) Soils:		600 mg/kg		--		--		--		--		--		--		--		--		100 mg/kg	
Site RRALS for Subsurface (>4 ft bgs) Soils (GW >100 ft):		20,000 mg/kg		10 mg/kg		--		--		--		50 mg/kg		--		--		--		2,500 mg/kg	
FS-1	9/26/2024	3	160		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
FS-2	9/26/2024	1.5	608		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
FS-3	9/26/2024	1.5	288		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
FS-4	9/26/2024	1.5	992		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
FS-5	9/30/2024	4	272		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		61.7		<10.0		61.7
FS-6	9/26/2024	1.5	1,360		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		38.5		<10.0		38.5
NSW-1*	9/26/2024	-	1,460	QM-07	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
NSW-1 (1')	10/1/2024	-	80		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
NSW-2*	9/26/2024	-	4,000		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
NSW-2 (2')	10/1/2024	-	224		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		101		32.2		133.2
SSW-1*	9/26/2024	-	2,600		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
SSW-1 (1')	10/1/2024	-	64		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
SSW-2*	9/27/2024	-	9,860		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		17.1		<10.0		17.1
SSW-2 (4')	10/1/2024	-	272		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		51.1		12.7		63.8
WSW-1*	9/26/2024	-	736		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-
WSW-1 (1')	10/1/2024	-	64		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-

NOTES:

ft. Feet

bgs Below ground surface

mg/kg Milligrams per kilogram

TPH Total Petroleum Hydrocarbons

GRO Gasoline range organics

DRO Diesel range organics

1 Method SM4500CI-B

2 Method 8021B

3 Method 8015M

Bold and italicized values indicate exceedance of the applicable Remediation RRALS and Reclamation Requirements.

Gold highlight represents soil horizons that were removed during deepening of excavation floors.

Green highlight represents soil intervals that were removed during horizontal expansion of excavation sidewalls.

* These iterative samples are located to encompass the original sample location that triggered removal, with further excavation in each area indicated in ().

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

Page 1 of 1

TABLE 4
SUMMARY OF ANALYTICAL RESULTS
FINAL SOIL REMEDIATION - NAPP2403967865
CONOCOPHILLIPS
WILDER CTB TANK OVERFLOW RELEASE
LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth	Chloride ¹		BTEX ²										TPH ³							
					Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX		GRO		DRO		EXT DRO		Total TPH (GRO+DRO+EXT DRO)	(GRO+DRO)
			ft. bgs	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg
Site Reclamation Requirement for Surface (0-4 ft bgs) Soils:			<u>600 mg/kg</u>		--		--		--		--		--		--		--		<u>100 mg/kg</u>			
Site RRALs for Subsurface (>4 ft bgs) Soils (GW >100 ft):			<u>20,000 mg/kg</u>		<u>10 mg/kg</u>		--		--		--		<u>50 mg/kg</u>		--		--		<u>2,500 mg/kg</u>		<u>1,000 mg/kg</u>	
FS-1	3/26/2025	3	48.0		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-2	3/26/2025	3	304		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-3	3/26/2025	3	128		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-4	3/26/2025	4	544		<0.050		<0.050		<0.050		<0.150		<0.300		17.2		2,330		346		2,693.2	2,347.2
FS-4 (6')*	4/2/2025	6	256		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-5	3/26/2025	4	48.0		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-6	3/26/2025	4	64.0		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		139		<10.0		139	139
FS-7	3/26/2025	4	896		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-8	3/26/2025	4	4,800		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		72.1		<10.0		72.1	72.1
FS-9	3/26/2025	4	4,000		<0.050		0.053		1.67	GC-NC1	6.54		8.26	GC-NC1	189		1,540		139		1,868	1,729
FS-9 (6')*	4/2/2025	6	2,640		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-10	3/26/2025	4	1,870		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-11	3/26/2025	4	320		<0.050		<0.050		<0.050		1.05		1.05		49.3		759		82.6		890.9	808.3
FS-12	3/26/2025	4	32.0		<0.100		1.82		8.66	GC-NC1	44.4		54.9	GC-NC1	1,060		6,970		790		8,820	8,030
FS-12 (6')*	3/31/2025	6	16.0		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		<10	<10
FS-13	3/26/2025	4	48.0		<0.050		0.358		0.794	GC-NC1	14.9		16.1	GC-NC1	534		4,010		443		4,987	4,544
FS-13 (6')*	4/2/2025	6	112		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-14	3/26/2025	4	1,040		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		327		41.5		368.5	327
FS-15	3/26/2025	4	3,440		<0.100		0.711		5.33	GC-NC1	30.0		36.0	GC-NC1	1,160		7,050		731		8,941	8,210
FS-15 (6')*	4/2/2025	6	2,320		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-16	3/26/2025	4	3,600		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-17	3/26/2025	4	1,060		<0.050		0.078		0.057	GC-NC1	1.20		1.34	GC-NC1	68.9		2,370		254		2,692.9	2,438.9
FS-17 (6')*	4/2/2025	6	528		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-18	3/26/2025	4	1,520		<0.100		2.70		6.34	GC-NC1	29.6		38.7	GC-NC1	797		6,210		780		7,787	7,007
FS-18 (6')*	4/2/2025	6	192		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-19	3/26/2025	4	208		<0.050		0.797		1.30	GC-NC1	15.3		17.4	GC-NC1	933		5,210		633		6,776	6,143
FS-19 (6')*	4/2/2025	6	1,260		<0.050		<0.050		<0.050		0.291		<0.300		<10.0		137		11.4		148	137
FS-20	3/26/2025	4	48.0		<0.050		<0.050		<0.050		<0.150		<0.300		12.1		588		35.0		635.1	600.1
FS-21	3/26/2025	4	496		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		433		72.7		505.7	433
FS-22	3/26/2025	4	144		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		14.4		<10.0		14.4	14.4
FS-23	3/26/2025	4	1,730		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		417					

TABLE 4
SUMMARY OF ANALYTICAL RESULTS
FINAL SOIL REMEDIATION - NAPP2403967865
CONOCOPHILLIPS
WILDER CTB TANK OVERFLOW RELEASE
LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth	Chloride ¹		BTEX ²										TPH ³							
					Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX		GRO		DRO		EXT DRO		Total TPH (GRO+DRO+EXT DRO)	(GRO+DRO)
			ft. bgs	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg
Site Reclamation Requirement for Surface (0-4 ft bgs) Soils:			<u>600 mg/kg</u>		--		--		--		--		--		--		--		<u>100 mg/kg</u>			
Site RRALs for Subsurface (>4 ft bgs) Soils (GW >100 ft):			<u>20,000 mg/kg</u>		<u>10 mg/kg</u>		--		--		--		<u>50 mg/kg</u>		--		--		<u>2,500 mg/kg</u>			
FS-32	3/26/2025	4	1,040		<0.050		<0.050		0.052	GC-NC1	<0.150		<0.300		19.4		671		98.0		788.4	690.4
FS-33	3/26/2025	4	352		<0.200		3.21		12.6	GC-NC1	59.2		75.1	GC-NC1	1,870		9,770		1300		12,940	11,640
FS-33 (6')*	3/31/2025	6	144		2.35		44.5		19.5		134		200		3,620		7,400		941		11,961	11,020
FS-33 (7')*	3/31/2025	7	32.0		<0.200		7.65		4.62		37.2		49.5		1,080		3,060		469		4,609	4,140
FS-33 (8')*	3/31/2025	8	64.0		0.136		8.3		2.79		21.8		33.1		1,340		3,670		432		5,442	5,010
FS-33 (10')*	4/8/2025	10	32.0		<0.050		<0.050		<0.050		<0.150		<0.300		29.8		434		54.7		518.5	464
FS-34	3/26/2025	4	352		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		206		39.1		245.1	206
FS-35	3/26/2025	4	624		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-36	3/26/2025	4	192		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		691		120		811	691
FS-37	3/26/2025	4	16.0		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-38	3/26/2025	4	896		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		397		42.5		440	397.0
FS-39	3/26/2025	4	128		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-40	3/26/2025	4	112		<0.200		8.38		15.8	GC-NC1	109		133	GC-NC1	2,270		9,460		826		12,556	11,730
FS-40 (6')*	4/2/2025	6	2,360		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		22.3		<10.0		22.3	22.3
FS-40 (10')*	4/8/2025	10	528		<0.050		<0.050		<0.050		<0.150		<0.300		14.4		430		59.1		503.5	444.4
FS-41	3/26/2025	4	336		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-42	3/26/2025	4	656		<0.050		<0.050		0.234	GC-NC1	2.12		2.35	GC-NC1	79.1		1,510		139		1,728.1	1,589.1
FS-42 (6')*	4/2/2025	6	432		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		<10	<10
FS-43	3/26/2025	4	784		<0.050		<0.050		0.335	GC-NC1	0.767		1.10	GC-NC1	29.4		653		61.9		744	682.4
FS-44	3/26/2025	4	192		<0.050		<0.050		<0.050		<0.150		<0.300		42.2		1,390		126		1,558	1,432.2
FS-44 (6')*	4/2/2025	6	1,040		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		33.7		<10.0		33.7	33.7
FS-45	3/26/2025	4	192		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-46	3/26/2025	4	208		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-47	3/26/2025	4	64.0		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-48	3/26/2025	4	19,000		<0.050		<0.050		<0.050		<0.150		<0.300		16.1		1,280		204		1,500.1	1,296.1
FS-48 (6')*	4/2/2025	6	560		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-49	3/26/2025	4	192		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-50	3/26/2025	4	960		<0.050		0.093		0.195	GC-NC1	5.23		5.52	GC-NC1	325		4,930		443		5,698	5,255
FS-50 (6')*	4/2/2025	6	992		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-
FS-51	3/26/2025	4	3,080		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		58		<10.0		57.8	57.8
FS-52	3/26/2025	4	1,260		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.			

TABLE 4
SUMMARY OF ANALYTICAL RESULTS
FINAL SOIL REMEDIATION - NAPP2403967865
CONOCOPHILLIPS
WILDER CTB TANK OVERFLOW RELEASE
LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth	Chloride ¹	BTEX ²										TPH ³										
				Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX		GRO		DRO		EXT DRO		Total TPH (GRO+DRO+EXT DRO)	(GRO+DRO)			
				mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q					
Site Reclamation Requirement for Surface (0-4 ft bgs) Soils:				<i>600 mg/kg</i>		--		--		--		--		--		--		--		<i>100 mg/kg</i>	--			
Site RRALs for Subsurface (>4 ft bgs) Soils (GW >100 ft):				<i>20,000 mg/kg</i>		<i>10 mg/kg</i>		--		--		--		<i>50 mg/kg</i>		--		--		<i>2,500 mg/kg</i>	<i>1,000 mg/kg</i>			
FS-59	3/26/2025	4	1,230	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		374		69.1		443.1	374			
FS-60	3/26/2025	4	7,730	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-			
FS-61	3/26/2025	4	992	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		196		44.5		240.5	196			
FS-62	3/26/2025	4	640	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-			
FS-63	3/26/2025	4	128	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-			
FS-64	3/26/2025	4	640	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		96.4		19.9		116.3	96.4			
FS-65	3/26/2025	4	2,440	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		55.0		13.0		68.0	55.0			
FS-66	3/26/2025	4	3,920	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		189		34.5		223.5	189			
FS-67	3/26/2025	4	2,280	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		883		151		1,034	883			
FS-68	3/26/2025	4	6,800	<0.050		0.273		0.237		GC-NC1	5.93	6.44		GC-NC1	215	4,770		661		5,646	4,985			
FS-68 (6')*	4/2/2025	6	1,680	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		397		39.8		437	397			
FS-69	3/26/2025	4	336	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-			
NSW-1	3/26/2025	-	320	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		11.5		<10.0		11.5	11.5			
NSW-2	3/26/2025	-	288	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		12.3		<10.0		12.3	12.3			
ESW-1	3/26/2025	-	160	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-			
ESW-2	3/26/2025	-	160	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-			
ESW-3	3/26/2025	-	160	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-			
SSW-1	3/26/2025	-	304	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		13.8		<10.0		13.8	13.8			
SSW-2	3/26/2025	-	336	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-			
WSW-1	3/26/2025	-	320	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		12.7		<10.0		12.7	12.7			
WSW-2	3/26/2025	-	176	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		293		43.8		336.8	293			
WSW-2 (2')*	3/31/2025	-	576	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		19		<10.0		19.0	19.0			
WSW-3	3/26/2025	-	176	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		117		<10.0		117	117			
WSW-3 (4')*	3/31/2025	-	304	<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	-			

NOTES:

ft. Feet

bgs Below ground surface

mg/kg Milligrams per kilogram

TPH Total Petroleum Hydrocarbons

GRO Gasoline range organics

DRO Diesel range organics

1 Method SM4500Cl-B

2 Method 8021B

3 Method 8015M

Bold and italicized values indicate exceedance of proposed Remediation RRALs and Reclamation Requirements.

Gold highlight represents soil horizons that were removed during deepening of excavation floors.

Green highlight represents soil intervals that were removed during horizontal expansion of excavation sidewalls.

* These iterative samples are located to encompass the original sample location that triggered removal, with further excavation in each area indicated in ().

QUALIFIERS:

GC-NC1 8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are biased high with interfering compounds.

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

TABLE 5
 SUMMARY OF ANALYTICAL RESULTS
 SOIL BACKFILL - NAPP2403967865
 CONOCOPHILLIPS
 CERBERUS HQ TOP SOIL PIT
 LEA COUNTY, NM

Sample ID	Sample Date	Chloride ¹		BTEX ²										TPH ³							
				Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX		GRO		DRO		EXT DRO		Total TPH (GRO+DRO+EXT DRO)	
		mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q		
BACKFILL - COMPOSITE	7/26/2024	16.0		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	
CALICHE BACKFILL - COMPOSITE	8/14/2024	320		<0.050		<0.050		<0.050		<0.150		<0.300		<10.0		<10.0		<10.0		-	

NOTES:

ft. Feet

bgs Below ground surface

mg/kg Milligrams per kilogram

TPH Total Petroleum Hydrocarbons

GRO Gasoline range organics

DRO Diesel range organics

1 Method SM4500CI-B

2 Method 8021B

3 Method 8015M

APPENDIX A

C-141 Forms

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy Minerals and Natural
 Resources Department
 Oil Conservation Division
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-141
 Revised August 24, 2018
 Submit to appropriate OCD District office

Incident ID	NAPP2403967865
District RP	
Facility ID	fAPP2129429037
Application ID	

Release Notification

Responsible Party

Responsible Party	ConocoPhillips Company	OGRID	217817
Contact Name	Jacob Laird	Contact Telephone	(575) 703-5482
Contact email	Jacob.Laird@ConocoPhillips.com	Incident # (assigned by OCD)	
Contact mailing address	600 West Illinois Avenue, Midland, Texas 79701		

Location of Release Source

Latitude 32.0201 Longitude -103.6894

(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Wilder Federal CTB	Site Type	Tank Battery
Date Release Discovered	February 8, 2024	API# (if applicable)	

Unit Letter	Section	Township	Range	County
A	29	26S	32E	Lea

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls)	86.3	Volume Recovered (bbls)	70
<input type="checkbox"/> Produced Water	Volume Released (bbls)		Volume Recovered (bbls)	
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)		Volume Recovered (bbls)	
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)		Volume Recovered (Mcf)	
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)		Volume/Weight Recovered (provide units)	

Cause of Release

Release was caused by an oil tank overflowing.

The release was on pad within a earthen berm. A vacuum truck was dispatched to recover freestanding fluids. Will evaluate the site to determine if we may commence remediation immediately or delineate any possible impact from the release and we will present a remediation work plan to the NMOCD for approval prior to any significant remediation activities.

Incident ID	NAPP2403967865
District RP	
Facility ID	fAPP2129429037
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release? Release was greater than 25 barrels.
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Immediate Notification was given by Jacob Laird, to the NMOCD via the NOR application on 2/8/2024.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

- The source of the release has been stopped.
- The impacted area has been secured to protect human health and the environment.
- Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.
- All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: **Brittany N. Esparza**

Signature: 

email: [\(Brittany.Esparza@ConocoPhillips.com\)](mailto:Brittany.Esparza@ConocoPhillips.com)

Title: **Environmental Technician**

Date: **2/20/2024**

Telephone: **(432) 221-0398**

OCD Only

Received by: _____ Date: _____

Provide any known details about the event:				SLOP TANK RAN OVER			Primary Cause (dropdown):	Instrumentation or Alarm Failure	Secondary Cause (dropdown):	Effectiveness of organizational learning
				Recovered Volume (bbl.) (if available, not included in volume calculations)	Method of Determination (dropdown)	Release Type (dropdown):	> 1/2" of Rain in Last 24 Hours (dropdown):		% Rainwater Recovered (not included in volume calculations, informational):	
BU:	Permian	Asset Area:	DBE - Asset Avg.			Oil	No			
Known Volume (dropdown):				No						
Known Area (dropdown):				Yes	Mapped Area (sq. ft.)	Average Depth (in.)	On/Off Pad	Soil Spilled-Fluid Saturation	Total Estimated Volume of Spill (bbl.)	
					9488	1.1	On-Pad	10.50%	16.2553	

Facility Name & Well Number(s): WILDER CTB				Release Discovery Date & Time: 2/8/24 6:00 AM			Page 26 of 26
Received by OCD: 10/2/2025 2:38:13 PM					Primary Cause (dropdown):	Instrumentation or Alarm Failure	Secondary Cause (dropdown):
Provide any known details about the event:		SLOP TANK RAN OVER					
		Was the Release to Soil / Caliche (dropdown):	Release On/Off Pad (dropdown):	Recovered Volume (bbl.) (if available, not included in volume calculations)	Release Type (dropdown):		Method of Determination (dropdown):
BU:	Permian	Asset Area: DBE - Asset Avg.	Yes	70	Oil	Other	
Known Volume (dropdown):		Yes	Known Volume of Spill (bbl.)				
Released to Imaging: 12/17/2025 4:24:51 PM			70				

Incident ID	NAPP2403967865
District RP	
Facility ID	fAPP2129429037
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	180 _____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.


Characterization Report Checklist: Each of the following items must be included in the report.

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	NAPP2403967865
District RP	
Facility ID	fAPP2129429037
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Sam Widmer Title: Principal Program Manager
 Signature:  Date: May-08-2024
 email: Sam.widmer@conocophillips.com Telephone: 281-206-5298
 5454CA5BAD33498...

OCD Only

Received by: _____ Date: _____

Incident ID	NAPP2403967865
District RP	
Facility ID	fAPP2129429037
Application ID	

Remediation Plan


Remediation Plan Checklist: Each of the following items must be included in the plan.

- Detailed description of proposed remediation technique
- Scaled sitemap with GPS coordinates showing delineation points
- Estimated volume of material to be remediated
- Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: Each of the following items must be confirmed as part of any request for deferral of remediation.

- Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- Extents of contamination must be fully delineated.
- Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Sam Widmer Title: Principal Program Manager
 DocuSigned by:
 Signature: 
 email: Sam.widmer@conocophillips.com Date: May-08-2024
 5454CA5BAD33498...

OCD Only

Received by: _____ Date: _____

Approved Approved with Attached Conditions of Approval Denied Deferral Approved

Signature: _____ Date: _____

Incident ID	NAPP2403967865
District RP	
Facility ID	fAPP2129429037
Application ID	


Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Sam Widmer Title: Principal Program Manager
 DocuSigned by:
 Signature: 
 Date: Sep-30-2025
 email: 5454CA5BAD33498... Telephone: 907-227-1777
Sam.widmer@conocophillips.com

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____

APPENDIX B

Site Characterization Data



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed) (quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Sub-Code	basin	County	Q Q Q				X	Y	Distance	Depth Well	Depth Water	Water Column			
				64	16	4	Sec									
C 03537 POD1		CUB	LE	3	2	3	21	26S	32E	624250	3543985		746	850		
C 02271 POD2		CUB	LE	3	2	3	21	26S	32E	624348	3544010*		830	270	250	20
C 02323		C	LE	3	2	3	21	26S	32E	624348	3544010*		830	405	405	0
C 03595 POD1		CUB	LE	4	2	3	21	26S	32E	624423	3544045		908	280	180	100

Average Depth to Water: **278 feet**

Minimum Depth: **180 feet**

Maximum Depth: **405 feet**

Record Count: 4

UTMNAD83 Radius Search (in meters):

Easting (X): 623770.14

Northing (Y): 3543414.1

Radius: 950

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

OCD Karst Areas



4/26/2024, 11:20:09 AM

Karst Occurrence Potential

Medium


1:18,056
0 0.13 0.25 0.5 mi
0 0.2 0.4 0.8 km

BLM, OCD, New Mexico Tech, Esri, HERE, Garmin, iPC, Maxar


New Mexico Oil Conservation Division

NM OCD Oil and Gas Map. <http://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=4d017f2306164de29fd2fb9f8f35ca75>: New Mexico Oil Conservation Division

OCD Water Bodies



4/26/2024, 10:43:05 AM




Esri, HERE, Garmin, iPC, Maxar, NM OSE

New Mexico Oil Conservation Division

NM OCD Oil and Gas Map. <http://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=4d017f2306164de29fd2fb9f8f35ca75>: New Mexico Oil Conservation Division

OCD Land Ownership




4/26/2024, 10:36:02 AM

Mineral Ownership

Land Ownership

 A-All minerals are owned by U.S. BLM

1:2,257




0 0.01 0.03 0.05 0.06 mi
0 0.03 0.05 0.06 0.1 km

U.S. BLM, Maxar, Microsoft, Esri, HERE, Garmin, iPC

National Flood Hazard Layer FIRMette



103°41'41"W 32°1'28"N



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS

- Without Base Flood Elevation (BFE)
Zone A, V, A99
- With BFE or Depth Zone AE, AO, AH, VE, AR
- Regulatory Floodway

- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
- Future Conditions 1% Annual Chance Flood Hazard Zone X
- Area with Reduced Flood Risk due to Levee. See Notes. Zone X
- Area with Flood Risk due to Levee Zone D

OTHER AREAS OF FLOOD HAZARD

- NO SCREEN Area of Minimal Flood Hazard Zone X
- Effective LOMRs

OTHER AREAS

- Area of Undetermined Flood Hazard Zone D

GENERAL STRUCTURES

- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

- 20.2 Cross Sections with 1% Annual Chance
- 17.5 Water Surface Elevation
- 8 - - - Coastal Transect
- ~~~ 513 ~~~ Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS

- Digital Data Available
- No Digital Data Available
- Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 4/26/2024 at 12:21 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

APPENDIX C

Regulatory Correspondence

From: OCDOOnline@state.nm.us
To: Llull_Christian
Subject: The Oil Conservation Division (OCD) has approved the application, Application ID: 369863
Date: Thursday, August 8, 2024 6:46:56 PM

CAUTION: This email originated from an external sender. Verify the source before opening links or attachments.

To whom it may concern (c/o Christian Llull for CONOCOPHILLIPS COMPANY),

The OCD has approved the submitted *Application for administrative approval of a release notification and corrective action* (C-141), for incident ID (n#) nAPP2403967865, with the following conditions:

- **The Remediation Plan is Conditionally Approved. All samples must be analyzed for all constituents listed in Table I of 19.15.29.12 NMAC. Floor confirmation samples should be delineated/excavated to meet closure criteria standards for site assessment/characterization/proven depth to water determination. Sidewall samples should be delineated/excavated to 600 mg/kg for chlorides and 100 mg/kg for TPH to define the edge of the release. The request to collect confirmation samples every 300 ft² is approved. A deferral of areas immediately under or around production equipment such as production tanks, wellheads, and pipelines where remediation could cause a major facility deconstruction can't be granted until all other areas have been remediated. The deferral request must specify which sample points are being requested for deferral including an explanation of why the contaminants can't be removed. Please submit the closure report by November 6, 2024.**

The signed C-141 can be found in the OCD Online: Imaging under the incident ID (n#).

If you have any questions regarding this application, please contact me.

Thank you,
Scott Rodgers
Environmental Specialist - A
505-469-1830
scott.rodgers@emnrd.nm.gov

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: Morgan, Crisha A
To: Dickerson, Ryan
Cc: Llull, Christian
Subject: Re: [EXTERNAL] Request for Approval - Wilder CTB Tank Overflow and Vessel Releases Remediation
Date: Wednesday, September 18, 2024 10:49:18 AM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[Outlook-1qsodwaj.png](#)
[Outlook-ksa5l5im.png](#)

CAUTION: This email originated from an external sender. Verify the source before opening links or attachments.



The BLM has accepted this plan for record. Please consider this the BLM's approval to move forward and begin work according to this plan. Please let us know if you run into any issues.

Thank you,

Crisha A. Morgan | Certified - Environmental Protection Specialist | Program Officer | COR | Spills Coordinator | Orphaned & Idled Well POC Lead
 Bureau of Land Management | Carlsbad Field Office
 620 E. Greene Street Carlsbad, NM 88220
 Cell 575-200-8648 | Office 575-234-5987 | camorgan@blm.gov



WARNING: This document is FOR OFFICIAL USE ONLY (FOUO). It contains information that may be exempt from public release under the Freedom of Information Act (5.U.S.C. 552). It is to be controlled, stored, handled, transmitted, distributed, and disposed of in accordance with Department of Interior (DOI) policy relating to FOUO information and is not to be released to the public or other personnel who do not have need-to-know without prior approval of an authorized DOI official. FOR OFFICIAL USE ONLY

From: Dickerson, Ryan <Ryan.Dickerson@tetrtech.com>
Sent: Friday, September 6, 2024 8:43 AM
To: Morgan, Crisha A <camorgan@blm.gov>
Cc: Taylor, Shelly J <sjtaylor@blm.gov>; Llull, Christian <Christian.Llull@tetrtech.com>
Subject: [EXTERNAL] Request for Approval - Wilder CTB Tank Overflow and Vessel Releases Remediation

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Crisha:

Good afternoon. I write on behalf of ConocoPhillips.

Tetra Tech is assisting with remediation of a previously reported unplanned release with the NMOCD. The Release Characterization Work Plan was submitted to NMOCD (with appropriate fee) on 8/2/2024. NMOCD approved the Workplan/Remediation proposal on 8/8/2024. NMOCD approval is attached. Due to the coincidental release footprints, the proposed remedial action addresses both the Wilder CTB Tank Overflow

Release and the Wilder CTB Vessel Release.

A .kmz file showing the proposed remedial action area is attached.

Please perform an Environmental Impact Review for the subject site.

Wilder CTB Tank Overflow and Vessel Releases

Lea County, NM

GPS Coordinates: 32.0201°, -103.6894°

Landowner BLM

Wilder CTB Vessel Release

Incident ID: NAPP2317132356

Date Release Discovered: June 11, 2023

Volume Released: 19.22 bbls of produced water

Volume Recovered: 15 bbls of produced water

Wilder CTB Tank Overflow Release

Incident ID: NAPP2403967865

Date Release Discovered: February 8, 2024

Volume Released: 86.3 bbls of oil

Volume Recovered: 70 bbls of oil

The proposed excavation area is approximately 4,000 square feet.

Remediation will be performed with backhoes and track hoes and by hand digging and/or hydro-excavation near surface and subsurface lines and overhead electrical.

Remediation activities at the Site are scheduled to begin on September 23, 2024 pending BLM plan approval.

Please let me know if additional information is needed to complete this request.

Thanks,

Ryan

Ryan Dickerson | Project Manager

Cell +1 (512) 217-7254 | ryan.dickerson@tetrtech.com

Tetra Tech | *Leading with Science*® | OGA

8911 N. Capital of TX Hwy. | Bldg. 2, Ste 2310 | Austin, TX 78759 | tetrtech.com

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.



Please consider the environment before printing. [Read more](#)

Adobe Systems



From: OCDOOnline@state.nm.us
To: Llull_Christian
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 386012
Date: Monday, September 23, 2024 8:24:33 PM

CAUTION: This email originated from an external sender. Verify the source before opening links or attachments.

To whom it may concern (c/o Christian Llull for CONOCOPHILLIPS COMPANY),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2403967865.

The sampling event is expected to take place:

When: 09/26/2024 @ 10:00

Where: A-29-26S-32E 0 FNL 0 FEL (32.02017778,-103.6894361)

Additional Information: Additional Information: Sampling at the Release Incident Site will be conducted on 9/26 and 9/27. This C-141N request is intended to provide a range of dates for which confirmation sampling will be conducted.

OCD approved 300 sq ft. sampling of the floor and sidewalls.

Ryan Dickerson | Project Manager
Cell +1 (512) 217-7254

Additional Instructions: Additional Information: Sampling at the Release Incident Site will be conducted on 9/26 and 9/27. This C-141N request is intended to provide a range of dates for which confirmation sampling will be conducted.

From Intersection of Orla Road (CR-1) and J-2: Head east for 1.77 miles on J-2. Turn right. Head west for 1.05 miles on lease road. Turn left onto lease road/site entrance. Head south for 300 feet. Arrive at Site.

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

From: [Rodgers, Scott, EMNRD](#)
To: [Dickerson, Ryan](#)
Subject: RE: [EXTERNAL] RE: The Oil Conservation Division (OCD) has accepted the application, Application ID: 386012
Date: Friday, September 27, 2024 4:47:37 PM
Attachments: [image001.jpg](#)

CAUTION: This email originated from an external sender. Verify the source before opening links or attachments.

Afternoon Ryan,

Thank you for the update. The variance request to continue confirmation sampling on 09/30/2024 is approved. Please continue to apply the same condition of approval as previously stated. Please keep a copy of this communication for inclusion within the appropriate reporting documentation.

Thank you,
Scott

Scott Rodgers • Environmental Specialist – Adv.
Environmental Bureau
EMNRD - Oil Conservation Division
8801 Horizon Blvd. NE, Suite 260 | Albuquerque, NM 87113
505.469.1830 | scott.rodgers@emnrd.nm.gov
<http://www.emnrd.nm.gov/ocd>



From: Dickerson, Ryan <Ryan.Dickerson@tetrtech.com>
Sent: Friday, September 27, 2024 1:48 PM
To: ocdonline, emnrd, EMNRD <emnrd.ocdonline@emnrd.nm.gov>
Cc: Rodgers, Scott, EMNRD <Scott.Rodgers@emnrd.nm.gov>
Subject: [EXTERNAL] RE: The Oil Conservation Division (OCD) has accepted the application, Application ID: 386012

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Mr. Rodgers,
I am requesting a variance to continue confirmation sampling on 9/30/2024. We experienced delays due to site conditions and were unable to complete the anticipated sampling on 9/27/2024 as stated in the C-141N. We anticipate collecting one additional sample on 9/30 to complete the initial sampling event.

We plan to complete sampling activities on 9/30. An additional C-141N will be submitted for sampling activities later than 9/30.

Thanks,

Ryan

Ryan Dickerson | Project Manager
Cell +1 (512) 217-7254 | ryan.dickerson@tetrtech.com

Tetra Tech | *Leading with Science*® | OGA
8911 N. Capital of TX Hwy. | Bldg. 2, Ste 2310 | Austin, TX 78759 | tetrtech.com

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>
Sent: Monday, September 23, 2024 8:24 PM
To: Llull, Christian <christian.llull@tetrtech.com>
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 386012

⚠ CAUTION: This email originated from an external sender. Verify the source before opening links or attachments. **⚠**

To whom it may concern (c/o Christian Llull for CONOCOPHILLIPS COMPANY),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2403967865.

The sampling event is expected to take place:

When: 09/26/2024 @ 10:00
Where: A-29-26S-32E 0 FNL 0 FEL (32.02017778,-103.6894361)

Additional Information: Additional Information: Sampling at the Release Incident Site will be conducted on 9/26 and 9/27. This C-141N request is intended to provide a range of dates for which confirmation sampling will be conducted.

OCD approved 300 sq ft. sampling of the floor and sidewalls.

Ryan Dickerson | Project Manager
Cell +1 (512) 217-7254

Additional Instructions: Additional Information: Sampling at the Release Incident Site will be conducted on 9/26 and 9/27. This C-141N request is intended to provide a range of dates for which confirmation sampling will be conducted.

From Intersection of Orla Road (CR-1) and J-2: Head east for 1.77 miles on J-2. Turn right. Head west for 1.05 miles on

lease road. Turn left onto lease road/site entrance. Head south for 300 feet. Arrive at Site.

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505

APPENDIX D

Analytical Laboratory Report



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 15, 2024

RYAN DICKERSON

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: CERBERUS HQ TOP SOIL PIT

Enclosed are the results of analyses for samples received by the laboratory on 08/14/24 14:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	08/14/2024	Sampling Date:	08/14/2024
Reported:	08/15/2024	Sampling Type:	Soil
Project Name:	CERBERUS HQ TOP SOIL PIT	Sampling Condition:	Cool & Intact
Project Number:	212C - MD - 03259	Sample Received By:	Tamara Oldaker
Project Location:	COP - LEA CO NM 32.0261899,-103.6808		

Sample ID: CALICHE BACKFILL - COMPOSITE (H244909-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*		<0.050	0.050	08/14/2024	ND	2.07	104	2.00	10.2	
Toluene*		<0.050	0.050	08/14/2024	ND	2.02	101	2.00	10.6	
Ethylbenzene*		<0.050	0.050	08/14/2024	ND	2.03	101	2.00	11.2	
Total Xylenes*		<0.150	0.150	08/14/2024	ND	5.95	99.1	6.00	11.6	
Total BTEX		<0.300	0.300	08/14/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride		320	16.0	08/15/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		<10.0	10.0	08/14/2024	ND	220	110	200	3.61	
DRO >C10-C28*		<10.0	10.0	08/14/2024	ND	225	113	200	7.37	
EXT DRO >C28-C36		<10.0	10.0	08/14/2024	ND					

Surrogate: 1-Chlorooctane 61.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 75.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

FURM-UUB R 3.2 10/01/21

† Cardinal cannot accept verbal changes. Please email changes to celeykeene@cardinalabs.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 27, 2025

RYAN DICKERSON

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: WILDER CTB TANK OVERFLOW

Enclosed are the results of analyses for samples received by the laboratory on 03/26/25 15:59.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 1 (H251788-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.80	90.2	2.00	0.490		
Toluene*	<0.050	0.050	03/26/2025	ND	1.96	97.8	2.00	0.864		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.92	95.9	2.00	1.57		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.74	95.7	6.00	1.23		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	200	100	200	0.452		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 72.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 68.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 2 (H251788-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.80	90.2	2.00	0.490		
Toluene*	<0.050	0.050	03/26/2025	ND	1.96	97.8	2.00	0.864		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.92	95.9	2.00	1.57		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.74	95.7	6.00	1.23		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	304	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	200	100	200	0.452		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 67.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 63.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 3 (H251788-03)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.80	90.2	2.00	0.490		
Toluene*	<0.050	0.050	03/26/2025	ND	1.96	97.8	2.00	0.864		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.92	95.9	2.00	1.57		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.74	95.7	6.00	1.23		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	200	100	200	0.452		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 83.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 4 (H251788-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.80	90.2	2.00	0.490		
Toluene*	<0.050	0.050	03/26/2025	ND	1.96	97.8	2.00	0.864		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.92	95.9	2.00	1.57		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.74	95.7	6.00	1.23		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	544	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	17.2	10.0	03/26/2025	ND	200	100	200	0.452		
DRO >C10-C28*	2330	10.0	03/26/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	346	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 73.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 102 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 5 (H251788-05)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.80	90.2	2.00	0.490		
Toluene*	<0.050	0.050	03/26/2025	ND	1.96	97.8	2.00	0.864		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.92	95.9	2.00	1.57		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.74	95.7	6.00	1.23		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	200	100	200	0.452		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 78.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 74.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 6 (H251788-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.80	90.2	2.00	0.490		
Toluene*	<0.050	0.050	03/26/2025	ND	1.96	97.8	2.00	0.864		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.92	95.9	2.00	1.57		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.74	95.7	6.00	1.23		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	200	100	200	0.452		
DRO >C10-C28*	139	10.0	03/26/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 86.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 86.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 7 (H251788-07)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.80	90.2	2.00	0.490		
Toluene*	<0.050	0.050	03/26/2025	ND	1.96	97.8	2.00	0.864		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.92	95.9	2.00	1.57		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.74	95.7	6.00	1.23		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	896	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	200	100	200	0.452		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 78.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 73.8 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 8 (H251788-08)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.80	90.2	2.00	0.490		
Toluene*	<0.050	0.050	03/26/2025	ND	1.96	97.8	2.00	0.864		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.92	95.9	2.00	1.57		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.74	95.7	6.00	1.23		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	4800	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	200	100	200	0.452		
DRO >C10-C28*	72.1	10.0	03/26/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 89.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 87.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 9 (H251788-09)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.80	90.2	2.00	0.490		
Toluene*	0.053	0.050	03/26/2025	ND	1.96	97.8	2.00	0.864		
Ethylbenzene*	1.67	0.050	03/26/2025	ND	1.92	95.9	2.00	1.57	GC-NC1	
Total Xylenes*	6.54	0.150	03/26/2025	ND	5.74	95.7	6.00	1.23		
Total BTEX	8.26	0.300	03/26/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 142 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4000	16.0	03/27/2025	ND	416	104	400	0.00	
TPH 8015M									

Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		189	10.0	03/26/2025	ND	200	100	200	0.452	
DRO >C10-C28*		1540	10.0	03/26/2025	ND	197	98.6	200	1.29	
EXT DRO >C28-C36		139	10.0	03/26/2025	ND					

Surrogate: 1-Chlorooctane 102 % 44.4-145

Surrogate: 1-Chlorooctadecane 106 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 10 (H251788-10)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1870	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	200	100	200	0.452		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 83.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 80.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 11 (H251788-11)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	1.05	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	1.05	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 144 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	03/27/2025	ND	416	104	400	0.00	
TPH 8015M									

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	49.3	10.0	03/26/2025	ND	200	100	200	0.452	
DRO >C10-C28*	759	10.0	03/26/2025	ND	197	98.6	200	1.29	
EXT DRO >C28-C36	82.6	10.0	03/26/2025	ND					

Surrogate: 1-Chlorooctane 87.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 89.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 12 (H251788-12)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.100	0.100	03/27/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	1.82	0.100	03/27/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	8.66	0.100	03/27/2025	ND	1.97	98.5	2.00	0.0700	GC-NC1	
Total Xylenes*	44.4	0.300	03/27/2025	ND	6.12	102	6.00	0.208		
Total BTEX	54.9	0.600	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 177 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	03/27/2025	ND	416	104	400	0.00	
TPH 8015M									S-04

Analyte		Result		Reporting Limit		Analyzed		Method Blank		BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	1060	10.0	03/26/2025	ND	200	100	200	0.452						
DRO >C10-C28*	6970	10.0	03/26/2025	ND	197	98.6	200	1.29						
EXT DRO >C28-C36	790	10.0	03/26/2025	ND										

Surrogate: 1-Chlorooctane 148 % 44.4-145

Surrogate: 1-Chlorooctadecane 176 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	03/26/2025	Sampling Date:	03/26/2025
Reported:	03/27/2025	Sampling Type:	Soil
Project Name:	WILDER CTB TANK OVERFLOW	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Shalyn Rodriguez
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 13 (H251788-13)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	0.358	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	0.794	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700	GC-NC1	
Total Xylenes*	14.9	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	16.1	0.300	03/26/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 298 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	03/27/2025	ND	416	104	400	0.00	
TPH 8015M									

Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		534	10.0	03/27/2025	ND	200	100	200	0.452	
DRO >C10-C28*		4010	10.0	03/27/2025	ND	197	98.6	200	1.29	
EXT DRO >C28-C36		443	10.0	03/27/2025	ND					

Surrogate: 1-Chlorooctane 122 % 44.4-145

Surrogate: 1-Chlorooctadecane 149 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	03/26/2025	Sampling Date:	03/26/2025
Reported:	03/27/2025	Sampling Type:	Soil
Project Name:	WILDER CTB TANK OVERFLOW	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Shalyn Rodriguez
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 14 (H251788-14)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1040	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	200	100	200	0.452		
DRO >C10-C28*	327	10.0	03/27/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	41.5	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 81.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 87.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 15 (H251788-15)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.100	0.100	03/27/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	0.711	0.100	03/27/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	5.33	0.100	03/27/2025	ND	1.97	98.5	2.00	0.0700	GC-NC1	
Total Xylenes*	30.0	0.300	03/27/2025	ND	6.12	102	6.00	0.208		
Total BTEX	36.0	0.600	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 158 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3440	16.0	03/27/2025	ND	416	104	400	3.77	
TPH 8015M									S-04

Analyte		Result		Reporting Limit		Analyzed		Method Blank		BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	1160	10.0		03/27/2025		ND		200		100		200	0.452	
DRO >C10-C28*	7050	10.0		03/27/2025		ND		197		98.6		200	1.29	
EXT DRO >C28-C36	731	10.0		03/27/2025		ND								

Surrogate: 1-Chlorooctane 245 % 44.4-145

Surrogate: 1-Chlorooctadecane 127 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	03/26/2025	Sampling Date:	03/26/2025
Reported:	03/27/2025	Sampling Type:	Soil
Project Name:	WILDER CTB TANK OVERFLOW	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Shalyn Rodriguez
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 16 (H251788-16)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	3600	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	200	100	200	0.452		
DRO >C10-C28*	<10.0	10.0	03/27/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 85.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 17 (H251788-17)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	0.078	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	0.057	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700	GC-NC1	
Total Xylenes*	1.20	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	1.34	0.300	03/26/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 134 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1060	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	68.9	10.0	03/27/2025	ND	200	100	200	0.452		
DRO >C10-C28*	2370	10.0	03/27/2025	ND	197	98.6	200	1.29		
EXT DRO >C28-C36	254	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 92.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 111 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 18 (H251788-18)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.100	0.100	03/27/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	2.70	0.100	03/27/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	6.34	0.100	03/27/2025	ND	1.97	98.5	2.00	0.0700	GC-NC1	
Total Xylenes*	29.6	0.300	03/27/2025	ND	6.12	102	6.00	0.208		
Total BTEX	38.7	0.600	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 77400 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1520	16.0	03/27/2025	ND	416	104	400	3.77	
TPH 8015M									S-04

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	797	10.0	03/26/2025	ND	208	104	200	0.981	
DRO >C10-C28*	6210	10.0	03/26/2025	ND	194	97.1	200	0.769	
EXT DRO >C28-C36	780	10.0	03/26/2025	ND					

Surrogate: 1-Chlorooctane 341 % 44.4-145

Surrogate: 1-Chlorooctadecane 112 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 19 (H251788-19)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	0.797	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	1.30	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700	GC-NC1	
Total Xylenes*	15.3	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	17.4	0.300	03/26/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 266 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	03/27/2025	ND	416	104	400	3.77	
TPH 8015M									S-04

Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		933	10.0	03/26/2025	ND	208	104	200	0.981	
DRO >C10-C28*		5210	10.0	03/26/2025	ND	194	97.1	200	0.769	
EXT DRO >C28-C36		633	10.0	03/26/2025	ND					

Surrogate: 1-Chlorooctane 284 % 44.4-145

Surrogate: 1-Chlorooctadecane 94.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 20 (H251788-20)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 118 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	12.1	10.0	03/26/2025	ND	208	104	200	0.981		
DRO >C10-C28*	588	10.0	03/26/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	35.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 86.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 77.8 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 21 (H251788-21)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	496	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	208	104	200	0.981		
DRO >C10-C28*	433	10.0	03/26/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	72.7	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 76.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 72.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 22 (H251788-22)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	208	104	200	0.981		
DRO >C10-C28*	14.4	10.0	03/26/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 72.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 68.4 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 23 (H251788-23)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1730	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	208	104	200	0.981		
DRO >C10-C28*	417	10.0	03/26/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	64.6	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 73.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 71.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 24 (H251788-24)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1360	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	208	104	200	0.981		
DRO >C10-C28*	52.6	10.0	03/26/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 89.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 85.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 25 (H251788-25)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	0.676	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	1.07	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700	GC-NC1	
Total Xylenes*	15.1	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	16.9	0.300	03/26/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 215 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	03/27/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	611	10.0	03/26/2025	ND	208	104	200	0.981		
DRO >C10-C28*	5200	10.0	03/26/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	639	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 268 % 44.4-145

Surrogate: 1-Chlorooctadecane 135 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 26 (H251788-26)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.200	0.200	03/27/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	9.78	0.200	03/27/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	17.9	0.200	03/27/2025	ND	1.97	98.5	2.00	0.0700	GC-NC1	
Total Xylenes*	96.0	0.600	03/27/2025	ND	6.12	102	6.00	0.208		
Total BTEX	124	1.20	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 154 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2440	16.0	03/27/2025	ND	416	104	400	3.77	
TPH 8015M									S-04

Analyte		Result		Reporting Limit		Analyzed		Method Blank		BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	1650	10.0		03/26/2025		ND		208		104	104	200	0.981	
DRO >C10-C28*	6690	10.0		03/26/2025		ND		194		97.1	97.1	200	0.769	
EXT DRO >C28-C36	806	10.0		03/26/2025		ND								

Surrogate: 1-Chlorooctane 362 % 44.4-145

Surrogate: 1-Chlorooctadecane 123 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 27 (H251788-27)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	448	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	208	104	200	0.981		
DRO >C10-C28*	20.4	10.0	03/26/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 63.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 61.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 28 (H251788-28)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	208	104	200	0.981		
DRO >C10-C28*	498	10.0	03/26/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	78.2	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 64.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 62.4 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 29 (H251788-29)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.89	94.3	2.00	2.61		
Toluene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.798		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.97	98.5	2.00	0.0700		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	6.12	102	6.00	0.208		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	704	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	208	104	200	0.981		
DRO >C10-C28*	346	10.0	03/26/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	58.7	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 71.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 69.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 30 (H251788-30)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/27/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2400	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	11.5	10.0	03/27/2025	ND	208	104	200	0.981		
DRO >C10-C28*	2110	10.0	03/27/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	324	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 95.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 95.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 31 (H251788-31)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/26/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	576	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	208	104	200	0.981		
DRO >C10-C28*	502	10.0	03/27/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	87.2	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 65.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 61.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 32 (H251788-32)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/26/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	0.052	0.050	03/26/2025	ND	1.91	95.4	2.00	0.658	GC-NC1	
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1040	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	19.4	10.0	03/27/2025	ND	208	104	200	0.981		
DRO >C10-C28*	671	10.0	03/27/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	98.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 77.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 72.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 33 (H251788-33)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.200	0.200	03/27/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	3.21	0.200	03/27/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	12.6	0.200	03/27/2025	ND	1.91	95.4	2.00	0.658	GC-NC1	
Total Xylenes*	59.2	0.600	03/27/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	75.1	1.20	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 148 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	03/27/2025	ND	416	104	400	3.77	
TPH 8015M									S-04

Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		1870	10.0	03/27/2025	ND	208	104	200	0.981	
DRO >C10-C28*		9770	10.0	03/27/2025	ND	194	97.1	200	0.769	
EXT DRO >C28-C36		1300	10.0	03/27/2025	ND					

Surrogate: 1-Chlorooctane 476 % 44.4-145

Surrogate: 1-Chlorooctadecane 220 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 34 (H251788-34)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/26/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	352	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	208	104	200	0.981		
DRO >C10-C28*	206	10.0	03/27/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	39.1	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 72.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 69.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 35 (H251788-35)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/26/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	624	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	208	104	200	0.981		
DRO >C10-C28*	<10.0	10.0	03/27/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 76.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 73.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 36 (H251788-36)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/26/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	208	104	200	0.981		
DRO >C10-C28*	691	10.0	03/27/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	120	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 83.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 37 (H251788-37)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/26/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	208	104	200	0.981		
DRO >C10-C28*	<10.0	10.0	03/27/2025	ND	194	97.1	200	0.769		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 75.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 72.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 38 (H251788-38)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/26/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	896	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	203	102	200	2.91		
DRO >C10-C28*	397	10.0	03/26/2025	ND	196	98.1	200	3.14	QM-07	
EXT DRO >C28-C36	42.5	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 75.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 82.4 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 39 (H251788-39)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/26/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	203	102	200	2.91		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 86.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 80.9 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 40 (H251788-40)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.200	0.200	03/27/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	8.38	0.200	03/27/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	15.8	0.200	03/27/2025	ND	1.91	95.4	2.00	0.658	GC-NC1	
Total Xylenes*	109	0.600	03/27/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	133	1.20	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 151 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	03/27/2025	ND	416	104	400	3.77	
TPH 8015M									S-04

Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		2270	10.0	03/26/2025	ND	203	102	200	2.91	
DRO >C10-C28*		9460	10.0	03/26/2025	ND	196	98.1	200	3.14	
EXT DRO >C28-C36		826	10.0	03/26/2025	ND					

Surrogate: 1-Chlorooctane 208 % 44.4-145

Surrogate: 1-Chlorooctadecane 163 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 41 (H251788-41)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/26/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/26/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	203	102	200	2.91		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 80.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.8 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 42 (H251788-42)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/27/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	0.234	0.050	03/27/2025	ND	1.91	95.4	2.00	0.658	GC-NC1	
Total Xylenes*	2.12	0.150	03/27/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	2.35	0.300	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 132 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	656	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	79.1	10.0	03/26/2025	ND	203	102	200	2.91		
DRO >C10-C28*	1510	10.0	03/26/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	139	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 95.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 112 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 43 (H251788-43)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/27/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	0.335	0.050	03/27/2025	ND	1.91	95.4	2.00	0.658	GC-NC1	
Total Xylenes*	0.767	0.150	03/27/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	1.10	0.300	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	784	16.0	03/27/2025	ND	416	104	400	3.77		
TPH 8015M										

Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	29.4	10.0	03/26/2025	ND	203	102	200	2.91		
DRO >C10-C28*	653	10.0	03/26/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	61.9	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 80.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 88.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 44 (H251788-44)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/26/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/26/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	0.292	0.150	03/26/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/26/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	42.2	10.0	03/26/2025	ND	203	102	200	2.91		
DRO >C10-C28*	1390	10.0	03/26/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	126	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 92.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 111 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 45 (H251788-45)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/27/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	203	102	200	2.91		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 87.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.9 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 46 (H251788-46)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/27/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	203	102	200	2.91		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 79.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 75.8 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 47 (H251788-47)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/27/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	203	102	200	2.91		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 82.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 77.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 48 (H251788-48)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/27/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	19000	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	16.1	10.0	03/26/2025	ND	203	102	200	2.91		
DRO >C10-C28*	1280	10.0	03/26/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	204	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 89.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 119 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 49 (H251788-49)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.84	92.0	2.00	2.10		
Toluene*	<0.050	0.050	03/27/2025	ND	1.95	97.6	2.00	0.244		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.91	95.4	2.00	0.658		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.66	94.3	6.00	0.766		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	203	102	200	2.91		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 80.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 77.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 50 (H251788-50)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	0.093	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	0.195	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30	GC-NC1	
Total Xylenes*	5.23	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	5.52	0.300	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 191 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	960	16.0	03/27/2025	ND	416	104	400	3.77	
TPH 8015M									

Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		325	10.0	03/27/2025	ND	203	102	200	2.91	
DRO >C10-C28*		4930	10.0	03/27/2025	ND	196	98.1	200	3.14	
EXT DRO >C28-C36		443	10.0	03/27/2025	ND					

Surrogate: 1-Chlorooctane 112 % 44.4-145

Surrogate: 1-Chlorooctadecane 119 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	03/26/2025	Sampling Date:	03/26/2025
Reported:	03/27/2025	Sampling Type:	Soil
Project Name:	WILDER CTB TANK OVERFLOW	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Shalyn Rodriguez
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 51 (H251788-51)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	3080	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	203	102	200	2.91		
DRO >C10-C28*	57.8	10.0	03/27/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 85.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 83.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 52 (H251788-52)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1260	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	203	102	200	2.91		
DRO >C10-C28*	<10.0	10.0	03/27/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 68.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 62.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 53 (H251788-53)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	928	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	203	102	200	2.91		
DRO >C10-C28*	461	10.0	03/27/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	60.4	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 75.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 83.4 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 54 (H251788-54)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	624	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	203	102	200	2.91		
DRO >C10-C28*	671	10.0	03/27/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	96.4	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 78.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 89.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	03/26/2025	Sampling Date:	03/26/2025
Reported:	03/27/2025	Sampling Type:	Soil
Project Name:	WILDER CTB TANK OVERFLOW	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Shalyn Rodriguez
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 55 (H251788-55)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*		<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377	
Toluene*		<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71	
Ethylbenzene*	0.090	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30	GC-NC1	
Total Xylenes*	2.48	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	2.57	0.300	03/27/2025	ND						GC-NC1

Surrogate: 4-Bromofluorobenzene (PID) 158 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					S-04	
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride		624	16.0	03/27/2025	ND	416	104	400	3.77	
TPH 8015M										

TPH 8015M		mg/kg		Analyzed By: MS					S-04	
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		62.6	10.0	03/27/2025	ND	203	102	200	2.91	
DRO >C10-C28*		2870	10.0	03/27/2025	ND	196	98.1	200	3.14	
EXT DRO >C28-C36		368	10.0	03/27/2025	ND					

Surrogate: 1-Chlorooctane 88.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 148 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 56 (H251788-56)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	800	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	203	102	200	2.91		
DRO >C10-C28*	15.4	10.0	03/27/2025	ND	196	98.1	200	3.14		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 86.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 57 (H251788-57)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	0.077	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30	GC-NC1	
Total Xylenes*	1.92	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	2.00	0.300	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 184 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	816	16.0	03/27/2025	ND	416	104	400	3.77	
TPH 8015M								S-04	

Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		145	10.0	03/27/2025	ND	203	102	200	2.91	
DRO >C10-C28*		7020	10.0	03/27/2025	ND	196	98.1	200	3.14	
EXT DRO >C28-C36		784	10.0	03/27/2025	ND					

Surrogate: 1-Chlorooctane 96.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 154 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 58 (H251788-58)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	0.075	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30	GC-NC1	
Total Xylenes*	2.02	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	2.09	0.300	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 189 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	672	16.0	03/27/2025	ND	416	104	400	3.77	
TPH 8015M								S-04	

Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		143	10.0	03/26/2025	ND	210	105	200	1.13	
DRO >C10-C28*		8340	10.0	03/26/2025	ND	200	99.9	200	0.258	QM-07
EXT DRO >C28-C36		1520	10.0	03/26/2025	ND					

Surrogate: 1-Chlorooctane 174 % 44.4-145

Surrogate: 1-Chlorooctadecane 259 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 59 (H251788-59)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1230	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	210	105	200	1.13		
DRO >C10-C28*	374	10.0	03/26/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	69.1	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 81.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 60 (H251788-60)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	7730	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	210	105	200	1.13		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 70.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 66.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 61 (H251788-61)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	992	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	210	105	200	1.13		
DRO >C10-C28*	196	10.0	03/26/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	44.5	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 70.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 69.8 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 62 (H251788-62)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	640	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	210	105	200	1.13		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 84.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 79.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 63 (H251788-63)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	210	105	200	1.13		
DRO >C10-C28*	<10.0	10.0	03/26/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 84.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 64 (H251788-64)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	640	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	210	105	200	1.13		
DRO >C10-C28*	96.4	10.0	03/26/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	19.9	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 77.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 75.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 65 (H251788-65)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2440	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	210	105	200	1.13		
DRO >C10-C28*	55.0	10.0	03/26/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	13.0	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 80.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 77.9 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 66 (H251788-66)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	3920	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2025	ND	210	105	200	1.13		
DRO >C10-C28*	189	10.0	03/26/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	34.5	10.0	03/26/2025	ND						

Surrogate: 1-Chlorooctane 77.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 67 (H251788-67)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2280	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	210	105	200	1.13		
DRO >C10-C28*	883	10.0	03/27/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	151	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 79.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 87.4 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 68 (H251788-68)

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	0.273	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	0.237	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30	GC-NC1	
Total Xylenes*	5.93	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	6.44	0.300	03/27/2025	ND					GC-NC1	

Surrogate: 4-Bromofluorobenzene (PID) 164 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6800	16.0	03/27/2025	ND	416	104	400	3.77	
TPH 8015M									S-04

Analyte		Result		Reporting Limit		Analyzed		Method Blank		BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	215	10.0		03/27/2025		ND		210		105		200	1.13	
DRO >C10-C28*	4770	10.0		03/27/2025		ND		200		99.9		200	0.258	
EXT DRO >C28-C36	661	10.0		03/27/2025		ND								

Surrogate: 1-Chlorooctane 223 % 44.4-145

Surrogate: 1-Chlorooctadecane 171 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: FS - 69 (H251788-69)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.86	93.0	2.00	0.377		
Toluene*	<0.050	0.050	03/27/2025	ND	1.91	95.6	2.00	2.71		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.87	93.4	2.00	4.30		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.83	97.2	6.00	3.24		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	210	105	200	1.13		
DRO >C10-C28*	<10.0	10.0	03/27/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 74.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 70.4 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: NSW - 1 (H251788-70)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.88	93.8	2.00	2.36		
Toluene*	<0.050	0.050	03/27/2025	ND	1.97	98.6	2.00	2.18		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.90	95.0	2.00	2.77		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.71	95.1	6.00	2.69		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	320	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	210	105	200	1.13		
DRO >C10-C28*	11.5	10.0	03/27/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 71.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 67.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: NSW - 2 (H251788-71)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.88	93.8	2.00	2.36		
Toluene*	<0.050	0.050	03/27/2025	ND	1.97	98.6	2.00	2.18		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.90	95.0	2.00	2.77		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.71	95.1	6.00	2.69		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	210	105	200	1.13		
DRO >C10-C28*	12.3	10.0	03/27/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 81.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 75.9 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: ESW - 1 (H251788-72)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.88	93.8	2.00	2.36		
Toluene*	<0.050	0.050	03/27/2025	ND	1.97	98.6	2.00	2.18		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.90	95.0	2.00	2.77		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.71	95.1	6.00	2.69		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	210	105	200	1.13		
DRO >C10-C28*	<10.0	10.0	03/27/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 78.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 73.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: ESW - 2 (H251788-73)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.88	93.8	2.00	2.36		
Toluene*	<0.050	0.050	03/27/2025	ND	1.97	98.6	2.00	2.18		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.90	95.0	2.00	2.77		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.71	95.1	6.00	2.69		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	03/27/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	210	105	200	1.13		
DRO >C10-C28*	<10.0	10.0	03/27/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 72.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 67.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: ESW - 3 (H251788-74)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.88	93.8	2.00	2.36		
Toluene*	<0.050	0.050	03/27/2025	ND	1.97	98.6	2.00	2.18		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.90	95.0	2.00	2.77		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.71	95.1	6.00	2.69		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	210	105	200	1.13		
DRO >C10-C28*	<10.0	10.0	03/27/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 74.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 69.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: SSW - 1 (H251788-75)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.88	93.8	2.00	2.36		
Toluene*	<0.050	0.050	03/27/2025	ND	1.97	98.6	2.00	2.18		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.90	95.0	2.00	2.77		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.71	95.1	6.00	2.69		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	304	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	210	105	200	1.13		
DRO >C10-C28*	13.8	10.0	03/27/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 74.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 69.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: SSW - 2 (H251788-76)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.88	93.8	2.00	2.36		
Toluene*	<0.050	0.050	03/27/2025	ND	1.97	98.6	2.00	2.18		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.90	95.0	2.00	2.77		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.71	95.1	6.00	2.69		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	210	105	200	1.13		
DRO >C10-C28*	<10.0	10.0	03/27/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 82.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 77.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: WSW - 1 (H251788-77)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.88	93.8	2.00	2.36		
Toluene*	<0.050	0.050	03/27/2025	ND	1.97	98.6	2.00	2.18		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.90	95.0	2.00	2.77		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.71	95.1	6.00	2.69		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	320	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	210	105	200	1.13		
DRO >C10-C28*	12.7	10.0	03/27/2025	ND	200	99.9	200	0.258		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 79.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 75.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: WSW - 2 (H251788-78)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.88	93.8	2.00	2.36		
Toluene*	<0.050	0.050	03/27/2025	ND	1.97	98.6	2.00	2.18		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.90	95.0	2.00	2.77		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.71	95.1	6.00	2.69		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	201	100	200	0.181		
DRO >C10-C28*	293	10.0	03/27/2025	ND	195	97.4	200	0.866		
EXT DRO >C28-C36	43.8	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 85.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 85.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 03/26/2025 Sampling Date: 03/26/2025
 Reported: 03/27/2025 Sampling Type: Soil
 Project Name: WILDER CTB TANK OVERFLOW Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Shalyn Rodriguez
 Project Location: LEA COUNTY, NM

Sample ID: WSW - 3 (H251788-79)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/27/2025	ND	1.88	93.8	2.00	2.36		
Toluene*	<0.050	0.050	03/27/2025	ND	1.97	98.6	2.00	2.18		
Ethylbenzene*	<0.050	0.050	03/27/2025	ND	1.90	95.0	2.00	2.77		
Total Xylenes*	<0.150	0.150	03/27/2025	ND	5.71	95.1	6.00	2.69		
Total BTEX	<0.300	0.300	03/27/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	03/27/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2025	ND	201	100	200	0.181		
DRO >C10-C28*	117	10.0	03/27/2025	ND	195	97.4	200	0.866		
EXT DRO >C28-C36	<10.0	10.0	03/27/2025	ND						

Surrogate: 1-Chlorooctane 78.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 77.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

GC-NC1 8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are biased high with interfering compounds.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

 Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 4 of 9

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: <u>Tetra Tech - Conoco Phillips</u>	P.O. #:
Project Manager: <u>Ryan Dickerson</u>	Company: <u>Tetra Tech</u>
Address:	Attn: <u>Ryan Dickerson</u>
City:	Address:
Phone #:	City:
Fax #:	State:
Project #: 212C-MD-0344	Zip:
Project Name: Wilder CTB Tank Overflow and Vessel Release Final Remediation	
Project Location: Lea Co, NM	
Sampler Name: <u>Andrew Garcia</u>	Phone #:
FOR LAB USE ONLY	Fax #:

Lab I.D.

Sample I.D.

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.		# CONTAINERS	MATRIX	PRESERV	SAMPLING
		GROUNDWATER	WASTEWATER				
HS 788	FS - 31		X	1		X	TPT
31	FS - 32					X	BTEX
32	FS - 33					X	Chlorides
33	FS - 34						
34	FS - 35						
35	FS - 36						
36	FS - 37						
37	FS - 38						
38	FS - 39						
39	FS - 40						

PLEASE NOTE: Liability and Damages, Cardinal's liability and Client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by Client, its subsidiaries, affiliates or successors arising out of or related to the performance of services rendered by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

All Results are emailed. Please provide Email address:

Verbal Results: Yes No Add'l Phone #:

Relinquished By:	Received By:
<u>Andrew Garcia</u>	<u>Silvia Mignery</u>
Date:	Received By:
3/26/25	Ryan. Dickerson @ tetratech.com
Time: 1559	REMARKS:
Time:	Andrew Garcia @ tetratech.com

Delivered By: (Circle One)	Observed Temp. °C <u>11</u>	Sample Condition <u>Cool</u>	CHECKED BY: <u>Ryan. Dickerson</u>	Turnaround Time: <u>24 TAT</u>	Standard <input type="checkbox"/> Rush <input checked="" type="checkbox"/> Bacteria (only) Sample Condition
Sampler - UPS - Bus - Other:	Corrected Temp. °C <u>14</u>	Intact <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Thermometer ID #140	Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No
				Correction Factor +0.3°C	Observed Temp. °C <input type="checkbox"/> Yes <input type="checkbox"/> No
					Corrected Temp. °C <input type="checkbox"/> Yes <input type="checkbox"/> No



CARDINAL

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240

		BILL TO		ANALYSIS REQUEST	
Company Name: <u>Futura Tech - Colorado Phillips</u>		P.O. #: <u></u>			
Project Manager: <u>Ryan Dickerson</u>		Company: <u>Futura Tech</u>			
Address: <u></u>		Attn: <u>Ryan Dickerson</u>			
City: <u></u>	State: <u></u>	Zip: <u></u>			
Phone #: <u></u>	Fax #: <u></u>				Address: <u></u>
Project #: <u>2112C-MD-03442</u>		City: <u></u>			
Project Name: <u>Welder CTB Tank Overflow and</u>		State: <u></u>			
Project Location: <u>Lea Co, NM</u>		Zip: <u></u>			
Sampler Name: <u>Anderson Garske</u>		Phone #: <u></u>			
Remediation		Fax #: <u></u>			
		MATRIX	PRESERV	SAMPLING	
FOR LAB USE ONLY					

PLEASE NOTE: Liability and damages, negligence or otherwise, shall be limited to the amount of the services rendered. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by Cardinal within 30 days after completion of the applicable services. All claims including those for negligence and any other cause, whatever shall be deemed waived, unless made in writing and received by Cardinal within 30 days after completion or the application of services. In no event shall Cardinal be liable for intentional or negligent acts of Cardinal, its employees, agents, or contractors. In no event shall Cardinal be liable for any claim for damages arising out of the above stated reasons or otherwise.

Relinquished By: _____ **Date:** 3/26/25 **Received By:** _____
affiliates or successors arising out of or related to the performance or non-performance of the contract
Verbal Result:
All Results are empty

Andrew Garcia	Time: 559	Ryan.Dickerson@Tetratech.com
Relinquished By:	Date: Received By:	REMARKS: Andrew.Garcia@Tetratech.com

Delivered By: (Circle One)	Observed Temp. °C	Sample Condition	CHECKED BY:	
Sampler - UPS - Bus - Other:	Corrected Temp. °C	Cool Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Intact Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	(Initials)
	1.14			8/2
				Turnaround Time:
				Standard RUSH <input checked="" type="checkbox"/>
				COOLED <input type="checkbox"/>
				Correlation Factor +0.2°C <input type="checkbox"/>
				Thermometer ID #40
				24 TAT



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 8 of 9

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: Tetra Tech - Conoco Phillips	P.O. #:
Project Manager: Ryan Dickerson	Company: Tetra Tech
Address:	Attn: Ryan Dickerson
City:	Address:
Phone #:	State:
Fax #:	Zip:
Project #: 212C-MD-03442	Project Owner:
Project Name: Wilder CTB Tank Overflow and Vessel Release Final Remediation	State:
Project Location: Lea Co, NM	Phone #:
Sampler Name: Andrew Garcia	Fax #:
FOR LAB USE ONLY	

Sampler Name: **Andrew Garcia**

FOR LAB USE ONLY

Lab I.D.

Sample I.D.

(G)RAB OR (C)OMP.

CONTAINERS

GROUNDWATER

WASTEWATER

SOIL

OIL

SLUDGE

OTHER:

ACID/BASE:

ICE / COOL

OTHER:

TIME

DATE

MATRIX

PRESERV

SAMPLING

TPL

BTEX

Chlorides

H251788	71	NSW-2	C-1	X	3/26	X	X	X
	72	ESW-1						
	73	ESW-2						
	74	ESW-3						
	TS	SSW-1						
	76	SSW-2						
	77	SSW-1						
	78	WSW-2						
	79	WSW-3						

PLEASE NOTE: Liability and Damages. Cardinal's liability and Client's exclusive remedy for any claim arising whether based in contract, or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable services. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

All Results are emailed. Please provide Email address: Yes No | Add'l Phone #:

Received By: **Andrew Garcia**

Relinquished By: **Andrew Garcia**

Date: **3/26/25**

Time: **559**

Received By: **Ryan Dickerson**

REMARKS:

Andrew Garcia @ tetrattech.com

Delivered By: (Circle One)	Observed Temp. °C 115	Sample Condition Cool	CHECKED BY: Ryan Dickerson	Turnaround Time: 24 TAT	Standard <input type="checkbox"/> Rush <input checked="" type="checkbox"/>	Bacteria (only) <input type="checkbox"/> Sample Condition Cool	Intact <input type="checkbox"/> Observed Temp. °C
Sampler - UPS - Bus - Other:	Corrected Temp. °C 145	Intact <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Thermometer ID # 140	Yes <input type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/>
Correction Factor +0.3°C							
Corrected Temp. °C							



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 04, 2025

RYAN DICKERSON

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: WILDER CTB RECLAMATION

Enclosed are the results of analyses for samples received by the laboratory on 03/31/25 15:19.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at

www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
FS - 12 (6')	H251891-01	Soil	31-Mar-25 00:00	31-Mar-25 15:19
FS - 26 (6')	H251891-04	Soil	31-Mar-25 00:00	31-Mar-25 15:19
FS - 33 (6')	H251891-07	Soil	31-Mar-25 00:00	31-Mar-25 15:19
FS - 33 (7')	H251891-08	Soil	31-Mar-25 00:00	31-Mar-25 15:19
FS - 33 (8')	H251891-09	Soil	31-Mar-25 00:00	31-Mar-25 15:19
FS - 58 (6')	H251891-10	Soil	31-Mar-25 00:00	31-Mar-25 15:19
FS - 58 (7')	H251891-11	Soil	31-Mar-25 00:00	31-Mar-25 15:19
FS - 58 (8')	H251891-12	Soil	31-Mar-25 00:00	31-Mar-25 15:19
WSW - 2 (2')	H251891-13	Soil	31-Mar-25 00:00	31-Mar-25 15:19
WSW - 3 (4')	H251891-14	Soil	31-Mar-25 00:00	31-Mar-25 15:19

04/02/25 - Client added analysis to sample -08 (see COC). This is the revised report and will replace the one sent on 04/01/25.

04/04/25 - Client added analysis to sample -09 (see COC). This is the 2nd revision of the report and will replace the one sent on 04/02/25.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink that reads "Cely D. Keene".

Cely D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

FS - 12 (6')**H251891-01 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	16.0	16.0	mg/kg	4	5040113	AC	01-Apr-25	4500-Cl-B
----------	-------------	------	-------	---	---------	----	-----------	-----------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Toluene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Ethylbenzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total Xylenes*	<0.150	0.150	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total BTEX	<0.300	0.300	mg/kg	50	5033138	JH	31-Mar-25	8021B

Surrogate: 4-Bromofluorobenzene (PID)	100 %	71.5-134	5033138	JH	31-Mar-25	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
Surrogate: 1-Chlorooctane		83.3 %	44.4-145		5033136	MS	31-Mar-25	8015B
Surrogate: 1-Chlorooctadecane		80.6 %	40.6-153		5033136	MS	31-Mar-25	8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53**FS - 26 (6')****H251891-04 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	704	16.0	mg/kg	4	5040116	KV	01-Apr-25	4500-Cl-B
----------	-----	------	-------	---	---------	----	-----------	-----------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Toluene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Ethylbenzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total Xylenes*	<0.150	0.150	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total BTEX	<0.300	0.300	mg/kg	50	5033138	JH	31-Mar-25	8021B

Surrogate: 4-Bromofluorobenzene (PID)	101 %	71.5-134	5033138	JH	31-Mar-25	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B

Surrogate: 1-Chlorooctane	94.8 %	44.4-145	5033136	MS	31-Mar-25	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	91.7 %	40.6-153	5033136	MS	31-Mar-25	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Cely D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

FS - 33 (6')**H251891-07 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	144	16.0	mg/kg	4	5040116	KV	01-Apr-25	4500-Cl-B
----------	-----	------	-------	---	---------	----	-----------	-----------

Volatile Organic Compounds by EPA Method 8021**S-04**

Benzene*	2.35	0.500	mg/kg	500	5033138	JH	31-Mar-25	8021B
Toluene*	44.5	0.500	mg/kg	500	5033138	JH	31-Mar-25	8021B
Ethylbenzene*	19.5	0.500	mg/kg	500	5033138	JH	31-Mar-25	8021B
Total Xylenes*	134	1.50	mg/kg	500	5033138	JH	31-Mar-25	8021B
Total BTEX	200	3.00	mg/kg	500	5033138	JH	31-Mar-25	8021B

Surrogate: 4-Bromofluorobenzene (PID)	165 %	71.5-134	5033138	JH	31-Mar-25	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID**S-04**

GRO C6-C10*	3620	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
DRO >C10-C28*	7400	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
EXT DRO >C28-C36	941	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B

Surrogate: 1-Chlorooctane	310 %	44.4-145	5033136	MS	31-Mar-25	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	221 %	40.6-153	5033136	MS	31-Mar-25	8015B
-------------------------------	-------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Cely D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

FS - 33 (7')**H251891-08 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	32.0	16.0	mg/kg	4	5040203	AC	02-Apr-25	4500-Cl-B
----------	------	------	-------	---	---------	----	-----------	-----------

Volatile Organic Compounds by EPA Method 8021**S-04**

Benzene*	<0.200	0.200	mg/kg	200	5040143	JH	02-Apr-25	8021B	GC-NC
Toluene*	7.65	0.200	mg/kg	200	5040143	JH	02-Apr-25	8021B	
Ethylbenzene*	4.62	0.200	mg/kg	200	5040143	JH	02-Apr-25	8021B	
Total Xylenes*	37.2	0.600	mg/kg	200	5040143	JH	02-Apr-25	8021B	
Total BTEX	49.5	1.20	mg/kg	200	5040143	JH	02-Apr-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)	170 %	71.5-134	5040143	JH	02-Apr-25	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID**S-04**

GRO C6-C10*	1080	10.0	mg/kg	1	5040141	MS	01-Apr-25	8015B
DRO >C10-C28*	3060	10.0	mg/kg	1	5040141	MS	01-Apr-25	8015B
EXT DRO >C28-C36	469	10.0	mg/kg	1	5040141	MS	01-Apr-25	8015B

Surrogate: 1-Chlorooctane	143 %	44.4-145	5040141	MS	01-Apr-25	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	158 %	40.6-153	5040141	MS	01-Apr-25	8015B
-------------------------------	-------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Cely D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

FS - 33 (8')**H251891-09 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	64.0	16.0	mg/kg	4	5040331	KV	03-Apr-25	4500-Cl-B
----------	------	------	-------	---	---------	----	-----------	-----------

Volatile Organic Compounds by EPA Method 8021**S-04**

Benzene*	0.136	0.050	mg/kg	50	5040309	JH	03-Apr-25	8021B
Toluene*	8.30	0.050	mg/kg	50	5040309	JH	03-Apr-25	8021B
Ethylbenzene*	2.79	0.050	mg/kg	50	5040309	JH	03-Apr-25	8021B
Total Xylenes*	21.8	0.150	mg/kg	50	5040309	JH	03-Apr-25	8021B
Total BTEX	33.1	0.300	mg/kg	50	5040309	JH	03-Apr-25	8021B

Surrogate: 4-Bromofluorobenzene (PID)	146 %	71.5-134	5040309	JH	03-Apr-25	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID**S-04**

GRO C6-C10*	1340	10.0	mg/kg	1	5040242	MS	03-Apr-25	8015B
DRO >C10-C28*	3670	10.0	mg/kg	1	5040242	MS	03-Apr-25	8015B
EXT DRO >C28-C36	432	10.0	mg/kg	1	5040242	MS	03-Apr-25	8015B

Surrogate: 1-Chlorooctane	154 %	44.4-145	5040242	MS	03-Apr-25	8015B
---------------------------	-------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	109 %	40.6-153	5040242	MS	03-Apr-25	8015B
-------------------------------	-------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Cely D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

FS - 58 (6')**H251891-10 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	1170	16.0	mg/kg	4	5040116	KV	01-Apr-25	4500-Cl-B
----------	------	------	-------	---	---------	----	-----------	-----------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Toluene*	0.110	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Ethylbenzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total Xylenes*	0.204	0.150	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total BTEX	0.314	0.300	mg/kg	50	5033138	JH	31-Mar-25	8021B

Surrogate: 4-Bromofluorobenzene (PID)	101 %	71.5-134	5033138	JH	31-Mar-25	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
DRO >C10-C28*	788	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
EXT DRO >C28-C36	241	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B

Surrogate: 1-Chlorooctane	92.6 %	44.4-145	5033136	MS	31-Mar-25	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	91.7 %	40.6-153	5033136	MS	31-Mar-25	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Cely D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

FS - 58 (7')**H251891-11 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	960	16.0	mg/kg	4	5040116	KV	01-Apr-25	4500-Cl-B
----------	-----	------	-------	---	---------	----	-----------	-----------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Toluene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Ethylbenzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total Xylenes*	<0.150	0.150	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total BTEX	<0.300	0.300	mg/kg	50	5033138	JH	31-Mar-25	8021B

Surrogate: 4-Bromofluorobenzene (PID)	99.8 %	71.5-134	5033138	JH	31-Mar-25	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
DRO >C10-C28*	375	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
EXT DRO >C28-C36	111	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B

Surrogate: 1-Chlorooctane	94.9 %	44.4-145	5033136	MS	31-Mar-25	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	89.0 %	40.6-153	5033136	MS	31-Mar-25	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Cely D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

FS - 58 (8')**H251891-12 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	896	16.0	mg/kg	4	5040116	KV	01-Apr-25	4500-Cl-B
----------	------------	------	-------	---	---------	----	-----------	-----------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Toluene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Ethylbenzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total Xylenes*	<0.150	0.150	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total BTEX	<0.300	0.300	mg/kg	50	5033138	JH	31-Mar-25	8021B

Surrogate: 4-Bromofluorobenzene (PID)	99.8 %	71.5-134	5033138	JH	31-Mar-25	8021B
---------------------------------------	--------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
DRO >C10-C28*	46.1	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B

Surrogate: 1-Chlorooctane	93.1 %	44.4-145	5033136	MS	31-Mar-25	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	92.3 %	40.6-153	5033136	MS	31-Mar-25	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Cely D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

WSW - 2 (2')**H251891-13 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	576	16.0	mg/kg	4	5040116	KV	01-Apr-25	4500-Cl-B
----------	------------	------	-------	---	---------	----	-----------	-----------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Toluene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Ethylbenzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total Xylenes*	<0.150	0.150	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total BTEX	<0.300	0.300	mg/kg	50	5033138	JH	31-Mar-25	8021B

Surrogate: 4-Bromofluorobenzene (PID)	100 %	71.5-134	5033138	JH	31-Mar-25	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
DRO >C10-C28*	19.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B

Surrogate: 1-Chlorooctane	74.7 %	44.4-145	5033136	MS	31-Mar-25	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	72.7 %	40.6-153	5033136	MS	31-Mar-25	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Cely D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

WSW - 3 (4')**H251891-14 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	304	16.0	mg/kg	4	5040116	KV	01-Apr-25	4500-Cl-B
----------	-----	------	-------	---	---------	----	-----------	-----------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Toluene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Ethylbenzene*	<0.050	0.050	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total Xylenes*	<0.150	0.150	mg/kg	50	5033138	JH	31-Mar-25	8021B
Total BTEX	<0.300	0.300	mg/kg	50	5033138	JH	31-Mar-25	8021B

Surrogate: 4-Bromofluorobenzene (PID)	100 %	71.5-134	5033138	JH	31-Mar-25	8021B
---------------------------------------	-------	----------	---------	----	-----------	-------

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
DRO >C10-C28*	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B
EXT DRO >C28-C36	<10.0	10.0	mg/kg	1	5033136	MS	31-Mar-25	8015B

Surrogate: 1-Chlorooctane	70.6 %	44.4-145	5033136	MS	31-Mar-25	8015B
---------------------------	--------	----------	---------	----	-----------	-------

Surrogate: 1-Chlorooctadecane	67.0 %	40.6-153	5033136	MS	31-Mar-25	8015B
-------------------------------	--------	----------	---------	----	-----------	-------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Cely D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

Inorganic Compounds - Quality Control
Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5040113 - 1:4 DI Water

Blank (5040113-BLK1)	Prepared & Analyzed: 01-Apr-25							
Chloride	ND	16.0	mg/kg					
LCS (5040113-BS1)	Prepared & Analyzed: 01-Apr-25							
Chloride	416	16.0	mg/kg	400	104	80-120		
LCS Dup (5040113-BSD1)	Prepared & Analyzed: 01-Apr-25							
Chloride	432	16.0	mg/kg	400	108	80-120	3.77	20

Batch 5040116 - 1:4 DI Water

Blank (5040116-BLK1)	Prepared & Analyzed: 01-Apr-25							
Chloride	ND	16.0	mg/kg					
LCS (5040116-BS1)	Prepared & Analyzed: 01-Apr-25							
Chloride	416	16.0	mg/kg	400	104	80-120		
LCS Dup (5040116-BSD1)	Prepared & Analyzed: 01-Apr-25							
Chloride	416	16.0	mg/kg	400	104	80-120	0.00	20

Batch 5040203 - 1:4 DI Water

Blank (5040203-BLK1)	Prepared & Analyzed: 02-Apr-25							
Chloride	ND	16.0	mg/kg					
LCS (5040203-BS1)	Prepared & Analyzed: 02-Apr-25							
Chloride	432	16.0	mg/kg	400	108	80-120		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Cely D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5040203 - 1:4 DI Water

LCS Dup (5040203-BSD1)		Prepared & Analyzed: 02-Apr-25								
Chloride	416	16.0	mg/kg	400		104	80-120	3.77	20	

Batch 5040331 - 1:4 DI Water

Blank (5040331-BLK1)		Prepared & Analyzed: 03-Apr-25								
Chloride	ND	16.0	mg/kg							

LCS (5040331-BS1)		Prepared & Analyzed: 03-Apr-25								
Chloride	416	16.0	mg/kg	400		104	80-120			

LCS Dup (5040331-BSD1)		Prepared & Analyzed: 03-Apr-25								
Chloride	432	16.0	mg/kg	400		108	80-120	3.77	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5033138 - Volatiles

Blank (5033138-BLK1)				Prepared & Analyzed: 31-Mar-25			
Benzene	ND	0.050	mg/kg				
Toluene	ND	0.050	mg/kg				
Ethylbenzene	ND	0.050	mg/kg				
Total Xylenes	ND	0.150	mg/kg				
Total BTEX	ND	0.300	mg/kg				
Surrogate: 4-Bromofluorobenzene (PID)	0.0503		mg/kg	0.0500	101	71.5-134	

LCS (5033138-BS1)				Prepared & Analyzed: 31-Mar-25			
Benzene	2.12	0.050	mg/kg	2.00	106	82.8-130	
Toluene	2.16	0.050	mg/kg	2.00	108	86-128	
Ethylbenzene	2.10	0.050	mg/kg	2.00	105	85.9-128	
m,p-Xylene	4.15	0.100	mg/kg	4.00	104	89-129	
o-Xylene	2.04	0.050	mg/kg	2.00	102	86.1-125	
Total Xylenes	6.18	0.150	mg/kg	6.00	103	88.2-128	
Surrogate: 4-Bromofluorobenzene (PID)	0.0488		mg/kg	0.0500	97.6	71.5-134	

LCS Dup (5033138-BSD1)				Prepared & Analyzed: 31-Mar-25			
Benzene	2.03	0.050	mg/kg	2.00	102	82.8-130	4.01
Toluene	2.07	0.050	mg/kg	2.00	103	86-128	4.31
Ethylbenzene	2.01	0.050	mg/kg	2.00	101	85.9-128	3.94
m,p-Xylene	3.97	0.100	mg/kg	4.00	99.3	89-129	4.28
o-Xylene	1.96	0.050	mg/kg	2.00	97.9	86.1-125	3.97
Total Xylenes	5.93	0.150	mg/kg	6.00	98.8	88.2-128	4.18
Surrogate: 4-Bromofluorobenzene (PID)	0.0493		mg/kg	0.0500	98.5	71.5-134	

Batch 5040143 - Volatiles

Blank (5040143-BLK1)				Prepared: 01-Apr-25 Analyzed: 02-Apr-25			
Benzene	ND	0.050	mg/kg				
Toluene	ND	0.050	mg/kg				
Ethylbenzene	ND	0.050	mg/kg				
Total Xylenes	ND	0.150	mg/kg				

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5040143 - Volatiles**Blank (5040143-BLK1)**

Total BTEX	ND	0.300	mg/kg	Prepared: 01-Apr-25 Analyzed: 02-Apr-25					
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500				99.3	71.5-134

LCS (5040143-BS1)

Prepared: 01-Apr-25 Analyzed: 02-Apr-25					
Benzene	2.01	0.050	mg/kg	2.00	100
Toluene	2.10	0.050	mg/kg	2.00	105
Ethylbenzene	2.05	0.050	mg/kg	2.00	102
m,p-Xylene	4.06	0.100	mg/kg	4.00	101
o-Xylene	2.02	0.050	mg/kg	2.00	101
Total Xylenes	6.07	0.150	mg/kg	6.00	101
Surrogate: 4-Bromofluorobenzene (PID)	0.0488		mg/kg	0.0500	97.5
					71.5-134

LCS Dup (5040143-BSD1)

Prepared: 01-Apr-25 Analyzed: 02-Apr-25							
Benzene	1.90	0.050	mg/kg	2.00	94.9	82.8-130	5.67
Toluene	1.95	0.050	mg/kg	2.00	97.6	86-128	7.04
Ethylbenzene	1.89	0.050	mg/kg	2.00	94.6	85.9-128	8.03
m,p-Xylene	3.72	0.100	mg/kg	4.00	92.9	89-129	8.76
o-Xylene	1.84	0.050	mg/kg	2.00	92.1	86.1-125	8.95
Total Xylenes	5.56	0.150	mg/kg	6.00	92.6	88.2-128	8.82
Surrogate: 4-Bromofluorobenzene (PID)	0.0483		mg/kg	0.0500	96.6	71.5-134	

Batch 5040309 - Volatiles**Blank (5040309-BLK1)**

Prepared & Analyzed: 03-Apr-25					
Benzene	ND	0.050	mg/kg		
Toluene	ND	0.050	mg/kg		
Ethylbenzene	ND	0.050	mg/kg		
Total Xylenes	ND	0.150	mg/kg		
Total BTEX	ND	0.300	mg/kg		

Surrogate: 4-Bromofluorobenzene (PID)	0.0547		mg/kg	0.0500	109	71.5-134
---------------------------------------	--------	--	-------	--------	-----	----------

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5040309 - Volatiles

LCS (5040309-BS1)		Prepared & Analyzed: 03-Apr-25									
		Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
Benzene		2.02	0.050	mg/kg	2.00		101	82.8-130			
Toluene		1.93	0.050	mg/kg	2.00		96.5	86-128			
Ethylbenzene		2.00	0.050	mg/kg	2.00		100	85.9-128			
m,p-Xylene		4.21	0.100	mg/kg	4.00		105	89-129			
o-Xylene		2.10	0.050	mg/kg	2.00		105	86.1-125			
Total Xylenes		6.31	0.150	mg/kg	6.00		105	88.2-128			
Surrogate: 4-Bromofluorobenzene (PID)		0.0471		mg/kg	0.0500		94.2	71.5-134			
LCS Dup (5040309-BSD1)		Prepared & Analyzed: 03-Apr-25									
Benzene		2.01	0.050	mg/kg	2.00		101	82.8-130	0.452	15.8	
Toluene		1.95	0.050	mg/kg	2.00		97.5	86-128	1.09	15.9	
Ethylbenzene		2.04	0.050	mg/kg	2.00		102	85.9-128	2.18	16	
m,p-Xylene		4.30	0.100	mg/kg	4.00		107	89-129	1.97	16.2	
o-Xylene		2.13	0.050	mg/kg	2.00		107	86.1-125	1.55	16.7	
Total Xylenes		6.43	0.150	mg/kg	6.00		107	88.2-128	1.83	16.3	
Surrogate: 4-Bromofluorobenzene (PID)		0.0492		mg/kg	0.0500		98.5	71.5-134			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5033136 - General Prep - Organics

Blank (5033136-BLK1)				Prepared & Analyzed: 31-Mar-25				
GRO C6-C10	ND	10.0	mg/kg					
DRO >C10-C28	ND	10.0	mg/kg					
EXT DRO >C28-C36	ND	10.0	mg/kg					
Surrogate: 1-Chlorooctane	46.9		mg/kg	50.0		93.9	44.4-145	
Surrogate: 1-Chlorooctadecane	44.6		mg/kg	50.0		89.2	40.6-153	

LCS (5033136-BS1)				Prepared & Analyzed: 31-Mar-25				
GRO C6-C10	214	10.0	mg/kg	200		107	81.5-123	
DRO >C10-C28	210	10.0	mg/kg	200		105	77.7-122	
Total TPH C6-C28	425	10.0	mg/kg	400		106	80.9-121	
Surrogate: 1-Chlorooctane	55.4		mg/kg	50.0		111	44.4-145	
Surrogate: 1-Chlorooctadecane	54.3		mg/kg	50.0		109	40.6-153	

LCS Dup (5033136-BSD1)				Prepared & Analyzed: 31-Mar-25				
GRO C6-C10	218	10.0	mg/kg	200		109	81.5-123	1.55
DRO >C10-C28	213	10.0	mg/kg	200		106	77.7-122	1.26
Total TPH C6-C28	431	10.0	mg/kg	400		108	80.9-121	1.41
Surrogate: 1-Chlorooctane	53.1		mg/kg	50.0		106	44.4-145	
Surrogate: 1-Chlorooctadecane	51.5		mg/kg	50.0		103	40.6-153	

Blank (5040141-BLK1)				Prepared & Analyzed: 01-Apr-25				
GRO C6-C10	ND	10.0	mg/kg					
DRO >C10-C28	ND	10.0	mg/kg					
EXT DRO >C28-C36	ND	10.0	mg/kg					
Surrogate: 1-Chlorooctane	47.7		mg/kg	50.0		95.4	44.4-145	
Surrogate: 1-Chlorooctadecane	44.9		mg/kg	50.0		89.7	40.6-153	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5040141 - General Prep - Organics

LCS (5040141-BS1)							Prepared & Analyzed: 01-Apr-25			
GRO C6-C10	195	10.0	mg/kg	200	97.4	81.5-123				
DRO >C10-C28	194	10.0	mg/kg	200	97.0	77.7-122				
Total TPH C6-C28	389	10.0	mg/kg	400	97.2	80.9-121				
<i>Surrogate: 1-Chlorooctane</i>	54.7		mg/kg	50.0	109	44.4-145				
<i>Surrogate: 1-Chlorooctadecane</i>	53.6		mg/kg	50.0	107	40.6-153				
LCS Dup (5040141-BSD1)							Prepared & Analyzed: 01-Apr-25			
GRO C6-C10	203	10.0	mg/kg	200	101	81.5-123	3.95	13		
DRO >C10-C28	198	10.0	mg/kg	200	99.1	77.7-122	2.08	15.6		
Total TPH C6-C28	401	10.0	mg/kg	400	100	80.9-121	3.02	18.5		
<i>Surrogate: 1-Chlorooctane</i>	53.1		mg/kg	50.0	106	44.4-145				
<i>Surrogate: 1-Chlorooctadecane</i>	51.9		mg/kg	50.0	104	40.6-153				

Batch 5040242 - General Prep - Organics

Blank (5040242-BLK1)							Prepared: 02-Apr-25 Analyzed: 03-Apr-25			
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
<i>Surrogate: 1-Chlorooctane</i>	53.8		mg/kg	50.0	108	44.4-145				
<i>Surrogate: 1-Chlorooctadecane</i>	52.3		mg/kg	50.0	105	40.6-153				
LCS (5040242-BS1)							Prepared: 02-Apr-25 Analyzed: 03-Apr-25			
GRO C6-C10	203	10.0	mg/kg	200	101	81.5-123				
DRO >C10-C28	205	10.0	mg/kg	200	102	77.7-122				
Total TPH C6-C28	408	10.0	mg/kg	400	102	80.9-121				
<i>Surrogate: 1-Chlorooctane</i>	56.8		mg/kg	50.0	114	44.4-145				
<i>Surrogate: 1-Chlorooctadecane</i>	55.4		mg/kg	50.0	111	40.6-153				

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: WILDER CTB RECLAMATION
Project Number: 212C-MD-03442
Project Manager: RYAN DICKERSON
Fax To: (432) 682-3946

Reported:
04-Apr-25 10:53

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5040242 - General Prep - Organics

LCS Dup (5040242-BSD1)				Prepared: 02-Apr-25 Analyzed: 03-Apr-25						
GRO C6-C10	208	10.0	mg/kg	200	104	81.5-123	2.68	13		
DRO >C10-C28	206	10.0	mg/kg	200	103	77.7-122	0.273	15.6		
Total TPH C6-C28	414	10.0	mg/kg	400	104	80.9-121	1.48	18.5		
Surrogate: 1-Chlorooctane	54.1		mg/kg	50.0	108	44.4-145				
Surrogate: 1-Chlorooctadecane	52.8		mg/kg	50.0	106	40.6-153				

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
GC-NC	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are reported as ND.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink that appears to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 04, 2025

RYAN DICKERSON

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: WILDER CTB RECLAMATION

Enclosed are the results of analyses for samples received by the laboratory on 04/03/25 13:04.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 4 (6') (H251986-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*		<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84	
Toluene*		<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85	
Ethylbenzene*		<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03	
Total Xylenes*		<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81	
Total BTEX		<0.300	0.300	04/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride		256	16.0	04/04/2025	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		<10.0	10.0	04/03/2025	ND	210	105	200	5.48	
DRO >C10-C28*		<10.0	10.0	04/03/2025	ND	208	104	200	5.86	
EXT DRO >C28-C36		<10.0	10.0	04/03/2025	ND					

Surrogate: 1-Chlorooctane 83.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 9 (6') (H251986-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2640	16.0	04/04/2025	ND	448	112	400	0.00		
TPH 8015M										

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/04/2025	ND	210	105	200	5.48	
DRO >C10-C28*	<10.0	10.0	04/04/2025	ND	208	104	200	5.86	
EXT DRO >C28-C36	<10.0	10.0	04/04/2025	ND					

Surrogate: 1-Chlorooctane 87.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 13 (6') (H251986-03)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	04/04/2025	ND	448	112	400	0.00		
TPH 8015M										

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13	
DRO >C10-C28*	<10.0	10.0	04/03/2025	ND	200	100	200	0.537	
EXT DRO >C28-C36	<10.0	10.0	04/03/2025	ND					

Surrogate: 1-Chlorooctane 80.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 75.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 15 (6') (H251986-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2320	16.0	04/04/2025	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13		
DRO >C10-C28*	<10.0	10.0	04/03/2025	ND	200	100	200	0.537		
EXT DRO >C28-C36	<10.0	10.0	04/03/2025	ND						

Surrogate: 1-Chlorooctane 89.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 17 (6') (H251986-05)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	528	16.0	04/04/2025	ND	448	112	400	0.00		
TPH 8015M										

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13		
DRO >C10-C28*	<10.0	10.0	04/03/2025	ND	200	100	200	0.537		
EXT DRO >C28-C36	<10.0	10.0	04/03/2025	ND						

Surrogate: 1-Chlorooctane 89.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 83.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 18 (6') (H251986-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	04/04/2025	ND	448	112	400	0.00		
TPH 8015M										

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13	
DRO >C10-C28*	<10.0	10.0	04/03/2025	ND	200	100	200	0.537	
EXT DRO >C28-C36	<10.0	10.0	04/03/2025	ND					

Surrogate: 1-Chlorooctane 92.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 85.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 19 (6') (H251986-07)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	0.291	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1260	16.0	04/04/2025	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13		
DRO >C10-C28*	137	10.0	04/03/2025	ND	200	100	200	0.537		
EXT DRO >C28-C36	11.4	10.0	04/03/2025	ND						

Surrogate: 1-Chlorooctane 82.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 80.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 25 (6') (H251986-08)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1100	16.0	04/04/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13		
DRO >C10-C28*	<10.0	10.0	04/03/2025	ND	200	100	200	0.537		
EXT DRO >C28-C36	<10.0	10.0	04/03/2025	ND						

Surrogate: 1-Chlorooctane 84.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.8 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 30 (6') (H251986-09)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	480	16.0	04/04/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13		
DRO >C10-C28*	11.2	10.0	04/03/2025	ND	200	100	200	0.537		
EXT DRO >C28-C36	<10.0	10.0	04/03/2025	ND						

Surrogate: 1-Chlorooctane 89.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 85.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 40 (6') (H251986-10)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*		<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84	
Toluene*		<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85	
Ethylbenzene*		<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03	
Total Xylenes*		<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81	
Total BTEX		<0.300	0.300	04/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride		2360	16.0	04/04/2025	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		<10.0	10.0	04/03/2025	ND	208	104	200	1.13	
DRO >C10-C28*		22.3	10.0	04/03/2025	ND	200	100	200	0.537	
EXT DRO >C28-C36		<10.0	10.0	04/03/2025	ND					

Surrogate: 1-Chlorooctane 92.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 86.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 42 (6') (H251986-11)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	432	16.0	04/04/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13		
DRO >C10-C28*	<10.0	10.0	04/03/2025	ND	200	100	200	0.537		
EXT DRO >C28-C36	<10.0	10.0	04/03/2025	ND						

Surrogate: 1-Chlorooctane 86.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 79.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 44 (6') (H251986-12)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1040	16.0	04/04/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13		
DRO >C10-C28*	33.7	10.0	04/03/2025	ND	200	100	200	0.537		
EXT DRO >C28-C36	<10.0	10.0	04/03/2025	ND						

Surrogate: 1-Chlorooctane 83.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 48 (6') (H251986-13)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*		<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84	
Toluene*		<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85	
Ethylbenzene*		<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03	
Total Xylenes*		<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81	
Total BTEX		<0.300	0.300	04/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride		560	16.0	04/04/2025	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		<10.0	10.0	04/03/2025	ND	208	104	200	1.13	
DRO >C10-C28*		<10.0	10.0	04/03/2025	ND	200	100	200	0.537	
EXT DRO >C28-C36		<10.0	10.0	04/03/2025	ND					

Surrogate: 1-Chlorooctane 88.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.9 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 50 (6') (H251986-14)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*		<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84	
Toluene*		<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85	
Ethylbenzene*		<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03	
Total Xylenes*		<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81	
Total BTEX		<0.300	0.300	04/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride		992	16.0	04/04/2025	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte		Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*		<10.0	10.0	04/03/2025	ND	208	104	200	1.13	
DRO >C10-C28*		<10.0	10.0	04/03/2025	ND	200	100	200	0.537	
EXT DRO >C28-C36		<10.0	10.0	04/03/2025	ND					

Surrogate: 1-Chlorooctane 86.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.4 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 55 (6') (H251986-15)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	04/04/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13		
DRO >C10-C28*	<10.0	10.0	04/03/2025	ND	200	100	200	0.537		
EXT DRO >C28-C36	<10.0	10.0	04/03/2025	ND						

Surrogate: 1-Chlorooctane 86.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 82.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 57 (6') (H251986-16)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	04/04/2025	ND	432	108	400	3.64		
TPH 8015M										

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13	
DRO >C10-C28*	<10.0	10.0	04/03/2025	ND	200	100	200	0.537	
EXT DRO >C28-C36	<10.0	10.0	04/03/2025	ND					

Surrogate: 1-Chlorooctane 87.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	04/03/2025	Sampling Date:	04/02/2025
Reported:	04/04/2025	Sampling Type:	Soil
Project Name:	WILDER CTB RECLAMATION	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-03442	Sample Received By:	Tamara Oldaker
Project Location:	LEA COUNTY, NM		

Sample ID: FS - 68 (6') (H251986-17)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2025	ND	2.04	102	2.00	1.84		
Toluene*	<0.050	0.050	04/03/2025	ND	2.10	105	2.00	1.85		
Ethylbenzene*	<0.050	0.050	04/03/2025	ND	2.05	102	2.00	2.03		
Total Xylenes*	<0.150	0.150	04/03/2025	ND	6.01	100	6.00	1.81		
Total BTEX	<0.300	0.300	04/03/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1680	16.0	04/04/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	04/03/2025	ND	208	104	200	1.13		
DRO >C10-C28*	397	10.0	04/03/2025	ND	200	100	200	0.537		
EXT DRO >C28-C36	39.8	10.0	04/03/2025	ND						

Surrogate: 1-Chlorooctane 93.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 95.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager


CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

 101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

Company Name: Tetra Tech - Conoco Phillips		BILL TO		ANALYSIS REQUEST	
Project Manager: Ryan Dickerson	Address:	P.O. #:	Company: Tetra Tech	Attn: Ryan Dickerson	Address:
Phone #:	State: Zip:	Fax #:	City:	State: Zip:	City:
Project #: 2120-MD-03442	Project Owner:				
Project Location: Wilder CTB Reclamation					
Sampler Name: Andrew Garcia					
FOR LAB USE ONLY					
Lab I.D.	Sample I.D.	MATRIX	PRESERV.	SAMPLING	
1	FS-4 (6)	(G)RAB OR (C)OMP.	# CONTAINERS		
2	FS-9 (6)	GROUNDWATER			
3	FS-13 (6)	WASTEWATER			
4	FS-15 (6)	SOIL			
5	FS-17 (6)	OIL			
6	FS-18 (6)	SLUDGE			
7	FS-19 (6)	OTHER :			
8	FS-25 (6)	ACID/BASE:			
9	FS-30 (6)	ICE / COOL			
10	FS-40 (6)	OTHER :			
Date: 3-25-2025					
Time: 1:304					
Date: Received By: <i>Juliee Williams</i>					
Time: <i>1:304</i>					
REMARKS: Andrew Garcia @tetratech.com					
Delivered By: (Circle One)		Observed Temp. °C <i>4.4</i>	Sample Condition <i>Cool Intact</i>	CHECKED BY: <i>Ryan. Dickerson</i>	Turnaround Time: Standard <input type="checkbox"/> <i>Rush</i> <input checked="" type="checkbox"/>
Sampler - UPS - Bus - Other:		Corrected Temp. °C <i>4.7</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Bacteria (only) Sample Condition Cool <input type="checkbox"/> Intact <input type="checkbox"/> Observed Temp. °C <input type="checkbox"/> Yes <input type="checkbox"/> Yes <input type="checkbox"/> No
Correction Factor +0.3°C					
Form#006R 3-02-2023					



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: <u>Tetra Tech - conoco Phillips</u>		BILL TO		ANALYSIS REQUEST	
Project Manager: <u>Ryan Dickerson</u>	Address:	P.O. #:	State:	Zip:	
City:	Phone #:	Company: <u>Tetra Tech</u>	Fax #:	Attn: <u>Ryan Dickerson</u>	
Phone #:	Fax #:	Address:		City:	
Project #: <u>212C-MD-03442</u>	Project Owner:	State:	Zip:	State:	
Project Name: <u>Wilder CTR Reclamation</u>	Project Location: <u>Larco, NM</u>	Phone #:	Fax #:	Phone #:	
Sampler Name: <u>Andrew Garcia</u>	FOR LAB USE ONLY				
Lab I.D.	Sample I.D.	MATRIX	PRESERV.	SAMPLING	
<u>H057986</u>	<u>FS - 42 (L6)</u>	<u>(G)RAB OR (C)OMP.</u>			
<u>11</u>	<u>C</u>	<u># CONTAINERS</u>			
<u>12</u>	<u>X</u>	<u>GROUNDWATER</u>			
<u>13</u>	<u>X</u>	<u>WASTEWATER</u>			
<u>14</u>	<u>X</u>	<u>SOIL</u>			
<u>15</u>	<u>X</u>	<u>OIL</u>			
<u>16</u>	<u>X</u>	<u>SLUDGE</u>			
<u>17</u>	<u>X</u>	<u>OTHER</u>			
		<u>ACID/BASE:</u>			
		<u>ICE / COOL</u>			
		<u>OTHER</u>			
		<u>DATE</u>	<u>TIME</u>		
		<u>04/02</u>	<u>2025</u>		
		<u>X</u>	<u>X</u>		
				<u>BTEX</u>	
				<u>TPH</u>	
				<u>Chlorides</u>	
<u>Received By:</u> <u>Andrew Garcia</u>	<u>Date:</u> <u>4-3-25</u>	<u>Time:</u> <u>1304</u>	<u>REMARKS:</u> <u>Andrew Garcia etchatech.com</u>	<u>Verbal Result:</u> <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Add'l Phone #: <u>Ryan.. Dickerson etchatech.com</u>	
Delivered By: (Circle One)	Observed Temp. °C <u>4.4</u>	Sample Condition <input checked="" type="checkbox"/> Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No	CHECKED BY: <u>Ryan Dickerson</u>	Turnaround Time: <u>Standard</u> <input checked="" type="checkbox"/> <u>RUSH</u> <input type="checkbox"/>	Bacteria (only) Sample Condition <input type="checkbox"/> Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Observed Temp. °C <input type="checkbox"/> Corrected Temp. °C <input type="checkbox"/> No <input type="checkbox"/> No
Sampler - UPS - Bus - Other:	Corrected Temp. °C <u>4.7</u>			Thermometer ID # <u>140</u>	
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause, whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable services. In no event shall Cardinal be liable for incidental or consequential damage, including without limitation, business interruption, loss of use, or loss of profits, incurred by client, its substitutes, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.					
Relinquished By: <u>Andrew Garcia</u>					

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 09, 2025

RYAN DICKERSON

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: WILDER CTB RECLAMATION

Enclosed are the results of analyses for samples received by the laboratory on 04/08/25 15:45.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 04/08/2025 Sampling Date: 04/08/2025
 Reported: 04/09/2025 Sampling Type: Soil
 Project Name: WILDER CTB RECLAMATION Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Alyssa Parras
 Project Location: LEA COUNTY, NM

Sample ID: FS - 33 (10') (H252097-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/08/2025	ND	2.06	103	2.00	5.41		
Toluene*	<0.050	0.050	04/08/2025	ND	2.12	106	2.00	3.43		
Ethylbenzene*	<0.050	0.050	04/08/2025	ND	2.06	103	2.00	2.47		
Total Xylenes*	<0.150	0.150	04/08/2025	ND	6.05	101	6.00	2.43		
Total BTEX	<0.300	0.300	04/08/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	04/09/2025	ND	464	116	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	29.8	10.0	04/09/2025	ND	195	97.7	200	0.497		
DRO >C10-C28*	434	10.0	04/09/2025	ND	190	95.0	200	0.0537		
EXT DRO >C28-C36	54.7	10.0	04/09/2025	ND						

Surrogate: 1-Chlorooctane 87.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 93.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received: 04/08/2025 Sampling Date: 04/08/2025
 Reported: 04/09/2025 Sampling Type: Soil
 Project Name: WILDER CTB RECLAMATION Sampling Condition: Cool & Intact
 Project Number: 212C-MD-03442 Sample Received By: Alyssa Parras
 Project Location: LEA COUNTY, NM

Sample ID: FS - 40 (10') (H252097-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/08/2025	ND	2.06	103	2.00	5.41		
Toluene*	<0.050	0.050	04/08/2025	ND	2.12	106	2.00	3.43		
Ethylbenzene*	<0.050	0.050	04/08/2025	ND	2.06	103	2.00	2.47		
Total Xylenes*	<0.150	0.150	04/08/2025	ND	6.05	101	6.00	2.43		
Total BTEX	<0.300	0.300	04/08/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	528	16.0	04/09/2025	ND	464	116	400	0.00		
TPH 8015M										

Analyte		Result		Reporting Limit		Analyzed		Method Blank		BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	14.4		10.0		04/09/2025		ND		195		97.7	200	0.497	
DRO >C10-C28*	430		10.0		04/09/2025		ND		190		95.0	200	0.0537	
EXT DRO >C28-C36	59.1		10.0		04/09/2025		ND							

Surrogate: 1-Chlorooctane 90.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 96.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: <i>Tetra Tech</i>	P.O. #:
Project Manager: <i>Ryan Dickerson</i>	Company: <i>TetraTech</i>
Address:	Attn: <i>Ryan Dickerson</i>
City:	Address:
Phone #:	State: Zip:
Fax #:	City:
Project #: 212C-140-03442	Project Owner:
Project Name: Wilder CTB Reclamation	State: Zip:
Project Location: Lea Co, NM	Phone #:
Sampler Name: <i>Lillian S. Dickerson</i>	Fax #:

FOR LAB USE ONLY

Lab I.D.

Sample I.D.

(G)RAB OR (C)OMP.

CONTAINERS

GROUNDWATER

WASTEWATER

SOIL

OIL

SLUDGE

OTHER:

ACID/BASE:

ICE / COOL

OTHER:

DATE

TIME

BTEX


TPH

Chloride


PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or not, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising

APPENDIX E


Photographic Documentation




TETRA TECH, INC. PROJECT NO. 212C-MD-03442	DESCRIPTION	View north. Excavation in former tank battery footprint.	1
	SITE NAME	Wilder CTB Tank Overflow and Vessel	4/9/2025




TETRA TECH, INC. PROJECT NO. 212C-MD-03442	DESCRIPTION	View southwest. Excavation in former tank battery footprint.	2
	SITE NAME	Wilder CTB Tank Overflow and Vessel	4/9/2025



TETRA TECH, INC. PROJECT NO. 212C-MD-03442	DESCRIPTION	View northeast. Excavation in former tank battery footprint.	3
	SITE NAME	Wilder CTB Tank Overflow and Vessel	4/9/2025



TETRA TECH, INC. PROJECT NO. 212C-MD-03442	DESCRIPTION	View south-southwest. Excavation in former tank battery footprint.	4
	SITE NAME	Wilder CTB Tank Overflow and Vessel	4/9/2025




TETRA TECH, INC. PROJECT NO. 212C-MD-03442	DESCRIPTION	View west-northwest. Backfill compaction activities.	5
	SITE NAME	Wilder CTB Tank Overflow and Vessel	4/9/2025




TETRA TECH, INC. PROJECT NO. 212C-MD-03442	DESCRIPTION	View southwest. Backfill compaction activities.	6
	SITE NAME	Wilder CTB Tank Overflow and Vessel	4/9/2025




TETRA TECH, INC. PROJECT NO. 212C-MD-03442	DESCRIPTION	View south. Backfill compaction activities.	7
	SITE NAME	Wilder CTB Tank Overflow and Vessel	4/9/2025



TETRA TECH, INC. PROJECT NO. 212C-MD-03442	DESCRIPTION	View east. Backfilled excavation. Remaining facility infrastructure east of former tank battery in background.	8
	SITE NAME	Wilder CTB Tank Overflow and Vessel	4/14/2025



TETRA TECH, INC. PROJECT NO. 212C-MD-03442	DESCRIPTION	View south. Backfilled excavation. Remaining facility infrastructure south of former tank battery in background.	9
	SITE NAME	Wilder CTB Tank Overflow and Vessel	4/14/2025



TETRA TECH, INC. PROJECT NO. 212C-MD-03442	DESCRIPTION	View west-southwest. Backfilled excavation. Remaining facility infrastructure south of former tank battery in background.	10
	SITE NAME	Wilder CTB Tank Overflow and Vessel	4/14/2025

TETRA TECH, INC. PROJECT NO. 212C-MD-02832	DESCRIPTION	View north. Surface polylines. Overhead electrical.	11
	SITE NAME	EXXON 8 FEDERAL #001 Release	9/8/2022

TETRA TECH, INC. PROJECT NO. 212C-MD-02832	DESCRIPTION	View east. Surface flange and subsurface steel line. Unknown liquid tote.	12
	SITE NAME	EXXON 8 FEDERAL #001 Release	9/8/2022

TETRA TECH, INC. PROJECT NO. 212C-MD-02832	DESCRIPTION	View north. Surface polylines. Overhead electrical.	13
	SITE NAME	EXXON 8 FEDERAL #001 Release	9/8/2022

TETRA TECH, INC. PROJECT NO. 212C-MD-02832	DESCRIPTION	View east. Surface flange and subsurface steel line. Unknown liquid tote.	14
	SITE NAME	EXXON 8 FEDERAL #001 Release	9/8/2022

TETRA TECH, INC. PROJECT NO. 212C-MD-02832	DESCRIPTION	View north. Surface polylines. Overhead electrical.	15
	SITE NAME	EXXON 8 FEDERAL #001 Release	9/8/2022

TETRA TECH, INC. PROJECT NO. 212C-MD-02832	DESCRIPTION	View east. Surface flange and subsurface steel line. Unknown liquid tote.	16
	SITE NAME	EXXON 8 FEDERAL #001 Release	9/8/2022

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 511730

QUESTIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 511730
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2403967865
Incident Name	NAPP2403967865 WILDER FEDERAL CTB @ FAPP2129429037
Incident Type	Oil Release
Incident Status	Remediation Closure Report Received
Incident Facility	[fAPP2129429037] Wilder CTB

Location of Release Source	
Please answer all the questions in this group.	
Site Name	Wilder Federal CTB
Date Release Discovered	02/08/2024
Surface Owner	Federal

Incident Details	
Please answer all the questions in this group.	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Cause: Overflow - Tank, Pit, Etc. Other (Specify) Crude Oil Released: 86 BBL Recovered: 70 BBL Lost: 16 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 511730

QUESTIONS (continued)

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 511730
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response	
<i>The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.</i>	
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Ryan Dickerson Title: Project Manager Email: ryan.dickerson@tetrtech.com Date: 10/02/2025
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

QUESTIONS, Page 3

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Action 511730

QUESTIONS (continued)

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 511730
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 300 and 500 (ft.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Greater than 5 (mi.)
Any other fresh water well or spring	Greater than 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Greater than 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Medium
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	9210
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	69280
GRO+DRO (EPA SW-846 Method 8015M)	69280
BTEX (EPA SW-846 Method 8021B or 8260B)	155
Benzene (EPA SW-846 Method 8021B or 8260B)	1.8

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	11/29/2024
On what date will (or did) the final sampling or liner inspection occur	11/30/2024
On what date will (or was) the remediation complete(d)	12/13/2024
What is the estimated surface area (in square feet) that will be reclaimed	4000
What is the estimated volume (in cubic yards) that will be reclaimed	250
What is the estimated surface area (in square feet) that will be remediated	4000
What is the estimated volume (in cubic yards) that will be remediated	250

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 511730

QUESTIONS (continued)

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 511730
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS**Remediation Plan (continued)**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fJEG1635837366 OWL LANDFILL JAL
OR which OCD approved well (API) will be used for off-site disposal	<i>Not answered.</i>
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Ryan Dickerson Title: Project Manager Email: ryan.dickerson@tetrach.com Date: 10/02/2025
--	---

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 511730

QUESTIONS (continued)

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 511730
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS**Deferral Requests Only**

Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.

Requesting a deferral of the remediation closure due date with the approval of this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Is the remaining contamination in areas immediately under or around production equipment where remediation could cause a major facility deconstruction	Yes
Please list or describe the production equipment and how (re)moving the equipment would cause major facility deconstruction	Interim remedial activities consisted of heavy machinery to remove as much contaminated soil as reasonably possible. The remaining impacted area is on a developed pad and does not pose an imminent risk to human health, the environment, or groundwater. On-site reclamation and restoration will occur once the battery is abandoned and operations have ceased at this active well pad. Any additional excavation of the impacted area located within the active battery facility would cause a major facility deconstruction, in addition to creating safety risks associated with excavating near production equipment via aggressive excavation methods (i.e., backhoe/track hoe, excavators, hydraulic hammer, etc.). These interim field activities were completed safely and without any additional unwanted releases to the environment. 19.15.29.13 NMAC will be implemented following abandonment of the tank battery and the associated pipelines and equipment. The area requested for deferral is indicated in Figure 6 and includes the area in the vicinity of assessment sample location SS06 and the area north of sidewall sample NSW-2 (2').
What is the remaining surface area (in square feet) that will still need to be remediated if a deferral is granted	12069
What is the remaining volume (in cubic yards) that will still need to be remediated if a deferral is granted	1788
<i>Per Paragraph (2) of Subsection C of 19.15.29.12 NMAC if contamination is located in areas immediately under or around production equipment such as production tanks, wellheads and pipelines where remediation could cause a major facility deconstruction, the remediation, restoration and reclamation may be deferred with division written approval until the equipment is removed during other operations, or when the well or facility is plugged or abandoned, whichever comes first.</i>	
Enter the facility ID (#) on which this deferral should be granted	fAPP2129429037 Wilder CTB
Enter the well API (30-) on which this deferral should be granted	Not answered.
Contamination does not cause an imminent risk to human health, the environment, or groundwater	True
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Christian LLuLL Title: Project Manager Email: christian.llull@trectech.com Date: 11/06/2024

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 511730

QUESTIONS (continued)

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 511730
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	386012
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	09/26/2024
What was the (estimated) number of samples that were to be gathered	17
What was the sampling surface area in square feet	4000

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	13425
What was the total volume (cubic yards) remediated	2112
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	13425
What was the total volume (in cubic yards) reclaimed	2112
Summarize any additional remediation activities not included by answers (above)	Final remediation of an area where reclamation was previously deferred.

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Ryan Dickerson Title: Project Manager Email: ryan.dickerson@tetrtech.com Date: 10/02/2025
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 511730

QUESTIONS (continued)

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 511730
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 511730

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 511730
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	This Remediation Closure Report is approved. Areas reasonably needed for production or subsequent drilling operations will need to be reclaimed and revegetated as soon as they are no longer reasonably needed. A report for reclamation and revegetation will need to be submitted and approved prior to this incident receiving the final status of "Restoration Complete".	12/17/2025