

Attn: NMOCD District 1  
1625 N French Dr.  
Hobbs, NM 88240

Re: REMEDIATION CLOSURE REPORT  
NMOCD Incident Number: **NAPP2507953016**  
Vacuum ABO Battery #2 Release Facility ID fPAC0628649265  
Unit F, Section 4, Township 18S, Range 35E 0 FNL 0 FEL Lea County, NM  
GPS Coordinates: Latitude 32.777815 Longitude -103.46397 NAD83

Saptec-Eco (Saptec) has been contracted by Maverick Permian, LLC. (Maverick) to prepare this remediation closure report for a produced water release that occurred at the Vacuum ABO Battery #2 Release (Site). This incident was assigned Incident ID NAPP2507953016 by the New Mexico Oil Conservation Division (NMOCD).

### ***Release Information***

The initial Notification of Release (OCD Online: Permitting – Application ID 444376) was submitted on March 20, 2025, for this release which was discovered on March 16, 2025. The initial Form C-141 report (OCD Online: Permitting – Application ID 444401) was also submitted on March 20, 2025, and approved by the NMOCD on March 21, 2025. The details discovered surrounding this release state “on March 16, 2025, a high wind weather event caused tank battery communication equipment to fail resulting in the release of 15 bbls of produced water and 5 bbls of oil onto the facility pad between the flowline header and the edge of the facility pad.” Approximately 8 bbls of total standing fluid were recovered via vacuum truck.

### ***Site Characterization***

This Site is in Lea County, NM, approximately thirteen (13) miles southwest of Lovington, NM. The facility and release area are in Unit F, Section 4, Township 18S, Range 35E, at 32.777815 degrees latitude and -103.46397 degrees longitude. A Location Map is included for reference in Figure 6.

The New Mexico Bureau of Geology and Mineral Resources shows the geology at this Site includes Ogallala Formation. Alluvial and eolian deposits, and petrocalcic soils of the southern High Plains. Locally includes Qoa. A Geologic Unit Map can be found in Appendix C.

The soil type present at the Site is Kimbrough-Lea complex, dry, 0 to 3 percent slopes. The drainage class for this soil type is well drained. Soil type information is according to the United States Department of Agriculture Natural Resources Conservation Service soil survey. The Soil Survey and a Soil Map can be referenced in Appendix C. Reference Figure 5 for a Topographic Map.

The Site resides in a low karst zone and is approximately 26 miles away from the nearest medium karst zone. Figure 4 refers to the Karst Map.

According to the New Mexico Office of the State Engineer, depth to the nearest groundwater in this area is greater than 55 feet below grade surface (bgs). This information is recorded by L-15883-POD1 which is situated approximately 0.29 miles north of the Site. This information is from 2025. The United States Geological Survey (USGS) offers the site USGS 324630103280001 18S.35E.4.133221 which shows depth to the nearest groundwater is 63 feet bgs. The latest gauge of this site was conducted in 1971, and it is located approximately 0.29 miles west.

The nearest surface water feature is Unnamed Pond, and it is located approximately 3 miles to the northwest. The U.S. Fish and Wildlife Service National Wetlands Inventory shows the nearest wetland to be a Freshwater Emergent Wetland approximately 578 feet south. According to FEMA's National Flood Hazard Layer search, the Site is situated in Zone D – Area of Undetermined Flood Hazard and is more than 5 miles away from the nearest flood hazard zone. See Appendix B for referenced Water-Related Characterization.

Readily available data were reviewed to determine if the Site lies within biologically sensitive areas. The U.S. Fish and Wildlife Services (USFWS) Information for Planning and Consultation (IPaC) and the New Mexico Department of Game and Fish (NMDGF) Environmental Review Tool (ERT) were queried to determine if sensitive wildlife or plant species are present at the Site. The Site is not identified to be within biologically sensitive areas where remediation would impact sensitive wildlife or plant habitats. A Special Status Plant/Wildlife Map is included in Figure 3.

### ***Remediation & Delineation Activities***

On April 2, 2025, Maverick elected to begin remediating the release area by hand tools and mechanical excavation means. The release area was measured to be approximately 7,587 square feet and remained entirely on the pad surrounding the header and underground flowlines. The depth of the excavation ranged from 1' bgs to 4' bgs throughout. The entire release area was remediated according to the 51-100-foot depth to groundwater section of Table 1 19.15.29.12 NMAC. The total amount of contaminated soil removed from the release area was calculated to be approximately 660 cubic yards.

On May 27, 2025, Maverick elected to install a depth to groundwater borehole within ½-mile of this release area. The borehole was drilled to 55', casing was run and set at 55', all cuttings were dry, the well was gauged on May 30, 2025, and no water bearing soil was encountered. The borehole was then plugged pursuant with the approved plugging plan. Closure criteria for this pad surface incident should reflect contaminant levels for chlorides at less than or equal to 10,000 mg/kg. TPH (GRO+DRO+MRO) should be less than or equal to 2,500 mg/kg. GRO+DRO should be less than or equal to 1,000 mg/kg. BTEX should be less than or equal to 50 mg/kg. Benzene should be less than or equal to 10 mg/kg.

On June 25, 2025, samples were collected from within and around the edges of the excavation for the purpose of delineating the release area. Ten (10) discrete samples were collected from 6 different sample points within the release area from depths of 2' and 4' bgs respectively. Twelve (12) discrete samples were collected from 4 different sample points around the edges of the release area from depths of surface, 2', and 4' bgs.

On July 7, 2025, the official laboratory report was received and verified all but two sample points within the release area were delineated. All the sample points around the edges of the release were not delineated.

On July 8, 2025, after Maverick submitted a 48-hour notification of sampling (Figure 7), thirty-eight (38) 5-point composite confirmation samples were collected from the base of the excavated area. During this same sampling event, seven (7) 5-point composite confirmation samples were collected from the walls of the excavated area. All samples were put on ice, prepared for delivery, then delivered to Envirotech Analytical Laboratories where they were analyzed for all constituents listed in Table 1 19.15.29.12 NMAC.

On July 9, 2025, additional samples were collected for the purpose of completing the delineation of the release area. The remaining three sample points within the release area were advanced vertically until soil sample results were less than the regulatory limits per delineation standards. All the sample points from around the edges of the release area were extended laterally until soil sample results were less than the regulatory limits per delineation standards.

On July 11, 2025, the official laboratory report was received from the confirmation sampling event and verified twenty-three samples from the excavation were under the regulatory limits of the 51-100-foot depth to groundwater section of Table 1 19.15.29.12 NMAC.

On July 14, 2025, the official laboratory report was received from the delineation sampling event and verified all sample points within and around the edges of the release area were delineated.

On July 14, 2025, the excavation crew resumed excavating and advancing the remaining contaminated sample points until sample results were under the regulatory limits of the 51-100-foot depth to groundwater section of Table 1 19.15.29.12 NMAC. A total of twenty-one sample point areas were advanced one foot deeper respectively. The W3 sample point area from the wall of the excavation was extended laterally and deeper by a one foot interval.

On July 24, 2025, after Maverick submitted a 48-hour notification of sampling (Figure 7), twenty-one (21) 5-point composite confirmation samples were collected from the base of the excavated area. During this same sampling event, one (1) 5-point composite confirmation sample was collected from the wall of the excavated area at the W3 sample point location. All samples were put on ice, prepared for delivery, then delivered to Envirotech Analytical Laboratories where they were analyzed for all constituents listed in Table 1 19.15.29.12 NMAC.

On July 29, 2025, the official laboratory report was received and verified all samples from the excavation were under the regulatory limits of the 51-100-foot depth to groundwater section of Table 1 19.15.29.12 NMAC.

A Confirmation Sample Map is included in Figure 1 and the corresponding lab sample results can be found in the Data Tables that are included in Figure 2. A Delineation Map can be referenced in Figure 3. The official Laboratory Reports can be found in Appendix D. Please also note that the confirmation sampling of this incident's release area was combined with the confirmation sampling of the release area for the historic incident, NPAC0628649384. Sample points W1 and W2 were

removed due to the release areas overlapping in those locations. A separate report will be submitted detailing the remediation activities of that historic incident.

Confirmation sampling of the excavated areas has been completed and verifies that all samples are under the regulatory limits of each area's respective closure criteria as per Table 1 requirements. The entire pad area was backfilled with clean, like material then repacked and opened for normal traffic. Photographic Documentation can be referenced in Appendix A.

### ***Request for Remediation Closure Approval***

Maverick has complied with all regulation requirements set forth in 19.15.29.12 NMAC and requests that this remediation closure report for incident ID NAPP2507953016 be approved. Maverick understands that this pad area in its entirety will require compliance with the reclamation standard 19.15.29.13 NMAC once this pad is no longer needed for production, storage, and/or subsequent drilling operations.

### ***Countermeasures due to Remediation Closure Denied***

On September 8, 2025, the previously submitted closure report was denied by the NMOCD citing:

1) Provide figure containing delineation sample points per 19.15.29.12.C NMAC. Provide the locations of Delineation Samples D1-D6 and the original H1-H4 (collected on 6/25/25 on this same delineation map). If samples are relocated due to exceeding Closure Criteria, then both sample locations must be shown on a Figure.

**Delineation Map is included in current report as Figure 3.**

2) W9 is located along the pasture and as such should have been remediated to below reclamation limits. Five point composite confirmation samples should be collected in pasture east of sample points 1, 2, 3, and 4 to confirm impacts did not extend there.

**Sample point W9 was from the east wall of the excavation and was approximately more than three feet from the vegetation line. Five-point composite confirmation samples have been collected from the pasture to the east of sample points 1, 2, 3, and 4. A corresponding Sample Map is included as Figure 4, while the sample results can be found in the Data Tables referenced in Figure 2. The Laboratory Report has been added to Appendix E.**

3) W1 and W2 data missing from Tables. If not collected, remove their locations from Figure.

**These samples were removed from the Figure.**

4) Samples 11, 12, and 13 were originally collected at 3' depth and were above Closure Criteria when collected on 7/8/25 however they were recollected at 2' depth on 7/24/25? Explain this.

**This was a typographical error, the area was advanced deeper by one foot, making this area four feet deep, all data referencing these samples should now reflect that depth. Corrections have been made.**

5) In the remediation summary, each step in remediation process should be listed in sequential order instead of jumping back and forth between dates so the reviewer can understand what took place.

**Corrections have been made in the current report, and the timeline has been straightened out.**

6) Lab report missing for E507085-samples 21 through W9. Include in resubmission.

**Correction made, lab report included.**

Submit updated remediation closure report to the OCD by 12/8/25.

For questions or additional information, please reach out to:  
Maverick Permian – Bryce Wagoner – [bwagoner@dgoc.com](mailto:bwagoner@dgoc.com) – (928) 241-1862  
Sapec-Eco, LLC – Tom Bynum – [tombynum@sapec-eco.com](mailto:tombynum@sapec-eco.com) – (580) 748-1613

## ***Attachments***

### **Figures:**

- 1- Confirmation Sample Map
- 2- Data Tables
- 3- Delineation Map
- 4- Sample Map
- 5- Special Status Plant/Wildlife Map
- 6- Karst Map
- 7- Topographic Map
- 8- Location Map

### **Appendices:**

- Appendix A – 48-Hour Sampling Notifications
- Appendix B – Photographic Documentation
- Appendix C – Water-Related Characterization
- Appendix D – Soil & Geology-Related Characterization
- Appendix E – Laboratory Reports



***Figures:***

**Confirmation Sample Map**

**Data Tables**

**Delineation Map**

**Sample Map**

**Special Status Plant/Wildlife Map**

**Karst Map**

**Topographic Map**


**Location Map**

# Vacuum ABO Battery #2 Release

Maverick Permian  
Facility ID fPAC0628649265  
Lea County, NM  
NPAC0628649384  
NAPP2507953016  
Confirmation Sample Map

## Legend

- NAPP2507953016 Confirmation base samples
- NAPP2507953016 Confirmation wall samples
- nAPP2507953016 Excavated area - 7,587 sqft
- NPAC0628649384 Confirmation base samples
- NPAC0628649384 Confirmation wall samples
- nPAC0628649384 Excavated area - 4,753 sqft



NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is 51-100')								
Maverick Permian - Vacuum ABO Battery #2 - nAPP2507953016								
NM Approved Sample Results - Samples Collected 6/25/2025								
Sample ID	Depth (BGS)	Benzene mg/kg	BTEX mg/kg	GRO mg/kg	DRO mg/kg	ORO mg/kg	TPH mg/kg	Chlorides mg/kg
D1-2'	2'	ND	ND	ND	837	1330	2167	62.1
D1-4'	4'	ND	ND	ND	48.5	ND	ND	ND
D2-2'	2'	ND	ND	ND	3460	3120	6580	114
D2-4'	4'	ND	ND	ND	1280	1200	2480	ND
D3-4'	4'	ND	ND	ND	497	706	1203	95.4
D3-6'	6'	ND	ND	ND	ND	ND	ND	ND
D4-2'	2'	ND	ND	ND	ND	56.6	56.6	188
D4-4'	4'	ND	ND	ND	ND	ND	ND	391
D5-4'	4'	ND	ND	ND	91	128	219	219
D6-6'	6'	ND	ND	ND	35.8	97.5	133.3	ND
H1-Surface	0'	ND	ND	ND	ND	61.5	61.5	ND
H1-2'	2'	ND	ND	ND	26.4	73.4	99.8	26.8
H1-4'	4'	ND	ND	ND	30.8	82.2	113	ND
H2-Surface	0'	ND	ND	ND	374	402	776	452
H2-2'	2'	ND	ND	ND	119	236	355	217
H2-4'	4'	ND	ND	ND	527	515	1042	267
H3-Surface	0'	ND	ND	ND	369	408	777	460
H3-2'	2'	ND	ND	ND	68.8	159	227.8	74.5
H3-4'	4'	ND	ND	ND	54.8	136	190.8	107
H4-Surface	0'	ND	ND	ND	47.5	109	156.5	53
H4-2'	2'	ND	ND	ND	56.5	101	157.5	236
H4-4'	4'	ND	ND	ND	27.1	ND	27.1	24.9



NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is 51-100')								
Maverick Permian - Vacuum ABO Battery #2 - nAPP2507953016								
NM Approved Sample Results - Samples Collected 7/8/2025								
Sample ID	Depth (BGS)	Benzene mg/kg	BTEX mg/kg	GRO mg/kg	DRO mg/kg	ORO mg/kg	TPH mg/kg	Chlorides mg/kg
1-1'	1'	ND	ND	ND	1020	1310	2330	62.2
2-1'	1'	ND	ND	ND	354	489	843	314
3-1'	1'	ND	ND	ND	1790	1350	3140	216
4-1'	1'	ND	ND	ND	2300	1710	4010	37.1
5-1'	1'	ND	ND	ND	2910	2160	5070	328
6-1'	1'	ND	ND	ND	5140	3050	8190	803
7-1'	1'	ND	ND	ND	749	1350	2099	255
8-1'	1'	ND	ND	ND	1440	1550	2990	64.2
9-1'	1'	ND	ND	ND	569	589	1158	325
10-3'	3'	ND	ND	ND	629	708	1337	171
11-3'	3'	ND	ND	ND	1560	1140	2700	91.4
12-3'	3'	ND	ND	ND	1260	850	2110	251
13-3'	3'	ND	ND	ND	2310	1290	3600	1360
14-3'	3'	ND	ND	ND	645	651	1296	526
15-3'	3'	ND	ND	ND	508	527	1035	1320
16-3'	3'	ND	ND	ND	457	505	962	469
17-4'	4'	ND	ND	ND	82	175	257	2400
18-4'	4'	ND	ND	ND	432	403	835	1600
19-4'	4'	ND	ND	ND	528	529	1057	1290
20-1'	1'	ND	ND	ND	115	172	287	580
21-1'	1'	ND	ND	ND	68	160	228	311
22-1'	1'	ND	ND	ND	376	435	811	2050
23-4'	4'	ND	ND	ND	471	594	1065	4740
24-4'	4'	ND	ND	ND	1180	1050	2230	355
25-2'	2'	ND	ND	ND	2020	1650	3670	933
26-2'	2'	ND	ND	ND	745	969	1714	1360
27-2'	2'	ND	ND	ND	1330	1390	2720	637
28-2'	2'	ND	ND	ND	1950	1340	3290	587
29-4'	4'	ND	ND	ND	2340	1720	4060	486
30-4'	4'	ND	ND	ND	2430	1760	4190	127
31-1.5'	1.5'	ND	ND	ND	1200	1530	2730	522
32-1.5'	1.5'	ND	ND	ND	914	1290	2204	3200
33-4'	4'	ND	ND	ND	2270	1660	3930	575
34-4'	4'	ND	ND	ND	2410	1820	4230	324
35-4'	4'	ND	ND	ND	1470	1270	2740	1070
36-4'	4'	ND	ND	ND	1790	1410	3200	782
37-5'	5'	ND	ND	ND	153	324	477	873
38-5'	5'	ND	ND	ND	163	295	458	94.2
W3-2'	2'	ND	ND	ND	1770	2260	4030	841
W4-4'	4'	ND	ND	ND	407	608	1015	466
W5-5'	5'	ND	ND	ND	919	1070	1989	638
W6-1.5'	1.5'	ND	ND	ND	484	975	1459	54.8
W7-1'	1'	ND	ND	ND	101	262	363	413
W8-3'	3'	ND	ND	ND	601	885	1486	249
W9-1'	1'	ND	ND	ND	278	691	969	66.2

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is 51-100')								
Maverick Permian - Vacuum ABO Battery #2 - nAPP2507953016								
NM Approved Sample Results - Samples Collected 7/9/2025								
Sample ID	Depth (BGS)	Benzene mg/kg	BTEX mg/kg	GRO mg/kg	DRO mg/kg	ORO mg/kg	TPH mg/kg	Chlorides mg/kg
D2-7'	7'	ND	ND	ND	ND	ND	ND	ND
D5-4.5'	4.5'	ND	ND	ND	ND	ND	ND	ND
D6-4.5'	4.5'	ND	ND	ND	ND	ND	ND	ND
H1-Surface	0'	ND	ND	ND	ND	51.2	51.2	ND
H1-2'	2'	ND	ND	ND	ND	ND	ND	ND
H1-4'	4'	ND	ND	ND	ND	ND	ND	ND
H2-Surface	0'	ND	ND	ND	ND	ND	ND	ND
H2-2'	2'	ND	ND	ND	ND	ND	ND	ND
H2-4'	4'	ND	ND	ND	ND	ND	ND	ND
H3-Surface	0'	ND	ND	ND	ND	ND	ND	ND
H3-2'	2'	ND	ND	ND	ND	ND	ND	ND
H3-4'	4'	ND	ND	ND	ND	ND	ND	ND
H4-Surface	0'	ND	ND	ND	ND	ND	ND	ND
H4-2'	2'	ND	ND	ND	ND	ND	ND	ND
H4-4'	4'	ND	ND	ND	ND	ND	ND	ND

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is 51-100')								
Maverick Permian - Vacuum ABO Battery #2 - nAPP2507953016								
NM Approved Sample Results - Samples Collected 7/24/2025								
Sample ID	Depth (BGS)	Benzene mg/kg	BTEX mg/kg	GRO mg/kg	DRO mg/kg	ORO mg/kg	TPH mg/kg	Chlorides mg/kg
1-2'	2'	ND	ND	ND	ND	ND	ND	ND
3-2'	2'	ND	ND	ND	ND	ND	ND	ND
4-2'	2'	ND	ND	ND	ND	ND	ND	ND
5-2'	2'	ND	ND	ND	ND	ND	ND	ND
6-2'	2'	ND	ND	ND	ND	ND	ND	ND
8-2'	2'	ND	ND	ND	ND	ND	ND	ND
11-4'	4'	ND	ND	ND	ND	ND	ND	ND
12-4'	4'	ND	ND	ND	ND	ND	ND	ND
13-4'	4'	ND	ND	ND	ND	ND	ND	ND
24-5'	5'	ND	ND	ND	ND	ND	ND	ND
25-3'	3'	ND	ND	ND	ND	ND	ND	ND
27-3'	3'	ND	ND	ND	ND	ND	ND	ND
28-3'	3'	ND	ND	ND	ND	ND	ND	ND
29-5'	5'	ND	ND	ND	ND	ND	ND	ND
30-5'	5'	ND	ND	ND	ND	ND	ND	ND
31-2'	2'	ND	ND	ND	ND	ND	ND	ND
32-2'	2'	ND	ND	ND	ND	ND	ND	ND
33-5'	5'	ND	ND	ND	ND	ND	ND	ND
34-5'	5'	ND	ND	ND	ND	ND	ND	ND
35-5'	5'	ND	ND	ND	ND	ND	ND	ND
36-5'	5'	ND	ND	ND	ND	ND	ND	ND
W3-3'	3'	ND	ND	ND	ND	ND	ND	ND

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is 51-100')								
Maverick Permian - Vacuum ABO Battery #2 - nAPP2507953016								
NM Approved Sample Results - Samples Collected 11/28/2025								
Sample ID	Depth (BGS)	Benzene mg/kg	BTEX mg/kg	GRO mg/kg	DRO mg/kg	ORO mg/kg	TPH mg/kg	Chlorides mg/kg
Composite #1	0'	ND	ND	ND	ND	ND	ND	ND
Composite #2	0'	ND	ND	ND	ND	ND	ND	ND
Composite #3	0'	ND	ND	ND	ND	ND	ND	ND
Composite #4	0'	ND	ND	ND	ND	ND	ND	ND




## Vacuum ABO Battery #2 Release

Maverick Permian  
Facility ID fPAC0628649265  
Lea County, NM  
NAPP2507953016  
Delineation Map

### Legend

- Advanced horizontal samples(7/9/25)
- Horizontal delineation samples(6/25/25)
- nAPP2507953016 Excavated area - 7,587
- sqft Vertical delineation samples









# Vacuum ABO Battery #2 Release

Maverick Permian  
Facility ID fPAC0628649265  
Lea County, NM  
NAPP2507953016  
Sample Map

## Legend

-  nAPP2507953016 Excavated area - 7,587 sqft
-  Requested 5-Pt Composite Samples
-  Vacuum ABO Battery #2

 Vacuum ABO Battery #2

G1

G2

G3


G4

G1

G2

G3

G4

 32.777842, -103.463654

Google Earth


Image © 2025 Airbus  
Released to Imaging: 1/8/2026 3:46:21 PM



70 ft



## Special Status Plant/Wildlife Map




3/25/2025

- Dunes Sage Brush Lizard Habitat
- Lesser Prairie Chicken Habitat
- Habitat Evaluation Area
- Isolated Population Area

- World Imagery
- Low Resolution 15m Imagery
- High Resolution 60cm Imagery
- High Resolution 30cm Imagery

- Citations
- 38m Resolution Metadata






Earthstar Geographics, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community,



## Vacuum ABO Battery #2

Maverick Permian  
Facility ID fPAC0628649265  
Lea County, NM  
nAPP2507953016  
Karst Map

### Legend

-  High Karst
-  Low Karst
-  Medium Karst

Buckeye

Vacuum ABO Battery #2

Google Earth

Image © 2025 Airbus

Released to Imaging: 1/8/2026 3:46:21 PM



3 mi




## Vacuum ABO Battery #2

Maverick Permian  
Facility ID fPAC0628649265  
Lea County, NM  
nAPP2507953016  
Topographic Map

### Legend

● Vacuum ABO Battery #2



Google Earth

Released to Imaging: 1/8/2026 3:46:21 PM




## Vacuum ABO Battery #2

Maverick Permian  
Facility ID fPAC0628649265  
Lea County, NM  
nAPP2507953016  
Location Map

### Legend

● Vacuum ABO Battery #2



Google Earth



## ***Appendix A***

### **48-Hour Sampling Notifications**

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 481357

**QUESTIONS**

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 481357
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

**QUESTIONS**

Prerequisites	
Incident ID (n#)	nAPP2507953016
Incident Name	NAPP2507953016 VACUUM ABO BATTERY #2 RELEASE @ 0
Incident Type	Produced Water Release
Incident Status	Initial C-141 Approved
Incident Facility	[fPAC0628649265] VACUUM ABO BATTERY #2

Location of Release Source	
Site Name	Vacuum Abo Battery #2 Release
Date Release Discovered	03/16/2025
Surface Owner	State

Sampling Event General Information	
Please answer all the questions in this group.	
What is the sampling surface area in square feet	7,587
What is the estimated number of samples that will be gathered	46
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	07/08/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Terrell (361) 219-2353
Please provide any information necessary for navigation to sampling site	32.778217, -103.463957

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 481357

CONDITIONS

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 481357
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
cstraub	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	7/3/2025
cstraub	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	7/3/2025

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 486630

**QUESTIONS**

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 486630
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

**QUESTIONS**

Prerequisites	
Incident ID (n#)	nAPP2507953016
Incident Name	NAPP2507953016 VACUUM ABO BATTERY #2 RELEASE @ 0
Incident Type	Produced Water Release
Incident Status	Initial C-141 Approved
Incident Facility	[fPAC0628649265] VACUUM ABO BATTERY #2

Location of Release Source	
Site Name	Vacuum Abo Battery #2 Release
Date Release Discovered	03/16/2025
Surface Owner	State

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	7,587
What is the estimated number of samples that will be gathered	22
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	07/24/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Terrell (361) 219-2353
Please provide any information necessary for navigation to sampling site	32.778217, -103.463957

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 486630

CONDITIONS

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 486630
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
cterhune	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	7/22/2025
cterhune	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	7/22/2025

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 529819

**QUESTIONS**

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 529819
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

**QUESTIONS**

Prerequisites	
Incident ID (n#)	nAPP2507953016
Incident Name	NAPP2507953016 VACUUM ABO BATTERY #2 RELEASE @ FPAC0628649265
Incident Type	Produced Water Release
Incident Status	Initial C-141 Approved
Incident Facility	[FPAC0628649265] VACUUM ABO BATTERY #2

Location of Release Source	
Site Name	Vacuum Abo Battery #2 Release
Date Release Discovered	03/16/2025
Surface Owner	State

Sampling Event General Information	
Please answer all the questions in this group.	
What is the sampling surface area in square feet	800
What is the estimated number of samples that will be gathered	4
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	11/28/2025
Time sampling will commence	01:00 PM
Please provide any information necessary for observers to contact samplers	Terrell (361) 219-2353
Please provide any information necessary for navigation to sampling site	32.778217, -103.463957



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 529819

CONDITIONS

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 529819
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
cstraub	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	11/25/2025
cstraub	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	11/25/2025

## ***Appendix B***

### **Photographic Documentation**



Vacuum AB0 Battery #2 Release – nAPP2507953016














Vacuum AB0 Battery #2 Release – nAPP2507953016








27May25 09:56 Vac abo battery #2  
Lovington NM 88260, United States 27-May-25 09:56:50




27May25 09:48 Vac abo battery #2  
Lovington NM 88260, United States 27-May-25 09:48:22







Vacuum AB0 Battery #2 Release – nAPP2507953016





Vacuum AB0 Battery #2 Release – nAPP2507953016





Vacuum AB0 Battery #2 Release – nAPP2507953016






## ***Appendix C***

### **Water-Related Characterization**

## OSE POD Location Map



6/18/2025, 4:46:49 PM

GIS WATERS PODs

● Pending

● Plugged



OSE District Boundary

Water Right Regulations



Closure Area




Artesian Plan Area

New Mexico State Trust Lands



Both Estates



Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Maxar



# WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

[www.ose.state.nm.us](http://www.ose.state.nm.us)

<b>1. GENERAL AND WELL LOCATION</b>	OSE POD NO. (WELL NO.) Pod-1		WELL TAG ID NO.		OSE FILE NO(S) L-15883	
	WELL OWNER NAME(S) Maverick Permian LLC.				PHONE (OPTIONAL) 928-241-1862	
	WELL OWNER MAILING ADDRESS 1000 Main St. Ste. 2900				CITY Houston	STATE TX      ZIP 77002
	WELL LOCATION (FROM GPS)	DEGREES 32	MINUTES 46	SECONDS 56.02	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84
	LONGITUDE	103	27	53.19	W	
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE UL-C S-4 T-18S R-35E						

<b>2. DRILLING &amp; CASING INFORMATION</b>	LICENSE NO WD-1862		NAME OF LICENSED DRILLER James Hawley		NAME OF WELL DRILLING COMPANY H&R Enterprises, LLC		
	DRILLING STARTED 5/27/25	DRILLING ENDED 5/27/25	DEPTH OF COMPLETED WELL (FT) 55	BORE HOLE DEPTH (FT) 55	DEPTH WATER FIRST ENCOUNTERED (FT) N/A Dry hole		
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED 5/30/25	
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD      ADDITIVES - SPECIFY:						
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>	
	DEPTH (feet bgl) FROM      TO		BORE HOLE DIAM. (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)
				No Casing left in hole			

<b>3. ANNULAR MATERIAL</b>	DEPTH (feet bgl) FROM      TO		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE- RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i> N/A	AMOUNT (cubic feet)	METHOD OF PLACEMENT

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
LOCATION	WELL TAG ID NO.	PAGE 1 OF 2



Released to Imaging: 1/8/2026 3:46:21 PM



# PLUGGING RECORD



**NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC**

## I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: L-15883 Pod -1  
 Well owner: Maverick Permian LLC. Phone No.: 928-241-1862  
 Mailing address: 1000 Main St., STE. 2900  
 City: Houston State: TX Zip code: 77002

## II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: James Hawley/H&R Enterprises, LLC
- 2) New Mexico Well Driller License No.: WD-1862 Expiration Date: 6/16/25
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):  
Nathan Smelcer
- 4) Date well plugging began: 5/30/25 Date well plugging concluded: 5/30/25
- 5) GPS Well Location: Latitude: 32 deg, 46 min, 56.02 sec  
 Longitude: 103 deg, 27 min, 53.19 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 55 ft below ground level (bgl),  
 by the following manner: well sounder
- 7) Static water level measured at initiation of plugging: Dry ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 4/29/25
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- For each interval plugged, describe within the following columns:**

**III. SIGNATURE:**

Signature of Well Driller


Date \_\_\_\_\_

Released to Imaging: 1/8/2026 3:46:21 PM





## National Water Information System: Mapper





[USGS Home](#)  
[Contact USGS](#)  
[Search USGS](#)

## National Water Information System: Web Interface

USGS Water Resources

Data Category:

Groundwater ▼

Geographic Area:

United States ▼

GO

Click to hide News Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.

Groundwater levels for the Nation

 Important: [Next Generation Monitoring Location Page](#)

### Search Results -- 1 sites found

site\_no list =

- 324630103280001

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

### USGS 324630103280001 18S.35E.04.133221

Available data for this site

Groundwater: Field measurements ▼

GO

Lea County, New Mexico

Hydrologic Unit Code 13070007

Latitude 32°46'42", Longitude 103°28'08" NAD27

Land-surface elevation 3,948.00 feet above NGVD29

The depth of the well is 128 feet below land surface.

This well is completed in the High Plains aquifer (N100HGHPLN) national aquifer.

This well is completed in the Ogallala Formation (121OGLL) local aquifer.


#### Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.  
[Download a presentation-quality graph](#)

[Questions or Comments](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[Accessibility](#) [FOIA](#) [Privacy](#) [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

**Title: Groundwater for USA: Water Levels**

**URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>**



Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2025-03-25 11:24:30 EDT

0.66 0.47 nadww02




## Vacuum ABO Battery #2

Maverick Permian  
Facility ID fPAC0628649265  
Lea County, NM  
NAPP2507953016  
Surface Water Map


### Legend

- 3 Miles
- Unnamed Pond



Google Earth





## Wetlands Map



March 25, 2025

**Wetlands**

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



# National Flood Hazard Layer FIRMette



103°28'9"W 32°46'56"N



0 250 500 1,000 1,500 2,000 Feet

1:6,000

103°27'31"W 32°46'26"N

Released to Imaging: 1/8/2026 3:46:21 PM

Basemap Imagery Source: USGS National Map 2023

## Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance
		17.5 Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
		Profile Baseline
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 3/25/2025 at 3:28 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



## ***Appendix D***

### **Soil & Geology-Related Characterization**

## Soil Map—Lea County, New Mexico



Natural Resources  
Conservation Service

Web Soil Survey  
National Cooperative Soil Survey


3/25/2025  
Page 1 of 3



## Soil Map—Lea County, New Mexico


## MAP LEGEND

## Area of Interest (AOI)

 Area of Interest (AOI)

## Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

## Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

## Water Features



Streams and Canals

## Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

## Background



Aerial Photography

## MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico

Survey Area Data: Version 21, Sep 3, 2024

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.



Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
KU	Kimbrough-Lea complex, dry, 0 to 3 percent slopes	1.4	100.0%
Totals for Area of Interest		1.4	100.0%



Map Unit Description: Kimbrough-Lea complex, dry, 0 to 3 percent slopes---Lea County, New Mexico

---

## Lea County, New Mexico

### KU—Kimbrough-Lea complex, dry, 0 to 3 percent slopes

#### Map Unit Setting

*National map unit symbol:* 2tw46

*Elevation:* 2,500 to 4,800 feet

*Mean annual precipitation:* 14 to 16 inches

*Mean annual air temperature:* 57 to 63 degrees F

*Frost-free period:* 180 to 220 days

*Farmland classification:* Not prime farmland

#### Map Unit Composition

*Kimbrough and similar soils:* 45 percent

*Lea and similar soils:* 25 percent

*Minor components:* 30 percent

*Estimates are based on observations, descriptions, and transects of the mapunit.*

#### Description of Kimbrough

##### Setting

*Landform:* Playa rims, plains

*Down-slope shape:* Convex, linear

*Across-slope shape:* Concave, linear

*Parent material:* Loamy eolian deposits derived from sedimentary rock

##### Typical profile

*A - 0 to 3 inches:* gravelly loam

*Bw - 3 to 10 inches:* loam

*Bkkm1 - 10 to 16 inches:* cemented material

*Bkkm2 - 16 to 80 inches:* cemented material

##### Properties and qualities

*Slope:* 0 to 3 percent

*Depth to restrictive feature:* 4 to 18 inches to petrocalcic

*Drainage class:* Well drained

*Runoff class:* Very high

*Capacity of the most limiting layer to transmit water (Ksat):* Very low to moderately low (0.00 to 0.01 in/hr)

*Depth to water table:* More than 80 inches

*Frequency of flooding:* None

*Frequency of ponding:* None

*Calcium carbonate, maximum content:* 95 percent

*Maximum salinity:* Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

*Sodium adsorption ratio, maximum:* 1.0

*Available water supply, 0 to 60 inches:* Very low (about 1.4 inches)

##### Interpretive groups

*Land capability classification (irrigated):* None specified

Map Unit Description: Kimbrough-Lea complex, dry, 0 to 3 percent slopes---Lea County, New Mexico

---

*Land capability classification (nonirrigated): 7s*  
*Hydrologic Soil Group: D*  
*Ecological site: R077DY049TX - Very Shallow 12-17" PZ*  
*Hydric soil rating: No*

## Description of Lea

### Setting

*Landform: Plains*  
*Down-slope shape: Convex*  
*Across-slope shape: Linear*  
*Parent material: Calcareous, loamy eolian deposits from the blackwater draw formation of pleistocene age over indurated caliche of pliocene age*

### Typical profile

*A - 0 to 10 inches: loam*  
*Bk - 10 to 18 inches: loam*  
*Bkk - 18 to 26 inches: gravelly fine sandy loam*  
*Bkkm - 26 to 80 inches: cemented material*

### Properties and qualities

*Slope: 0 to 3 percent*  
*Depth to restrictive feature: 22 to 30 inches to petrocalcic*  
*Drainage class: Well drained*  
*Runoff class: High*  
*Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)*  
*Depth to water table: More than 80 inches*  
*Frequency of flooding: None*  
*Frequency of ponding: None*  
*Calcium carbonate, maximum content: 90 percent*  
*Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)*  
*Sodium adsorption ratio, maximum: 3.0*  
*Available water supply, 0 to 60 inches: Very low (about 2.9 inches)*

### Interpretive groups

*Land capability classification (irrigated): None specified*  
*Land capability classification (nonirrigated): 7s*  
*Hydrologic Soil Group: D*  
*Ecological site: R077DY047TX - Sandy Loam 12-17" PZ*  
*Hydric soil rating: No*

## Minor Components

### Douro

*Percent of map unit: 12 percent*  
*Landform: Plains*  
*Down-slope shape: Linear*  
*Across-slope shape: Linear*  
*Ecological site: R077DY047TX - Sandy Loam 12-17" PZ*  
*Other vegetative classification: Unnamed (G077DH000TX)*  
*Hydric soil rating: No*



Map Unit Description: Kimbrough-Lea complex, dry, 0 to 3 percent slopes---Lea County, New Mexico

---

**Kenhill**

*Percent of map unit:* 12 percent

*Landform:* Plains

*Down-slope shape:* Linear

*Across-slope shape:* Linear

*Ecological site:* R077DY038TX - Clay Loam 12-17" PZ

*Hydric soil rating:* No

**Spraberry**

*Percent of map unit:* 6 percent

*Landform:* Playa rims, plains

*Down-slope shape:* Convex, linear

*Across-slope shape:* Linear

*Ecological site:* R077DY049TX - Very Shallow 12-17" PZ

*Other vegetative classification:* Unnamed (G077DH000TX)

*Hydric soil rating:* No

## Data Source Information



Soil Survey Area: Lea County, New Mexico

Survey Area Data: Version 21, Sep 3, 2024

## Vacuum ABO Battery #2

Maverick Permian  
Facility ID fPAC0628649265  
Lea County, NM  
nAPP2507953016  
Geologic Unit Map

### Legend

-  Ogallala Formation
-  Piedmont alluvial deposits



Google Earth

Image © 2025 Airbus

4 mi



## ***Appendix E***

### **Laboratory Reports**

Report to:  
Tom Bynum



5796 U.S. Hwy 64  
Farmington, NM 87401

Phone: (505) 632-1881  
Envirotech-inc.com



# envirotech

*Practical Solutions for a Better Tomorrow*

## Analytical Report

Sapec-Eco, LLC

Project Name: Vacuum ABO Battery #2 Release

Work Order: E506270

Job Number: 25038-0001

Received: 6/27/2025

Revision: 1

Report Reviewed By:

Walter Hinchman  
Laboratory Director  
7/7/25

Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.  
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.  
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.  
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.



Date Reported: 7/7/25



Tom Bynum  
5846 E 21st Place  
Tulsa, OK 74114

Project Name: Vacuum ABO Battery #2 Release  
Workorder: E506270  
Date Received: 6/27/2025 7:00:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 6/27/2025 7:00:00AM, under the Project Name: Vacuum ABO Battery #2 Release.

The analytical test results summarized in this report with the Project Name: Vacuum ABO Battery #2 Release apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

**Walter Hinchman**  
Laboratory Director  
Office: 505-632-1881  
Cell: 775-287-1762  
[whinchman@envirotech-inc.com](mailto:whinchman@envirotech-inc.com)

**Raina Schwanz**  
Laboratory Administrator  
Office: 505-632-1881  
[rainaschwanz@envirotech-inc.com](mailto:rainaschwanz@envirotech-inc.com)

Field Offices:

**Southern New Mexico Area**

**Lynn Jarboe**  
Laboratory Technical Representative  
Office: 505-421-LABS(5227)  
Cell: 505-320-4759  
[ljjarboe@envirotech-inc.com](mailto:ljjarboe@envirotech-inc.com)

**Michelle Gonzales**  
Client Representative  
Office: 505-421-LABS(5227)  
Cell: 505-947-8222  
[mgonzaless@envirotech-inc.com](mailto:mgonzaless@envirotech-inc.com)

Envirotech Web Address: [www.envirotech-inc.com](http://www.envirotech-inc.com)

## Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
D1-2'	6
D1-4'	7
D2-2'	8
D2-4'	9
D3-4'	10
D3-6'	11
D4-2'	12
D4-4'	13
D5-4'	14
D6-6'	15
H1-Surface	16
H1-2'	17
H1-4'	18
H2-Surface	19
H2-2'	20
H2-4'	21
H3-Surface	22
H3-2'	23
H3-4'	24
H4-Surface	25



## Table of Contents (continued)

H4-2'	26
H4-4'	27
QC Summary Data	28
QC - Volatile Organics by EPA 8021B	28
QC - Nonhalogenated Organics by EPA 8015D - GRO	30
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	32
QC - Anions by EPA 300.0/9056A	35
Definitions and Notes	37
Chain of Custody etc.	38

## Sample Summary

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	07/07/25 16:34

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
D1-2'	E506270-01A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
D1-4'	E506270-02A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
D2-2'	E506270-03A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
D2-4'	E506270-04A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
D3-4'	E506270-05A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
D3-6'	E506270-06A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
D4-2'	E506270-07A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
D4-4'	E506270-08A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
D5-4'	E506270-09A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
D6-6'	E506270-10A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H1-Surface	E506270-11A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H1-2'	E506270-12A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H1-4'	E506270-13A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H2-Surface	E506270-14A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H2-2'	E506270-15A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H2-4'	E506270-16A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H3-Surface	E506270-17A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H3-2'	E506270-18A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H3-4'	E506270-19A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H4-Surface	E506270-20A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H4-2'	E506270-21A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.
H4-4'	E506270-22A	Soil	06/25/25	06/27/25	Glass Jar, 2 oz.





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

### D1-2' E506270-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		90.3 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		86.7 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	837	25.0	1	07/01/25	07/02/25	
Oil Range Organics (C28-C36)	1330	50.0	1	07/01/25	07/02/25	
<i>Surrogate: n-Nonane</i>		129 %	61-141	07/01/25	07/02/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	62.1	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## D1-4'

## E506270-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	92.6 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	86.7 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	48.5	25.0	1	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>	99.2 %	61-141		07/01/25	07/03/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	ND	20.0	1	07/01/25	07/02/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## D2-2'

## E506270-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		91.8 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		86.8 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	3460	25.0	1	07/01/25	07/02/25	
Oil Range Organics (C28-C36)	3120	50.0	1	07/01/25	07/02/25	
<i>Surrogate: n-Nonane</i>		122 %	61-141	07/01/25	07/02/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	114	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## D2-4'

## E506270-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	93.8 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.1 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2527055
Diesel Range Organics (C10-C28)	1280	50.0	2	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	1200	100	2	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>						
	105 %	61-141		07/01/25	07/03/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: JM		Batch: 2527049
Chloride	ND	20.0	1	07/01/25	07/02/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

D3-4'

E506270-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	<i>91.8 %</i>	<i>70-130</i>		<i>06/28/25</i>	<i>06/30/25</i>	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	<i>87.9 %</i>	<i>70-130</i>		<i>06/28/25</i>	<i>06/30/25</i>	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	<b>497</b>	25.0	1	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	<b>706</b>	50.0	1	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>	<i>101 %</i>	<i>61-141</i>		<i>07/01/25</i>	<i>07/03/25</i>	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	<b>95.4</b>	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

D3-6'

E506270-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.7 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.1 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2527115	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>						
	94.2 %	61-141		07/01/25	07/03/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	ND	20.0	1	07/01/25	07/02/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## D4-2'

## E506270-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	93.5 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	87.6 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	56.6	50.0	1	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>	109 %	61-141		07/01/25	07/03/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	188	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

D4-4'

E506270-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		92.1 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		87.8 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>		100 %	61-141	07/01/25	07/03/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	391	20.0	1	07/01/25	07/02/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## D5-4'

## E506270-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	93.2 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.5 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	91.0	25.0	1	07/01/25	07/02/25	
Oil Range Organics (C28-C36)	128	50.0	1	07/01/25	07/02/25	
<i>Surrogate: n-Nonane</i>						
	106 %	61-141		07/01/25	07/02/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	219	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

D6-6'

E506270-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	92.9 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	87.8 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	35.8	25.0	1	07/01/25	07/02/25	
Oil Range Organics (C28-C36)	97.5	50.0	1	07/01/25	07/02/25	
<i>Surrogate: n-Nonane</i>	102 %	61-141		07/01/25	07/02/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	ND	20.0	1	07/01/25	07/02/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## H1-Surface

## E506270-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		92.6 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		89.2 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/01/25	07/02/25	
Oil Range Organics (C28-C36)	61.5	50.0	1	07/01/25	07/02/25	
<i>Surrogate: n-Nonane</i>		108 %	61-141	07/01/25	07/02/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	ND	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## H1-2'

## E506270-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	93.2 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.0 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2527055
Diesel Range Organics (C10-C28)	26.4	25.0	1	07/01/25	07/02/25	
Oil Range Organics (C28-C36)	73.4	50.0	1	07/01/25	07/02/25	
<i>Surrogate: n-Nonane</i>						
	109 %	61-141		07/01/25	07/02/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: JM		Batch: 2527049
Chloride	26.8	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

H1-4'

E506270-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.1 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.0 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2527055
Diesel Range Organics (C10-C28)	30.8	25.0	1	07/01/25	07/02/25	
Oil Range Organics (C28-C36)	82.2	50.0	1	07/01/25	07/02/25	
<i>Surrogate: n-Nonane</i>						
	105 %	61-141		07/01/25	07/02/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: JM		Batch: 2527049
Chloride	ND	20.0	1	07/01/25	07/02/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## H2-Surface

E506270-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		91.4 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		87.8 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2527055
Diesel Range Organics (C10-C28)	374	25.0	1	07/01/25	07/02/25	
Oil Range Organics (C28-C36)	402	50.0	1	07/01/25	07/02/25	
<i>Surrogate: n-Nonane</i>						
		104 %	61-141	07/01/25	07/02/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: JM		Batch: 2527049
Chloride	452	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## H2-2'

## E506270-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	<i>91.7 %</i>	<i>70-130</i>		<i>06/28/25</i>	<i>06/30/25</i>	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	<i>87.7 %</i>	<i>70-130</i>		<i>06/28/25</i>	<i>06/30/25</i>	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	<b>119</b>	25.0	1	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	<b>236</b>	50.0	1	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>	<i>104 %</i>	<i>61-141</i>		<i>07/01/25</i>	<i>07/03/25</i>	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	<b>217</b>	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## H2-4'

## E506270-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		91.3 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		88.4 %	70-130	06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2527055
Diesel Range Organics (C10-C28)	527	25.0	1	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	515	50.0	1	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>						
		105 %	61-141	07/01/25	07/03/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: JM		Batch: 2527049
Chloride	267	20.0	1	07/01/25	07/02/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## H3-Surface

E506270-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	<i>90.8 %</i>	<i>70-130</i>		<i>06/28/25</i>	<i>06/30/25</i>	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	<i>87.7 %</i>	<i>70-130</i>		<i>06/28/25</i>	<i>06/30/25</i>	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	<b>369</b>	25.0	1	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	<b>408</b>	50.0	1	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>	<i>104 %</i>	<i>61-141</i>		<i>07/01/25</i>	<i>07/03/25</i>	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	<b>460</b>	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## H3-2'

## E506270-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/28/25	06/30/25	
Toluene	ND	0.0250	1	06/28/25	06/30/25	
o-Xylene	ND	0.0250	1	06/28/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/28/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/28/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	90.5 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.5 %	70-130		06/28/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	68.8	25.0	1	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	159	50.0	1	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>						
	106 %	61-141		07/01/25	07/03/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	74.5	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

H3-4'

E506270-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Benzene	ND	0.0250	1	06/28/25	07/01/25	
Ethylbenzene	ND	0.0250	1	06/28/25	07/01/25	
Toluene	ND	0.0250	1	06/28/25	07/01/25	
o-Xylene	ND	0.0250	1	06/28/25	07/01/25	
p,m-Xylene	ND	0.0500	1	06/28/25	07/01/25	
Total Xylenes	ND	0.0250	1	06/28/25	07/01/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	90.3 %	70-130		06/28/25	07/01/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2526168
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	07/01/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	88.3 %	70-130		06/28/25	07/01/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2527055
Diesel Range Organics (C10-C28)	54.8	25.0	1	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	136	50.0	1	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>						
	109 %	61-141		07/01/25	07/03/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: JM		Batch: 2527049
Chloride	107	20.0	1	07/01/25	07/02/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## H4-Surface

## E506270-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Benzene	ND	0.0250	1	06/28/25	07/01/25	
Ethylbenzene	ND	0.0250	1	06/28/25	07/01/25	
Toluene	ND	0.0250	1	06/28/25	07/01/25	
o-Xylene	ND	0.0250	1	06/28/25	07/01/25	
p,m-Xylene	ND	0.0500	1	06/28/25	07/01/25	
Total Xylenes	ND	0.0250	1	06/28/25	07/01/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	88.4 %	70-130		06/28/25	07/01/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2526168	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/28/25	07/01/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	88.1 %	70-130		06/28/25	07/01/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2527055	
Diesel Range Organics (C10-C28)	47.5	25.0	1	07/01/25	07/03/25	
Oil Range Organics (C28-C36)	109	50.0	1	07/01/25	07/03/25	
<i>Surrogate: n-Nonane</i>	106 %	61-141		07/01/25	07/03/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: JM		Batch: 2527049	
Chloride	53.0	20.0	1	07/01/25	07/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## H4-2'

## E506270-21

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2526152	
Benzene	ND	0.0250	1	06/27/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/27/25	06/30/25	
Toluene	ND	0.0250	1	06/27/25	06/30/25	
o-Xylene	ND	0.0250	1	06/27/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/27/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/27/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	86.1 %	70-130		06/27/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2526152	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/27/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	92.8 %	70-130		06/27/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: HM		Batch: 2527040	
Diesel Range Organics (C10-C28)	56.5	25.0	1	06/30/25	07/02/25	
Oil Range Organics (C28-C36)	101	50.0	1	06/30/25	07/02/25	
<i>Surrogate: n-Nonane</i>						
	114 %	61-141		06/30/25	07/02/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: IY		Batch: 2527029	
Chloride	236	20.0	1	06/30/25	07/01/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/7/2025 4:34:34PM

## H4-4'

## E506270-22

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2526152	
Benzene	ND	0.0250	1	06/27/25	06/30/25	
Ethylbenzene	ND	0.0250	1	06/27/25	06/30/25	
Toluene	ND	0.0250	1	06/27/25	06/30/25	
o-Xylene	ND	0.0250	1	06/27/25	06/30/25	
p,m-Xylene	ND	0.0500	1	06/27/25	06/30/25	
Total Xylenes	ND	0.0250	1	06/27/25	06/30/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	86.7 %	70-130		06/27/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2526152	
Gasoline Range Organics (C6-C10)	ND	20.0	1	06/27/25	06/30/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	92.8 %	70-130		06/27/25	06/30/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: HM		Batch: 2527040	
Diesel Range Organics (C10-C28)	27.1	25.0	1	06/30/25	07/02/25	
Oil Range Organics (C28-C36)	ND	50.0	1	06/30/25	07/02/25	
<i>Surrogate: n-Nonane</i>						
	109 %	61-141		06/30/25	07/02/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: IY		Batch: 2527029	
Chloride	24.9	20.0	1	06/30/25	07/01/25	





## QC Summary Data

Sapac-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/7/2025 4:34:34PM

## Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2526152-BLK1)

Prepared: 06/27/25 Analyzed: 06/30/25

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	6.82		8.00		85.2	70-130			

## LCS (2526152-BS1)

Prepared: 06/27/25 Analyzed: 06/30/25

Benzene	4.78	0.0250	5.00		95.6	70-130			
Ethylbenzene	4.84	0.0250	5.00		96.8	70-130			
Toluene	4.85	0.0250	5.00		97.1	70-130			
o-Xylene	4.84	0.0250	5.00		96.8	70-130			
p,m-Xylene	9.81	0.0500	10.0		98.1	70-130			
Total Xylenes	14.6	0.0250	15.0		97.6	70-130			
Surrogate: 4-Bromochlorobenzene-PID	6.89		8.00		86.1	70-130			

## Matrix Spike (2526152-MS1)

Source: E506267-01

Prepared: 06/27/25 Analyzed: 06/30/25

Benzene	5.28	0.0250	5.00	ND	106	70-130			
Ethylbenzene	5.28	0.0250	5.00	ND	106	70-130			
Toluene	5.32	0.0250	5.00	ND	106	70-130			
o-Xylene	5.26	0.0250	5.00	ND	105	70-130			
p,m-Xylene	10.7	0.0500	10.0	ND	107	70-130			
Total Xylenes	15.9	0.0250	15.0	ND	106	70-130			
Surrogate: 4-Bromochlorobenzene-PID	6.72		8.00		84.0	70-130			

## Matrix Spike Dup (2526152-MSD1)

Source: E506267-01

Prepared: 06/27/25 Analyzed: 06/30/25

Benzene	4.82	0.0250	5.00	ND	96.5	70-130	9.01	27	
Ethylbenzene	4.86	0.0250	5.00	ND	97.3	70-130	8.21	26	
Toluene	4.87	0.0250	5.00	ND	97.5	70-130	8.80	20	
o-Xylene	4.81	0.0250	5.00	ND	96.1	70-130	9.12	25	
p,m-Xylene	9.83	0.0500	10.0	ND	98.3	70-130	8.11	23	
Total Xylenes	14.6	0.0250	15.0	ND	97.6	70-130	8.44	26	
Surrogate: 4-Bromochlorobenzene-PID	6.81		8.00		85.1	70-130			



## QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/7/2025 4:34:34PM

## Volatile Organics by EPA 8021B

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2526168-BLK1)

Prepared: 06/28/25 Analyzed: 06/30/25

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.41		8.00		92.6	70-130			

## LCS (2526168-BS1)

Prepared: 06/28/25 Analyzed: 06/30/25

Benzene	5.65	0.0250	5.00		113	70-130			
Ethylbenzene	5.51	0.0250	5.00		110	70-130			
Toluene	5.60	0.0250	5.00		112	70-130			
o-Xylene	5.37	0.0250	5.00		107	70-130			
p,m-Xylene	11.1	0.0500	10.0		111	70-130			
Total Xylenes	16.5	0.0250	15.0		110	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.33		8.00		91.6	70-130			

## Matrix Spike (2526168-MS1)

Source: E506270-04

Prepared: 06/28/25 Analyzed: 06/30/25

Benzene	5.78	0.0250	5.00	ND	116	70-130			
Ethylbenzene	5.61	0.0250	5.00	ND	112	70-130			
Toluene	5.71	0.0250	5.00	ND	114	70-130			
o-Xylene	5.45	0.0250	5.00	ND	109	70-130			
p,m-Xylene	11.3	0.0500	10.0	ND	113	70-130			
Total Xylenes	16.7	0.0250	15.0	ND	112	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.33		8.00		91.6	70-130			

## Matrix Spike Dup (2526168-MSD1)

Source: E506270-04

Prepared: 06/28/25 Analyzed: 06/30/25

Benzene	5.91	0.0250	5.00	ND	118	70-130	2.19	27	
Ethylbenzene	5.76	0.0250	5.00	ND	115	70-130	2.58	26	
Toluene	5.85	0.0250	5.00	ND	117	70-130	2.34	20	
o-Xylene	5.63	0.0250	5.00	ND	113	70-130	3.25	25	
p,m-Xylene	11.6	0.0500	10.0	ND	116	70-130	2.69	23	
Total Xylenes	17.2	0.0250	15.0	ND	115	70-130	2.87	26	
Surrogate: 4-Bromochlorobenzene-PID	7.42		8.00		92.8	70-130			



QC Summary Data

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/7/2025 4:34:34PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2526152-BLK1) Prepared: 06/27/25 Analyzed: 06/30/25

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.22		8.00		90.2	70-130			

LCS (2526152-BS2) Prepared: 06/27/25 Analyzed: 06/30/25

Gasoline Range Organics (C6-C10)	37.4	20.0	50.0		74.8	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.35		8.00		91.8	70-130			

Matrix Spike (2526152-MS2) Source: E506267-01 Prepared: 06/27/25 Analyzed: 06/30/25

Gasoline Range Organics (C6-C10)	38.1	20.0	50.0	ND	76.3	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.28		8.00		91.0	70-130			

Matrix Spike Dup (2526152-MSD2) Source: E506267-01 Prepared: 06/27/25 Analyzed: 06/30/25

Gasoline Range Organics (C6-C10)	43.9	20.0	50.0	ND	87.9	70-130	14.1	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.33		8.00		91.6	70-130			





QC Summary Data

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/7/2025 4:34:34PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2526168-BLK1) Prepared: 06/28/25 Analyzed: 06/30/25

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.05		8.00		88.2	70-130			

LCS (2526168-BS2) Prepared: 06/28/25 Analyzed: 06/30/25

Gasoline Range Organics (C6-C10)	47.3	20.0	50.0		94.7	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.19		8.00		89.9	70-130			

Matrix Spike (2526168-MS2) Source: E506270-04 Prepared: 06/28/25 Analyzed: 06/30/25

Gasoline Range Organics (C6-C10)	44.8	20.0	50.0	ND	89.6	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.13		8.00		89.1	70-130			

Matrix Spike Dup (2526168-MSD2) Source: E506270-04 Prepared: 06/28/25 Analyzed: 06/30/25

Gasoline Range Organics (C6-C10)	44.7	20.0	50.0	ND	89.5	70-130	0.111	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.20		8.00		90.0	70-130			



## QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/7/2025 4:34:34PM

## Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: HM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2527040-BLK1)

Prepared: 06/30/25 Analyzed: 07/02/25

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	53.9		50.0		108	61-141			

## LCS (2527040-BS1)

Prepared: 06/30/25 Analyzed: 07/02/25

Diesel Range Organics (C10-C28)	283	25.0	250		113	66-144			
Surrogate: n-Nonane	54.5		50.0		109	61-141			

## Matrix Spike (2527040-MS1)

Source: E506268-10

Prepared: 06/30/25 Analyzed: 07/02/25

Diesel Range Organics (C10-C28)	287	25.0	250	ND	115	56-156			
Surrogate: n-Nonane	55.4		50.0		111	61-141			

## Matrix Spike Dup (2527040-MSD1)

Source: E506268-10

Prepared: 06/30/25 Analyzed: 07/02/25

Diesel Range Organics (C10-C28)	294	25.0	250	ND	118	56-156	2.55	20	
Surrogate: n-Nonane	57.4		50.0		115	61-141			



QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/7/2025 4:34:34PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: RAS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2527055-BLK1)					Prepared: 07/01/25 Analyzed: 07/02/25				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	62.4		50.0		125	61-141			

LCS (2527055-BS1)					Prepared: 07/01/25 Analyzed: 07/02/25				
Diesel Range Organics (C10-C28)	273	25.0	250		109	66-144			
Surrogate: n-Nonane	51.0		50.0		102	61-141			

Matrix Spike (2527055-MS1)					Source: E506270-01		Prepared: 07/01/25 Analyzed: 07/02/25		
Diesel Range Organics (C10-C28)	1180	25.0	250	837	138	56-156			
Surrogate: n-Nonane	62.3		50.0		125	61-141			

Matrix Spike Dup (2527055-MSD1)					Source: E506270-01		Prepared: 07/01/25 Analyzed: 07/02/25		
Diesel Range Organics (C10-C28)	1210	25.0	250	837	150	56-156	2.56	20	
Surrogate: n-Nonane	63.1		50.0		126	61-141			





QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/7/2025 4:34:34PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: RAS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2527115-BLK1)					Prepared: 07/03/25 Analyzed: 07/03/25				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	46.9		50.0		93.8	61-141			

LCS (2527115-BS1)					Prepared: 07/03/25 Analyzed: 07/03/25				
Diesel Range Organics (C10-C28)	253	25.0	250		101	66-144			
Surrogate: n-Nonane	46.6		50.0		93.3	61-141			

Matrix Spike (2527115-MS1)					Source: E507005-01		Prepared: 07/03/25 Analyzed: 07/03/25		
Diesel Range Organics (C10-C28)	267	25.0	250	ND	107	56-156			
Surrogate: n-Nonane	48.7		50.0		97.5	61-141			

Matrix Spike Dup (2527115-MSD1)					Source: E507005-01		Prepared: 07/03/25 Analyzed: 07/03/25		
Diesel Range Organics (C10-C28)	255	25.0	250	ND	102	56-156	4.69	20	
Surrogate: n-Nonane	47.4		50.0		94.8	61-141			



QC Summary Data

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/7/2025 4:34:34PM

Anions by EPA 300.0/9056A

Analyst: IY

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2527029-BLK1)					Prepared: 06/30/25 Analyzed: 07/01/25				
Chloride	ND	20.0							
LCS (2527029-BS1)					Prepared: 06/30/25 Analyzed: 07/01/25				
Chloride	250	20.0	250		99.9	90-110			
Matrix Spike (2527029-MS1)					Source: E506251-21		Prepared: 06/30/25 Analyzed: 07/01/25		
Chloride	290	20.0	250	36.5	101	80-120			
Matrix Spike Dup (2527029-MSD1)					Source: E506251-21		Prepared: 06/30/25 Analyzed: 07/01/25		
Chloride	293	20.0	250	36.5	103	80-120	1.00	20	



QC Summary Data

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/7/2025 4:34:34PM

Anions by EPA 300.0/9056A

Analyst: JM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2527049-BLK1)				Prepared: 07/01/25 Analyzed: 07/02/25					
Chloride	ND	20.0							
LCS (2527049-BS1)				Prepared: 07/01/25 Analyzed: 07/02/25					
Chloride	251	20.0	250		100	90-110			
Matrix Spike (2527049-MS1)				Source: E506270-10		Prepared: 07/01/25 Analyzed: 07/02/25			
Chloride	268	20.0	250	ND	107	80-120			
Matrix Spike Dup (2527049-MSD1)				Source: E506270-10		Prepared: 07/01/25 Analyzed: 07/02/25			
Chloride	269	20.0	250	ND	107	80-120	0.301	20	

QC Summary Report Comment:  
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.  
Therefore, hand calculated values may differ slightly.





Definitions and Notes

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	
5846 E 21st Place	Project Number:	25038-0001	Reported:
Tulsa OK, 74114	Project Manager:	Tom Bynum	07/07/25 16:34

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.

Note (1): Methods marked with \*\* are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.





## Chain of Custody

Page 1 of 3

Client Information					Invoice Information			Lab Use Only		TAT		State								
Client: Sapec-Eco, LLC					Company: Maverick Permian(Diversified)			Lab WO#	Job Number	1D	2D	3D	Std	NM	CO	UT	TX			
Project Name: Vacuum ABO Battery #2 Release					Address:			E5060270	25058-0001				X	X						
Project Manager: Tom Bynum					City, State, Zip:															
Address: 5846 E 21st Place					Phone:															
City, State, Zip: Tulsa, OK 74114					Email:															
Phone: 580-748-1613					Miscellaneous: Project 4-21															
Email: tombynum@sapec-eco.com																				
Sample Information							Analysis and Method							EPA Program						
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 3000	TCO 1005 - TX	RCRA 8 Metals	BGDOC - NM	BGDOC - TX	SDWA	CWA	RCRA		
																	Compliance	Y	or	N
																	PWSID #			
																	Sample Temp			Remarks
8:00 AM	6/25/25	S	1	D1-2'		1								X			2.0			
8:20 AM	6/25/25	S	1	D1-4'		2								X			2.4			
8:27 AM	6/25/25	S	1	D2-2'		3								X			2.6			
8:41 AM	6/25/25	S	1	D2-4'		4								X			1.8			
8:53 AM	6/25/25	S	1	D3-4'		5								X			2.1			
9:08 AM	6/25/25	S	1	D3-6'		6								X			2.3			
9:17 AM	6/25/25	S	1	D4-2'		7								X			2.8			
9:31 AM	6/25/25	S	1	D4-4'		8								X			2.4			
9:47 AM	6/25/25	S	1	D5-4'		9								X			3.0			
10:02 AM	6/25/25	S	1	D6-6'		10								X			2.4			
Additional Instructions: Bill to Maverick Permian(Diversified) // Bill Category 106102 // Property Code AFE000000005582 (NAPP2507953016)																				
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																				
Sampled by: Terrell Willyard																				
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. Lab Use Only Received on ice: <input checked="" type="checkbox"/> Y / N												
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time													
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time													
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time													
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time													
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other																				
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																				
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																				





## Chain of Custody

Page 2 of 3

Client Information				Invoice Information		Lab Use Only		TAT		State										
Client: Sapec-Eco, LLC				Company: Maverick Permian(Diversified)		Lab WO#	Job Number	1D	2D	3D	Std	NM	CO	UT	TX					
Project Name: Vacuum ABO Battery #2 Release				Address:		E500270	25058-0001				X	X								
Project Manager: Tom Bynum				City, State, Zip:																
Address: 5846 E 21st Place				Phone:																
City, State, Zip: Tulsa, OK 74114				Email:																
Phone: 580-748-1613				Miscellaneous: Project 4-21																
Email: tombynum@sapec-eco.com																				
Sample Information						Analysis and Method								EPA Program						
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TCEQ 1005 - TX	RCRA 8 Metals	BGDOC - NM	BGDOC - TX	SDWA	CWA	RCRA		
																	Compliance	Y	or	N
																	PWSID #			
																	Sample Temp			Remarks
10:12AM	6/25/25	S	1	H1-Surface		11								X			3.0			
10:24AM	6/25/25	S	1	H1-2'		12								X			2.8			
10:39AM	6/25/25	S	1	H1-4'		13								X			2.6			
10:43AM	6/25/25	S	1	H2-Surface		14								X			2.4			
10:56AM	6/25/25	S	1	H2-2'		15								X			3.1			
11:09AM	6/25/25	S	1	H2-4'		16								X			3.2			
11:13AM	6/25/25	S	1	H3-Surface		17								X			2.0			
11:22AM	6/25/25	S	1	H3-2'		18								X			2.4			
11:37AM	6/25/25	S	1	H3-4'		19								X			2.6			
11:42AM	6/25/25	S	1	H4-Surface		20								X			2.8			
Additional Instructions: Bill to Maverick Permian(Diversified) // Bill Category 106102 // Property Code AFE000000005582 (NAPP2507953016)																				
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																				
Sampled by: Terrell Willyard																				
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days.												
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time													
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time													
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time													
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time													
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other																				
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																				
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																				



## Chain of Custody

Client Information				Invoice Information		Lab Use Only		TAT				State							
Client: Sapec-Eco, LLC				Company: Maverick Permian(Diversified)		Lab WO#	Job Number	1D	2D	3D	Std	NM	CO	UT	TX				
Project Name: Vacuum ABO Battery #2 Release				Address:		E500270	25057-0001				X	X							
Project Manager: Tom Bynum				City, State, Zip:															
Address: 5846 E 21st Place				Phone:															
City, State, Zip: Tulsa, OK 74114				Email:															
Phone: 580-748-1613				Miscellaneous: Project 4-21															
Email: tombynum@sapac-eco.com																			
Sample Information						Analysis and Method								EPA Program					
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TCEQ 1005 - TX	RCRA 8 Metals	BIGDOC - NM	BIGDOC - TX	SDWA	CWA	RCRA	
11:55am	6/25/25	S	1	H4-2'		21									X				
12:15pm	6/25/25	S	1	H4-4'		22									X				
Additional Instructions: Bill to Maverick Permian(Diversified) // Bill Category 106102 // Property Code AFE000000005582 (NAPP2507953016)																			
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																			
Sampled by: Terrell Willyard																			
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. Lab Use Only Received on ice: <input checked="" type="radio"/> Y <input type="radio"/> N											
Michelle Gonzales		6/26/25	1:00pm	Michelle Gonzales		6/26/25	1:30												
L.M.		6/26/25	1:20	L.M.		6/26/25	1:20												
L.M.		6/26/25	2:30	Caitlin Mann		6/27/25	7:00												
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time												
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time												
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time												
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other																			
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																			
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																			

## Envirotech Analytical Laboratory

Printed: 6/27/2025 12:57:52PM

## Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Sapec-Eco, LLC	Date Received:	06/27/25 07:00	Work Order ID:	E506270
Phone:	(580) 748-1613	Date Logged In:	06/26/25 16:18	Logged In By:	Caitlin Mars
Email:	tombynum@sapec-eco.com	Due Date:	07/03/25 17:00 (4 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
  - Sample ID? Yes
  - Date/Time Collected? Yes
  - Collectors name? Yes

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:  
Tom Bynum



# envirotech

*Practical Solutions for a Better Tomorrow*

## Analytical Report

Saptec-Eco, LLC

Project Name: Vacuum ABO Battery #2 Release

Work Order: E507084

Job Number: 25038-0001

Received: 7/10/2025

Revision: 1

Report Reviewed By:

Walter Hinchman  
Laboratory Director  
7/11/25

5796 U.S. Hwy 64  
Farmington, NM 87401

Phone: (505) 632-1881  
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.  
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.  
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.  
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.



Date Reported: 7/11/25



Tom Bynum  
5846 E 21st Place  
Tulsa, OK 74114

Project Name: Vacuum ABO Battery #2 Release  
Workorder: E507084  
Date Received: 7/10/2025 7:00:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 7/10/2025 7:00:00AM, under the Project Name: Vacuum ABO Battery #2 Release.

The analytical test results summarized in this report with the Project Name: Vacuum ABO Battery #2 Release apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

**Walter Hinchman**  
Laboratory Director  
Office: 505-632-1881  
Cell: 775-287-1762  
[whinchman@envirotech-inc.com](mailto:whinchman@envirotech-inc.com)

**Raina Schwanz**  
Laboratory Administrator  
Office: 505-632-1881  
[rainaschwanz@envirotech-inc.com](mailto:rainaschwanz@envirotech-inc.com)

Field Offices:

**Southern New Mexico Area**

**Lynn Jarboe**  
Laboratory Technical Representative  
Office: 505-421-LABS(5227)  
Cell: 505-320-4759  
[ljjarboe@envirotech-inc.com](mailto:ljjarboe@envirotech-inc.com)

**Michelle Gonzales**  
Client Representative  
Office: 505-421-LABS(5227)  
Cell: 505-947-8222  
[mgonzales@envirotech-inc.com](mailto:mgonzales@envirotech-inc.com)

Envirotech Web Address: [www.envirotech-inc.com](http://www.envirotech-inc.com)

## Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
1-1'	6
2-1'	7
3-1'	8
4-1'	9
5-1'	10
6-1'	11
7-1'	12
8-1'	13
9-1'	14
10-3'	15
11-3'	16
12-3'	17
13-3'	18
14-3'	19
15-3'	20
16-3'	21
17-4'	22
18-4'	23
19-4'	24
20-1'	25

Table of Contents (continued)

QC Summary Data	26
QC - Volatile Organics by EPA 8021B	26
QC - Nonhalogenated Organics by EPA 8015D - GRO	27
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	28
QC - Anions by EPA 300.0/9056A	29
Definitions and Notes	30
Chain of Custody etc.	31



## Sample Summary

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	07/11/25 14:01

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
1-1'	E507084-01A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
2-1'	E507084-02A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
3-1'	E507084-03A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
4-1'	E507084-04A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
5-1'	E507084-05A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
6-1'	E507084-06A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
7-1'	E507084-07A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
8-1'	E507084-08A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
9-1'	E507084-09A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
10-3'	E507084-10A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
11-3'	E507084-11A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
12-3'	E507084-12A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
13-3'	E507084-13A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
14-3'	E507084-14A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
15-3'	E507084-15A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
16-3'	E507084-16A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
17-4'	E507084-17A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
18-4'	E507084-18A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
19-4'	E507084-19A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
20-1'	E507084-20A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

**1-1'**

**E507084-01**

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	97.6 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	96.8 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	1020	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	1310	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>	130 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	62.2	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

2-1'

E507084-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	96.9 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	105 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	354	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	489	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>						
	126 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	314	20.0	1	07/09/25	07/10/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

3-1'

E507084-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.1 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	101 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KH		Batch: 2528125
Diesel Range Organics (C10-C28)	1790	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	1350	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>						
	119 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2528145
Chloride	216	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

4-1'

E507084-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.1 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	98.0 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	2300	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	1710	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>						
	116 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	37.1	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

5-1'

E507084-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.9 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	101 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	2910	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	2160	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>						
	126 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	328	20.0	1	07/09/25	07/10/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

6-1'

E507084-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	92.9 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	103 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	5140	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	3050	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>	123 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	803	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

7-1'

E507084-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.6 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	101 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KH		Batch: 2528125
Diesel Range Organics (C10-C28)	749	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1350	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	105 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2528145
Chloride	255	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

8-1'

E507084-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	93.3 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	103 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KH		Batch: 2528125
Diesel Range Organics (C10-C28)	1440	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	1550	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>						
	120 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2528145
Chloride	64.2	20.0	1	07/09/25	07/10/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

9-1'

E507084-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	91.6 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	105 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KH		Batch: 2528125
Diesel Range Organics (C10-C28)	569	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	589	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	127 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2528145
Chloride	325	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

10-3'

E507084-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	93.0 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	103 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KH		Batch: 2528125
Diesel Range Organics (C10-C28)	629	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	708	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	126 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2528145
Chloride	171	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

11-3'

E507084-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	91.5 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	103 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	1560	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1140	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	121 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	91.4	20.0	1	07/09/25	07/10/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

12-3'

E507084-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	90.1 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	103 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KH		Batch: 2528125
Diesel Range Organics (C10-C28)	1260	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	850	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	120 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2528145
Chloride	251	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

13-3'

E507084-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	91.5 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	105 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	2310	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1290	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	125 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	1360	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

14-3'

E507084-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	91.4 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	105 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	645	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	651	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	122 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	526	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

15-3'

E507084-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.8 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	107 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	508	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	527	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	124 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	1320	20.0	1	07/09/25	07/10/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

16-3'

E507084-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	93.5 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	106 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KH		Batch: 2528125
Diesel Range Organics (C10-C28)	457	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	505	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	125 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2528145
Chloride	469	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

17-4'

E507084-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.2 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	110 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	82.0	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	175	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	123 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	2400	40.0	2	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

18-4'

E507084-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	94.2 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	103 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	432	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	403	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	122 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	1600	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

19-4'

E507084-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.8 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528131
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	107 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KH		Batch: 2528125
Diesel Range Organics (C10-C28)	528	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	529	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	126 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2528145
Chloride	1290	20.0	1	07/09/25	07/11/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/11/2025 2:01:22PM

20-1'

E507084-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	94.9 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528131	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	99.3 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2528125	
Diesel Range Organics (C10-C28)	115	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	172	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	108 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2528145	
Chloride	580	20.0	1	07/09/25	07/11/25	



## QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/11/2025 2:01:22PM

## Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2528131-BLK1)

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.98		8.00		99.7	70-130			

## LCS (2528131-BS1)

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	4.97	0.0250	5.00		99.4	70-130			
Ethylbenzene	4.92	0.0250	5.00		98.3	70-130			
Toluene	4.95	0.0250	5.00		99.0	70-130			
o-Xylene	4.94	0.0250	5.00		98.7	70-130			
p,m-Xylene	10.0	0.0500	10.0		100	70-130			
Total Xylenes	14.9	0.0250	15.0		99.6	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.93		8.00		99.1	70-130			

## Matrix Spike (2528131-MS1)

Source: E507084-03

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	5.62	0.0250	5.00	ND	112	70-130			
Ethylbenzene	5.55	0.0250	5.00	ND	111	70-130			
Toluene	5.58	0.0250	5.00	ND	112	70-130			
o-Xylene	5.52	0.0250	5.00	ND	110	70-130			
p,m-Xylene	11.2	0.0500	10.0	ND	112	70-130			
Total Xylenes	16.8	0.0250	15.0	ND	112	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.74		8.00		96.7	70-130			

## Matrix Spike Dup (2528131-MSD1)

Source: E507084-03

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	5.40	0.0250	5.00	ND	108	70-130	3.88	27	
Ethylbenzene	5.35	0.0250	5.00	ND	107	70-130	3.69	26	
Toluene	5.37	0.0250	5.00	ND	107	70-130	3.87	20	
o-Xylene	5.31	0.0250	5.00	ND	106	70-130	3.77	25	
p,m-Xylene	10.8	0.0500	10.0	ND	108	70-130	3.70	23	
Total Xylenes	16.1	0.0250	15.0	ND	108	70-130	3.72	26	
Surrogate: 4-Bromochlorobenzene-PID	7.50		8.00		93.8	70-130			



QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/11/2025 2:01:22PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2528131-BLK1) Prepared: 07/09/25 Analyzed: 07/10/25

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.01		8.00		100	70-130			

LCS (2528131-BS2) Prepared: 07/09/25 Analyzed: 07/10/25

Gasoline Range Organics (C6-C10)	50.9	20.0	50.0		102	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.20		8.00		103	70-130			

Matrix Spike (2528131-MS2) Source: E507084-03 Prepared: 07/09/25 Analyzed: 07/10/25

Gasoline Range Organics (C6-C10)	55.0	20.0	50.0	ND	110	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.40		8.00		105	70-130			

Matrix Spike Dup (2528131-MSD2) Source: E507084-03 Prepared: 07/09/25 Analyzed: 07/10/25

Gasoline Range Organics (C6-C10)	54.5	20.0	50.0	ND	109	70-130	0.972	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.30		8.00		104	70-130			



QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/11/2025 2:01:22PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KH

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2528125-BLK1)					Prepared: 07/09/25 Analyzed: 07/10/25				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	55.6		50.0		111	61-141			

LCS (2528125-BS1)					Prepared: 07/09/25 Analyzed: 07/10/25				
Diesel Range Organics (C10-C28)	278	25.0	250		111	66-144			
Surrogate: n-Nonane	54.6		50.0		109	61-141			

Matrix Spike (2528125-MS1)					Source: E507084-08		Prepared: 07/09/25 Analyzed: 07/10/25		
Diesel Range Organics (C10-C28)	1840	25.0	250	1440	160	56-156			M4
Surrogate: n-Nonane	63.1		50.0		126	61-141			

Matrix Spike Dup (2528125-MSD1)					Source: E507084-08		Prepared: 07/09/25 Analyzed: 07/10/25		
Diesel Range Organics (C10-C28)	1870	25.0	250	1440	174	56-156	1.91	20	M4
Surrogate: n-Nonane	62.7		50.0		125	61-141			





QC Summary Data

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/11/2025 2:01:22PM

Anions by EPA 300.0/9056A

Analyst: DT

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2528145-BLK1)					Prepared: 07/09/25 Analyzed: 07/10/25				
Chloride	ND	20.0							
LCS (2528145-BS1)					Prepared: 07/09/25 Analyzed: 07/10/25				
Chloride	252	20.0	250		101	90-110			
Matrix Spike (2528145-MS1)					Source: E507084-11		Prepared: 07/09/25 Analyzed: 07/10/25		
Chloride	352	20.0	250	91.4	104	80-120			
Matrix Spike Dup (2528145-MSD1)					Source: E507084-11		Prepared: 07/09/25 Analyzed: 07/10/25		
Chloride	361	20.0	250	91.4	108	80-120	2.50	20	

QC Summary Report Comment:  
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.  
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	
5846 E 21st Place	Project Number:	25038-0001	Reported:
Tulsa OK, 74114	Project Manager:	Tom Bynum	07/11/25 14:01

- M4 Matrix spike recovery value is suspect since the analyte concentration in the sample is disproportionate to the spike level. The associated LCS spike recovery was acceptable.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.

Note (1): Methods marked with \*\* are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Client Information					Invoice Information			Lab Use Only		TAT				State					
Client: Sapec-Eco, LLC					Company: Maverick Permian(Diversified)			Lab WO#	Job Number	1D	2D	3D	Std	NM	CO	UT	TX		
Project Name: Vacuum ABO Battery #2 Release					Bill Category: 106102			E507084	25032-0001		X			X					
Project Manager: Tom Bynum					Property Code: AFE000000005582														
Address: 5846 E 21st Place					ATTN: Bryce Wagoner														
City, State, Zip: Tulsa, OK 74114					Email: bwagoner@dgoc.com														
Phone: 580-748-1613					Miscellaneous: Sapec Project 4-21														
Email: tombynum@sapec-eco.com																			
Sample Information								Analysis and Method						EPA Program					
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TEQ 1005 - TX	RCRA 8 Metals	B6DOOC - NM	B6DOOC - TX	SDWA	CWA	RCRA	
12:45 pm	7/8/2025	S	1	1-1'		1								X		3.0			
12:51 pm	7/8/2025	S	1	2-1'		2								X		2.6			
12:55 pm	7/8/2025	S	1	3-1'		3								X		2.4			
1:03 pm	7/8/2025	S	1	4-1'		4								X		3.6			
1:07 pm	7/8/2025	S	1	5-1'		5								X		3.8			
1:12 pm	7/8/2025	S	1	6-1'		6								X		4.0			
1:16 pm	7/8/2025	S	1	7-1'		7								X		3.1			
1:21 pm	7/8/2025	S	1	8-1'		8								X		2.8			
1:28 pm	7/8/2025	S	1	9-1'		9								X		2.8			
1:33 pm	7/8/2025	S	1	10-3'		10								X		3.2			
Additional Instructions: (NAPP2507953016)																			
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																			
Sampled by: Terrell W. Myrd																			
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. Lab Use Only Received on ice: <input checked="" type="checkbox"/> N											
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time												
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time												
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time												
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time												
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other																			
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																			
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																			



## Chain of Custody

Client Information				Invoice Information		Lab Use Only		TAT				State							
Client: Sapec-Eco, LLC				Company: Maverick Permian(Diversified)		Lab WO# E507084		Job Number 25038-0001				1D 2D 3D Std X							
Project Name: Vacuum ABO Battery #2 Release				Bill Category: 106102								NM CO UT TX X							
Project Manager: Tom Bynum				Property Code: AFE000000005582															
Address: 5846 E 21st Place				ATTN: Bryce Wagoner															
City, State, Zip: Tulsa, OK 74114				Email: bwagoner@dgoc.com															
Phone: 580-748-1613				Miscellaneous: Sapec Project 4-21															
Email: tombynum@sapec-eco.com																			
Sample Information										Analysis and Method				EPA Program					
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TEEQ 1005 - TX	RCRA 8 Metals	B6DOC - NM	B6DOC - TX	SDWA	CWA	RCRA	
1:37 pm	7/8/2025	S	1	11-3'		11								X					
1:45 pm	7/8/2025	S	1	12-3'		12								X					
1:53 pm	7/8/2025	S	1	13-3'		13								X					
2:00 pm	7/8/2025	S	1	14-3'		14								X					
2:03 pm	7/8/2025	S	1	15-3'		15								X					
2:07 pm	7/8/2025	S	1	16-3'		16								X					
2:18 pm	7/8/2025	S	1	17-4'		17								X					
2:25 pm	7/8/2025	S	1	18-4'		18								X					
2:31 pm	7/8/2025	S	1	19-4'		19								X					
2:39 pm	7/8/2025	S	1	20-1'		20								X					
Additional Instructions: (NAPP2507953016)																			
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																			
Sampled by: Terrell Wilkerson																			
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. Lab Use Only Received on ice: <input checked="" type="radio"/> Y <input type="radio"/> N							
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____																			
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																			
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																			



## Envirotech Analytical Laboratory

Printed: 7/10/2025 9:52:23AM

## Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Sapac-Eco, LLC	Date Received:	07/10/25 07:00	Work Order ID:	E507084
Phone:	(580) 748-1613	Date Logged In:	07/09/25 15:26	Logged In By:	Noe Soto
Email:	tombynum@sapac-eco.com	Due Date:	07/11/25 17:00 (1 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
  - Sample ID? Yes
  - Date/Time Collected? Yes
  - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client InstructionComments/Resolution

Project Vacuum ABO Battery #2 Release has been separated into 2 reports due to sample volume. WOs are E507084-E507085.


Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:  
Tom Bynum



# envirotech

*Practical Solutions for a Better Tomorrow*

## Analytical Report

Sapec-Eco, LLC

Project Name: Vacuum ABO Battery #2 Release

Work Order: E507085

Job Number: 25038-0001

Received: 7/10/2025

Revision: 1

Report Reviewed By:

Walter Hinchman  
Laboratory Director  
7/14/25

5796 U.S. Hwy 64  
Farmington, NM 87401

Phone: (505) 632-1881  
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.  
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.  
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.  
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 7/14/25



Tom Bynum  
5846 E 21st Place  
Tulsa, OK 74114

Project Name: Vacuum ABO Battery #2 Release  
Workorder: E507085  
Date Received: 7/10/2025 7:00:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 7/10/2025 7:00:00AM, under the Project Name: Vacuum ABO Battery #2 Release.

The analytical test results summarized in this report with the Project Name: Vacuum ABO Battery #2 Release apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

**Walter Hinchman**  
Laboratory Director  
Office: 505-632-1881  
Cell: 775-287-1762  
[whinchman@envirotech-inc.com](mailto:whinchman@envirotech-inc.com)

**Raina Schwanz**  
Laboratory Administrator  
Office: 505-632-1881  
[rainaschwanz@envirotech-inc.com](mailto:rainaschwanz@envirotech-inc.com)

Field Offices:

**Southern New Mexico Area**

**Lynn Jarboe**  
Laboratory Technical Representative  
Office: 505-421-LABS(5227)  
Cell: 505-320-4759  
[ljjarboe@envirotech-inc.com](mailto:ljjarboe@envirotech-inc.com)

**Michelle Gonzales**  
Client Representative  
Office: 505-421-LABS(5227)  
Cell: 505-947-8222  
[mgonzaless@envirotech-inc.com](mailto:mgonzaless@envirotech-inc.com)

Envirotech Web Address: [www.envirotech-inc.com](http://www.envirotech-inc.com)

## Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
21-1'	6
22-1'	7
23-4'	8
24-4'	9
25-2'	10
26-2'	11
27-2'	12
28-2'	13
29-4'	14
30-4'	15
31-1.5'	16
32-1.5'	17
33-4'	18
34-4'	19
35-4'	20
36-4'	21
37-5'	22
38-5'	23
W3-2'	24
W4-4'	25



## Table of Contents (continued)

W5-5'	26
W6-1.5'	27
W7-1'	28
W8-3'	29
W9-1'	30
QC Summary Data	31
QC - Volatile Organics by EPA 8021B	31
QC - Nonhalogenated Organics by EPA 8015D - GRO	33
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	35
QC - Anions by EPA 300.0/9056A	37
Definitions and Notes	39
Chain of Custody etc.	40

## Sample Summary

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	07/14/25 15:20

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
21-1'	E507085-01A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
22-1'	E507085-02A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
23-4'	E507085-03A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
24-4'	E507085-04A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
25-2'	E507085-05A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
26-2'	E507085-06A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
27-2'	E507085-07A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
28-2'	E507085-08A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
29-4'	E507085-09A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
30-4'	E507085-10A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
31-1.5'	E507085-11A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
32-1.5'	E507085-12A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
33-4'	E507085-13A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
34-4'	E507085-14A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
35-4'	E507085-15A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
36-4'	E507085-16A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
37-5'	E507085-17A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
38-5'	E507085-18A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
W3-2'	E507085-19A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
W4-4'	E507085-20A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
W5-5'	E507085-21A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
W6-1.5'	E507085-22A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
W7-1'	E507085-23A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
W8-3'	E507085-24A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.
W9-1'	E507085-25A	Soil	07/08/25	07/10/25	Glass Jar, 2 oz.



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

21-1'

E507085-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		91.7 %	70-130	07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		86.9 %	70-130	07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	91.7	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	225	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>		96.3 %	61-141	07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	311	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

22-1'

E507085-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.0 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	83.9 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	376	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	435	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>						
	106 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	2050	200	10	07/09/25	07/10/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

23-4'

E507085-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.8 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	86.2 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	471	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	594	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>						
	107 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	4740	100	5	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

24-4'

E507085-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.2 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	86.4 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	1180	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	1050	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>						
	106 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	355	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

25-2'

E507085-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	93.8 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	88.9 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	2020	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	1650	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>						
	107 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	933	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

26-2'

E507085-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	94.1 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.0 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	696	50.0	2	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	928	100	2	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	104 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	1360	20.0	1	07/09/25	07/10/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

27-2'

E507085-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	94.1 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.0 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	1330	25.0	1	07/09/25	07/10/25	
Oil Range Organics (C28-C36)	1390	50.0	1	07/09/25	07/10/25	
<i>Surrogate: n-Nonane</i>						
	103 %	61-141		07/09/25	07/10/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	637	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

28-2'

E507085-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.1 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	85.4 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	1930	50.0	2	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1300	100	2	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	104 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	587	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

29-4'

E507085-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.2 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.4 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	2340	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1720	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	108 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	486	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

30-4'

E507085-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	91.5 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	85.1 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	2430	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1760	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	108 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	127	20.0	1	07/09/25	07/10/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

31-1.5'

E507085-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	91.1 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	86.3 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	1160	50.0	2	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1620	100	2	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	109 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	522	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

32-1.5'

E507085-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	87.7 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	85.5 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	828	50.0	2	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1410	100	2	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	108 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	3200	200	10	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

33-4'

E507085-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	89.8 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.4 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	2270	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1660	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	108 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	575	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

34-4'

E507085-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	88.2 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	86.8 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	2410	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1820	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	108 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	324	20.0	1	07/09/25	07/10/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

35-4'

E507085-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	89.2 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	85.7 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	1430	50.0	2	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1330	100	2	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	109 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	1070	100	5	07/09/25	07/11/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

36-4'

E507085-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/10/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/10/25	
Toluene	ND	0.0250	1	07/09/25	07/10/25	
o-Xylene	ND	0.0250	1	07/09/25	07/10/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/10/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/10/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	93.7 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/10/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.4 %	70-130		07/09/25	07/10/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	1790	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1410	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	106 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	782	100	5	07/09/25	07/11/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

37-5'

E507085-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	87.6 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.8 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	121	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	234	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	110 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	873	20.0	1	07/09/25	07/11/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

38-5'

E507085-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	88.4 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	85.4 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	134	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	267	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>	111 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	94.2	20.0	1	07/09/25	07/11/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

W3-2'

E507085-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	89.1 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	88.4 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	1770	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	2260	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	108 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	841	20.0	1	07/09/25	07/11/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

W4-4'

E507085-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Benzene	ND	0.0250	1	07/09/25	07/11/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/11/25	
Toluene	ND	0.0250	1	07/09/25	07/11/25	
o-Xylene	ND	0.0250	1	07/09/25	07/11/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/11/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/11/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	90.8 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2528132	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/11/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	85.0 %	70-130		07/09/25	07/11/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528126	
Diesel Range Organics (C10-C28)	373	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	582	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	113 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: AK		Batch: 2528146	
Chloride	466	20.0	1	07/09/25	07/11/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

W5-5'

E507085-21

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528129	
Benzene	ND	0.0250	1	07/09/25	07/12/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/12/25	
Toluene	ND	0.0250	1	07/09/25	07/12/25	
o-Xylene	ND	0.0250	1	07/09/25	07/12/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/12/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/12/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	84.5 %	70-130		07/09/25	07/12/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528129	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/12/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	88.9 %	70-130		07/09/25	07/12/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528123	
Diesel Range Organics (C10-C28)	919	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	1070	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	114 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: IY		Batch: 2528147	
Chloride	638	40.0	2	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

W6-1.5'

E507085-22

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528129	
Benzene	ND	0.0250	1	07/09/25	07/12/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/12/25	
Toluene	ND	0.0250	1	07/09/25	07/12/25	
o-Xylene	ND	0.0250	1	07/09/25	07/12/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/12/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/12/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	83.8 %	70-130		07/09/25	07/12/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528129	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/12/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.4 %	70-130		07/09/25	07/12/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528123	
Diesel Range Organics (C10-C28)	484	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	975	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	112 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: IY		Batch: 2528147	
Chloride	54.8	20.0	1	07/09/25	07/10/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

W7-1'

E507085-23

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528129
Benzene	ND	0.0250	1	07/09/25	07/12/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/12/25	
Toluene	ND	0.0250	1	07/09/25	07/12/25	
o-Xylene	ND	0.0250	1	07/09/25	07/12/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/12/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/12/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	85.2 %	70-130		07/09/25	07/12/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528129
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/12/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	88.8 %	70-130		07/09/25	07/12/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2528123
Diesel Range Organics (C10-C28)	101	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	262	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	113 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528147
Chloride	413	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

W8-3'

E507085-24

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528129	
Benzene	ND	0.0250	1	07/09/25	07/12/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/12/25	
Toluene	ND	0.0250	1	07/09/25	07/12/25	
o-Xylene	ND	0.0250	1	07/09/25	07/12/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/12/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/12/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	83.9 %	70-130		07/09/25	07/12/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528129	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/12/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	88.6 %	70-130		07/09/25	07/12/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: RAS		Batch: 2528123	
Diesel Range Organics (C10-C28)	601	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	885	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	119 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: IY		Batch: 2528147	
Chloride	249	20.0	1	07/09/25	07/10/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:20:36PM

W9-1'

E507085-25

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528129
Benzene	ND	0.0250	1	07/09/25	07/12/25	
Ethylbenzene	ND	0.0250	1	07/09/25	07/12/25	
Toluene	ND	0.0250	1	07/09/25	07/12/25	
o-Xylene	ND	0.0250	1	07/09/25	07/12/25	
p,m-Xylene	ND	0.0500	1	07/09/25	07/12/25	
Total Xylenes	ND	0.0250	1	07/09/25	07/12/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	84.1 %	70-130		07/09/25	07/12/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528129
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/09/25	07/12/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.6 %	70-130		07/09/25	07/12/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2528123
Diesel Range Organics (C10-C28)	278	25.0	1	07/09/25	07/11/25	
Oil Range Organics (C28-C36)	691	50.0	1	07/09/25	07/11/25	
<i>Surrogate: n-Nonane</i>						
	114 %	61-141		07/09/25	07/11/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528147
Chloride	66.2	20.0	1	07/09/25	07/10/25	



## QC Summary Data

Sapac-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:20:36PM

## Volatile Organics by EPA 8021B

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2528129-BLK1)

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.04		8.00		87.9	70-130			

## LCS (2528129-BS1)

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	5.08	0.0250	5.00		102	70-130			
Ethylbenzene	5.08	0.0250	5.00		102	70-130			
Toluene	5.12	0.0250	5.00		102	70-130			
o-Xylene	5.06	0.0250	5.00		101	70-130			
p,m-Xylene	10.2	0.0500	10.0		102	70-130			
Total Xylenes	15.3	0.0250	15.0		102	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.05		8.00		88.1	70-130			

## Matrix Spike (2528129-MS1)

Source: E507082-23

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	4.78	0.0250	5.00	ND	95.6	70-130			
Ethylbenzene	4.75	0.0250	5.00	ND	94.9	70-130			
Toluene	4.80	0.0250	5.00	ND	96.1	70-130			
o-Xylene	4.77	0.0250	5.00	ND	95.5	70-130			
p,m-Xylene	9.61	0.0500	10.0	ND	96.1	70-130			
Total Xylenes	14.4	0.0250	15.0	ND	95.9	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.05		8.00		88.1	70-130			

## Matrix Spike Dup (2528129-MSD1)

Source: E507082-23

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	5.37	0.0250	5.00	ND	107	70-130	11.6	27	
Ethylbenzene	5.33	0.0250	5.00	ND	107	70-130	11.6	26	
Toluene	5.38	0.0250	5.00	ND	108	70-130	11.4	20	
o-Xylene	5.31	0.0250	5.00	ND	106	70-130	10.7	25	
p,m-Xylene	10.7	0.0500	10.0	ND	107	70-130	11.1	23	
Total Xylenes	16.1	0.0250	15.0	ND	107	70-130	11.0	26	
Surrogate: 4-Bromochlorobenzene-PID	6.93		8.00		86.7	70-130			





## QC Summary Data

Sapac-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:20:36PM

## Volatile Organics by EPA 8021B

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2528132-BLK1)

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.65		8.00		95.6	70-130			

## LCS (2528132-BS1)

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	4.83	0.0250	5.00		96.6	70-130			
Ethylbenzene	4.83	0.0250	5.00		96.6	70-130			
Toluene	4.86	0.0250	5.00		97.1	70-130			
o-Xylene	4.88	0.0250	5.00		97.6	70-130			
p,m-Xylene	9.68	0.0500	10.0		96.8	70-130			
Total Xylenes	14.6	0.0250	15.0		97.1	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.52		8.00		94.0	70-130			

## Matrix Spike (2528132-MS1)

Source: E507085-16

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	4.74	0.0250	5.00	ND	94.7	70-130			
Ethylbenzene	4.74	0.0250	5.00	ND	94.9	70-130			
Toluene	4.77	0.0250	5.00	ND	95.3	70-130			
o-Xylene	4.78	0.0250	5.00	ND	95.6	70-130			
p,m-Xylene	9.51	0.0500	10.0	ND	95.1	70-130			
Total Xylenes	14.3	0.0250	15.0	ND	95.2	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.44		8.00		93.0	70-130			

## Matrix Spike Dup (2528132-MSD1)

Source: E507085-16

Prepared: 07/09/25 Analyzed: 07/10/25

Benzene	4.26	0.0250	5.00	ND	85.1	70-130	10.7	27	
Ethylbenzene	4.25	0.0250	5.00	ND	85.1	70-130	10.9	26	
Toluene	4.29	0.0250	5.00	ND	85.7	70-130	10.6	20	
o-Xylene	4.30	0.0250	5.00	ND	85.9	70-130	10.6	25	
p,m-Xylene	8.57	0.0500	10.0	ND	85.7	70-130	10.4	23	
Total Xylenes	12.9	0.0250	15.0	ND	85.7	70-130	10.5	26	
Surrogate: 4-Bromochlorobenzene-PID	7.57		8.00		94.7	70-130			



QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:20:36PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2528129-BLK1) Prepared: 07/09/25 Analyzed: 07/10/25

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.37		8.00		92.2	70-130			

LCS (2528129-BS2) Prepared: 07/09/25 Analyzed: 07/10/25

Gasoline Range Organics (C6-C10)	44.3	20.0	50.0		88.6	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.47		8.00		93.4	70-130			

Matrix Spike (2528129-MS2) Source: E507082-23 Prepared: 07/09/25 Analyzed: 07/11/25

Gasoline Range Organics (C6-C10)	41.0	20.0	50.0	ND	82.0	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.53		8.00		94.1	70-130			

Matrix Spike Dup (2528129-MSD2) Source: E507082-23 Prepared: 07/09/25 Analyzed: 07/11/25

Gasoline Range Organics (C6-C10)	46.7	20.0	50.0	ND	93.4	70-130	13.0	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.49		8.00		93.6	70-130			



## QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	<b>Reported:</b>
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:20:36PM

## Nonhalogenated Organics by EPA 8015D - GRO

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2528132-BLK1)

Prepared: 07/09/25 Analyzed: 07/10/25

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.48		8.00		81.1	70-130			

## LCS (2528132-BS2)

Prepared: 07/09/25 Analyzed: 07/10/25

Gasoline Range Organics (C6-C10)	47.5	20.0	50.0		95.0	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.73		8.00		84.2	70-130			

## Matrix Spike (2528132-MS2)

Source: E507085-16

Prepared: 07/09/25 Analyzed: 07/10/25

Gasoline Range Organics (C6-C10)	51.8	20.0	50.0	ND	104	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.89		8.00		86.1	70-130			

## Matrix Spike Dup (2528132-MSD2)

Source: E507085-16

Prepared: 07/09/25 Analyzed: 07/10/25

Gasoline Range Organics (C6-C10)	48.7	20.0	50.0	ND	97.4	70-130	6.22	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.80		8.00		85.0	70-130			



QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:20:36PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: RAS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2528123-BLK1)	Prepared: 07/09/25 Analyzed: 07/10/25								
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	44.9		50.0		89.8	61-141			

LCS (2528123-BS1)	Prepared: 07/09/25 Analyzed: 07/10/25								
Diesel Range Organics (C10-C28)	245	25.0	250		97.9	66-144			
Surrogate: n-Nonane	45.9		50.0		91.8	61-141			

Matrix Spike (2528123-MS1)					Source: E507082-23	Prepared: 07/09/25 Analyzed: 07/10/25			
Diesel Range Organics (C10-C28)	242	25.0	250	ND	96.6	56-156			
Surrogate: n-Nonane	46.2		50.0		92.5	61-141			

Matrix Spike Dup (2528123-MSD1)					Source: E507082-23	Prepared: 07/09/25 Analyzed: 07/10/25			
Diesel Range Organics (C10-C28)	247	25.0	250	ND	98.9	56-156	2.37	20	
Surrogate: n-Nonane	45.5		50.0		90.9	61-141			





QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:20:36PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: RAS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2528126-BLK1)					Prepared: 07/09/25 Analyzed: 07/10/25				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	45.8		50.0		91.6	61-141			

LCS (2528126-BS1)					Prepared: 07/09/25 Analyzed: 07/10/25				
Diesel Range Organics (C10-C28)	242	25.0	250		96.6	66-144			
Surrogate: n-Nonane	44.7		50.0		89.3	61-141			

Matrix Spike (2528126-MS1)					Source: E507085-14		Prepared: 07/09/25 Analyzed: 07/10/25		
Diesel Range Organics (C10-C28)	2770	25.0	250	2410	144	56-156			
Surrogate: n-Nonane	54.6		50.0		109	61-141			

Matrix Spike Dup (2528126-MSD1)					Source: E507085-14		Prepared: 07/09/25 Analyzed: 07/10/25		
Diesel Range Organics (C10-C28)	2790	25.0	250	2410	151	56-156	0.562	20	
Surrogate: n-Nonane	53.8		50.0		108	61-141			



QC Summary Data

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:20:36PM

Anions by EPA 300.0/9056A

Analyst: AK

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2528146-BLK1)					Prepared: 07/09/25 Analyzed: 07/10/25				
Chloride	ND	20.0							
LCS (2528146-BS1)					Prepared: 07/09/25 Analyzed: 07/10/25				
Chloride	255	20.0	250		102	90-110			
Matrix Spike (2528146-MS1)					Source: E507085-09		Prepared: 07/09/25 Analyzed: 07/10/25		
Chloride	719	20.0	250	486	93.4	80-120			
Matrix Spike Dup (2528146-MSD1)					Source: E507085-09		Prepared: 07/09/25 Analyzed: 07/10/25		
Chloride	737	20.0	250	486	101	80-120	2.46	20	



## QC Summary Data

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	<b>Reported:</b>
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:20:36PM

## Anions by EPA 300.0/9056A

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2528147-BLK1)

Prepared: 07/09/25 Analyzed: 07/10/25

Chloride ND 20.0

## LCS (2528147-BS1)

Prepared: 07/09/25 Analyzed: 07/10/25

Chloride 251 20.0 250 100 90-110

## Matrix Spike (2528147-MS1)

Source: E507083-24

Prepared: 07/09/25 Analyzed: 07/10/25

Chloride 569 20.0 250 272 119 80-120

## Matrix Spike Dup (2528147-MSD1)

Source: E507083-24

Prepared: 07/09/25 Analyzed: 07/10/25

Chloride 566 20.0 250 272 118 80-120 0.547 20

## QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Definitions and Notes

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	
5846 E 21st Place	Project Number:	25038-0001	Reported:
Tulsa OK, 74114	Project Manager:	Tom Bynum	07/14/25 15:20

- ND Analyte NOT DETECTED at or above the reporting limit
  - NR Not Reported
  - RPD Relative Percent Difference
  - DNI Did Not Ignite
  - DNR Did not react with the addition of acid or base.
- Note (1): Methods marked with \*\* are non-accredited methods.
- Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.





## Chain of Custody

Page 3 of 5

Client Information				Invoice Information		Lab Use Only		TAT				State							
Client: Sapec-Eco, LLC				Company: Maverick Permian(Diversified)		Lab WO#	Job Number	1D	2D	3D	Std	NM	CO	UT	TX				
Project Name: Vacuum ABO Battery #2 Release				Bill Category: 106102		E507085	25058-0001		X			X							
Project Manager: Tom Bynum				Property Code: AFE000000005582															
Address: 5846 E 21st Place				ATTN: Bryce Wagoner															
City, State, Zip: Tulsa, OK 74114				Email: bwagoner@dgoc.com															
Phone: 580-748-1613				Miscellaneous: Sapec Project 4-21															
Email: tombynum@sapec-eco.com																			
Sample Information						Analysis and Method						EPA Program							
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TEEQ 1005 - TX	RCRA 8 Metals	BGDQC - NM	BGDQC - TX	SDWA	CWA	RCRA	
2:43 pm	7/8/2025	S	1	21-1'		1								X		3.1			
2:48 pm	7/8/2025	S	1	22-1'		2								X		3.6			
2:55 pm	7/8/2025	S	1	23-4'		3								X		2.8			
3:02 pm	7/8/2025	S	1	24-4'		4								X		2.6			
3:05 pm	7/8/2025	S	1	25-2'		5								X		3.9			
3:09 pm	7/8/2025	S	1	26-2'		6								X		3.8			
3:15 pm	7/8/2025	S	1	27-2'		7								X		4.0			
3:22 pm	7/8/2025	S	1	28-2'		8								X		4.0			
3:27 pm	7/8/2025	S	1	29-4'		9								X		3.6			
3:31 pm	7/8/2025	S	1	30-4'		10								X		3.4			
Additional Instructions: (NAPP2507953016)																			
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																			
Sampled by: Terrell Willard																			
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. Lab Use Only Received on ice: <input checked="" type="radio"/> Y <input type="radio"/> N							
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other																			
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																			
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																			



Client Information				Invoice Information		Lab Use Only		TAT				State						
Client: Sapec-Eco, LLC				Company: Maverick Permian(Diversified)		Lab WO#		1D 2D 3D Std				NM CO UT TX						
Project Name: Vacuum ABO Battery #2 Release				Bill Category: 106102		Job Number		X				X						
Project Manager: Tom Bynum				Property Code: AFE000000005582														
Address: 5846 E 21st Place				ATTN: Bryce Wagoner														
City, State, Zip: Tulsa, OK 74114				Email: bwagoner@dgoc.com														
Phone: 580-748-1613				Miscellaneous: Sapec Project 4-21														
Email: tombynum@sapec-eco.com																		
Sample Information										Analysis and Method				EPA Program				
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TEEQ 1005 - TX	RCRA 8 Metals	BGDOC - NM	BGDOC - TX	SDWA	CWA	RCRA
3:36 pm	7/8/2025	S	1	31-1.5'		11								X		3.6		
3:41 pm	7/8/2025	S	1	32-1.5'		12								X		3.6		
3:45 pm	7/8/2025	S	1	33-4'		13								X		3.0		
3:50 pm	7/8/2025	S	1	34-4'		14								X		2.6		
3:51 pm	7/8/2025	S	1	35-4'		15								X		2.8		
4:02 pm	7/8/2025	S	1	36-4'		16								X		2.4		
4:09 pm	7/8/2025	S	1	37-5'		17								X		2.0		
4:14 pm	7/8/2025	S	1	38-5'		18								X		1.8		
4:18 pm	7/8/2025	S	1	W3-2'		19								X		2.2		
4:24 pm	7/8/2025	S	1	W4-4'		20								X		2.6		
Additional Instructions: (NAPP2507953016)																		
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																		
Sampled by: Terrell Willyard																		
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. Lab Use Only Received on ice: <input checked="" type="radio"/> Y <input type="radio"/> N						
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time								
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time								
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time								
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time								
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other																		
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																		
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																		

[illegible]



## Envirotech Analytical Laboratory

Printed: 7/10/2025 9:55:56AM

## Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Sapac-Eco, LLC	Date Received:	07/10/25 07:00	Work Order ID:	E507085
Phone:	(580) 748-1613	Date Logged In:	07/09/25 15:28	Logged In By:	Noe Soto
Email:	tombynum@sapac-eco.com	Due Date:	07/11/25 17:00 (1 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? No
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/Resolution

Project Vacuum ABO Battery #2 Release has been separated into 2 reports due to sample volume. WOs are E507084-E507085. Time sampled missing on sample #25.

Sample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
  - Sample ID? Yes
  - Date/Time Collected? Yes
  - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:  
Tom Bynum



# envirotech

*Practical Solutions for a Better Tomorrow*

## Analytical Report

Saptec-Eco, LLC

Project Name: Vacuum ABO Battery #2 Release

Work Order: E507095

Job Number: 25038-0001

Received: 7/11/2025

Revision: 1

Report Reviewed By:

Walter Hinchman  
Laboratory Director  
7/14/25

5796 U.S. Hwy 64  
Farmington, NM 87401

Phone: (505) 632-1881  
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.  
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.  
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.  
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 7/14/25



Tom Bynum  
5846 E 21st Place  
Tulsa, OK 74114

Project Name: Vacuum ABO Battery #2 Release  
Workorder: E507095  
Date Received: 7/11/2025 7:15:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 7/11/2025 7:15:00AM, under the Project Name: Vacuum ABO Battery #2 Release.

The analytical test results summarized in this report with the Project Name: Vacuum ABO Battery #2 Release apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

**Walter Hinchman**  
Laboratory Director  
Office: 505-632-1881  
Cell: 775-287-1762  
[whinchman@envirotech-inc.com](mailto:whinchman@envirotech-inc.com)

**Raina Schwanz**  
Laboratory Administrator  
Office: 505-632-1881  
[rainaschwanz@envirotech-inc.com](mailto:rainaschwanz@envirotech-inc.com)

Field Offices:

**Southern New Mexico Area**

**Lynn Jarboe**  
Laboratory Technical Representative  
Office: 505-421-LABS(5227)  
Cell: 505-320-4759  
[ljjarboe@envirotech-inc.com](mailto:ljjarboe@envirotech-inc.com)

**Michelle Gonzales**  
Client Representative  
Office: 505-421-LABS(5227)  
Cell: 505-947-8222  
[mgonzales@envirotech-inc.com](mailto:mgonzales@envirotech-inc.com)

Envirotech Web Address: [www.envirotech-inc.com](http://www.envirotech-inc.com)



## Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
D2-7'	6
D5-4.5'	7
D6-4.5'	8
H1-Surface	9
H1-2'	10
H1-4'	11
H2-Surface	12
H2-2'	13
H2-4'	14
H3-Surface	15
H3-2'	16
H3-4'	17
H4- Surface	18
H4-2'	19
H4-4'	20
QC Summary Data	21
QC - Volatile Organics by EPA 8021B	21
QC - Nonhalogenated Organics by EPA 8015D - GRO	22
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	23
QC - Anions by EPA 300.0/9056A	24

Table of Contents (continued)

Definitions and Notes	25
Chain of Custody etc.	26

## Sample Summary

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	07/14/25 15:22

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
D2-7'	E507095-01A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
D5-4.5'	E507095-02A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
D6-4.5'	E507095-03A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H1-Surface	E507095-04A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H1-2'	E507095-05A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H1-4'	E507095-06A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H2-Surface	E507095-07A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H2-2'	E507095-08A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H2-4'	E507095-09A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H3-Surface	E507095-10A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H3-2'	E507095-11A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H3-4'	E507095-12A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H4- Surface	E507095-13A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H4-2'	E507095-14A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.
H4-4'	E507095-15A	Soil	07/09/25	07/11/25	Glass Jar, 2 oz.



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

D2-7'

E507095-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2528160	
Benzene	ND	0.0250	1	07/11/25	07/13/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/13/25	
Toluene	ND	0.0250	1	07/11/25	07/13/25	
o-Xylene	ND	0.0250	1	07/11/25	07/13/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/13/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/13/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	85.0 %	70-130		07/11/25	07/13/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2528160	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/13/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	89.8 %	70-130		07/11/25	07/13/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: NV		Batch: 2528166	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>	94.1 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: IY		Batch: 2528163	
Chloride	ND	20.0	1	07/11/25	07/11/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

D5-4.5'

E507095-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		86.1 %	70-130	07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		90.2 %	70-130	07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
		93.1 %	61-141	07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/12/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

D6-4.5'

E507095-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	86.6 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.8 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	91.3 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/12/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

## H1-Surface

E507095-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	86.2 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.9 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	51.2	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	90.1 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/11/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

## H1-2'

## E507095-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	86.2 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	90.4 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	92.4 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/12/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

H1-4'

E507095-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	84.5 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	88.9 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	90.4 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/12/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

## H2-Surface

E507095-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	86.5 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	90.1 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	91.8 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/12/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

## H2-2'

## E507095-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528160	
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	84.6 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528160	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.9 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: NV		Batch: 2528166	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	90.1 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: IY		Batch: 2528163	
Chloride	ND	20.0	1	07/11/25	07/12/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

H2-4'

E507095-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/13/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/13/25	
Toluene	ND	0.0250	1	07/11/25	07/13/25	
o-Xylene	ND	0.0250	1	07/11/25	07/13/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/13/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/13/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	85.8 %	70-130		07/11/25	07/13/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/13/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.9 %	70-130		07/11/25	07/13/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	91.7 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/12/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

## H3-Surface

## E507095-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	85.1 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.8 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	92.3 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/12/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

## H3-2'

## E507095-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528160	
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	84.4 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2528160	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	90.5 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: NV		Batch: 2528166	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	92.0 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: IY		Batch: 2528163	
Chloride	ND	20.0	1	07/11/25	07/12/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

H3-4'

E507095-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	85.4 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.7 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	90.7 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/12/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

## H4- Surface

## E507095-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>		mg/kg	mg/kg	Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		84.0 %	70-130	07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>		mg/kg	mg/kg	Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		90.1 %	70-130	07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>		mg/kg	mg/kg	Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>		92.1 %	61-141	07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>		mg/kg	mg/kg	Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/12/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

## H4-2'

## E507095-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	85.7 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	90.4 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	96.6 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/12/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/14/2025 3:22:15PM

## H4-4'

## E507095-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Benzene	ND	0.0250	1	07/11/25	07/14/25	
Ethylbenzene	ND	0.0250	1	07/11/25	07/14/25	
Toluene	ND	0.0250	1	07/11/25	07/14/25	
o-Xylene	ND	0.0250	1	07/11/25	07/14/25	
p,m-Xylene	ND	0.0500	1	07/11/25	07/14/25	
Total Xylenes	ND	0.0250	1	07/11/25	07/14/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	84.1 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2528160
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/11/25	07/14/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.6 %	70-130		07/11/25	07/14/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2528166
Diesel Range Organics (C10-C28)	ND	25.0	1	07/11/25	07/13/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/11/25	07/13/25	
<i>Surrogate: n-Nonane</i>						
	91.8 %	61-141		07/11/25	07/13/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: IY		Batch: 2528163
Chloride	ND	20.0	1	07/11/25	07/12/25	



## QC Summary Data

Sapac-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:22:15PM

## Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2528160-BLK1)

Prepared: 07/11/25 Analyzed: 07/13/25

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	6.87		8.00		85.9	70-130			

## LCS (2528160-BS1)

Prepared: 07/11/25 Analyzed: 07/13/25

Benzene	5.09	0.0250	5.00		102	70-130			
Ethylbenzene	5.05	0.0250	5.00		101	70-130			
Toluene	5.10	0.0250	5.00		102	70-130			
o-Xylene	5.01	0.0250	5.00		100	70-130			
p,m-Xylene	10.2	0.0500	10.0		102	70-130			
Total Xylenes	15.2	0.0250	15.0		101	70-130			
Surrogate: 4-Bromochlorobenzene-PID	6.88		8.00		86.0	70-130			

## Matrix Spike (2528160-MS1)

Source: E507095-05

Prepared: 07/11/25 Analyzed: 07/13/25

Benzene	4.32	0.0250	5.00	ND	86.4	70-130			
Ethylbenzene	4.27	0.0250	5.00	ND	85.4	70-130			
Toluene	4.33	0.0250	5.00	ND	86.5	70-130			
o-Xylene	4.25	0.0250	5.00	ND	85.0	70-130			
p,m-Xylene	8.65	0.0500	10.0	ND	86.5	70-130			
Total Xylenes	12.9	0.0250	15.0	ND	86.0	70-130			
Surrogate: 4-Bromochlorobenzene-PID	6.98		8.00		87.3	70-130			

## Matrix Spike Dup (2528160-MSD1)

Source: E507095-05

Prepared: 07/11/25 Analyzed: 07/13/25

Benzene	3.95	0.0250	5.00	ND	79.1	70-130	8.86	27	
Ethylbenzene	3.89	0.0250	5.00	ND	77.8	70-130	9.27	26	
Toluene	3.94	0.0250	5.00	ND	78.8	70-130	9.33	20	
o-Xylene	3.85	0.0250	5.00	ND	76.9	70-130	10.0	25	
p,m-Xylene	7.88	0.0500	10.0	ND	78.8	70-130	9.35	23	
Total Xylenes	11.7	0.0250	15.0	ND	78.2	70-130	9.57	26	
Surrogate: 4-Bromochlorobenzene-PID	6.84		8.00		85.5	70-130			



QC Summary Data

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:22:15PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2528160-BLK1) Prepared: 07/11/25 Analyzed: 07/13/25

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.16		8.00		89.5	70-130			

LCS (2528160-BS2) Prepared: 07/11/25 Analyzed: 07/13/25

Gasoline Range Organics (C6-C10)	42.2	20.0	50.0		84.4	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.30		8.00		91.3	70-130			

Matrix Spike (2528160-MS2) Source: E507095-05 Prepared: 07/11/25 Analyzed: 07/13/25

Gasoline Range Organics (C6-C10)	40.8	20.0	50.0	ND	81.6	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.29		8.00		91.1	70-130			

Matrix Spike Dup (2528160-MSD2) Source: E507095-05 Prepared: 07/11/25 Analyzed: 07/13/25

Gasoline Range Organics (C6-C10)	44.0	20.0	50.0	ND	88.0	70-130	7.62	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.28		8.00		91.0	70-130			





## QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:22:15PM

## Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: NV

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2528166-BLK1)

Prepared: 07/11/25 Analyzed: 07/12/25

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	45.9		50.0		91.8	61-141			

## LCS (2528166-BS1)

Prepared: 07/11/25 Analyzed: 07/12/25

Diesel Range Organics (C10-C28)	240	25.0	250		95.9	66-144			
Surrogate: n-Nonane	45.4		50.0		90.9	61-141			

## Matrix Spike (2528166-MS1)

Source: E507081-02

Prepared: 07/11/25 Analyzed: 07/12/25

Diesel Range Organics (C10-C28)	304	25.0	250	ND	122	56-156			
Surrogate: n-Nonane	55.2		50.0		110	61-141			

## Matrix Spike Dup (2528166-MSD1)

Source: E507081-02

Prepared: 07/11/25 Analyzed: 07/12/25

Diesel Range Organics (C10-C28)	299	25.0	250	ND	120	56-156	1.80	20	
Surrogate: n-Nonane	54.1		50.0		108	61-141			



QC Summary Data

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/14/2025 3:22:15PM

Anions by EPA 300.0/9056A

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2528163-BLK1)					Prepared: 07/11/25 Analyzed: 07/11/25				
Chloride	ND	20.0							
LCS (2528163-BS1)					Prepared: 07/11/25 Analyzed: 07/11/25				
Chloride	256	20.0	250		102	90-110			
Matrix Spike (2528163-MS1)					Source: E507095-04		Prepared: 07/11/25 Analyzed: 07/11/25		
Chloride	255	20.0	250	ND	102	80-120			
Matrix Spike Dup (2528163-MSD1)					Source: E507095-04		Prepared: 07/11/25 Analyzed: 07/11/25		
Chloride	254	20.0	250	ND	102	80-120	0.184	20	

QC Summary Report Comment:  
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.  
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	
5846 E 21st Place	Project Number:	25038-0001	Reported:
Tulsa OK, 74114	Project Manager:	Tom Bynum	07/14/25 15:22

- ND Analyte NOT DETECTED at or above the reporting limit
  - NR Not Reported
  - RPD Relative Percent Difference
  - DNI Did Not Ignite
  - DNR Did not react with the addition of acid or base.
- Note (1): Methods marked with \*\* are non-accredited methods.
- Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.

Client Information				Invoice Information		Lab Use Only		TAT		State									
Client: Sapec-Eco, LLC				Company: Maverick Permian(Diversified)		Lab WO#	Job Number	1D	2D	3D	Std	NM	CO	UT	TX				
Project Name: Vacuum ABO Battery #2 Release				Bill Category: 106102		E507095	25038-0001		X			X							
Project Manager: Tom Bynum				Property Code: AFE000000005582															
Address: 5846 E 21st Place				ATTN: Bryce Wagoner															
City, State, Zip: Tulsa, OK 74114				Email: bwagoner@dgoc.com															
Phone: 580-748-1613				Miscellaneous: Project 4-21															
Email: tombynum@sapec-eco.com																			
Sample Information						Analysis and Method								EPA Program					
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TEQ 1005 - TX	RCRA 8 Metals	BGDOC - NM	BGDOC - TX	SDWA	CWA	RCRA	
11:00	7-9-25	S	1	D2-7'		1								X					
11:15	7-9-25	S	1	D5-4.5'		2								X					
11:30	7-9-25	S	1	D6-4.5'		3								X					
11:35	7-9-25	S	1	H1-Surface		4								X					
11:45	7-9-25	S	1	H1-2'		5								X					
11:55	7-9-25	S	1	H1-4'		6								X					
12:00	7-9-25	S	1	H2-Surface		7								X					
12:10	7-9-25	S	1	H2-2'		8								X					
12:25	7-9-25	S	1	H2-4'		9								X					
12:30	7-9-25	S	1	H3-Surface		10								X					
Additional Instructions: NAPP25079533016																			
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																			
Sampled by: Terrell Wilkerson																			
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. Lab Use Only Received on ice: O/N							
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other																			
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																			
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																			



Client Information				Invoice Information				Lab Use Only				TAT				State							
Client: Sapec-Eco, LLC				Company: Maverick Permian(Diversified)				Lab WO# E507095				Job Number 25038-0001				1D 2D 3D Std							
Project Name: Vacuum ABO Battery #2 Release				Bill Category: 106102								X				NM CO UT TX							
Project Manager: Tom Bynum				Property Code: AFE000000005582																			
Address: 5846 E 21st Place				ATTN: Bryce Wagoner																			
City, State, Zip: Tulsa, OK 74114				Email: bwagoner@dgoc.com																			
Phone: 580-748-1613				Miscellaneous: Project 4-21																			
Email: tombynum@sapec-eco.com																							
Sample Information												Analysis and Method								EPA Program			
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TCEQ 1005 - TX	RCRA 8 Metals	BGDOC - NM	BGDOC - TX	SDWA	CWA	RCRA					
12:45	7-9-25	S	1	H3-2'		11								X									
1:00	7-9-25	S	1	H3-4'		12								X									
1:05	7-9-25	S	1	H4-Surface		13								X									
1:20	7-9-25	S	1	H4-2'		14								X									
1:30	7-9-25	S	1	H4-4'		15								X									
Additional Instructions: NAPP2507953016																							
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																							
Sampled by: Terrell Willyard																							
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. Lab Use Only Received on ice: <input checked="" type="radio"/> N							
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time									
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time									
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time									
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time									
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____																							
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																							
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																							



## Envirotech Analytical Laboratory

Printed: 7/11/2025 9:06:31AM

## Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Sapec-Eco, LLC	Date Received:	07/11/25 07:15	Work Order ID:	E507095
Phone:	(580) 748-1613	Date Logged In:	07/10/25 15:21	Logged In By:	Caitlin Mars
Email:	tombynum@sapec-eco.com	Due Date:	07/14/25 17:00 (1 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
  - Sample ID? Yes
  - Date/Time Collected? Yes
  - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:  
Tom Bynum



5796 U.S. Hwy 64  
Farmington, NM 87401

Phone: (505) 632-1881  
Envirotech-inc.com



# envirotech

*Practical Solutions for a Better Tomorrow*

## Analytical Report

Sapec-Eco, LLC

Project Name: Vacuum ABO Battery #2 Release

Work Order: E507311

Job Number: 25038-0001

Received: 7/28/2025

Revision: 1

Report Reviewed By:

Walter Hinchman  
Laboratory Director  
7/29/25

Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.  
Statement of Data Authenticity: Envirotech Inc, attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.  
Envirotech Inc, holds the Utah TNI certification NM00979 for data reported.  
Envirotech Inc, holds the Texas TNI certification T104704557 for data reported.

Date Reported: 7/29/25



Tom Bynum  
5846 E 21st Place  
Tulsa, OK 74114

Project Name: Vacuum ABO Battery #2 Release  
Workorder: E507311  
Date Received: 7/28/2025 7:30:51AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 7/28/2025 7:30:51AM, under the Project Name: Vacuum ABO Battery #2 Release.

The analytical test results summarized in this report with the Project Name: Vacuum ABO Battery #2 Release apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

**Walter Hinchman**  
Laboratory Director  
Office: 505-632-1881  
Cell: 775-287-1762  
[whinchman@envirotech-inc.com](mailto:whinchman@envirotech-inc.com)

**Raina Schwanz**  
Laboratory Administrator  
Office: 505-632-1881  
[rainaschwanz@envirotech-inc.com](mailto:rainaschwanz@envirotech-inc.com)

Field Offices:

**Southern New Mexico Area**

**Lynn Jarboe**  
Laboratory Technical Representative  
Office: 505-421-LABS(5227)  
Cell: 505-320-4759  
[ljjarboe@envirotech-inc.com](mailto:ljjarboe@envirotech-inc.com)

**Michelle Gonzales**  
Client Representative  
Office: 505-421-LABS(5227)  
Cell: 505-947-8222  
[mgonzales@envirotech-inc.com](mailto:mgonzales@envirotech-inc.com)

Envirotech Web Address: [www.envirotech-inc.com](http://www.envirotech-inc.com)

## Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
1-2'	6
3-2'	7
4-2'	8
5-2'	9
6-2'	10
8-2'	11
11- <del>2</del> -4'	12
12- <del>2</del> -4' <i>TB</i>	13
13- <del>2</del> -4'	14
24-5'	15
25-3'	16
27-3'	17
28-3'	18
29-5'	19
30-5'	20
31-2'	21
32-2'	22
33-5'	23
34-5'	24
35-5'	25

## Table of Contents (continued)

36-5'	26
W3-3'	27
QC Summary Data	28
QC - Volatile Organics by EPA 8021B	28
QC - Nonhalogenated Organics by EPA 8015D - GRO	30
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	32
QC - Anions by EPA 300.0/9056A	34
Definitions and Notes	36
Chain of Custody etc.	37



## Sample Summary

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
07/29/25 14:52

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
1-2'	E507311-01A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
3-2'	E507311-02A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
4-2'	E507311-03A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
5-2'	E507311-04A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
6-2'	E507311-05A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
8-2'	E507311-06A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
11- <del>X</del> 4'	E507311-07A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
12- <del>X</del> 4'	E507311-08A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
13- <del>X</del> 4'	E507311-09A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
24-5'	E507311-10A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
25-3'	E507311-11A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
27-3'	E507311-12A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
28-3'	E507311-13A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
29-5'	E507311-14A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
30-5'	E507311-15A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
31-2'	E507311-16A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
32-2'	E507311-17A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
33-5'	E507311-18A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
34-5'	E507311-19A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
35-5'	E507311-20A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
36-5'	E507311-21A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.
W3-3'	E507311-22A	Soil	07/24/25	07/28/25	Glass Jar, 2 oz.



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

1-2'

E507311-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2531011	
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		97.1 %	70-130	07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2531011	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		102 %	70-130	07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: NV		Batch: 2531041	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/28/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/28/25	
<i>Surrogate: n-Nonane</i>		96.3 %	61-141	07/28/25	07/28/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: DT		Batch: 2531006	
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

3-2'

E507311-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2531011	
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.6 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2531011	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	102 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: NV		Batch: 2531041	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/28/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/28/25	
<i>Surrogate: n-Nonane</i>						
	92.9 %	61-141		07/28/25	07/28/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2531006	
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

4-2'

E507311-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.6 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	101 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/28/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/28/25	
<i>Surrogate: n-Nonane</i>						
	92.3 %	61-141		07/28/25	07/28/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

5-2'

E507311-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.1 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	101 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/28/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/28/25	
<i>Surrogate: n-Nonane</i>						
	91.9 %	61-141		07/28/25	07/28/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

6-2'

E507311-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2531011	
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	96.1 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2531011	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	103 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: NV		Batch: 2531041	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/28/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/28/25	
<i>Surrogate: n-Nonane</i>						
	92.9 %	61-141		07/28/25	07/28/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: DT		Batch: 2531006	
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

8-2'

E507311-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.0 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	99.5 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>						
	93.9 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

11-X-4'  
E507311-07 TB

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
Surrogate: 4-Bromochlorobenzene-PID	99.2 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
Surrogate: 1-Chloro-4-fluorobenzene-FID	99.9 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
Surrogate: n-Nonane	93.3 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

12-~~X~~-4-~~7~~8  
E507311-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
Surrogate: 4-Bromochlorobenzene-PID	97.4 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
Surrogate: 1-Chloro-4-fluorobenzene-FID	101 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
Surrogate: n-Nonane	94.5 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

13-X-4'  
E507311-09 TB

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
Surrogate: 4-Bromochlorobenzene-PID		101 %	70-130	07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
Surrogate: 1-Chloro-4-fluorobenzene-FID		101 %	70-130	07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
Surrogate: n-Nonane		95.4 %	61-141	07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

24-5'

E507311-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.9 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	99.4 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>						
	95.8 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

25-3'

E507311-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
Surrogate: 4-Bromochlorobenzene-PID	99.4 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
Surrogate: 1-Chloro-4-fluorobenzene-FID	98.5 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
Surrogate: n-Nonane	94.9 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

27-3'

E507311-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	96.9 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	97.6 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>						
	92.2 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

28-3'

E507311-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
Surrogate: 4-Bromochlorobenzene-PID	99.3 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
Surrogate: 1-Chloro-4-fluorobenzene-FID	103 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
Surrogate: n-Nonane	90.1 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

29-5'

E507311-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.8 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	98.6 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>						
	94.2 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

30-5'

E507311-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	95.8 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	101 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>						
	96.9 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

31-2'

E507311-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/28/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/28/25	
Toluene	ND	0.0250	1	07/28/25	07/28/25	
o-Xylene	ND	0.0250	1	07/28/25	07/28/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/28/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/28/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.7 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/28/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	102 %	70-130		07/28/25	07/28/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>						
	94.2 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

32-2'

E507311-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2531011	
Benzene	ND	0.0250	1	07/28/25	07/29/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/29/25	
Toluene	ND	0.0250	1	07/28/25	07/29/25	
o-Xylene	ND	0.0250	1	07/28/25	07/29/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/29/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/29/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		97.1 %	70-130	07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2531011	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/29/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		101 %	70-130	07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: NV		Batch: 2531041	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>		89.9 %	61-141	07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: DT		Batch: 2531006	
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

33-5'

E507311-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/29/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/29/25	
Toluene	ND	0.0250	1	07/28/25	07/29/25	
o-Xylene	ND	0.0250	1	07/28/25	07/29/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/29/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/29/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.7 %	70-130		07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/29/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	102 %	70-130		07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>						
	90.9 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

34-5'

E507311-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/29/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/29/25	
Toluene	ND	0.0250	1	07/28/25	07/29/25	
o-Xylene	ND	0.0250	1	07/28/25	07/29/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/29/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/29/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	95.6 %	70-130		07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/29/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	102 %	70-130		07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>						
	93.3 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

35-5'

E507311-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Benzene	ND	0.0250	1	07/28/25	07/29/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/29/25	
Toluene	ND	0.0250	1	07/28/25	07/29/25	
o-Xylene	ND	0.0250	1	07/28/25	07/29/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/29/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/29/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	96.4 %	70-130		07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2531011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/29/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	101 %	70-130		07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2531041
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>						
	93.2 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2531006
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

36-5'

E507311-21

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2531012	
Benzene	ND	0.0250	1	07/28/25	07/29/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/29/25	
Toluene	ND	0.0250	1	07/28/25	07/29/25	
o-Xylene	ND	0.0250	1	07/28/25	07/29/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/29/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/29/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.0 %	70-130		07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: BA		Batch: 2531012	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/29/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	94.6 %	70-130		07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2531040	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>						
	104 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: JM		Batch: 2531008	
Chloride	ND	20.0	1	07/28/25	07/28/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25038-0001  
Project Manager: Tom Bynum

**Reported:**  
7/29/2025 2:52:04PM

W3-3'

E507311-22

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2531012
Benzene	ND	0.0250	1	07/28/25	07/29/25	
Ethylbenzene	ND	0.0250	1	07/28/25	07/29/25	
Toluene	ND	0.0250	1	07/28/25	07/29/25	
o-Xylene	ND	0.0250	1	07/28/25	07/29/25	
p,m-Xylene	ND	0.0500	1	07/28/25	07/29/25	
Total Xylenes	ND	0.0250	1	07/28/25	07/29/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.9 %	70-130		07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2531012
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/28/25	07/29/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	94.6 %	70-130		07/28/25	07/29/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KH		Batch: 2531040
Diesel Range Organics (C10-C28)	ND	25.0	1	07/28/25	07/29/25	
Oil Range Organics (C28-C36)	ND	50.0	1	07/28/25	07/29/25	
<i>Surrogate: n-Nonane</i>						
	103 %	61-141		07/28/25	07/29/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: JM		Batch: 2531008
Chloride	ND	20.0	1	07/28/25	07/28/25	



## QC Summary Data

Sapac-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/29/2025 2:52:04PM

## Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2531011-BLK1)

Prepared: 07/28/25 Analyzed: 07/28/25

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.74		8.00		96.8	70-130			

## LCS (2531011-BS1)

Prepared: 07/28/25 Analyzed: 07/28/25

Benzene	4.65	0.0250	5.00		93.1	70-130			
Ethylbenzene	4.61	0.0250	5.00		92.2	70-130			
Toluene	4.64	0.0250	5.00		92.7	70-130			
o-Xylene	4.64	0.0250	5.00		92.8	70-130			
p,m-Xylene	9.38	0.0500	10.0		93.8	70-130			
Total Xylenes	14.0	0.0250	15.0		93.5	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.69		8.00		96.1	70-130			

## Matrix Spike (2531011-MS1)

Source: E507311-05

Prepared: 07/28/25 Analyzed: 07/28/25

Benzene	4.44	0.0250	5.00	ND	88.7	70-130			
Ethylbenzene	4.39	0.0250	5.00	ND	87.9	70-130			
Toluene	4.42	0.0250	5.00	ND	88.4	70-130			
o-Xylene	4.42	0.0250	5.00	ND	88.4	70-130			
p,m-Xylene	8.95	0.0500	10.0	ND	89.5	70-130			
Total Xylenes	13.4	0.0250	15.0	ND	89.1	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.59		8.00		94.9	70-130			

## Matrix Spike Dup (2531011-MSD1)

Source: E507311-05

Prepared: 07/28/25 Analyzed: 07/28/25

Benzene	5.04	0.0250	5.00	ND	101	70-130	12.8	27	
Ethylbenzene	5.00	0.0250	5.00	ND	100	70-130	12.9	26	
Toluene	5.03	0.0250	5.00	ND	101	70-130	12.9	20	
o-Xylene	5.01	0.0250	5.00	ND	100	70-130	12.4	25	
p,m-Xylene	10.2	0.0500	10.0	ND	102	70-130	12.8	23	
Total Xylenes	15.2	0.0250	15.0	ND	101	70-130	12.7	26	
Surrogate: 4-Bromochlorobenzene-PID	7.75		8.00		96.8	70-130			



## QC Summary Data

Sapac-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/29/2025 2:52:04PM

## Volatile Organics by EPA 8021B

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2531012-BLK1)

Prepared: 07/28/25 Analyzed: 07/28/25

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.96		8.00		99.5	70-130			

## LCS (2531012-BS1)

Prepared: 07/28/25 Analyzed: 07/28/25

Benzene	5.63	0.0250	5.00		113	70-130			
Ethylbenzene	5.44	0.0250	5.00		109	70-130			
Toluene	5.56	0.0250	5.00		111	70-130			
o-Xylene	5.33	0.0250	5.00		107	70-130			
p,m-Xylene	10.9	0.0500	10.0		109	70-130			
Total Xylenes	16.2	0.0250	15.0		108	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.99		8.00		99.9	70-130			

## Matrix Spike (2531012-MS1)

Source: E507312-03

Prepared: 07/28/25 Analyzed: 07/29/25

Benzene	5.25	0.0250	5.00	ND	105	70-130			
Ethylbenzene	5.07	0.0250	5.00	ND	101	70-130			
Toluene	5.19	0.0250	5.00	ND	104	70-130			
o-Xylene	4.96	0.0250	5.00	ND	99.3	70-130			
p,m-Xylene	10.2	0.0500	10.0	ND	102	70-130			
Total Xylenes	15.2	0.0250	15.0	ND	101	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.93		8.00		99.2	70-130			

## Matrix Spike Dup (2531012-MSD1)

Source: E507312-03

Prepared: 07/28/25 Analyzed: 07/29/25

Benzene	5.28	0.0250	5.00	ND	106	70-130	0.444	27	
Ethylbenzene	5.10	0.0250	5.00	ND	102	70-130	0.520	26	
Toluene	5.21	0.0250	5.00	ND	104	70-130	0.460	20	
o-Xylene	4.99	0.0250	5.00	ND	99.9	70-130	0.627	25	
p,m-Xylene	10.2	0.0500	10.0	ND	102	70-130	0.420	23	
Total Xylenes	15.2	0.0250	15.0	ND	102	70-130	0.488	26	
Surrogate: 4-Bromochlorobenzene-PID	7.91		8.00		98.9	70-130			





QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/29/2025 2:52:04PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2531011-BLK1) Prepared: 07/28/25 Analyzed: 07/28/25

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.16		8.00		102	70-130			

LCS (2531011-BS2) Prepared: 07/28/25 Analyzed: 07/28/25

Gasoline Range Organics (C6-C10)	52.0	20.0	50.0		104	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.94		8.00		99.3	70-130			

Matrix Spike (2531011-MS2) Source: E507311-05 Prepared: 07/28/25 Analyzed: 07/28/25

Gasoline Range Organics (C6-C10)	52.5	20.0	50.0	ND	105	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.16		8.00		102	70-130			

Matrix Spike Dup (2531011-MSD2) Source: E507311-05 Prepared: 07/28/25 Analyzed: 07/28/25

Gasoline Range Organics (C6-C10)	54.3	20.0	50.0	ND	109	70-130	3.44	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.92		8.00		99.0	70-130			



QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/29/2025 2:52:04PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2531012-BLK1) Prepared: 07/28/25 Analyzed: 07/28/25

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.50		8.00		93.7	70-130			

LCS (2531012-BS2) Prepared: 07/28/25 Analyzed: 07/28/25

Gasoline Range Organics (C6-C10)	50.7	20.0	50.0		101	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.66		8.00		95.7	70-130			

Matrix Spike (2531012-MS2) Source: E507312-03 Prepared: 07/28/25 Analyzed: 07/29/25

Gasoline Range Organics (C6-C10)	51.3	20.0	50.0	ND	103	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.62		8.00		95.2	70-130			

Matrix Spike Dup (2531012-MSD2) Source: E507312-03 Prepared: 07/28/25 Analyzed: 07/29/25

Gasoline Range Organics (C6-C10)	52.3	20.0	50.0	ND	105	70-130	2.08	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.64		8.00		95.5	70-130			



QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/29/2025 2:52:04PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KH

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2531040-BLK1)					Prepared: 07/28/25 Analyzed: 07/29/25				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	50.0		50.0		99.9	61-141			

LCS (2531040-BS1)					Prepared: 07/28/25 Analyzed: 07/29/25				
Diesel Range Organics (C10-C28)	286	25.0	250		115	66-144			
Surrogate: n-Nonane	51.1		50.0		102	61-141			

Matrix Spike (2531040-MS1)					Source: E507312-01		Prepared: 07/28/25 Analyzed: 07/29/25		
Diesel Range Organics (C10-C28)	296	25.0	250	ND	118	56-156			
Surrogate: n-Nonane	52.8		50.0		106	61-141			

Matrix Spike Dup (2531040-MSD1)					Source: E507312-01		Prepared: 07/28/25 Analyzed: 07/29/25		
Diesel Range Organics (C10-C28)	291	25.0	250	ND	116	56-156	1.82	20	
Surrogate: n-Nonane	52.8		50.0		106	61-141			



QC Summary Data

Sapec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/29/2025 2:52:04PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: NV

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2531041-BLK1) Prepared: 07/28/25 Analyzed: 07/28/25

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	44.9		50.0		89.8	61-141			

LCS (2531041-BS1) Prepared: 07/28/25 Analyzed: 07/28/25

Diesel Range Organics (C10-C28)	241	25.0	250		96.4	66-144			
Surrogate: n-Nonane	45.2		50.0		90.3	61-141			

Matrix Spike (2531041-MS1) Source: E507311-03 Prepared: 07/28/25 Analyzed: 07/28/25

Diesel Range Organics (C10-C28)	253	25.0	250	ND	101	56-156			
Surrogate: n-Nonane	47.1		50.0		94.1	61-141			

Matrix Spike Dup (2531041-MSD1) Source: E507311-03 Prepared: 07/28/25 Analyzed: 07/28/25

Diesel Range Organics (C10-C28)	248	25.0	250	ND	99.2	56-156	1.85	20	
Surrogate: n-Nonane	46.6		50.0		93.3	61-141			



QC Summary Data

Sapac-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/29/2025 2:52:04PM

Anions by EPA 300.0/9056A

Analyst: DT

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2531006-BLK1)					Prepared: 07/28/25 Analyzed: 07/28/25				
Chloride	ND	20.0							
LCS (2531006-BS1)					Prepared: 07/28/25 Analyzed: 07/28/25				
Chloride	250	20.0	250		100	90-110			
Matrix Spike (2531006-MS1)					Source: E507311-04		Prepared: 07/28/25 Analyzed: 07/28/25		
Chloride	252	20.0	250	ND	101	80-120			
Matrix Spike Dup (2531006-MSD1)					Source: E507311-04		Prepared: 07/28/25 Analyzed: 07/28/25		
Chloride	252	20.0	250	ND	101	80-120	0.165	20	





QC Summary Data

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25038-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	7/29/2025 2:52:04PM

Anions by EPA 300.0/9056A

Analyst: JM

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2531008-BLK1)					Prepared: 07/28/25 Analyzed: 07/28/25				
Chloride	ND	20.0							
LCS (2531008-BS1)					Prepared: 07/28/25 Analyzed: 07/28/25				
Chloride	251	20.0	250		100	90-110			
Matrix Spike (2531008-MS1)					Source: E507295-05		Prepared: 07/28/25 Analyzed: 07/28/25		
Chloride	343	20.0	250	92.4	100	80-120			
Matrix Spike Dup (2531008-MSD1)					Source: E507295-05		Prepared: 07/28/25 Analyzed: 07/28/25		
Chloride	343	20.0	250	92.4	100	80-120	0.118	20	

QC Summary Report Comment:  
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.  
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	
5846 E 21st Place	Project Number:	25038-0001	Reported:
Tulsa OK, 74114	Project Manager:	Tom Bynum	07/29/25 14:52

- ND      Analyte NOT DETECTED at or above the reporting limit
  - NR      Not Reported
  - RPD      Relative Percent Difference
  - DNI      Did Not Ignite
  - DNR      Did not react with the addition of acid or base.
- Note (1): Methods marked with \*\* are non-accredited methods.
- Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Client Information					Invoice Information					Lab Use Only					TAT			State					
Client: Sapec-Eco, LLC					Company: Maverick Permian(Diversified)					Lab WO#		Job Number			1D	2D	3D	Std	NM	CO	UT	TX	
Project Name: Vacuum ABO Battery #2 Release					Bill Category: 106102					E007311		25038-001			X				X				
Project Manager: Tom Bynum					Property Code: AFE000000005582																		
Address: 5846 E 21st Place					ATTN: Bryce Wagoner																		
City, State, Zip: Tulsa, OK 74114					Email: bwagoner@dgoc.com																		
Phone: 580-748-1613					Miscellaneous: Sapec Project 4-21																		
Email: tombynum@sapec-eco.com																							
Sample Information										Analysis and Method										EPA Program			
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TCEQ 1005 - TX	RCRA 8 Metals	BGDOC - NM	BGDOC - TX	SDWA	CWA	RCRA	Compliance	Y	or	N	
3:00 pm	7/24/2025	S	1	1-2'		1								X									
3:10 pm	7/24/2025	S	1	3-2'		2								X									
3:15 pm	7/24/2025	S	1	4-2'		3								X									
3:30 pm	7/24/2025	S	1	5-2'		4								X									
3:35 pm	7/24/2025	S	1	6-2'		5								X									
3:40 pm	7/24/2025	S	1	8-2'		6								X									
3:45 pm	7/24/2025	S	1	11- <del>X</del> 4'		7								X									
3:50 pm	7/24/2025	S	1	12- <del>X</del> 4'		8								X									
3:55 pm	7/24/2025	S	1	13- <del>X</del> 4'		9								X									
4:00 pm	7/24/2025	S	1	24-5'		10								X									
Additional Instructions: (NAPP2507953016)																							
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																							
Sampled by: <u>Barbie Cagle</u>																							
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. Lab Use Only Received on ice: <u>Y</u> /N											
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time													
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time													
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time													
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time													
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time													
Sample Matrix: S - Soil, <u>Sd</u> - Solid, <u>Sg</u> - Sludge, A - Aqueous, O - Other											Container Type: <u>g</u> - glass, <u>p</u> - poly/plastic, <u>ag</u> - amber glass, v - VOA												
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																							



## Chain of Custody

Client Information				Invoice Information		Lab Use Only		TAT				State								
Client: Sapec-Eco, LLC				Company: Maverick Permian(Diversified)		Lab WO#	Job Number	1D	2D	3D	Std	NM	CO	UT	TX					
Project Name: Vacuum ABO Battery #2 Release				Bill Category: 106102		E507311	25028-0001		X			X								
Project Manager: Tom Bynum				Property Code: AFE000000005582																
Address: 5846 E 21st Place				ATTN: Bryce Wagoner																
City, State, Zip: Tulsa, OK 74114				Email: bwagoner@dgoc.com																
Phone: 580-748-1613				Miscellaneous: Sapec Project 4-21																
Email: tombynum@sapec-eco.com																				
Sample Information						Analysis and Method						EPA Program								
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TCEQ 1005 - TX	RCRA 8 Metals	BGDOC - NM	BGDOC - TX	SDWA	CWA	RCRA		
																	Compliance	Y	or	N
																	PWSID #			
																	Sample Temp			Remarks
4:10pm	7/24/2025	S	1	25-3'		11								X			4.2			
4:15pm	7/24/2025	S	1	27-3'		12								X			4.1			
4:20pm	7/24/2025	S	1	28-3'		13								X			4.9			
4:25pm	7/24/2025	S	1	29-5'		14								X			4.6			
4:30pm	7/24/2025	S	1	30-5'		15								X			4.8			
4:35pm	7/24/2025	S	1	31-2'		16								X			4.9			
4:40pm	7/24/2025	S	1	32-2'		17								X			4.4			
4:45pm	7/24/2025	S	1	33-5'		18								X			4.5			
4:50pm	7/24/2025	S	1	34-5'		19								X			4.9			
4:55pm	7/24/2025	S	1	35-5'		20								X			4.1			
Additional Instructions: (NAPP2507953016)																				
I, (field sample) attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																				
Sampled by: <u>Barbie Cagle</u>																				
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. Lab Use Only Received on ice: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N								
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time										
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time										
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time										
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time										
Sample Matrix: S - Soil, <u>Sd</u> - Solid, <u>Sg</u> - Sludge, A - Aqueous, O - Other																				
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																				
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																				





## Chain of Custody

Page 3 of 3

Client Information				Invoice Information				Lab Use Only				TAT				State							
Client: Sapec-Eco, LLC				Company: Maverick Permian(Diversified)				Lab WO#				Job Number				NM CO UT TX							
Project Name: Vacuum ABO Battery #2 Release				Bill Category: 106102				E507311				25056				X							
Project Manager: Tom Bynum				Property Code: AFE000000005582																			
Address: 5846 E 21st Place				ATTN: Bryce Wagoner																			
City, State, Zip: Tulsa, OK 74114				Email: bwagoner@dgoc.com																			
Phone: 580-748-1613				Miscellaneous: Sapec Project 4-21																			
Email: tombynum@sapec-eco.com																							
Sample Information												Analysis and Method								EPA Program			
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TCEQ 1005 - TX	RCRA 8 Metals	BGDOC - NM	BGDOC - TX	SDWA	CWA	RCRA					
5:00 pm	7/24/2025	S	1	36-5'		21								X									
5:10 pm	7/24/2025	S	1	W3-3'		22								X									
Additional Instructions: (NAPP2507953016)																							
I, (field sampler) attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																							
Sampled by: <u>Barbie Cagle</u>																							
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days.							
<u>Barbie Cagle</u>				7-25-25		1:00 pm		<u>Michelle Gonzales</u>				7-25-25		1300									
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time									
<u>Michelle Gonzales</u>				7-25-25		1700		<u>Michelle H.</u>				7-25-25		1700									
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time									
<u>Michelle H.</u>				7-25-25		2330		<u>Christina</u>				7-28-25		730		Lab Use Only Received on ice: <u>Y</u> N							
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time									
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time									
Sample Matrix: S - Soil, <u>Sd</u> - Solid, <u>Sg</u> - Sludge, A - Aqueous, O - Other _____																							
Container Type: <u>g</u> - glass, <u>p</u> - poly/plastic, <u>ag</u> - amber glass, v - VOA																							
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																							



## Envirotech Analytical Laboratory

Printed: 7/28/2025 9:12:25AM

## Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Sapec-Eco, LLC	Date Received:	07/28/25 07:30	Work Order ID:	E507311
Phone:	(580) 748-1613	Date Logged In:	07/25/25 15:17	Logged In By:	Caitlin Mars
Email:	tombynum@sapec-eco.com	Due Date:	07/29/25 17:00 (1 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
  - Sample ID? Yes
  - Date/Time Collected? Yes
  - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:  
Tom Bynum



# envirotech

*Practical Solutions for a Better Tomorrow*

## Analytical Report

Saptec-Eco, LLC

Project Name: Vacuum ABO Battery #2 Release

Work Order: E512004

Job Number: 25021-0001

Received: 12/2/2025

Revision: 1

Report Reviewed By:

Walter Hinchman  
Laboratory Director  
12/3/25

5796 U.S. Hwy 64  
Farmington, NM 87401

Phone: (505) 632-1881  
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.  
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.  
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.  
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 12/3/25



Tom Bynum  
5846 E 21st Place  
Tulsa, OK 74114

Project Name: Vacuum ABO Battery #2 Release  
Workorder: E512004  
Date Received: 12/2/2025 7:00:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 12/2/2025 7:00:00AM, under the Project Name: Vacuum ABO Battery #2 Release.

The analytical test results summarized in this report with the Project Name: Vacuum ABO Battery #2 Release apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

**Walter Hinchman**  
Laboratory Director  
Office: 505-632-1881  
Cell: 775-287-1762  
[whinchman@envirotech-inc.com](mailto:whinchman@envirotech-inc.com)

**Raina Schwanz**  
Laboratory Administrator  
Office: 505-632-1881  
[rainaschwanz@envirotech-inc.com](mailto:rainaschwanz@envirotech-inc.com)

Field Offices:

**Southern New Mexico Area**

**Lynn Jarboe**  
Laboratory Technical Representative  
Office: 505-421-LABS(5227)  
Cell: 505-320-4759  
[ljjarboe@envirotech-inc.com](mailto:ljjarboe@envirotech-inc.com)

**Michelle Gonzales**  
Client Representative  
Office: 505-421-LABS(5227)  
Cell: 505-947-8222  
[mgonzales@envirotech-inc.com](mailto:mgonzales@envirotech-inc.com)

Envirotech Web Address: [www.envirotech-inc.com](http://www.envirotech-inc.com)

## Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
Composite #1	5
Composite #2	6
Composite #3	7
Composite #4	8
QC Summary Data	9
QC - Volatile Organics by EPA 8021B	9
QC - Nonhalogenated Organics by EPA 8015D - GRO	10
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	11
QC - Anions by EPA 300.0/9056A	12
Definitions and Notes	13
Chain of Custody etc.	14

Sample Summary

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25021-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	12/03/25 13:34

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Composite #1	E512004-01A	Soil	11/28/25	12/02/25	Glass Jar, 2 oz.
Composite #2	E512004-02A	Soil	11/28/25	12/02/25	Glass Jar, 2 oz.
Composite #3	E512004-03A	Soil	11/28/25	12/02/25	Glass Jar, 2 oz.
Composite #4	E512004-04A	Soil	11/28/25	12/02/25	Glass Jar, 2 oz.





## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25021-0001  
Project Manager: Tom Bynum

**Reported:**  
12/3/2025 1:34:57PM

### Composite #1

**E512004-01**

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2549041	
Benzene	ND	0.0250	1	12/02/25	12/03/25	
Ethylbenzene	ND	0.0250	1	12/02/25	12/03/25	
Toluene	ND	0.0250	1	12/02/25	12/03/25	
o-Xylene	ND	0.0250	1	12/02/25	12/03/25	
p,m-Xylene	ND	0.0500	1	12/02/25	12/03/25	
Total Xylenes	ND	0.0250	1	12/02/25	12/03/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		108 %	70-130	12/02/25	12/03/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: SL		Batch: 2549041	
Gasoline Range Organics (C6-C10)	ND	20.0	1	12/02/25	12/03/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		113 %	70-130	12/02/25	12/03/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: KH		Batch: 2549034	
Diesel Range Organics (C10-C28)	ND	25.0	1	12/02/25	12/02/25	
Oil Range Organics (C28-C36)	ND	50.0	1	12/02/25	12/02/25	
<i>Surrogate: n-Nonane</i>		95.0 %	61-141	12/02/25	12/02/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: TP		Batch: 2549039	
Chloride	ND	20.0	1	12/02/25	12/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25021-0001  
Project Manager: Tom Bynum

**Reported:**  
12/3/2025 1:34:57PM

## Composite #2

E512004-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2549041	
Benzene	ND	0.0250	1	12/02/25	12/03/25	
Ethylbenzene	ND	0.0250	1	12/02/25	12/03/25	
Toluene	ND	0.0250	1	12/02/25	12/03/25	
o-Xylene	ND	0.0250	1	12/02/25	12/03/25	
p,m-Xylene	ND	0.0500	1	12/02/25	12/03/25	
Total Xylenes	ND	0.0250	1	12/02/25	12/03/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		110 %	70-130	12/02/25	12/03/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg	Analyst: SL		Batch: 2549041	
Gasoline Range Organics (C6-C10)	ND	20.0	1	12/02/25	12/03/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		115 %	70-130	12/02/25	12/03/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg	Analyst: KH		Batch: 2549034	
Diesel Range Organics (C10-C28)	ND	25.0	1	12/02/25	12/02/25	
Oil Range Organics (C28-C36)	ND	50.0	1	12/02/25	12/02/25	
<i>Surrogate: n-Nonane</i>						
		96.7 %	61-141	12/02/25	12/02/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg	Analyst: TP		Batch: 2549039	
Chloride	ND	20.0	1	12/02/25	12/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25021-0001  
Project Manager: Tom Bynum

**Reported:**  
12/3/2025 1:34:57PM

## Composite #3

E512004-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2549041
Benzene	ND	0.0250	1	12/02/25	12/03/25	
Ethylbenzene	ND	0.0250	1	12/02/25	12/03/25	
Toluene	ND	0.0250	1	12/02/25	12/03/25	
o-Xylene	ND	0.0250	1	12/02/25	12/03/25	
p,m-Xylene	ND	0.0500	1	12/02/25	12/03/25	
Total Xylenes	ND	0.0250	1	12/02/25	12/03/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		109 %	70-130	12/02/25	12/03/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2549041
Gasoline Range Organics (C6-C10)	ND	20.0	1	12/02/25	12/03/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		114 %	70-130	12/02/25	12/03/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KH		Batch: 2549034
Diesel Range Organics (C10-C28)	ND	25.0	1	12/02/25	12/02/25	
Oil Range Organics (C28-C36)	ND	50.0	1	12/02/25	12/02/25	
<i>Surrogate: n-Nonane</i>						
		94.7 %	61-141	12/02/25	12/02/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: TP		Batch: 2549039
Chloride	ND	20.0	1	12/02/25	12/02/25	



## Sample Data

Saptec-Eco, LLC  
5846 E 21st Place  
Tulsa OK, 74114

Project Name: Vacuum ABO Battery #2 Release  
Project Number: 25021-0001  
Project Manager: Tom Bynum

**Reported:**  
12/3/2025 1:34:57PM

## Composite #4

E512004-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2549041
Benzene	ND	0.0250	1	12/02/25	12/02/25	
Ethylbenzene	ND	0.0250	1	12/02/25	12/02/25	
Toluene	ND	0.0250	1	12/02/25	12/02/25	
o-Xylene	ND	0.0250	1	12/02/25	12/02/25	
p,m-Xylene	ND	0.0500	1	12/02/25	12/02/25	
Total Xylenes	ND	0.0250	1	12/02/25	12/02/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		111 %	70-130	12/02/25	12/02/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: SL		Batch: 2549041
Gasoline Range Organics (C6-C10)	ND	20.0	1	12/02/25	12/02/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		109 %	70-130	12/02/25	12/02/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: KH		Batch: 2549034
Diesel Range Organics (C10-C28)	ND	25.0	1	12/02/25	12/02/25	
Oil Range Organics (C28-C36)	ND	50.0	1	12/02/25	12/02/25	
<i>Surrogate: n-Nonane</i>						
		95.3 %	61-141	12/02/25	12/02/25	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: TP		Batch: 2549039
Chloride	ND	20.0	1	12/02/25	12/02/25	



## QC Summary Data

Sapac-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25021-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	12/3/2025 1:34:57PM

## Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2549041-BLK1)

Prepared: 12/02/25 Analyzed: 12/02/25

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.74		8.00		109	70-130			

## LCS (2549041-BS1)

Prepared: 12/02/25 Analyzed: 12/02/25

Benzene	3.88	0.0250	5.00		77.5	70-130			
Ethylbenzene	3.73	0.0250	5.00		74.6	70-130			
Toluene	3.86	0.0250	5.00		77.2	70-130			
o-Xylene	3.88	0.0250	5.00		77.5	70-130			
p,m-Xylene	7.68	0.0500	10.0		76.8	70-130			
Total Xylenes	11.6	0.0250	15.0		77.0	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.72		8.00		109	70-130			

## Matrix Spike (2549041-MS1)

Source: E512004-04

Prepared: 12/02/25 Analyzed: 12/02/25

Benzene	4.83	0.0250	5.00	ND	96.7	70-130			
Ethylbenzene	4.69	0.0250	5.00	ND	93.7	70-130			
Toluene	4.83	0.0250	5.00	ND	96.7	70-130			
o-Xylene	4.79	0.0250	5.00	ND	95.9	70-130			
p,m-Xylene	9.60	0.0500	10.0	ND	96.0	70-130			
Total Xylenes	14.4	0.0250	15.0	ND	95.9	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.65		8.00		108	70-130			

## Matrix Spike Dup (2549041-MSD1)

Source: E512004-04

Prepared: 12/02/25 Analyzed: 12/03/25

Benzene	4.06	0.0250	5.00	ND	81.2	70-130	17.4	27	
Ethylbenzene	4.07	0.0250	5.00	ND	81.5	70-130	14.0	26	
Toluene	4.15	0.0250	5.00	ND	83.1	70-130	15.1	20	
o-Xylene	4.15	0.0250	5.00	ND	82.9	70-130	14.4	25	
p,m-Xylene	8.35	0.0500	10.0	ND	83.5	70-130	13.9	23	
Total Xylenes	12.5	0.0250	15.0	ND	83.3	70-130	14.1	26	
Surrogate: 4-Bromochlorobenzene-PID	8.17		8.00		102	70-130			





QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25021-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	12/3/2025 1:34:57PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2549041-BLK1) Prepared: 12/02/25 Analyzed: 12/02/25

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.59		8.00		107	70-130			

LCS (2549041-BS2) Prepared: 12/02/25 Analyzed: 12/02/25

Gasoline Range Organics (C6-C10)	47.1	20.0	50.0		94.2	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.48		8.00		106	70-130			

Matrix Spike (2549041-MS2) Source: E512004-04 Prepared: 12/02/25 Analyzed: 12/03/25

Gasoline Range Organics (C6-C10)	48.8	20.0	50.0	ND	97.5	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.95		8.00		112	70-130			

Matrix Spike Dup (2549041-MSD2) Source: E512004-04 Prepared: 12/02/25 Analyzed: 12/03/25

Gasoline Range Organics (C6-C10)	46.6	20.0	50.0	ND	93.2	70-130	4.56	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.79		8.00		110	70-130			



## QC Summary Data

Sapco-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	<b>Reported:</b>
5846 E 21st Place	Project Number:	25021-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	12/3/2025 1:34:57PM

## Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KH

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2549034-BLK1)

Prepared: 12/02/25 Analyzed: 12/02/25

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: <i>n</i> -Nonane	48.1		50.0		96.3	61-141			

## LCS (2549034-BS1)

Prepared: 12/02/25 Analyzed: 12/02/25

Diesel Range Organics (C10-C28)	255	25.0	250		102	66-144			
Surrogate: <i>n</i> -Nonane	49.1		50.0		98.3	61-141			

## Matrix Spike (2549034-MS1)

Source: E512002-01

Prepared: 12/02/25 Analyzed: 12/02/25

Diesel Range Organics (C10-C28)	477	25.0	250	210	107	56-156			
Surrogate: <i>n</i> -Nonane	49.8		50.0		99.7	61-141			

## Matrix Spike Dup (2549034-MSD1)

Source: E512002-01

Prepared: 12/02/25 Analyzed: 12/02/25

Diesel Range Organics (C10-C28)	474	25.0	250	210	105	56-156	0.662	20	
Surrogate: <i>n</i> -Nonane	50.2		50.0		100	61-141			



QC Summary Data

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	Reported:
5846 E 21st Place	Project Number:	25021-0001	
Tulsa OK, 74114	Project Manager:	Tom Bynum	12/3/2025 1:34:57PM

Anions by EPA 300.0/9056A

Analyst: TP

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2549039-BLK1)				Prepared: 12/02/25 Analyzed: 12/02/25					
Chloride	ND	20.0							
LCS (2549039-BS1)				Prepared: 12/02/25 Analyzed: 12/02/25					
Chloride	253	20.0	250		101	90-110			
Matrix Spike (2549039-MS1)				Source: E512002-01		Prepared: 12/02/25 Analyzed: 12/03/25			
Chloride	389	20.0	250	129	104	80-120			
Matrix Spike Dup (2549039-MSD1)				Source: E512002-01		Prepared: 12/02/25 Analyzed: 12/02/25			
Chloride	390	20.0	250	129	104	80-120	0.0988	20	

QC Summary Report Comment:  
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.  
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Saptec-Eco, LLC	Project Name:	Vacuum ABO Battery #2 Release	
5846 E 21st Place	Project Number:	25021-0001	Reported:
Tulsa OK, 74114	Project Manager:	Tom Bynum	12/03/25 13:34

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.

Note (1): Methods marked with \*\* are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Page 14 of 15



## Envirotech Analytical Laboratory

Printed: 12/2/2025 8:35:39AM

## Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client: Sapec-Eco, LLC	Date Received: 12/02/25 07:00	Work Order ID: E512004
Phone: (580) 748-1613	Date Logged In: 12/01/25 15:37	Logged In By: Caitlin Mars
Email: tombynum@sapec-eco.com	Due Date: 12/08/25 17:00 (4 day TAT)	

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
  - Sample ID? Yes
  - Date/Time Collected? Yes
  - Collectors name? Yes

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 534300

**QUESTIONS**

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 534300
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

Prerequisites	
Incident ID (n#)	nAPP2507953016
Incident Name	NAPP2507953016 VACUUM ABO BATTERY #2 RELEASE @ FPAC0628649265
Incident Type	Produced Water Release
Incident Status	Remediation Closure Report Received
Incident Facility	[FPAC0628649265] VACUUM ABO BATTERY #2

**Location of Release Source**

Please answer all the questions in this group.

Site Name	Vacuum Abo Battery #2 Release
Date Release Discovered	03/16/2025
Surface Owner	State

**Incident Details**

Please answer all the questions in this group.

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

**Nature and Volume of Release**

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Cause: Equipment Failure   Other (Specify)   Crude Oil   Released: 5 BBL   Recovered: 2 BBL   Lost: 3 BBL.
Produced Water Released (bbls) Details	Cause: Equipment Failure   Other (Specify)   Produced Water   Released: 15 BBL   Recovered: 6 BBL   Lost: 9 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	on March 16, 2025, a high wind weather event caused tank battery communication equipment to fail resulting in the release of 15 bbls of produced water and 5 bbls of oil onto the facility pad between the flowline header and the edge of the facility pad.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 534300

**QUESTIONS (continued)**

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 534300
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Nature and Volume of Release (continued)</b>	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

**Initial Response**

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Chris Straub Title: Contractor Email: <a href="mailto:chris.straub@tetrattech.com">chris.straub@tetrattech.com</a> Date: 12/12/2025
--	--

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 534300

**QUESTIONS (continued)**

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID:
	331199
	Action Number:
	534300
Action Type:	
[C-141] Remediation Closure Request C-141 (C-141-v-Closure)	

**QUESTIONS**

<b>Site Characterization</b>	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
<b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

<b>Remediation Plan</b>	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
<b>Soil Contamination Sampling:</b> (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	4740
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	8190
GRO+DRO (EPA SW-846 Method 8015M)	5140
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	05/30/2025
On what date will (or did) the final sampling or liner inspection occur	11/28/2025
On what date will (or was) the remediation complete(d)	08/05/2025
What is the estimated surface area (in square feet) that will be reclaimed	0
What is the estimated volume (in cubic yards) that will be reclaimed	0
What is the estimated surface area (in square feet) that will be remediated	7587
What is the estimated volume (in cubic yards) that will be remediated	660
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 534300

**QUESTIONS (continued)**

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 534300
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Remediation Plan (continued)</b>	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
<b>This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:</b>	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for <b>off-site</b> disposal	fEEM0112334510 HALFWAY DISPOSAL AND LANDFILL
<b>OR</b> which OCD approved well (API) will be used for <b>off-site</b> disposal	Not answered.
<b>OR</b> is the <b>off-site</b> disposal site, to be used, out-of-state	Not answered.
<b>OR</b> is the <b>off-site</b> disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Chris Straub Title: Contractor Email: <a href="mailto:chris.straub@tetrattech.com">chris.straub@tetrattech.com</a> Date: 12/12/2025
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 534300

QUESTIONS (continued)

Operator:  Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID:  331199
	Action Number:  534300
	Action Type:  [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 534300

**QUESTIONS (continued)**

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 534300
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

Sampling Event Information	
Last sampling notification (C-141N) recorded	529819
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	11/28/2025
What was the (estimated) number of samples that were to be gathered	4
What was the sampling surface area in square feet	800

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	7587
What was the total volume (cubic yards) remediated	660
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	0
What was the total volume (in cubic yards) reclaimed	0
Summarize any additional remediation activities not included by answers (above)	New well drilled for GW information
<i>The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Chris Straub Title: Contractor Email: <a href="mailto:chris.straub@tetrattech.com">chris.straub@tetrattech.com</a> Date: 12/12/2025

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 534300

QUESTIONS (continued)

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 534300
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 534300

CONDITIONS

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 534300
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
scwells	None	1/8/2026