Remediation Summary & Soil Closure Request

Mewbourne Oil Company
PBWMS Sharps SWD Line
Eddy County, New Mexico
Unit Letter "G", Section 3, Township 20 South, Range 29 East
Latitude 32.60248° North, Longitude 104.05941° West
NMOCD Reference No. nAPP2526054335

Prepared By:

Etech Environmental & Safety Solutions, Inc.
6309 Indiana Ave, Ste. D
Lubbock, Texas 79413

December 23, 2025

Ben J. Arguijo

Lance Crenshaw

ETECH Environmental & Safety Solutions, Inc.

Carlsbad ● Hobbs ● Houston ● Lafayette ● Lubbock ● Midland

TABLE OF CONTENTS

Section

PROJECT INFORMATION…. **1.0**
SITE CHARACTERIZATION…. **2.0**
INITIAL SITE ASSESSMENT…. **3.0**
REMEDIATION ACTIVITIES SUMMARY…. **4.0**
SOIL CLOSURE REQUEST…. **5.0**
RESTORATION, RECLAMATION & RE-VEGETATION PLAN…. **6.0**
LIMITATIONS…. **7.0**
DISTRIBUTION…. **8.0**

FIGURES

Figure 1 – Site Location Map
Figure 2A – Site Characterization Map (0.5-Mile Radius)
Figure 2B – Site Characterization Map (5-Mile Radius)
Figure 3A – Sample Location Map - Delineation
Figure 3B – Sample Location Map - Excavation (Northern Portion)
Figure 3C – Sample Location Map - Excavation (Southern Portion)

TABLES

Table 1 – Concentrations of BTEX, TPH & Chloride in Soil

APPENDICES

Appendix A – Depth to Groundwater Information
Appendix B – Field Data
Appendix C – Photographic Log
Appendix D – Laboratory Analytical Reports
Appendix E – Karst Study Report
Appendix F – Regulatory Correspondence

1.0 PROJECT INFORMATION

Etech Environmental & Safety Solutions, Inc. (Etech), on behalf of Mewbourne Oil Company, has prepared this *Remediation Summary & Soil Closure Request* for the release site known as the PBWMS Sharps SWD Line (Site). Details of the release are summarized below:

Location of Release Source

Latitude: 32.60248 Longitude: -104.05941

Provided GPS are in WGS84 format.

Site Name:	PBWMS Sharps SWD Line	Site Type:	Pipeline
Date Release Discovered:	9/2/2025	API # (if applicable):	N/A

Unit Letter	Section	Township	Range	County
"G"	3	20S	29E	Eddy

Surface Owner: [ ] State [X] Federal [ ] Tribal [ ] Private (Name _____)

Nature and Volume of Release

[ ] Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
[X] Produced Water	Volume Released (bbls) 215	Volume Recovered (bbls) 165
	Is the concentration of dissolved chloride in the produced water > 10,000 mg/L?	[X] Yes [ ] No [ ] N/A
[ ] Condensate	Volume Released (bbls)	Volume Recovered (bbls)
[ ] Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
[ ] Other (describe)	Volume/Weight Released	Volume/Weight Recovered

Cause of Release:
Equipment Failure - Pipeline

Initial Response

- [X] The source of the release has been stopped.
- [X] The impacted area has been secured to protect human health and the environment.
- [X] Release materials have been contained via the use of berms or dikes, absorbent pad, or other containment devices
- [X] All free liquids and recoverable materials have been removed and managed appropriately.

Previously submitted portions of the New Mexico Oil Conservation Division (NMOCD) Form C-141 are available in the NMOCD Permitting system.

2.0 SITE CHARACTERIZATION

What is the shallowest depth to groundwater (DTW) beneath the area affected by the release in feet below ground surface (bgs)?	Between 75 and 100 (ft.)
What method was used to determine the depth to groundwater?	U.S. Geological Survey
Did the release impact groundwater or surface water?	☐ Yes ☒ No
What is the minimum distance between the closest lateral extents of the release and the following surface areas?	
A continuously flowing watercourse or any other significant watercourse?	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	Between 200 and 300 (ft.)
An occupied permanent residence, school, hospital, institution or church?	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	Between 500 and 1,000 (ft.)
Any other fresh water well or spring?	Between 1,000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field?	Greater than 5 (mi.)
A wetland?	Between 200 and 300 (ft.)
A subsurface mine?	Between 1 and 5 (mi.)
A (non-karst) unstable area?	Between 200 and 300 (ft.)
Categorize the risk of this well/site being in a karst geology.	High
A 100-year floodplain?	Between 1 and 5 (mi.)
Did the release impact areas not on an exploration, development, production or storage site?	☒ Yes ☐ No

A search of groundwater databases maintained by the New Mexico Office of the State Engineer (NMOSE) and United States Geological Survey (USGS) was conducted in an effort to determine the horizontal distance to known water sources within a half-mile radius of the Site. Probable groundwater depth was determined using data generated by numeric models based on available water well data and published information. Depth to groundwater information is provided in Appendix A.

Additional NMOCD Siting Criteria data was gathered from available resources including Bureau of Land Management (BLM) and Fish and Wildlife Services (FWS) shapefiles; topographic maps; NMOSE and USGS databases; and aerial imagery. The results are depicted in Figures 1, 2A, 2B, and 4.

A karst study of the affected area was conducted by an additional third-party environmental contractor on September 16, 2025. According to the *Environmental Karst Study Report* dated October 3, 2025, "No surface karst features exist within the 200-foot (61-meter) perimeter of the spill delineation boundary. One medium-likelihood surface karst feature lie within the 200-meter survey boundary. Additionally, two high-likelihood and one medium-likelihood surface karst features lie within the 305-meter survey boundary, but outside the 200-meter survey boundary. No anomalies consistent with subsurface air-filled voids were found within the SHFL resistivity survey area, indicating the area is not subject to collapse. Well-layered stratigraphy is interpreted to exist beneath the area where the geophysical survey was conducted." The karst study report is provided as Appendix E.

3.0 CLOSURE CRITERIA FOR SOILS IMPACTED BY A RELEASE

Based on the volume and nature of the release, inferred depth to groundwater, and NMOCD Siting Criteria, the Closure Criteria and Reclamation Standards for the Site are as listed in the table on the following page.

Closure Criteria for Soils Impacted by a Release

Probable Depth to Groundwater	Constituent	Laboratory Analytical Method	Closure Criteria*†	Reclamation Standards*‡
Between 75 & 100 (ft.)	Chloride (Cl-)	EPA** 300.0 or SM4500 Cl B	600	600
	Total Petroleum Hydrocarbons (TPH)	EPA SW-846 Method 8015M Ext	100	100
	Gas Range Organics + Diesel Range Organics (GRO+DRO)	EPA SW-846 Method 8015M	N/A	N/A
	Benzene	EPA SW-846 Methods 8021b or 8260b	10	10
	Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX)	EPA SW-846 Methods 8021b or 8260b	50	50

* Measured in milligrams per kilogram (mg/kg)

** Environmental Protection Agency

† Table I, Section 19.15.29.12 of the New Mexico Administrative Code (NMAC).

‡ NMOCD Reclamation Standards apply only to the top 4' of soil in non-production areas. Section 19.15.29.13 D.(1) NMAC.

4.0 INITIAL SITE ASSESSMENT

On October 13, 2025, Etech conducted an initial site assessment. During the site assessment, a series of hand-augered soil bores (SP 1 through SP 11) were advanced within the inferred release margins to determine the vertical extent of impacted soil. During the advancement of the soil bores, soil samples were collected and field-screened for concentrations of chloride utilizing a Hach Quantab ® chloride test kit and/or the presence of Volatile Organic Compounds (VOCs) utilizing olfactory/visual senses.

Based on field observations and field test data, a total of 55 delineation soil samples (SP 1 @ Sur through SP 1 @ 4', SP 2 @ Sur through SP 2 @ 4', SP 3 @ Sur through SP 3 @ 4', SP 4 @ Sur through SP 4 @ 4', SP 5 @ Sur through SP 5 @ 4', SP 6 @ Sur through SP 6 @ 4', SP 7 @ Sur through SP 7 @ 4', SP 8 @ Sur through SP 8 @ 4', SP 9 @ Sur through SP 9 @ 4', SP 10 @ Sur through SP 10 @ 4', and SP 11 @ Sur through SP 11 @ 4') were submitted to a certified commercial laboratory ("the laboratory") for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that the vertical extent of impacted soil was adequately defined in the areas characterized by sample points SP 1, SP 2, SP 4, SP 5, SP 9, SP 10, and SP 11, and ranged from two (2) feet bgs in sample points SP 4 and SP 5 to four (4) feet bgs in sample points SP 2, SP 10, and SP 11. Additional vertical delineation and/or excavation was required in the areas characterized by sample points SP 3, SP 6, SP 7, and SP 8.

The locations of the hand-augered soil bores are depicted in Figure 3A, "Sample Location Map - Delineation".

5.0 REMEDIATION ACTIVITIES SUMMARY

On October 24, 2025, remediation activities commenced at the Site. Impacted soil affected above the Closure Criteria and Reclamation Standards was excavated and stockpiled on-site, pending transfer to an NMOCD-permitted surface waste facility for disposal. Olfactory/visual senses and/or a chloride test kit were utilized to field-screen the horizontal extent of impacted soil and to guide the excavation. The floor and sidewalls of the excavation were advanced until field tests and field observations suggested that BTEX, TPH, and chloride concentrations were below the Closure Criteria and Reclamation Standards. Representative five-point composite confirmation soil samples representing no more than 200 square feet were collected from the sidewalls and floor of the excavated area to be submitted for laboratory analysis.

On October 27, 2025, Etech collected 33 confirmation soil samples (FL 1 @ 3' through FL 26 @ 2', NW 1, NW 2, EW 1, SW 1, SW 2, WW 1, and WW 2) from the floor and sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX and TPH concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples. Chloride concentrations were below the Closure Criterion in a majority of the samples, with the exception of FL 1 @ 3', FL 4 @ 4', FL 20 @ 2', and FL 22 @ 2' through FL 26 @ 2'. Based on these laboratory analytical results, the excavation was subsequently further advanced in the areas characterized by soil samples FL 1 @ 3', FL 4 @ 4', FL 20 @ 2', and FL 22 @ 2' through FL 26 @ 2'.

On October 28, 2025, Etech collected 18 confirmation soil samples (FL 27 @ 3' through FL 42 @ 3', EW 1, and WW 2) from the floor and sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX and TPH concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples. Chloride concentrations were below the Closure Criterion in a majority of the samples, with the exception of FL 27 @ 3', FL 29 @ 3' through FL 38 @ 3', FL 41 @ 3', EW 1, and WW 2. Based on these laboratory analytical results, the excavation was subsequently further advanced in the areas characterized by soil samples FL 27 @ 3', FL 29 @ 3' through FL 38 @ 3', FL 41 @ 3', EW 1, and WW 2.

On October 29, 2025, Etech collected 24 confirmation soil samples (FL 43 @ 3' through FL 64 @ 3', EW 3, and WW 3) from the floor and sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX and TPH concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples. Chloride concentrations were below the Closure Criterion in a majority of the samples, with the exception of FL 43 @ 3', FL 45 @ 3', FL 46 @ 3', FL 53 @ 3', FL 54 @ 3', FL 61 @ 3' through FL 64 @ 3', and WW 3. Based on these laboratory analytical results, the excavation was subsequently further advanced in the areas characterized by soil samples FL 43 @ 3', FL 45 @ 3', FL 46 @ 3', FL 53 @ 3', FL 54 @ 3', FL 61 @ 3' through FL 64 @ 3', and WW 3.

On October 30, 2025, Etech collected 21 confirmation soil samples (FL 65 @ 3' through FL 77 @ 1', EW 4 through EW 7, and WW 4 through WW 7) from the floor and sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX and TPH concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples. Chloride concentrations were below the Closure Criterion in a majority of the samples, with the exception of FL 65 @ 3', FL 66 @ 3', and FL 73 @ 3'. Based on these laboratory analytical results, the excavation was subsequently further advanced in the areas characterized by soil samples FL 65 @ 3', FL 66 @ 3', and FL 73 @ 3'.

On October 31, 2025, Etech collected 16 confirmation soil samples (FL 78 @ 1' through FL 91 @ 1', EW 8, and WW 8) from the floor and sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX and TPH concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples. Chloride concentrations were below the Closure Criterion in a majority of the samples, with the exception of FL 79 @ 1', FL 80 @ 2', FL 81 @ 2', FL 88 @ 1', and FL 89 @ 1'. Based on these laboratory analytical results, the excavation was subsequently further advanced in the areas characterized by soil samples FL 79 @ 1', FL 80 @ 2', FL 81 @ 2', FL 88 @ 1', and FL 89 @ 1'.

On November 3, 2025, Etech collected 22 confirmation soil samples (FL 92 @ 1' through FL 113 @ 1') from the floor of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX and TPH concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples. Chloride concentrations were below the Closure Criterion in a majority of the samples, with the exception of FL 100 @ 2' and FL 101 @ 2'. Based on these laboratory analytical results, the excavation was subsequently further advanced in the areas characterized by soil samples FL 100 @ 2' and FL 101 @ 2'.

On November 4, 2025, Etech collected 34 confirmation soil samples (FL 114 @ 1' through FL 141 @ 1', EW 9, EW 10, EW 11, WW 9, WW 10, and WW 11) from the floor and sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples.

On November 5, 2025, Etech collected 13 confirmation soil samples (FL 142 @ 1' through FL 154 @ 1') from the floor of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples, with the exception of sample FL 151 @ 1', which exceeded the Closure Criterion for chloride. Based on these laboratory analytical results, the excavation was subsequently further advanced in the area characterized by soil sample FL 151 @ 1'.

On November 6, 2025, Etech collected 21 confirmation soil samples (FL 155 @ 1' through FL 171 @ 4', NW 3, NW 4, SW 3, and SW 4) from the floor and sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples.

On November 10, 2025, Etech collected 22 confirmation soil samples (FL 173 @ 4' through FL 194 @ 4') from the floor of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples.

On November 11, 2025, Etech collected 12 confirmation soil samples (FL 195 @ 4' through FL 206 @ 4') from the floor of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples.

On November 12, 2025, Etech collected 23 confirmation soil samples (FL 207 @ 4' through FL 229 @ 5') from the floor of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples.

On November 13, 2025, Etech collected 15 confirmation soil samples (FL 230 @ 4' through FL 244 @ 4') from the floor of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples.

On November 14, 2025, Etech collected 10 confirmation soil samples (FL 245 @ 4' through FL 254 @ 4') from the floor of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples.

On November 17, 2025, Etech collected 17 confirmation soil samples (FL 79 @ 2', FL 80 @ 3', FL 81 @ 3', FL 88 @ 3', FL 89 @ 3', and FL 255 @ 4' through FL 266 @ 4') from the floor of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples.

On November 18, 2025, Etech collected 10 confirmation soil samples (FL 61 @ 4' through FL 66 @ 4', FL 73 @ 4', EW 1A, WW 2A, and WW 3A) from the floor and sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples.

On November 21, 2025, Etech collected 40 confirmation soil samples (FL 1 @ 4', FL 4 @ 5', FL 20 @ 3', FL 22 @ 3' through FL 27 @ 4', FL 29 @ 4' through FL 38 @ 4', FL 41 @ 4', FL 43 @ 4', FL 45 @ 4', FL 46 @ 4', FL 53 @ 4', FL 54 @ 4', FL 100 @ 3', FL 101 @ 3', FL 151 @ 2', NW 5 through NW 9, EW 12, SW 5 through SW 9, and WW 12) from the floor and sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and Reclamation Standards in each of the submitted soil samples.

The final dimensions of the excavated area were approximately 507 to 1,628 feet in length, six (6) to 83 feet in width, and one (1) to six (6) feet in depth. During the course of remediation activities, Etech transported approximately 7,812 cubic yards of impacted soil to an NMOCD-permitted surface waste facility for disposal and imported 7,676 cubic yards of locally sourced, non-impacted material to the Site for use as backfill.

Confirmation soil sample locations and the extent of the excavated area are depicted in Figures 3B and 3C. Soil chemistry data is summarized in Table 1. Field data and a soil profile are provided in Appendix B. General photographs of the Site are provided in Appendix C. Laboratory analytical reports are provided in Appendix D. Copies of all regulatory correspondence are provided in Appendix F.

6.0 SOIL CLOSURE REQUEST

Remediation activities were conducted in accordance with NMOCD regulatory guidelines. Impacted soil affected above the Closure Criteria and/or Reclamation Standards was excavated and transported to an NMOCD-permitted disposal facility. Laboratory analytical results from confirmation soil samples indicate that in-situ concentrations of BTEX, TPH, and chloride are below the applicable Closure Criteria and Reclamation Standards.

Based on laboratory analytical results and field activities conducted to date, Etech recommends that Mewbourne Oil Company provide copies of this *Remediation Summary & Soil Closure Request* to the appropriate agencies and request remediation closure approval be granted to the Site.

7.0 RESTORATION, RECLAMATION & RE-VEGETATION PLAN

On May 5, 2025, during remediation of the nearby NMOCD Incident nAPP2509337776, a 5-point composite soil sample (Stockton Pit #1208 - Stockpile) was collected from the Stockton borrow pit to ensure that material obtained from therein was suitable for use as backfill at remediation/reclamation sites in the area. The soil sample was submitted to the laboratory for analysis of BTEX, TPH, and chloride concentrations. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the NMOCD Reclamation Standards, confirming that material obtained from the Stockton Pit was acceptable for use as backfill.

Upon receipt of all confirmation soil sample results, areas affected by remediation and closure activities were restored to the condition that existed prior to the release, to the extent practicable. The excavation was backfilled with non-impacted, "like" material sourced from the Stockton Pit emplaced at or near original relative positions. The affected areas were compacted and contoured to achieve erosion control, stability, and preservation of surface water flow, to the extent practicable. Affected areas outside of production pads, pipeline rights-of-way, and/or lease roads will be revegetated during the first favorable growing season following closure of the Site with an agency and/or landowner-approved seed mix that has been certified to be free of noxious weeds. The seed will be installed at the prescribed rate utilizing either a seed drill or a broadcaster and harrow.

8.0 LIMITATIONS

Etech Environmental & Safety Solutions, Inc., has prepared this *Remediation Summary & Soil Closure Request* to the best of its ability. No other warranty, expressed or implied, is made or intended. Etech has examined and relied upon documents referenced in the report and on oral statements made by certain individuals. Etech has not conducted an independent examination of the facts contained in referenced materials and statements. Etech has presumed the genuineness of these documents and statements and that the information provided therein is true and accurate. Etech has prepared the report in a professional manner, using the degree of skill and care exercised by similar environmental consultants. Etech notes that the facts and conditions referenced in this report may change over time, and the conclusions and recommendations set forth herein are applicable only to the facts and conditions as described at the time of this report.

This report has been prepared for the benefit of Mewbourne Oil Company. Use of the information contained in this report is prohibited without the consent of Etech and/or Mewbourne Oil Company.

9.0 DISTRIBUTION

Mewbourne Oil Company
4801 Business Park Blvd.
Hobbs, NM 88240

New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division, District 2
811 S. First Street
Artesia, NM 88210

United States Department of the Interior
Bureau of Land Management
620 E. Greene Street
Carlsbad, NM 88220

(Electronic Submission)

Figure 1
Site Location Map



Legend

- Site Location

Figure 1
Site Location Map
Mewbourne Oil Company
PBWMS Sharps SWD Line
GPS: 32.60248, -104.05941
Eddy County, New Mexico

eTECH Environmental & Safety Solutions, Inc.

Drafted: bja Checked: rlc Date: 12/21/25

Figures 2A & 2B
Site Characterization Maps


N
CP-00698-POD1
PBWMS Sharps SWD Line
323544104033401
323544104033402
CP-00831-POD1
Imagery Source: ESRI, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community.
500 0 500 1,000 ft
Figure 2A
Site Characterization Map (0.5-Mile Radius)
Mewbourne Oil Company
PBWMS Sharps SWD Line
GPS: 32.60248, -104.05941
Eddy County, New Mexico
Legend
Site Location
Well - Exploratory
Well - NMOSE
Well - USGS
100-Ft. Radius
200-Ft. Radius
300-Ft. Radius
500-Ft. Radius
1,000-Ft. Radius
0.5-Mi. Radius
Potash Mine Workings
Affected Area
Emergent/Forested Wetlands
FEMA 100-Yr Flood Zone
Freshwater Pond/Lake
Municipal Boundary
Riverine Wetland
Karst Potential
Low
Medium
High
Critical
eTECH
Environmental & Safety Solutions, Inc.
Drafted: bja
Checked: rlc
Date: 12/23/25



Figure 2B
Site Characterization Map (5-Mile Radius)
Mewbourne Oil Company
PBWMS Sharps SWD Line
GPS: 32.60248, -104.05941
Eddy County, New Mexico

Legend

- Site Location
- Well - Exploratory
- Well - NMOSE
- Well - USGS
- 1,000-Ft. Radius
- 0.5-Mi. Radius
- 1-Mi. Radius
- 5-Mi. Radius
- Potash Mine Workings
- Affected Area
- Emergent/Forested Wetlands
- FEMA 100-Yr Flood Zone
- Freshwater Pond/Lake
- Municipal Boundary
- Riverine Wetland

Karst Potential

- Low
- Medium
- High
- Critical

eTECH Environmental & Safety Solutions, Inc.

Drafted: bja Checked: rlc Date: 12/21/25

Figures 3A–3C
Sample Location Maps

Legend

- Affected Area (~53,202 ft²)
- Delineation Sample Location

Figure 3A
Sample Location Map - Delineation
Mewbourne Oil Company
PBWMS Sharps SWD Line
GPS: 32.60248, -104.05941
Eddy County, New Mexico

eTECH Environmental & Safety Solutions, Inc.

Drafted: bja Checked: rlc Date: 12/21/25

Legend

- Excavation Extent (~53,211 ft²)
- Composite Floor Sample
- Composite Wall Sample

Figure 3B
Sample Location Map
Excavation (Northern Portion)
Mewbourne Oil Company
PBWMS Sharps SWD Line
GPS: 32.60248, -104.05941
Eddy County, New Mexico

eTECH Environmental & Safety Solutions, Inc.

Drafted: bja Checked: rlc Date: 12/23/25

Legend

- Excavation Extent (~53,211 ft²)
- Composite Floor Sample
- Composite Wall Sample

Figure 3C
Sample Location Map
Excavation (Southern Portion)
Mewbourne Oil Company
PBWMS Sharps SWD Line
GPS: 32.60248, -104.05941
Eddy County, New Mexico

eTECH Environmental & Safety Solutions, Inc.

Drafted: bja Checked: rlc Date: 12/23/25

Table 1
Concentrations of BTEX, TPH & Chloride in Soil

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
PBWMS Sharps SWD Line
NMOCD Ref. #: nAPP2526054335

NMOCD Closure Criteria					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
NMOCD Reclamation Standard					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
					SW 846 8021B		**SW 846 8015M Ext.**					**4500 Cl**
Sample ID	**Date**	**Depth (Feet)**	**Type**	**Soil Status**	**Benzene (mg/kg)**	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO + DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
SP 1 @ Sur	10/13/2025	0	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**8,960**
SP 1 @ 1'	10/13/2025	1	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**6,560**
SP 1 @ 2'	10/13/2025	2	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**2,440**
SP 1 @ 3'	10/13/2025	3	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	576
SP 1 @ 4'	10/13/2025	4	D	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	320
SP 2 @ Sur	10/13/2025	0	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**5,040**
SP 2 @ 1'	10/13/2025	1	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**5,200**
SP 2 @ 2'	10/13/2025	2	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**8,240**
SP 2 @ 3'	10/13/2025	3	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**2,400**
SP 2 @ 4'	10/13/2025	4	D	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	192
SP 3 @ Sur	10/13/2025	0	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**14,200**
SP 3 @ 1'	10/13/2025	1	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,630**
SP 3 @ 2'	10/13/2025	2	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**2,080**
SP 3 @ 3'	10/13/2025	3	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,060**
SP 3 @ 4'	10/13/2025	4	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**816**
SP 4 @ Sur	10/13/2025	0	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**15,800**
SP 4 @ 1'	10/13/2025	1	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,220**
SP 4 @ 2'	10/13/2025	2	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
SP 4 @ 3'	10/13/2025	3	D	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
SP 4 @ 4'	10/13/2025	4	D	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
SP 5 @ Sur	10/13/2025	0	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**720**
SP 5 @ 1'	10/13/2025	1	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**784**
SP 5 @ 2'	10/13/2025	2	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	352
SP 5 @ 3'	10/13/2025	3	D	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	192
SP 5 @ 4'	10/13/2025	4	D	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
SP 6 @ Sur	10/13/2025	0	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	496
SP 6 @ 1'	10/13/2025	1	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
SP 6 @ 2'	10/13/2025	2	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**640**
SP 6 @ 3'	10/13/2025	3	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**688**
SP 6 @ 4'	10/13/2025	4	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**640**
SP 7 @ Sur	10/13/2025	0	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**4,080**
SP 7 @ 1'	10/13/2025	1	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**896**
SP 7 @ 2'	10/13/2025	2	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	544
SP 7 @ 3'	10/13/2025	3	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**688**
SP 7 @ 4'	10/13/2025	4	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**672**
SP 8 @ Sur	10/13/2025	0	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**6,400**
SP 8 @ 1'	10/13/2025	1	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	576
SP 8 @ 2'	10/13/2025	2	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	336
SP 8 @ 3'	10/13/2025	3	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**656**
SP 8 @ 4'	10/13/2025	4	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,060**
SP 9 @ Sur	10/13/2025	0	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**17,000**
SP 9 @ 1'	10/13/2025	1	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**2,440**
SP 9 @ 2'	10/13/2025	2	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,180**
SP 9 @ 3'	10/13/2025	3	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	240

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

A - Assessment F - Backfill
D - Delineation B - Background
C - Confirmation O - Other
R - Deferral

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
PBWMS Sharps SWD Line
NMOCD Ref. #: nAPP2526054335

NMOCD Closure Criteria					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
NMOCD Reclamation Standard					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
					SW 846 8021B		**SW 846 8015M Ext.**					**4500 Cl**
Sample ID	**Date**	**Depth (Feet)**	**Type**	**Soil Status**	**Benzene (mg/kg)**	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO + DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
SP 9 @ 4'	10/13/2025	4	D	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	336
SP 10 @ Sur	10/13/2025	0	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**17,600**
SP 10 @ 1'	10/13/2025	1	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**4,080**
SP 10 @ 2'	10/13/2025	2	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**4,240**
SP 10 @ 3'	10/13/2025	3	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,700**
SP 10 @ 4'	10/13/2025	4	D	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	400
SP 11 @ Sur	10/13/2025	0	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**10,500**
SP 11 @ 1'	10/13/2025	1	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**3,760**
SP 11 @ 2'	10/13/2025	2	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**4,200**
SP 11 @ 3'	10/13/2025	3	D	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**3,120**
SP 11 @ 4'	10/13/2025	4	D	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	400
FL 1 @ 3'	10/27/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**704**
FL 1 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 2 @ 4'	10/27/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 3 @ 3'	10/27/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	224
FL 4 @ 4'	10/27/2025	4	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**704**
FL 4 @ 5'	11/21/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 5 @ 4'	10/27/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 6 @ 4'	10/27/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	192
FL 7 @ 4'	10/27/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208
FL 8 @ 4'	10/27/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	512
FL 9 @ 4'	10/27/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	592
FL 10 @ 4'	10/27/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	304
FL 11 @ 1.5'	10/27/2025	1.5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 12 @ 1.5'	10/27/2025	1.5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 13 @ 3'	10/27/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	480
FL 14 @ 3'	10/27/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	528
FL 15 @ 1.5'	10/27/2025	1.5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 16 @ 1.5'	10/27/2025	1.5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 17 @ 4'	10/27/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	352
FL 18 @ 4'	10/27/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	480
FL 19 @ 2'	10/27/2025	2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	288
FL 20 @ 2'	10/27/2025	2	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**736**
FL 20 @ 3'	11/21/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 21 @ 2'	10/27/2025	2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	544
FL 22 @ 2'	10/27/2025	2	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**816**
FL 22 @ 3'	11/21/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 23 @ 2'	10/27/2025	2	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**816**
FL 23 @ 3'	11/21/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 24 @ 2'	10/27/2025	2	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,140**
FL 24 @ 3'	11/21/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 25 @ 2'	10/27/2025	2	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**832**
FL 25 @ 3'	11/21/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 26 @ 2'	10/27/2025	2	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**656**

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

A - Assessment F - Backfill
D - Delineation B - Background
C - Confirmation O - Other
R - Deferral

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
PBWMS Sharps SWD Line
NMOCD Ref. #: nAPP2526054335

NMOCD Closure Criteria					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
NMOCD Reclamation Standard					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
					SW 846 8021B		**SW 846 8015M Ext.**					**4500 Cl**
Sample ID	**Date**	**Depth (Feet)**	**Type**	**Soil Status**	**Benzene (mg/kg)**	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO + DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 26 @ 3'	11/21/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 27 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,040**
FL 27 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 28 @ 3'	10/28/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	560
FL 29 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**736**
FL 29 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 30 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**752**
FL 30 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 31 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,020**
FL 31 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 32 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,170**
FL 32 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	256
FL 33 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**832**
FL 33 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208
FL 34 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**992**
FL 34 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	224
FL 35 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,180**
FL 35 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	240
FL 36 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**704**
FL 36 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208
FL 37 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**752**
FL 37 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	224
FL 38 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**912**
FL 38 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	400
FL 39 @ 4'	10/28/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	512
FL 40 @ 3'	10/28/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	256
FL 41 @ 3'	10/28/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**720**
FL 41 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	416
FL 42 @ 3'	10/28/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	400
FL 43 @ 3'	10/29/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**800**
FL 43 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 44 @ 3'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	592
FL 45 @ 3'	10/29/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**800**
FL 45 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 46 @ 3'	10/29/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**976**
FL 46 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 47 @ 3'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 48 @ 3'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 49 @ 3'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 50 @ 3'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 51 @ 3'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 52 @ 3'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	512
FL 53 @ 3'	10/29/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**688**
FL 53 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	240

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

A - Assessment F - Backfill
D - Delineation B - Background
C - Confirmation O - Other
R - Deferral

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
PBWMS Sharps SWD Line
NMOCD Ref. #: nAPP2526054335

NMOCD Closure Criteria					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
NMOCD Reclamation Standard					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
					SW 846 8021B		**SW 846 8015M Ext.**					**4500 Cl**
Sample ID	**Date**	**Depth (Feet)**	**Type**	**Soil Status**	**Benzene (mg/kg)**	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO + DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 54 @ 3'	10/29/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**736**
FL 54 @ 4'	11/21/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	240
FL 55 @ 3'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	288
FL 56 @ 2'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	336
FL 57 @ 3'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 58 @ 3'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	352
FL 59 @ 4'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 60 @ 4'	10/29/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 61 @ 3'	10/29/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**976**
FL 61 @ 4'	11/18/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 62 @ 3'	10/29/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**704**
FL 62 @ 4'	11/18/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	192
FL 63 @ 3'	10/29/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**688**
FL 63 @ 4'	11/18/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 64 @ 3'	10/29/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**704**
FL 64 @ 6'	11/18/2025	6	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	304
FL 65 @ 3'	10/30/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**1,010**
FL 65 @ 4'	11/18/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	400
FL 66 @ 3'	10/30/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**640**
FL 66 @ 4'	11/18/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	224
FL 67 @ 3'	10/30/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	336
FL 68 @ 3'	10/30/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	368
FL 69 @ 4'	10/30/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 70 @ 4'	10/30/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	368
FL 71 @ 2'	10/30/2025	2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 72 @ 2'	10/30/2025	2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 73 @ 3'	10/30/2025	3	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**704**
FL 73 @ 4'	11/18/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	256
FL 74 @ 5'	10/30/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	560
FL 75 @ 2'	10/30/2025	2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 76 @ 1'	10/30/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 77 @ 1'	10/30/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	192
FL 78 @ 1'	10/31/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	464
FL 79 @ 1'	10/31/2025	1	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**656**
FL 79 @ 2'	11/17/2025	2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	240
FL 80 @ 2'	10/31/2025	2	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**720**
FL 80 @ 3'	11/17/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	288
FL 81 @ 2'	10/31/2025	2	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**816**
FL 81 @ 3'	11/17/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	256
FL 82 @ 2'	10/31/2025	2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 83 @ 2'	10/31/2025	2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	224
FL 84 @ 1'	10/31/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	192
FL 85 @ 1'	10/31/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 86 @ 1'	10/31/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

A - Assessment F - Backfill
D - Delineation B - Background
C - Confirmation O - Other
R - Deferral

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
PBWMS Sharps SWD Line
NMOCD Ref. #: nAPP2526054335

NMOCD Closure Criteria					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
NMOCD Reclamation Standard					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
					SW 846 8021B		**SW 846 8015M Ext.**					**4500 Cl**
Sample ID	**Date**	**Depth (Feet)**	**Type**	**Soil Status**	**Benzene (mg/kg)**	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO + DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 87 @ 1'	10/31/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 88 @ 1'	10/31/2025	1	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**608**
FL 88 @ 3'	11/17/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	320
FL 89 @ 1'	10/31/2025	1	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**752**
FL 89 @ 3'	11/17/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	304
FL 90 @ 1'	10/31/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	384
FL 91 @ 1'	10/31/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	400
FL 92 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 93 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
FL 94 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 95 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 96 @ 3'	11/3/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	432
FL 97 @ 3'	11/3/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	400
FL 98 @ 5'	11/3/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	448
FL 99 @ 5'	11/3/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	448
FL 100 @ 2'	11/3/2025	2	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**656**
FL 100 @ 3'	11/21/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	512
FL 101 @ 2'	11/3/2025	2	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**640**
FL 101 @ 3'	11/21/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	448
FL 102 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 103 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 104 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 105 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 106 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 107 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 108 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 109 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
FL 110 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 111 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 112 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 113 @ 1'	11/3/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 114 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 115 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
FL 116 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 117 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 118 @ 3'	11/4/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 119 @ 3'	11/4/2025	3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 120 @ 5'	11/4/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 121 @ 5'	11/4/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	224
FL 122 @ 2'	11/4/2025	2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 123 @ 2'	11/4/2025	2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 124 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 125 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 126 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

A - Assessment F - Backfill
D - Delineation B - Background
C - Confirmation O - Other
R - Deferral

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
PBWMS Sharps SWD Line
NMOCD Ref. #: nAPP2526054335

NMOCD Closure Criteria					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
NMOCD Reclamation Standard					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
					SW 846 8021B		**SW 846 8015M Ext.**					**4500 Cl**
Sample ID	**Date**	**Depth (Feet)**	**Type**	**Soil Status**	**Benzene (mg/kg)**	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO + DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 127 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 128 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 129 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 130 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 131 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 132 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 133 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 134 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
FL 135 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 136 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	240
FL 137 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
FL 138 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
FL 139 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	320
FL 140 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 141 @ 1'	11/4/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208
FL 142 @ 1'	11/5/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	320
FL 143 @ 1'	11/5/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	192
FL 144 @ 1'	11/5/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	304
FL 145 @ 1'	11/5/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208
FL 146 @ 1'	11/5/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 147 @ 1'	11/5/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	256
FL 148 @ 1'	11/5/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	384
FL 149 @ 1'	11/5/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	416
FL 150 @ 1'	11/5/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	384
FL 151 @ 1'	11/5/2025	1	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**640**
FL 151 @ 2'	11/21/2025	2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	528
FL 152 @ 5'	11/5/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	384
FL 153 @ 5'	11/5/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	368
FL 154 @ 1'	11/5/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 155 @ 1'	11/6/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 156 @ 1'	11/6/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 157 @ 1'	11/6/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 158 @ 1'	11/6/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 159 @ 1'	11/6/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 160 @ 1'	11/6/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 161 @ 4'	11/6/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 162 @ 1'	11/6/2025	1	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 163 @ 4'	11/6/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 164 @ 4'	11/6/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 165 @ 4'	11/6/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 166 @ 4'	11/6/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 167 @ 4'	11/6/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 168 @ 4'	11/6/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 169 @ 4'	11/6/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

A - Assessment F - Backfill
D - Delineation B - Background
C - Confirmation O - Other
R - Deferral

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
PBWMS Sharps SWD Line
NMOCD Ref. #: nAPP2526054335

NMOCD Closure Criteria					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
NMOCD Reclamation Standard					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
					SW 846 8021B		**SW 846 8015M Ext.**					**4500 Cl**
Sample ID	**Date**	**Depth (Feet)**	**Type**	**Soil Status**	**Benzene (mg/kg)**	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO + DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 170 @ 4'	11/6/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 171 @ 4'	11/6/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 173 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 174 @ 5'	11/10/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 175 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 176 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 177 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 178 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 179 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	512
FL 180 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 181 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 182 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 183 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 184 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 185 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 186 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 187 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 188 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 189 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 190 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 191 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 192 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	448
FL 193 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 194 @ 4'	11/10/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 195 @ 4'	11/11/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 196 @ 4'	11/11/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 197 @ 4'	11/11/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 198 @ 4'	11/11/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 199 @ 4'	11/11/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
FL 200 @ 5'	11/11/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 201 @ 5'	11/11/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 202 @ 6'	11/11/2025	6	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 203 @ 4'	11/11/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 204 @ 4'	11/11/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 205 @ 4'	11/11/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 206 @ 4'	11/11/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 207 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 208 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 209 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 210 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 211 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 212 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 213 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 214 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

A - Assessment F - Backfill
D - Delineation B - Background
C - Confirmation O - Other
R - Deferral

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
PBWMS Sharps SWD Line
NMOCD Ref. #: nAPP2526054335

NMOCD Closure Criteria					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
NMOCD Reclamation Standard					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
					SW 846 8021B		**SW 846 8015M Ext.**					**4500 Cl**
Sample ID	**Date**	**Depth (Feet)**	**Type**	**Soil Status**	**Benzene (mg/kg)**	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO + DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 215 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 216 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 217 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 218 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 219 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 220 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 221 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 222 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 223 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 224 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 225 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 226 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 227 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
FL 228 @ 4'	11/12/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 229 @ 5'	11/12/2025	5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 230 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
FL 231 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 232 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	256
FL 233 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 234 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 235 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208
FL 236 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	192
FL 237 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 238 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 239 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208
FL 240 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
FL 241 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	224
FL 242 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	192
FL 243 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208
FL 244 @ 4'	11/13/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 245 @ 4'	11/14/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 246 @ 4'	11/14/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 247 @ 4'	11/14/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 248 @ 4'	11/14/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	448
FL 249 @ 4'	11/14/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 250 @ 4'	11/14/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 251 @ 4'	11/14/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 252 @ 4'	11/14/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 253 @ 4'	11/14/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 254 @ 4'	11/14/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 255 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
FL 256 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 257 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 258 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

A - Assessment F - Backfill
D - Delineation B - Background
C - Confirmation O - Other
R - Deferral

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
PBWMS Sharps SWD Line
NMOCD Ref. #: nAPP2526054335

NMOCD Closure Criteria					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
NMOCD Reclamation Standard					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
					SW 846 8021B		**SW 846 8015M Ext.**					**4500 Cl**
Sample ID	**Date**	**Depth (Feet)**	**Type**	**Soil Status**	**Benzene (mg/kg)**	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO + DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 259 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 260 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 261 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 262 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 263 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 264 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 265 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 266 @ 4'	11/17/2025	4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
NW 1	10/27/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
NW 2	10/27/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
NW 3	11/6/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
NW 4	11/6/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
NW 5	11/21/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
NW 6	11/21/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
NW 7	11/21/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
NW 8	11/21/2025	0-5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
NW 9	11/21/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
EW 1	10/28/2025	0-4	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**656**
EW 1A	11/18/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
EW 2	10/27/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
EW 3	10/29/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
EW 4	10/30/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	272
EW 5	10/30/2025	0-5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	240
EW 6	10/30/2025	0-3	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	400
EW 7	10/30/2025	0-5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
EW 8	10/31/2025	0-5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
EW 9	11/4/2025	0-2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
EW 10	11/4/2025	0-2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
EW 11	11/4/2025	0-5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	240
EW 12	11/21/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
SW 1	10/27/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
SW 2	10/27/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
SW 3	11/6/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
SW 4	11/6/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
SW 5	11/21/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
SW 6	11/21/2025	0-5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
SW 7	11/21/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
SW 8	11/21/2025	0-6	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
SW 9	11/21/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
WW 1	10/27/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
WW 2	10/27/2025	0-4	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
WW 2	10/28/2025	0-4	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	640
WW 2A	11/18/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
WW 3	10/29/2025	0-4	C	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	672

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

A - Assessment F - Backfill
D - Delineation B - Background
C - Confirmation O - Other
R - Deferral

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
PBWMS Sharps SWD Line
NMOCD Ref. #: nAPP2526054335

NMOCD Closure Criteria					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
NMOCD Reclamation Standard					**10**	**50**	**N/A**	**N/A**	**N/A**	**N/A**	**100**	**600**
					SW 846 8021B		**SW 846 8015M Ext.**					**4500 Cl**
Sample ID	**Date**	**Depth (Feet)**	**Type**	**Soil Status**	**Benzene (mg/kg)**	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO + DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
WW 3A	11/18/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
WW 4	10/30/2025	0-4	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	352
WW 5	10/30/2025	0-5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
WW 6	10/30/2025	0-6	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	400
WW 7	10/30/2025	0-5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
WW 8	10/31/2025	0-5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
WW 9	11/4/2025	0-2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
WW 10	11/4/2025	0-2	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
WW 11	11/4/2025	0-5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	224
WW 12	11/21/2025	0-5	C	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
Stockton Pit #1208 - Backfill	5/25/2025	N/A	F	Backfill	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

A - Assessment
D - Delineation
C - Confirmation
R - Deferral
F - Backfill
B - Background
O - Other

Appendix A
Depth to Groundwater Information



Note: Only wells with depth to groundwater data ≤25 years old are depicted.

Legend

- Site Location
- Well - NMOSE
- Well - USGS
- Well - Other
- Affected Area
- 500-Ft Radius
- 1,000-Ft Radius
- 0.5-Mi Radius

Figure 4
Inferred Depth to Groundwater Map
Mewbourne Oil Company
PBWMS Sharps SWD Line
GPS: 32.60248, -104.05941
Eddy County, New Mexico

eTECH Environmental & Safety Solutions, Inc.

Drafted: bja Checked: rlc Date: 12/21/25

Click forNews Bulletins

Groundwater levels for the Nation

Ground water level pages will be decommissioned in early 2026. These gwlevel pages are frozen as of November 18th, 2025. Please find the modernized pages in WDFN that suit you best. Learn more about our modernization plans and timeline and new pages.

Search Results -- 1 sites found

Agency code = usgs
site_no list =
- 323544104033401

Minimum number of levels = 1
Save file of selected sites to local disk for future upload

USGS 323544104033401 20S.29E.03.43344

Eddy County, New Mexico
Latitude 32°35'44", Longitude 104°03'34" NAD27
Land-surface elevation 3,300 feet above NAVD88
This well is completed in the Other aquifers (N9999OTHER) national aquifer.
This well is completed in the Rustler Formation (312RSLR) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source of measurement	? Water-level approval status
			72019								
1948-12-13		D	72019	91.68			P	Z			A
1965-12-09		D	72019	87.64			1	Z			A
1968-05-27		D	72019	90.15			P	Z			A
1971-02-10		D	72019	86.55			P	Z			A

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source of measurement	? Water-level approval status
1976-12-14		D	72019	86.76			1	Z			A
1983-01-13		D	72019	87.20			1	Z			A
1999-01-20		D	72019	85.44			1	S	USGS	S	A

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Status	P	Pumping
Method of measurement	S	Steel-tape measurement.
Method of measurement	Z	Other.
Measuring agency		Not determined
Measuring agency	USGS	U.S. Geological Survey
Source of measurement		Not determined
Source of measurement	S	Measured by personnel of reporting agency.
Water-level approval status	A	Approved for publication -- Processing and review completed.

Click forNews Bulletins

Groundwater levels for the Nation

Ground water level pages will be decommissioned in early 2026. These gwlevel pages are frozen as of November 18th, 2025. Please find the modernized pages in WDFN that suit you best. Learn more about our modernization plans and timeline and new pages.

Search Results -- 1 sites found

Agency code = usgs
site_no list =
- 323544104033402

Minimum number of levels = 1
Save file of selected sites to local disk for future upload

USGS 323544104033402 20S.29E.03.43344 A

Eddy County, New Mexico
Latitude 32°35'44", Longitude 104°03'34" NAD27
Land-surface elevation 3,300 feet above NAVD88
The depth of the well is 96 feet below land surface.
This well is completed in the Other aquifers (N9999OTHER) national aquifer.
This well is completed in the Rustler Formation (312RSLR) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source of measurement	? Water-level approval status
			72019								
1976-12-14		D	72019	87.15			1	Z			A
1977-12-15		D	72019	88.34			1	Z			A
1983-01-13		D	72019	87.60			1	Z			A

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source of measurement	? Water-level approval status
1994-03-04		D	72019	86.43			1	S			A

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	S	Steel-tape measurement.
Method of measurement	Z	Other.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	A	Approved for publication -- Processing and review completed.

Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE
quarters are smallest to largest

NAD83 UTM in meters

Well Tag	POD Nbr	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	Map
	CP 00831 POD1		NE	NE	10	20S	29E	588548.0	3606605.0 *	🌎

*** UTM location was derived from PLSS - see Help**

Driller License:	122	**Driller Company:**	UNKNOWN		
Driller Name:					
Drill Start Date:		**Drill Finish Date:**		**Plug Date:**	
Log File Date:		**PCW Rcv Date:**		**Source:**	Shallow
Pump Type:		**Pipe Discharge Size:**		**Estimated Yield:**	20
Casing Size:	7.00	**Depth Well:**	100	**Depth Water:**	

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

©2024 New Mexico Office of the State Engineer, All Rights Reserved. | Disclaimer | Contact Us | Help | Home |

Received by OCD: 1/2/2026 1:56:12 PM

Revised May 1993

IMPORTANT — READ INSTRUCTIONS ON BACK BEFORE FILLING OUT THIS FORM.

Declaration of Owner of Underground Water Right

CAPTIAN
BASIN NAME

Declaration No. CP-831 Date received November 12, 1993

STATEMENT

1. Name of Declarant Snyder Ranches
   Mailing Address PO Box 2158
   County of Lea, State of N. Mex
2. Source of water supply SW aquifer (artesian or shallow water aquifer)
3. Describe well location under one of the following subheadings: Wit Mill
   a. NE ¼ NE ¼ ¼ of Sec. 10 Twp. 20 Rge. 29 N.M.P.M., in
   b. Tract No. _____ of Map No. _____ of the _____.
   c. X = _____ fee, Y = _____ feet, N.M. Coordinate System _____ Zone
   in the _____ Grant.
   On land owned by U.S.
4. Description of well: date drilled UNK driller UNK depth 100 feet.
   outside diameter of casing 7" inches; original capacity 20 gal. per min.; present capacity 20
   gal. per min.; pumping lift _____ feet; static water level _____ feet (above) (below) land surface;
   make and type of pump 2" pump
   make, type, horsepower, etc., of power plant 10' windmill
   Fractional or percentage interest claimed in well 100%
5. Quantity of water appropriated and beneficially used 3 (acre feet per acre) 3 (acre feet per annum)
   for livestock purposes.
6. Acreage actually irrigated NONE acres, located and described as follows (describe only lands actually irrigated):

Subdivision	Sec.	Twp.	Range	Acres Irrigated	Owner

(Note: location of well and acreage actually irrigated must be shown on plat on reverse side.)

7. Water was first applied to beneficial use ~~Sep. 30~~ PRIOR TO 1950 (month / day / year) and since that time has been used fully and continuously on all of the above described lands or for the above described purposes except as follows: continuously used for Stock Water
8. Additional statements or explanations _____

POD Renumbered From: CP-831 To: CP-821 POD1

I, HARRY C SQUIRES being first duly sworn upon my oath, depose and say that the above is a full and complete statement prepared in accordance with the instructions on the reverse side of this form and submitted in evidence of ownership of a valid underground water right, that I have carefully read each and all of the items contained therein and that the same are true to the best of my knowledge and belief.

Snyder Ranches, declarant.
by: _____

Subscribed and sworn to before me this 1st day of November, A.D. 19 93

My commission expires 8-24-94 Ben Castleman Notary Public

FILED
UNDER NEW MEXICO LAW A DECLARATION IS ONLY A STATEMENT OF DECLARANT'S CLAIM. ACCEPTANCE FOR FILING DOES NOT CONSTITUTE APPROVAL OR REJECTION OF THE CLAIM.
SS0658

Released to Imaging: 1/13/2026 11:34:00 AM

STATE OF NEW MEXICO

STATE ENGINEER OFFICE

ELUID MARTINEZ
STATE ENGINEER

ROSWELL

DISTRICT II
1900 West Second St.
Roswell, New Mexico 88201
(505) 622-6521

November 17, 1993

Files: CP-818 thru CP-834

Mr. Larry C. Squires
Snyder Ranches
P O Box 2158
Hobbs, New Mexico 88240

Dear Mr. Squires:

Enclosed are your copies of Declarations of Owner of Underground Water Right Nos. CP-818 thru CP-834 which have been filed for record in the office of the State Engineer.

Please refer to these numbers in all future correspondence concerning these declarations.

The filing of these declarations does not indicate affirmation or rejection of the statements contained therein.

Yours very truly,

Johnny Hernandez, Supervisor
Capitan Water Basin

JR:pks
cc: Santa Fe

Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE
quarters are smallest to largest

NAD83 UTM in meters

Well Tag	POD Nbr	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	Map
	CP 00698 POD1		SW	NW	03	20S	29E	587392.9	3608010.4	

*** UTM location was derived from PLSS - see Help**

Driller License:	421	**Driller Company:**	GLENN'S WATER WELL SERVICE		
Driller Name:	GLENN, CLARK A."CORKY" (LD)				
Drill Start Date:	1986-04-23	**Drill Finish Date:**	1986-04-23	**Plug Date:**	
Log File Date:	1986-04-29	**PCW Rcv Date:**		**Source:**	Shallow
Pump Type:		**Pipe Discharge Size:**		**Estimated Yield:**	120
Casing Size:	6.63	**Depth Well:**		**Depth Water:**	

Water Bearing Stratifications:

Top	Bottom	Description
185	200	Limestone/Dolomite/Chalk

Casing Perforations:

Top	Bottom
165	225

Meter Information

Meter Number:	15809	**Meter Make:**	HALIBURTON
Meter Serial Number:	S2T71326	**Meter Multiplier:**	1.0000
Number of Dials:	6	**Meter Type:**	Diversion
Unit of Measure:	Barrels 42 gal.	**Reading Frequency:**	Monthly

Meter Readings (in Acre-Feet)

Read Date	Year	Mtr Reading	Flag	Rdr	Comment	Mtr Amount	Online
2013-09-23	2013	0.000	A	RPT	initial reading	0.000	

Read Date	Year	Mtr Reading	Flag	Rdr	Comment	Mtr Amount	Online
2013-10-02	2013	23275.000	A	RPT	ending reading	3.000	
2015-03-18	2015	23275.000	A	RPT		0.000	
2015-03-20	2015	23275.000	A	RPT		0.000	

YTD Meter Amounts:

Year	Amount
2013	3.000
2015	0.000

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

12/23/25 1:35 PM MST **Point of Diversion Summary**

©2024 New Mexico Office of the State Engineer, All Rights Reserved. | Disclaimer | Contact Us | Help | Home |

File: CP-1577

NEW MEXICO OFFICE OF THE STATE ENGINEER

APPLICATION FOR PERMIT TO USE UNDERGROUND WATERS IN ACCORDANCE WITH SECTIONS 72-12-1.1, 72-12-1.2, OR 72-12-1.3 NEW MEXICO STATUTES

For fees, see State Engineer website: http://www.ose.state.nm.us/

2.3648

1. APPLICANT(S)

Name: **COG Operating LLC (Concho Oil)**	Name: **Rio Tanks Fas-Line**
Contact or Agent: **Morris Keith** check here if Agent ☐	Contact or Agent: **Dale Vickrey** check here if Agent ☐
Mailing Address: **2208 West Main Street**	Mailing Address: **4602 West Pierce**
City: **Artesia**	City: **Carlsbad**
State: **NM** Zip Code: **88210**	State: **NM** Zip Code: **88220**
Phone: ☐ Home ☐ Cell Phone (Work): **254-688-0070**	Phone: **575-706-4777** ☐ Home ☒ Cell Phone (Work):
E-mail (optional): **mkeith@concho.com**	E-mail (optional): **dvriotanks@gmail.com**

2. WELL LOCATION Required: Coordinate location must be New Mexico State Plane (NAD 83), UTM (NAD 83), or Lat/Long (WGS84)

NM State Plane (NAD83) - In feet	NM West Zone ☐ NM Central Zone ☐ NM East Zone ☒		X (in feet): 623,024 Y (in feet): 584,336			
UTM (NAD83) - In meters	UTM Zone 13N ☒ UTM Zone 12N ☐		Easting (in meters): **587445** Northing (in meters): **1927309**			
Lat/Long (WGS84) - To 1/10th of second	Latitude:	**32** deg	**36** min	**22**	sec	
	Longitude:	**104** deg	**04** min	**4.99**	sec	

Other Location Information (complete the below, if applicable):

PLSS Quarters or Halves: **NE/4 NE/4 SW/4 NW/4** Section: **3** Township: **20S** Range: **29E**

County: **Eddy**

Land Grant Name (if applicable): NON

Lot No: Block No: Unit/Tract: Subdivision:

Hydrographic Survey: Map: Tract:

Other description relating point of diversion to common landmarks, streets, or other:

Point of Diversion is on Land Owned by (Required): U.S. Department Of Interior, Bureau Of Land Management

FOR OSE INTERNAL USE Application for Permit, Form wr-01, Rev11/16/11

File Number: CP. 1577	Trn Number: 580346	
Sub-basin: CP	POD No. 1	Log Due Date: 12/17/2014

3. PURPOSE OF USE

- ☐ Domestic use for one household
- ☐ Livestock watering
- ☐ Domestic use for more than one household. Number of households **
- ☐ Drinking and sanitary uses that are incidental to the operations of a governmental, commercial, or non-profit facility
- ☒ Prospecting, mining or drilling operations to discover or develop natural resources
- ☐ Construction of public works, highways and roads
- ☐ Domestic use for one household and livestock watering
- ☐ Domestic use for multiple households and livestock watering
- ☐ Domestic well to accompany a house or other dwelling unit constructed for sale

4. WELL INFORMATION

File Information: (If existing well, provide OSE no. & indicate below if well is to be replacement, repaired or deepened, or supplemental. If new well, leave blank, as OSE must assign no.)

OSE Well No.(If Existing) **CP-698**	New Well No. (provided by OSE)
Driller Name:	**Driller License Number:**
Approximate Depth of Well (feet):	Outside Diameter of Well Casing (inches):

☐ Replacement well (List all existing wells if more than one):	☐ Repair or Deepen: ☐ Clean out well to original depth ☐ Deepen well from _____ to _____ ft. ☐ Other (Explain):	☐ Supplemental well (List OSE No. for all wells this will supplement):

5. ADDITIONAL STATEMENTS OR EXPLANATIONS

Application is requested to provide water to facilitate hydraulic fracturing operations in the drilling of a COG Operating LLC oil/gas wells "Chopper 2, 3, and 4," located in Section 1, T.24S, Range 27E, N.M.P.M.

Phase ~~Two~~ Three of Three: (3.00 acre-feet

Application was previously submitted on an incorrect form. The filing fee for this application has already been paid as per OSEDistrict II Receipt Number 2-36480.

ACKNOWLEDGEMENT

I, We (name of applicant(s)), **Dale Vickrey for COG Operating, LLC and Rio Tanks Fas-Line**
Print Name(s)

affirm that the foregoing statements are true to the best of (my, our) knowledge and belief.

Dale Vickrey 12/16/15
Applicant Signature Applicant

2015 DEC 17 AM 10:07

ACTION OF THE STATE ENGINEER / OSE USE ONLY

This application is approved subject to the attached general and specific conditions of approval.

Witness my hand and seal this 17th day of December 20 15, for the State Engineer,

By: Claudia K. Guillen Claudia K. Guillen
Signature Print

FOR OSE INTERNAL USE Application for Permit, Form wr-01, Rev11/16/11

File Number: CP-1577		Trn Number: 580346	
Sub-basin: CP	POD No. 1	Log Due Date: 12/17/2016	

Page 2 of 2

NEW MEXICO STATE ENGINEER OFFICE
APPLICATION FOR PERMIT TO USE UNDERGROUND WATERS
IN ACCORDANCE WITH SECTION 72-12-1 NEW MEXICO STATUTES

GENERAL CONDITIONS OF APPROVAL (A thru P)

06-A The maximum amount of water that may be appropriated under this permit is 3.000 acre-feet in any year.

06-B The well shall be drilled by a driller licensed in the State of New Mexico in accordance with Section 72-12-12 New Mexico Statutes Annotated. A licensed driller shall not be required for the construction of a driven well; provided that the casing shall not exceed two and three-eighths (2 3/8) inches outside diameter (Section 72-12-12).

06-C Driller's well record must be filed with the State Engineer within 20 days after the well is drilled or driven. Well record forms will be provided by the State Engineer upon request.

06-D The casing shall not exceed 7 inches outside diameter except under specific conditions in which reasons satisfactory to the State Engineer are shown.

06-E To request a change to the use of water authorized under this permit, the permittee shall file an application with the State Engineer.

06-F An application for a new 72-12-1.1 domestic well permit where the proposed point of diversion is to be located on the same legal lot of record as an operational 72-12-1.1 domestic well shall be treated as an application for a supplemental well.

06-G If artesian water is encountered, all rules and regulations pertaining to the drilling and casing of artesian wells shall be complied with.

06-H The drilling of the well and amount and uses of water permitted are subject to such limitations as may be imposed by a court or by lawful municipal or county ordinance which are more restrictive than the conditions of this permit and applicable State Engineer regulations.

06-I The permittee shall utilize the highest and best technology available to ensure conservation of water to the maximum extent practical.

Trn Desc: CP 01577 POD1 (T) File Number: CP 01577
Log Due Date: 12/17/2016 Trn Number: 580346
Form: wr-01 page: 1

NEW MEXICO STATE ENGINEER OFFICE
APPLICATION FOR PERMIT TO USE UNDERGROUND WATERS
IN ACCORDANCE WITH SECTION 72-12-1 NEW MEXICO STATUTES

GENERAL CONDITIONS OF APPROVAL (Continued)

06-J The well shall be set back a minimum of 50 ft. from an existing well of other ownership unless a variance has been granted by the State Engineer. The State Engineer may grant a variance for a replacement well or to allow for maximum spacing of the well from a source of groundwater contamination. The well shall be set back from potential sources of contamination in accordance with rules and regulations of the NM Environment Department.

06-K Pursuant to section 72-8-1 NMSA, the permittee shall allow the State Engineer and his representatives entry upon private property for the performance of their respective duties, including access to the well for meter reading and water level measurement.

06-L The permit is subject to cancellation for non-compliance with the conditions of approval or if otherwise not exercised in accordance with the terms of the permit.

06-M The right to divert water under this permit is subject to curtailment by priority administration as implemented by the State Engineer or a court.

06-N In the event of any change of ownership to this permit the new owner shall file a change of ownership form with the State Engineer in accordance with Section 72-1-2.1 NMSA.

06-O This well permit shall automatically expire unless the well is completed and the well record is filed with the State Engineer within one year of the date of issuance of the permit. It is the responsibility of the permit holder to ensure that the well record has been properly filed with the State Engineer.

06-P The well shall be constructed, maintained, and operated to prevent inter-aquifer exchange of water and to prevent loss of hydraulic head between geologic zones.

06-Q The State Engineer retains jurisdiction over this permit.

SPECIFIC CONDITIONS OF APPROVAL

06-3 Appropriation and use of water under this permit shall not exceed a period of one year from the date of approval.

Trn Desc: CP 01577 POD1 (T) File Number: CP 01577
Log Due Date: 12/17/2016 Trn Number: 580346
Form: wr-01 page: 2

NEW MEXICO STATE ENGINEER OFFICE
APPLICATION FOR PERMIT TO USE UNDERGROUND WATERS
IN ACCORDANCE WITH SECTION 72-12-1 NEW MEXICO STATUTES

SPECIFIC CONDITIONS OF APPROVAL (Continued)

06-5A A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the Engineer shall be advised of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of water; pumping records shall be submitted to the District Supervisor for each calendar month on or before the 10th day of the following month.

06-15 This permit authorizes the temporary diversion and use of water for prospecting, mining or construction of public works, highways and roads or drilling operations designed to discover or develop the natural mineral resources of the state. The total diversion of water under this permit shall not exceed 3.000 acre-feet per year. Diversion and use of water under this permit shall not exceed a period of one year from the date of approval.

06-Q The State Engineer retains jurisdiction over this permit.

LOG This permit will automatically expire unless the well CP 00698 is completed and the well record filed on or before 12/17/2016.

SEE ALL GENERAL CONDITIONS OF APPROVAL.

ACTION OF STATE ENGINEER

This application is approved for the use indicated, subject to all general conditions and to specific conditions listed above.

Witness my hand and seal this 18 day of Dec A.D., 2015

Tom Blaine, P.E., State Engineer

By: CLAUDIA GUILLEN

Trn Desc: CP 01577 POD1 (T) File Number: CP 01577
Log Due Date: 12/17/2016 Trn Number: 580346
Form: wr-01 page: 3

Locator Tool Report

General Information:

Application ID: 28 Date: 11-10-2015 Time: 16:48:08

WR File Number: CP-00698-POD1
Purpose: POINT OF DIVERSION

Applicant First Name: COG OPERATING LLC (RIO TANKS)
Applicant Last Name: THREE-PHASE OWD (72-12-1.3) PERMIT APPLICATION

GW Basin: CAPITAN
County: EDDY

Critical Management Area Name(s): NONE
Special Condition Area Name(s): NONE
Land Grant Name: NON GRANT

PLSS Description (New Mexico Principal Meridian):

NE 1/4 of NE 1/4 of SW 1/4 of NW 1/4 of Section 03, Township 20S, Range 29E.

Coordinate System Details:

Geographic Coordinates:

Latitude:	32 Degrees	36 Minutes	22.0 Seconds	N
Longitude:	104 Degrees	4 Minutes	5.0 Seconds	W

Universal Transverse Mercator Zone: 13N

NAD 1983(92) (Meters)	N: 3,608,005	E: 587,445
NAD 1983(92) (Survey Feet)	N: 11,837,263	E: 1,927,309
NAD 1927 (Meters)	N: 3,607,803	E: 587,494
NAD 1927 (Survey Feet)	N: 11,836,599	E: 1,927,471

State Plane Coordinate System Zone: New Mexico East

NAD 1983(92) (Meters)	N: 178,106	E: 189,899
NAD 1983(92) (Survey Feet)	N: 584,336	E: 623,026
NAD 1927 (Meters)	N: 178,087	E: 177,347
NAD 1927 (Survey Feet)	N: 584,274	E: 581,846

NEW MEXICO OFFICE OF STATE ENGINEER

Locator Tool Report



WR File Number: CP-00698-POD1 Scale: 1:14,448

Northing/Easting: UTM83(92) (Meter): N: 3,608,005 E: 587,445

Northing/Easting: SPCS83(92) (Feet): N: 584,336 E: 623,026

GW Basin: Capitan

Released to Imaging: 1/13/2026 11:34:00 AM
Received by OCD: 1/2/2026 1:56:12 PM

	Glover--Balmer Model Run: Three Phase OWD: CP-698 (72-12-.1.3)					
MODEL YEAR	MOVE-FROM RIVER EFFECTS (AF/AN)	MOVE-TO RIVER EFFECTS (AF/AN)	DIFFERENCE IN EFFECTS (FROM MINUS TO) (AF/AN)	NET EFFECT ON RIVER	PUMP ON OR OFF AT MOVE-TO WELLS?:	AMOUNT TO OFFSET (AF/AN)
1	0.000000	0	0.0000000	NO IMPACT	**ON**	[redacted]
2	0.000000	0.00021	-0.0002100	**NEGATIVE**	OFF	[redacted]
3	0.000000	0.005714	-0.0057140	**NEGATIVE**	OFF	[redacted]
4	0.000000	0.027101	-0.0271010	**NEGATIVE**	OFF	[redacted]
5	0.000000	0.0587	-0.0587000	**NEGATIVE**	OFF	[redacted]
6	0.000000	0.088276	-0.0882760	**NEGATIVE**	OFF	[redacted]
7	0.000000	0.110579	-0.1105790	**NEGATIVE**	OFF	[redacted]
8	0.000000	0.125422	-0.1254220	**NEGATIVE**	OFF	[redacted]
9	0.000000	0.134291	-0.1342910	**NEGATIVE**	OFF	[redacted]
10	0.000000	0.138847	-0.1388470	**NEGATIVE**	OFF	[redacted]
11	0.000000	0.140465	-0.1404650	**NEGATIVE**	OFF	[redacted]
12	0.000000	0.14016	-0.1401600	**NEGATIVE**	OFF	[redacted]
13	0.000000	0.138649	-0.1386490	**NEGATIVE**	OFF	[redacted]
14	0.000000	0.136417	-0.1364170	**NEGATIVE**	OFF	[redacted]
15	0.000000	0.133784	-0.1337840	**NEGATIVE**	OFF	[redacted]
16	0.000000	0.130959	-0.1309590	**NEGATIVE**	OFF	[redacted]
17	0.000000	0.128073	-0.1280730	**NEGATIVE**	OFF	[redacted]
18	0.000000	0.125208	-0.1252080	**NEGATIVE**	OFF	[redacted]
19	0.000000	0.12243	-0.1224300	**NEGATIVE**	OFF	[redacted]
20	0.000000	0.119683	-0.1196830	**NEGATIVE**	OFF	[redacted]
21	0.000000	0.117102	-0.1171020	**NEGATIVE**	OFF	[redacted]
22	0.000000	0.114608	-0.1146080	**NEGATIVE**	OFF	[redacted]
23	0.000000	0.11222	-0.1122200	**NEGATIVE**	OFF	[redacted]
24	0.000000	0.109932	-0.1099320	**NEGATIVE**	OFF	[redacted]
25	0.000000	0.10774	-0.1077400	**NEGATIVE**	OFF	[redacted]
26	0.000000	0.105636	-0.1056360	**NEGATIVE**	OFF	[redacted]
27	0.000000	0.103612	-0.1036120	**NEGATIVE**	OFF	[redacted]

Released to Imaging: 1/13/2026 11:34:00 AM
Received by OCD: 1/2/2026 1:56:12 PM

28	0.000000	0.101664	-0.1016640	NEGATIVE	OFF	[redacted]
29	0.000000	0.099784	-0.0997840	NEGATIVE	OFF	[redacted]
30	0.000000	0.097967	-0.0979670	NEGATIVE	OFF	[redacted]
31	0.000000	0.096208	-0.0962080	NEGATIVE	OFF	[redacted]
32	0.000000	0.094502	-0.0945020	NEGATIVE	OFF	[redacted]
33	0.000000	0.092845	-0.0928450	NEGATIVE	OFF	[redacted]
34	0.000000	0.091234	-0.0912340	NEGATIVE	OFF	[redacted]
35	0.000000	0.089665	-0.0896650	NEGATIVE	OFF	[redacted]
36	0.000000	0.088136	-0.0881360	NEGATIVE	OFF	[redacted]
37	0.000000	0.086643	-0.0866430	NEGATIVE	OFF	[redacted]
38	0.000000	0.085185	-0.0851850	NEGATIVE	OFF	[redacted]
39	0.000000	0.08376	-0.0837600	NEGATIVE	OFF	[redacted]
40	0.000000	0.082365	-0.0823650	NEGATIVE	OFF	[redacted]
41	0.000000	0.081	-0.0810000	NEGATIVE	OFF	[redacted]
42	0.000000	0.079663	-0.0796630	NEGATIVE	OFF	[redacted]
43	0.000000	0.078353	-0.0783530	NEGATIVE	OFF	[redacted]
44	0.000000	0.077068	-0.0770680	NEGATIVE	OFF	[redacted]
45	0.000000	0.075807	-0.0758070	NEGATIVE	OFF	[redacted]
46	0.000000	0.07457	-0.0745700	NEGATIVE	OFF	[redacted]
47	0.000000	0.073356	-0.0733560	NEGATIVE	OFF	[redacted]
48	0.000000	0.072164	-0.0721640	NEGATIVE	OFF	[redacted]
49	0.000000	0.070993	-0.0709930	NEGATIVE	OFF	[redacted]
50	0.000000	0.069842	-0.0698420	NEGATIVE	OFF	[redacted]
						[redacted]

Offset Amount: 4.6

INCREASED EFFECTS TO THE PECOS RIVER

Offset Plan Required 4.6 AF Total

CP-698: Three Phase OWD Application: (9 acre-feet total)
Baseline/Initial Conditions: (No Pumping: 0.00 acre-feet)

TIME and DATE
month: 11 day: 19 year: 2015
hour: 17 minute: 35 second: 12

STREAM DEPLETION CAUSED BY PUMPING MULTIPLE WELLS AT
VARIOUS RATES IN AN INFINITE - STRIP, NON - LEAKY AQUIFER.
THE WELLS ARE BETWEEN THE STREAM AND A PLANE BOUNDARY.

(Glover and Balmer equation)

T = 1000. square ft/day S = 0.005000

Number of wells = 1

Distance from stream to plane boundary = 20.00 miles

Distances of the wells from the stream and the
number of pumping rates

Well #	Distance (miles)	No. of rates
CP-698	12.50	1

PUMPING SCHEDULES FOR THE WELLS

Pumping schedule for well number CP-698

	Pumping rate			Pumping time
Q(1) =	0.0	ac-ft/yr	for	1.000 years

Image Control = .10000000E-02

Time variable (t) Only 500 timesteps allowed

t min = 1.000 years; t max = 50.000 years;
delta t = 1.000 years

Time (years)	Rate of Depletion (ac-ft/yr)	Accumulated Depletion Volume (acre-feet)	Depletion Volume in Time Period (acre-feet)
1.000	0.000000	0.000000	0.000000
2.000	0.000000	0.000000	0.000000
3.000	0.000000	0.000000	0.000000
4.000	0.000000	0.000000	0.000000
5.000	0.000000	0.000000	0.000000
6.000	0.000000	0.000000	0.000000
7.000	0.000000	0.000000	0.000000
8.000	0.000000	0.000000	0.000000
9.000	0.000000	0.000000	0.000000
10.000	0.000000	0.000000	0.000000
11.000	0.000000	0.000000	0.000000
12.000	0.000000	0.000000	0.000000
13.000	0.000000	0.000000	0.000000
14.000	0.000000	0.000000	0.000000
15.000	0.000000	0.000000	0.000000
16.000	0.000000	0.000000	0.000000
17.000	0.000000	0.000000	0.000000
18.000	0.000000	0.000000	0.000000
19.000	0.000000	0.000000	0.000000
20.000	0.000000	0.000000	0.000000
21.000	0.000000	0.000000	0.000000
22.000	0.000000	0.000000	0.000000
23.000	0.000000	0.000000	0.000000
24.000	0.000000	0.000000	0.000000
25.000	0.000000	0.000000	0.000000
26.000	0.000000	0.000000	0.000000
27.000	0.000000	0.000000	0.000000
28.000	0.000000	0.000000	0.000000
29.000	0.000000	0.000000	0.000000
30.000	0.000000	0.000000	0.000000
31.000	0.000000	0.000000	0.000000
32.000	0.000000	0.000000	0.000000
33.000	0.000000	0.000000	0.000000
34.000	0.000000	0.000000	0.000000
35.000	0.000000	0.000000	0.000000
36.000	0.000000	0.000000	0.000000
37.000	0.000000	0.000000	0.000000
38.000	0.000000	0.000000	0.000000
39.000	0.000000	0.000000	0.000000
40.000	0.000000	0.000000	0.000000
41.000	0.000000	0.000000	0.000000
42.000	0.000000	0.000000	0.000000
43.000	0.000000	0.000000	0.000000
44.000	0.000000	0.000000	0.000000
45.000	0.000000	0.000000	0.000000
46.000	0.000000	0.000000	0.000000
47.000	0.000000	0.000000	0.000000
48.000	0.000000	0.000000	0.000000
49.000	0.000000	0.000000	0.000000
50.000	0.000000	0.000000	0.000000

Tom Blaine, P.E.
State Engineer

Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER

Trn Nbr: 580346
File Nbr: CP 01577

Dec. 18, 2015

MORRIS KEITH
COG OPERATING LLC
2208 W MAIN ST
ARTESIA, NM 88210

Greetings:

Enclosed is your copy of the above numbered permit that has been approved in accordance with NM Statute Section 72-12-1 subject to the conditions set forth on the approval page.

Please review the conditions for any required submittals. If submittals are not made by the date(s) indicated in the conditions, your rights under this permit shall expire by the date indicated on your permit.

Appropriate forms can be downloaded from the OSE website www.ose.state.nm.us or will be mailed upon request.

Sincerely,

Claudia Guillen
(575)622-6521

Enclosure

wr_01app

Tom Blaine, P.E.
State Engineer

Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER

Trn Nbr: 580346
File Nbr: CP 01577
Well File Nbr: CP 00698

Dec. 18, 2015

MORRIS KEITH
COG OPERATING LLC
2208 W MAIN ST
ARTESIA, NM 88210

Greetings:

The well driller's record for the above numbered well has been received in this office indicating your well has been completed.

Your permit was granted with the condition that a meter(s) be installed and meter readings submitted to this office.

Per Condition 5A, please advise this office within 30 days, on the attached form, of the make, model, serial number, date of installation, and initial reading of the meter(s) prior to appropriation of the water.

If you have any questions, please feel free to contact us.

Sincerely,

Claudia Guillen
(575)622-6521

Enclosure

wellcon5

Tom Blaine, P.E.
State Engineer

Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER

Trn Nbr: 580346
File Nbr: CP 01577
Well File Nbr: CP 00698

Dec. 18, 2015

DALE VICKREY
RIO TANKS FAS LINE
4602 W PIERCE
CARLSBAD, NM 88220

Greetings:

The well driller's record for the above numbered well has been received in this office indicating your well has been completed.

Your permit was granted with the condition that a meter(s) be installed and meter readings submitted to this office.

Per Condition 5A, please advise this office within 30 days, on the attached form, of the make, model, serial number, date of installation, and initial reading of the meter(s) prior to appropriation of the water.

If you have any questions, please feel free to contact us.

Sincerely,

Claudia Cuillen
(575)622-6521

Enclosure

wellcon5

Tom Blaine, P.E.
State Engineer

Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER

Trn Nbr: 580346
File Nbr: CP 01577

Dec. 18, 2015

DALE VICKREY
RIO TANKS FAS LINE
4602 W PIERCE
CARLSBAD, NM 88220

Greetings:

Enclosed is your copy of the above numbered permit that has been approved in accordance with NM Statute Section 72-12-1 subject to the conditions set forth on the approval page.

Please review the conditions for any required submittals. If submittals are not made by the date(s) indicated in the conditions, your rights under this permit shall expire by the date indicated on your permit.

Appropriate forms can be downloaded from the OSE website www.ose.state.nm.us or will be mailed upon request.

Sincerely,

Claudia Guillen
(575)622-6521

Enclosure

wr_01app

United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Pecos District
Carlsbad Field Office
620 E. Greene
Carlsbad, New Mexico
88220-6292
www.blm.gov/nm

In Reply Refer To:
7200 (523)

October 26, 2015

STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO
2015 OCT 27 AM 11:49

New Mexico State Engineer Office
District No. 2
1900 West Second Street
Roswell, New Mexico 88201

Dear Mr. Morley,

This letter is in reference to a request from Fas-Line (Danny Masters), via Mike Stapleton, to use water from an existing water well (CP-0698). This well is located on public surface, in the NE¼SW¼NW¼ of section 3, T. 20 S., R. 29 E. Fas-Line wishes to use water from this well to provide water for a Concho project to provide water to the Chopper 2, 3, and 4 wells.

Fas-line plans to apply for three 72-12-1 permits, with your office, to acquire permission to use the water. In addition, they plan to lay temporary surface pipeline along existing roads to get the water to the wells. He has discussed this work with our office and has cleared the proposal with our staff specialists. Additionally, he is working with Jimmy Richardson, the BLM grazing lessee, on this project. This letter constitutes authorization from the Carlsbad Field Office to utilize the above-mentioned water well, to develop the Chopper project wells, as per the 72-12-1 permits your office will issue.

Sincerely,

for George MacDonell
Field Manager

CONCHO

October 22, 2015

State of New Mexico

P.O. Box 1148

Santa Fe New Mexico 87505

STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO
2015 OCT 27 AM 11: 50

RE:

Chopper State #2.3.4

Sec 1 T24S R27E

Eddy County, NM

Dear Sirs:

COG Operating LLC hereby designates Rio Tanks Fas Line to be a designated agent for COG Operating LLC and to act as a water agent for COG Operating LLC in regards to fresh water usage.

STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO
2015 DEC 17 AM 10: 10

Sincerely,

Morris Keith

Artesia, NM

Frac Water planning coordinator

254-688-0070

mkeith@concho.com

CORPORATE ADDRESS
One Concho Center | 600 West Illinois Avenue | Midland, Texas 79701
PHONE 432.683.7443 | FAX 432.683.7441

LOCAL ADDRESS
Concho West | 2208 West Main Street | Artesia, New Mexico 88210
PHONE 575.748.6940 | FAX 575.748.6968

Appendix B
Field Data & Soil Profile

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date:

Project: Sharps SWD Line Release

Project Number: 22900 Latitude: 32.6002 Longitude: -104.059189

Sample ID	PID/Odor	Chloride Conc.	GPS
SP1 @ Sur HS 7.2	—	9009	
SP1 @ 1 HS 6.8	—	7116	
SP1 @ 2 HS 4.0	—	2564	
SP1 @ 3 5.0	—	968	
SP1 @ 4 3.0	—	384	
SP2 @ Sur HS 6.4	—	6678	
SP2 @ 1 HS 6.0	—	5704	
SP2 @ 2 HS 7.0	—	8337	
SP2 @ 3 7.0	—	1960	
SP2 @ 4 2.0	—	204	
SP3 @ Sur HS 7.8	—	11,504	
SP3 @ 1 7.2	—	2,104	
SP3 @ 2 7.4	—	2,260	
SP3 @ 3 6.0	—	13888	
SP3 @ 4 4.0	—	639	
SP4 @ Sur HS 8.0	—	12548	
SP4 @ 1 5.2	—	1,044	
SP4 @ 2 2.0	—	204	
SP4 @ 3 3.4	—	476	
SP4 @ 4 2.0	—	204	
SP5 @ Sur 4.8	—	896	
SP5 @ 1 5.8	—	968	
SP5 @ 2 4.0	—	636	
SP5 @ 3 3.2	—	428	
SP5 @ 4 3.0	—	384	
SP6 @ Sur 4.6	—	824	
SP6 @ 1 4.0	—	636	
SP6 @ 2 5.6	—	1,208	
SP6 @ 3 5.8	—	1296	
SP6 @ 4 5.6	—	1208	
SP7 @ Sur HS 5.0	—	3888	
SP7 @ 1 5.2	—	1,044	
SP7 @ 2 5.2	—	1044	
SP7 @ 3 4.8	—	896	
SP7 @ 4 5.0	—	968	

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

5100 4

2

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date: _____

Project:

Project Number: _____ Latitude: _____ Longitude: _____

Sample ID	PID/Odor	Chloride Conc.	GPS
SP8 @ Surf HS 6.0	—	5712	
SP8 @ 1 5.2	—	1044	
SP8 @ 2 3.8	—	580	
SP8 @ 3 4.8	—	896	
SP8 @ 4 6.6	—	1708	
AWS			
Surf = 6,376			
1ft 2,457			
2ft 2103			
3ft 1038			
4ft 712			
SP9 @ Surf HS 8.2	—	15136	
SP9 @ 1 HS 5.0		3744	
SP9 @ 2 6.4		1596	
SP9 @ 3 4.2		696	
SP9 @ 4 4.2		696	
SP10 @ Surf HS 8.0		13,620	
SP10 @ 1 HS 5.8		5022	
SP10 @ 2 HS 5.6		4756	
SP10 @ 3 7.6		2432	
SP10 @ 4 3.8		580	
SP11 @ Surf HS 7.8		15917	
SP11 @ 1 HS 6.0		5712	
SP11 @ 2 HS 5.6		4756	
SP11 @ 3 HS 5.0		3744	
SP11 @ 4 4.0		636	

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date:

Project: Sharps SWD Line Release

Project Number: 22900 Latitude: 32.6002 Longitude: -104.059189

[redacted]

Sample ID		PID/Odor	Chloride Conc.	GPS
FL-1@3'	3.6		528	
FL-2@3'	6.0		1388	
FL-3@3'	2.6		304	
FL-4@3'	8.4		>2565	
FL-5@3'	7.4		2260	
FL-2@4'	4.4		760	
FL-4@4'	3.4		476	
FL-5@4'	2.6		304	
FL-6@4'	3.0		384	
FL-7@4'	2.6		304	
NW1	1.2		<116	
SW1	1.2		<116	
WW1	2.0		204	
FL-8@4'	3.2		428	
FL-9@4'	3.6		528	
FL-10@4'	2.8		344	
FL-11@1½'	2.0		204	
EW1	2.6		304	
NW2	1.6		116	
FL-13@3'	3.8		580	
FL-14@3'	3.8		580	
FL-15@1½	1.0		>116	
FL-16@1½	1.0		>116	
FL-17@4'	3.2		428	
FL-18@4'	3.2		428	
SW2	1.0		<116	
FL-19@2'	2.8		344	
FL-20@2'	3.6		528	
FL-21@2'	3.8		580	
FL-22@2'	4.6		824	
FL-23@2'	4.6		824	
FL-24@2'	5.0		964	
FL-25@2'	5.0		964	
FL-26@2'	4.0		634	
FL-27@3'	4.8	—	896	
FL-28@3'	4.2	—	696	

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date: _____

Project: Sharps SWD Line Release

Project Number: 22900 Latitude: 32.6002 Longitude: -104.059189

Sample ID		PID/Odor	Chloride Conc.	GPS
FL-29 @		—	1044	
FL-30 @ 3'	4.0	—	432	
FL-31 @ 3'	4.8	—	896	
FL-32 @ 3'	4.8	—	896	
FL-33 @ 3'	4.4	—	760	
FL-34 @ 3'	4.8	—	896	
FL-35 @ 3'	4.8	—	896	
FL-36 @ 3'	4.6	—	824	
FL-37 @ 3'	4.2	—	696	
FL-38 @ 3'	4.6	—	824	
FL-39 @ 4'	4.0	—	432	
FL-40 @ 3'	3.2	—	428	
FL-41 @ 3'	4.4	—	760	
FL-42 @ 3'	3.6	—	528	
FL-43 @ 3'	4.6	—	824	
FL-44 @ 3'	4.2	—	696	
FL-45 @ 3'	4.4	—	760	
FL-46 @ 3'	4.8	—	896	
FL-47 @ 3'	2.4	—	268	
FL-48 @ 3'	2.8	—	344	
FL-49 @ 3'	2.6	—	304	
FL-50 @ 3'	2.4	—	268	
FL-51 @ 3'	3.4	—	476	
FL-52 @ 3'	3.8	—	578	
FL-53 @ 3'	4.6	—	824	
FL-54 @ 3'	4.6	—	824	
FL-55 @ 3'	3.0	—	400	
FL-56 @ 2'	3.0	—	400	
FL-57 @ 3'	1.6	—	152	
FL-58 @ 3'	3.6	—	528	
FL-59 @ 4'	1.8	—	176	
FL-60 @ 4'	2.0	—	204	
FL-61 @ 3'	3.4	—	476	
FL-62 @ 3'	3.8	—	528	
FL-63 @ 3'	4.0	—	432	
FL-64 @ 3'	3.8	—	528	

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date:

Project: Sharps SWD Line Release

Project Number: 22900 Latitude: 32.6002 Longitude: -104.059189

Sample ID		PID/Odor	Chloride Conc.	GPS
EW-3	1.8	–	528	
WW-3	3.4	–	476	
FL-6 S @ 1'	4.8	–	896	
FL-6 W @ 3'	4.8	–	896	
FL-6 @ 3'	3.0	–	400	
FL-6 E @ 3'	3.4	–	476	
EW-1	3.2		428	
WW-1	2.8		376	
FL-9 @ 1'	1.4		132	
FL-5	2.1		240	
WW-5	3.0		356	
FL-7 N @ 1'	3.0		356	
FL-7 E @ 2'	2.6		276	
FL-7 W @ 2'	2.6		276	
FL-7 S @ 3'	4.0		592	
WW-6	2.8		312	
EW-6	2.6		276	
WW-7	3.2		428	
EW-7	3.0		356	
FL-7 N @ 5'	4.8		896	
FL-7 S @ 1'	N/D			
FL-7 W @ 1'	1.6		116	
FL-7 E @ 1'	2.2		204	
FL-8 @ 1'	3.6		528	
FL-9 @ 1'	4.4		760	
FL-8 N @ 2'	4.6		824	
FL-8 W @ 2'	4.4		760	
FL-8 E @ 2'	4.0		592	
FL-8 S @ 2'	3.4		476	
FL-8 W @ 1'	3.2		428	
FL-8 S @ 1'	2.4		240	
FL-8 E @ 1'	2.8		276	
FL-8 N @ 1'	2.0		172	
EW-8				
WW-8				
FL-8				

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date:

Project: Sharps SWD Line Release

Project Number: 22900 Latitude: 32.6002 Longitude: -104.059189

Sample ID	PID/Odor	Chloride Conc.	GPS
FL-88 @3'	-	476	
FL-89 @3'	-	384	
FL-73	-	352	
FL-64	-	312	
FL-65	-	4480	
FL-69		496	
FL-65	-	N/D	
FL-63	-	208	
FL-62	-	208	
FL-61	-	N/D	
FL-53@4'	-	576	
FL-54@4'	-	380	
FL-41@4'	-	496	
FL-43@4'	-	496	
FL-45@4'	-	176	
FL-46@4'	-	352	
FL-1@4'	-	960	
FL-48 5'	-	176	
FL-20@3'	-	312	
FL-22@3'	-	240	
FL-23@3'	-	176	
FL-24@3'	-	352	
FL-25@3'	-	312	
FL-26@3'	-	240	
FL-27@4'	-	176	
FL-29@4'	-	176	
FL-30@4'	-	240	
FL-31@4'	-	352	

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date:

Project: Sharps SWD Line Release

Project Number: 22900 Latitude: 32.6002 Longitude: -104.059189

Sample ID	PID/Odor	Chloride Conc.	GPS
FL-88@1'			
FL-89@1' 4.4		710	
FL-90@1' 3.6		328	
FL-91@1' 3.6		328	
FL-92@1' 2.4		240	
FL-93@1' 4.0		596	
FL-94@1' 2.6		276	
FL-95@1' 2.6		276	
FL-96@3' 3.4		476	
FL-97@3' 3.6		328	
FL-98@5' 4.0		596	
FL-99@5' 4.2		648	
FL-100@2' 4.8		896	
FL-101@2' 4.8		896	
FL-102@1' 2.4		240	
FL-103@1' 1.4		ND	
EW-8			
WW-8			
EW-9			
WW-9			
FL-104@1' 2.6		276	
FL-105@1' 2.4		240	
FL-106@1' 2.0		172	
FL-107@1' 1.6		116	
FL-108@1' 1.6		116	
FL-109@1' 2.6		276	
FL-110@1' 1.4		240	
FL-111@1' 2.0		172	
FL-112@1' 1.6		116	
FL-113@1' 1.4		ND	
FL-114@1' 1.8		144	
FL-115@1' 2.2		204	
FL-116@1' 2.6		276	
FL-117@1' 1.8		144	
EW-10 2.0		172	
WW-10 2.6		176	

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date: _____

Project: Sharps SWD Line Release

Project Number: 22900 Latitude: 32.6002 Longitude: -104.059189

Sample ID		PID/Odor	Chloride Conc.	GPS
FL-120@1'	3.8	—	528	
FL-121@1'	3.2	—	204	
FL-122@1'	2.2	—	204	
FL-123@1'	1.4	—	NVD	
FL-124@1'	2.4	—	240	
FL-125@1'	2.8	—	312	
FL-126@1'	1.6		116	
FL-127@1'	2.6		276	
FL-128@1'	2.8		312	
FL-129@1'	3.6		488	
FL-130@1'	2.0		176	
FL-131@1'	2.4		240	
FL-132@1'	2.0		204	
FL-133@1'	2.6		276	
FL-134@1'	2.0		176	
FL-135@1'	1.6		116	
FL-136@1'	2.0		176	
FL-137@1'	NVD			
FL-138@1'	1.6		116	
FL-139@1'	3.4		440	
FL-140@1'				
FL-141@1'				
FL-144@1'	3.0		356	
FL-145@1'	2.0		176	
FL-146@1'	2.2		204	
FL-147@1'	3.2		396	
FL-148@1'	3.2		396	
FL-149@1'	3.6		488	
FL-150@1'	3.6		488	
FL-151@1'	3.0		356	
FL-152@1'	3.0		356	
FL-153@1'	3.0		356	
FL-154@1'	2.0		176	
FL-155@1'	NVD			
FL-156@1'	NVD			
FL-157@1'	NVD			

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date: _____

Project: Sharps SWD Line Release

Project Number: 22900 Latitude: 32.6002 Longitude: -104.059189

Sample ID	PID/Odor	Chloride Conc.	GPS
FL-158@4' N-D			
FL-159@4' 2.0		176	
FL-160@4' 1.4		N/D	
NW- 2.2		204	
FL-161@4' 2.4		240	
FL-162@4' 2.0		176	
FL-163@4' 2.0		176	
FL-164@4'		N/D	
FL-165@4' 1.8		144	
FL-166@4'		N/D	
FL-167@4'		N/D	
FL-168@4' 1.8		144	
FL-169@4' 1.8		144	
FL-170@4' 2.0		176	
FL-171@4' 2.0		176	
FL-172@4' 2.0		176	
FL-173@4' 2.0		176	
FL-174@5' 2.6		276	
FL-175@4' 1.6		112	
FL-176@4' 2.4		240	
FL-177@4' 1.4		N/D	
FL-178@4' 1.6		112	
FL-179@4' 3.4		4000	
FL-180@4' 1.8		144	
FL-181@4' 1.4		N/D	
FL-182@4' 1.8		144	
FL-183@4' 1.8		144	
FL-184@4' 2.0		176	
FL-185@4' 2.0		176	
FL-186@4' 1.8		144	
FL-187@4' 2.2		204	
FL-188@4' 2.2		204	
FL-189@4' 2.6		276	
FL-190@4' 2.8		312	
FL-191@4' 2.8		312	
FL-192@4' 3.0		356	

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date:

Project: Sharps SWD Line Release

Project Number: 22900 Latitude: 32.6002 Longitude: -104.059189

Sample ID		PID/Odor	Chloride Conc.	GPS
FL-193@4'	3.2		396	
FL-194@4'	3.4		440	
FL-195@4'	2.4		240	
FL-196@4'	2.8		312	
FL-197@4'	3.0		356	
FL-198@4'	3.2		396	
FL-199@4'	1.8		144	
FL-200@4'	1.4		N/D	
FL-201@4'	1.4		N/D	
FL-202@4'	2.6		276	
FL-203@4'	3.0		356	
FL-204@4'	2.6		276	
FL-205@4'	3.2		396	
FL-206@4'	3.0		356	
FL-207@4'	1.6		116	
FL-208@4'	1.8		144	
FL-209@4'	1.8		144	
FL-210@4'	1.8		144	
FL-211@4'	2.2		204	
FL-212@4'	2.8		312	
FL-213@4'	2.4		240	
FL-214@4'	1.8		144	
FL-215@4'			N/D	
FL-216@4'			N/D	
FL-217@4'			N/D	
FL-218@4'			N/D	
FL-219@4'	1.6		116	
FL-220@4'	1.6		116	
FL-221@4'	2.0		176	
FL-222@4'	2.2		204	
FL-223@4'	2.2		204	
FL-224@4'	1.8		144	
FL-225@4'	1.8		144	
FL-226@4'	2.0		176	

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date:

Project: Sharps SWD Line Release

Project Number: 22900 Latitude: 32.6002 Longitude: -104.059189

Sample ID	PID/Odor	Chloride Conc.	GPS
227@4'		N/D	
FL-228@4' 1.6		176	
FL-229@4' 2.0		176	
FL-230@4' 2.0		176	
FL-231@4' 2.8		352	
FL-232@4' 1.8		144	
FL-233@4' 1.8		144	
FL-234@4' 2.8		352	
FL-235@4' 2.6		272	
FL-236@4' 2.4		240	
FL-237@4' 2.0		240	
FL-238@4' 2.0		240	
FL-239@4' 1.6		176	
FL-240@4' 1.6		176	
FL-241@4' 1.6		176	
FL-242@4' 2.0		176	
FL-243@4' 2.2		224	
FL-244@4' 2.0		176	
FL-245@4' 2.0			
FL-246@4' 1.6			
FL-247@4' 2.0			
FL-248@4' 3.9			
FL-249@5'			
FL-250@4' 1.8		144	
FL-251@5' 1.8		144	
FL-252@4' 2.4		240	
FL-253@4' 3.0		256	
FL-254@4' 2.0		224	
FL-255@4' 1.6		176	
FL-256@4' 2.8		352	
FL-257@4' 1.8		144	
FL-258@4' 2.6		272	
FL-259@4' 1.6		176	
FL-260@4' 2.8		352	
FL-261@4' 2.0		176	
FL-262@4' 2.4		240	

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

Soil Map—Eddy Area, New Mexico
(PBWMS SHARPS SWD LINE)

Map Scale: 1:3,660 if printed on A portrait (8.5" x 11") sheet.

N

Meters: 0 50 100 200 300

Feet: 0 150 300 600 900

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 13N WGS84

Released to Imaging: 1/13/2026 11:34:00 AM

Received by OCD: 1/2/2026 1:56:12 PM

Soil Map—Eddy Area, New Mexico
(PBWMS SHARPS SWD LINE)

MAP LEGEND

Area of Interest (AOI)
- Area of Interest (AOI)

Soils
- Soil Map Unit Polygons
- Soil Map Unit Lines
- Soil Map Unit Points

Special Point Features
- Blowout
- Borrow Pit
- Clay Spot
- Closed Depression
- Gravel Pit
- Gravelly Spot
- Landfill
- Lava Flow
- Marsh or swamp
- Mine or Quarry
- Miscellaneous Water
- Perennial Water
- Rock Outcrop
- Saline Spot
- Sandy Spot
- Severely Eroded Spot
- Sinkhole
- Slide or Slip
- Sodic Spot
- Spoil Area
- Stony Spot
- Very Stony Spot
- Wet Spot
- Other
- Special Line Features

Water Features
- Streams and Canals

Transportation
- Rails
- Interstate Highways
- US Routes
- Major Roads
- Local Roads

Background
- Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico
Survey Area Data: Version 21, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Nov 12, 2022—Dec 2, 2022

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Released to Imaging: 1/13/2026 11:34:00 AM

Received by OCD: 1/2/2026 1:56:12 PM

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
SN	Simona and Wink fine sandy loams, 0 to 3 percent slopes, eroded	3.1	100.0%
Totals for Area of Interest		**3.1**	**100.0%**

Released to Imaging: 1/13/2026 11:34:00 AM

Received by OCD: 1/2/2026 1:56:12 PM

Eddy Area, New Mexico

SN—Simona and Wink fine sandy loams, 0 to 3 percent slopes, eroded

Map Unit Setting

National map unit symbol: 1w5y
Elevation: 3,000 to 4,200 feet
Mean annual precipitation: 10 to 14 inches
Mean annual air temperature: 60 to 64 degrees F
Frost-free period: 200 to 220 days
Farmland classification: Not prime farmland

Map Unit Composition

Simona and similar soils: 45 percent
Wink and similar soils: 40 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Simona

Setting

Landform: Alluvial fans, plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 19 inches: fine sandy loam
H2 - 19 to 23 inches: indurated

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 7 to 20 inches to petrocalcic
Drainage class: Well drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Very low (about 2.5 inches)

Interpretive groups

Land capability classification (irrigated): 4s
Land capability classification (nonirrigated): 7e

Released to Imaging: 1/13/2026 11:34:00 AM

Received by OCD: 1/2/2026 1:56:12 PM

Hydrologic Soil Group: D
Ecological site: R070BD002NM - Shallow Sandy
Hydric soil rating: No

Description of Wink

Setting

Landform: Depressions, swales
Landform position (three-dimensional): Talf
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 8 inches: fine sandy loam
H2 - 8 to 38 inches: fine sandy loam
H3 - 38 to 60 inches: stratified gravelly variable

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 30 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Low (about 6.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: A
Ecological site: R070BD004NM - Sandy
Hydric soil rating: No

Minor Components

Dune land

Percent of map unit: 15 percent
Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico
Survey Area Data: Version 21, Sep 9, 2025

Released to Imaging: 1/13/2026 11:34:00 AM

Appendix C
Photographic Log

Photographic Log

Photo Number: 1	
Photo Direction: North-Northeast	
Photo Description: Release point.	

Photo Number: 2	
Photo Direction: East	
Photo Description: View of the affected area.	

Photographic Log

Photo Number: 3	
Photo Direction: South	
Photo Description: View of the affected area.	

Photo Number: 4	
Photo Direction: East-Southeast	
Photo Description: View of the affected area.	

Photographic Log

Photo Number: 5	
Photo Direction: North	
Photo Description: View of the affected area.	

Photo Number: 6	
Photo Direction: North-Northwest	
Photo Description: View of the affected area.	

Photographic Log

Photo Number: 7	
Photo Direction: South	
Photo Description: View of the affected area.	

Photo Number: 8	
Photo Direction: North-Northeast	
Photo Description: View of the affected area.	

Photographic Log

Photo Number: 9	
Photo Direction: South	
Date: 10/31/2025	
Coordinates: 32.602300,-104.059388	
Photo Description: Aerial view of the excavated area.	

Photo Number: 10	
Photo Direction: North	
Date: 10/31/2025	
Coordinates: 32.599647,-104.059113	
Photo Description: Aerial view of the excavated area.	

Photographic Log

Photo Number: 11	
Photo Direction: Northwest	
Photo Description: View of the excavated area.	

Photo Number: 12	
Photo Direction: Southwest	
Photo Description: View of the excavated area.	

Photographic Log

Photo Number: 13 **Photo Direction:** East **Photo Description:** View of the excavated area.	

Photo Number: 14 **Photo Direction:** Northeast **Photo Description:** View of the excavated area.	

Photographic Log

Photo Number: 15 **Photo Direction:** South **Photo Description:** View of the excavated area.	

Photo Number: 16 **Photo Direction:** Northwest **Photo Description:** View of the excavated area.	

Photographic Log

Photo Number: 17 **Photo Direction:** Northwest **Photo Description:** View of the remediated area following backfill and regrading.	

Photo Number: 18 **Photo Direction:** South **Photo Description:** View of the remediated area following backfill and regrading.	

Photographic Log

Photo Number: 19 **Photo Direction:** Southeast View of the remediated area following backfill and regrading.	

Photo Number: 20 **Photo Direction:** South-Southeast **Photo Description:** View of the remediated area following backfill and regrading.	

Photographic Log

Photo Number: 21 **Photo Direction:** Southwest **Photo Description:** View of the remediated area following backfill and regrading.	

Photo Number: 22 **Photo Direction:** Southwest **Photo Description:** View of the remediated area following backfill and regrading.	

Appendix D
Laboratory Analytical Reports

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 20, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 10/14/25 11:04.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 9 @ SUR (H256438-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**17000**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	184	92.0	200	5.61	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	201	100	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *87.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 9 @ 1' (H256438-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2440**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	184	92.0	200	5.61	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	201	100	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *93.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 9 @ 2' (H256438-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1180**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	184	92.0	200	5.61	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	201	100	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *95.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 9 @ 3' (H256438-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	184	92.0	200	5.61	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	201	100	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *85.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 9 @ 4' (H256438-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**336**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	184	92.0	200	5.61	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	201	100	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *88.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 10 @ SUR (H256438-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**17600**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	184	92.0	200	5.61	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	201	100	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *95.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 10 @ 1' (H256438-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4080**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	184	92.0	200	5.61	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	201	100	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *95.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 10 @ 2' (H256438-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4240**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	184	92.0	200	5.61	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	201	100	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *95.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 10 @ 3' (H256438-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1700**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/16/2025	ND	184	92.0	200	5.61	
DRO >C10-C28*	<10.0	10.0	10/16/2025	ND	201	100	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	10/16/2025	ND					

Surrogate: 1-Chlorooctane *95.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 10 @ 4' (H256438-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	QR-03
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *92.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 11 @ SUR (H256438-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**10500**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *81.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 11 @ 1' (H256438-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3760**	16.0	10/15/2025	ND	384	96.0	400	8.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *78.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 11 @ 2' (H256438-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4200**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *81.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 11 @ 3' (H256438-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.24	112	2.00	5.15	
Toluene*	<0.050	0.050	10/16/2025	ND	2.12	106	2.00	3.57	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.11	106	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.30	105	6.00	3.60	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3120**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *83.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 11 @ 4' (H256438-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	1.96	98.0	2.00	0.371	
Toluene*	<0.050	0.050	10/15/2025	ND	2.02	101	2.00	1.23	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.00	99.8	2.00	1.31	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	6.17	103	6.00	1.25	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *78.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 105 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Connor Walker
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Dominic Casarez	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H257438																									
1	SP 9 @ Sur	G	1			X					X		10/13/25		X	X	X								
2	SP 9 @ 1'	G	1			X					X		10/13/25		X	X	X								
3	SP 9 @ 2'	G	1			X					X		10/13/25		X	X	X								
4	SP 9 @ 3'	G	1			X					X		10/13/25		X	X	X								
5	SP 9 @ 4'	G	1			X					X		10/13/25		X	X	X								
6	SP 10 @ Sur	G	1			X					X		10/13/25		X	X	X								
7	SP 10 @ 1'	G	1			X					X		10/13/25		X	X	X								
8	SP 10 @ 2'	G	1			X					X		10/13/25		X	X	X								
9	SP 10 @ 3'	G	1			X					X		10/13/25		X	X	X								
10	SP 10 @ 4'	G	1			X					X		10/13/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CS + 0402401K

Relinquished By:	**Date:** 10-14-25 **Time:** 1104	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 10.3 **Corrected Temp. °C** 10.0	**Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** -0.8°C +10.3 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 106 of 647

Page 19 of 19

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Connor Walker
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Dominic Casarez	**Fax #:**	

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	ANALYSIS REQUEST: Chloride	TPH (8015M)	BTEX (8021B)
H256438																	
11	SP 11 @ Sur	G	1			X					X		10/13/25		X	X	X
12	SP 11 @ 1'	G	1			X					X		10/13/25		X	X	X
13	SP 11 @ 2'	G	1			X					X		10/13/25		X	X	X
14	SP 11 @ 3'	G	1			X					X		10/13/25		X	X	X
15	SP 11 @ 4'	G	1			X					X		10/13/25		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CS +0402401K

Relinquished By:	**Date:** 10-14-25 **Time:** 1104	**Received By:**	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
Relinquished By:	**Date:** **Time:**	**Received By:**	All Results are emailed. Please provide Email address: pm@etechenv.com
			REMARKS:

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -0.3 **Corrected Temp. °C** -0.0	**Sample Condition** Cool: ☐ Yes ☐ Yes ☐ No ☐ No Intact	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** -0.5°C +0.3 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ Yes ☐ No ☐ No Intact **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 20, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 10/14/25 11:04.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 1 @ SUR (H256439-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	1.96	98.0	2.00	0.371	
Toluene*	<0.050	0.050	10/15/2025	ND	2.02	101	2.00	1.23	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.00	99.8	2.00	1.31	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	6.17	103	6.00	1.25	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**8960**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *80.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 1 @ 1' (H256439-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	1.96	98.0	2.00	0.371	
Toluene*	<0.050	0.050	10/15/2025	ND	2.02	101	2.00	1.23	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.00	99.8	2.00	1.31	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	6.17	103	6.00	1.25	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**6560**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *89.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 1 @ 2' (H256439-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	1.96	98.0	2.00	0.371	
Toluene*	<0.050	0.050	10/16/2025	ND	2.02	101	2.00	1.23	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.00	99.8	2.00	1.31	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.17	103	6.00	1.25	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2440**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *85.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 1 @ 3' (H256439-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	1.96	98.0	2.00	0.371	
Toluene*	<0.050	0.050	10/16/2025	ND	2.02	101	2.00	1.23	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.00	99.8	2.00	1.31	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.17	103	6.00	1.25	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**576**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *85.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 1 @ 4' (H256439-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	1.96	98.0	2.00	0.371	
Toluene*	<0.050	0.050	10/16/2025	ND	2.02	101	2.00	1.23	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.00	99.8	2.00	1.31	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.17	103	6.00	1.25	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**320**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *75.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 2 @ SUR (H256439-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	1.96	98.0	2.00	0.371	
Toluene*	<0.050	0.050	10/16/2025	ND	2.02	101	2.00	1.23	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.00	99.8	2.00	1.31	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.17	103	6.00	1.25	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5040**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *78.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 2 @ 1' (H256439-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	1.96	98.0	2.00	0.371	
Toluene*	<0.050	0.050	10/16/2025	ND	2.02	101	2.00	1.23	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.00	99.8	2.00	1.31	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.17	103	6.00	1.25	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5200**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *89.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 2 @ 2' (H256439-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	QR-03
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**8240**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *86.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 2 @ 3' (H256439-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2400**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *78.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 2 @ 4' (H256439-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *79.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 3 @ SUR (H256439-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**14200**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/16/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/16/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/16/2025	ND					

Surrogate: 1-Chlorooctane *85.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 3 @ 1' (H256439-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1630**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *73.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 3 @ 2' (H256439-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2080**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/16/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/16/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/16/2025	ND					

Surrogate: 1-Chlorooctane *84.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 3 @ 3' (H256439-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1060**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/16/2025	ND	196	98.1	200	2.83	
DRO >C10-C28*	<10.0	10.0	10/16/2025	ND	184	92.1	200	6.51	
EXT DRO >C28-C36	<10.0	10.0	10/16/2025	ND					

Surrogate: 1-Chlorooctane *84.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 3 @ 4' (H256439-15)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg **Analyzed By: KH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**816**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *82.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 4 @ SUR (H256439-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**15800**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *89.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 4 @ 1' (H256439-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1220**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *96.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 4 @ 2' (H256439-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *96.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 4 @ 3' (H256439-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/15/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/15/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/15/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *90.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 4 @ 4' (H256439-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/16/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *98.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 5 @ SUR (H256439-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/16/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**720**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *92.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 5 @ 1' (H256439-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/16/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**784**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *99.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 5 @ 2' (H256439-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/16/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**352**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 5 @ 3' (H256439-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/16/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 5 @ 4' (H256439-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/16/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *85.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 6 @ SUR (H256439-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/16/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**496**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *90.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 6 @ 1' (H256439-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.09	105	2.00	0.306	
Toluene*	<0.050	0.050	10/16/2025	ND	2.27	114	2.00	0.0692	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.37	119	2.00	0.356	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	7.01	117	6.00	1.05	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *96.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 6 @ 2' (H256439-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**640**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *90.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 6 @ 3' (H256439-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**688**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *86.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 6 @ 4' (H256439-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**640**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *93.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 7 @ SUR (H256439-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4080**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *89.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 7 @ 1' (H256439-32)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg **Analyzed By: HM**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**896**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *95.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 7 @ 2' (H256439-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**544**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/16/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/16/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/16/2025	ND					

Surrogate: 1-Chlorooctane *94.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 7 @ 3' (H256439-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**688**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/16/2025	ND	217	108	200	0.908	
DRO >C10-C28*	<10.0	10.0	10/16/2025	ND	210	105	200	0.822	
EXT DRO >C28-C36	<10.0	10.0	10/16/2025	ND					

Surrogate: 1-Chlorooctane *94.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 7 @ 4' (H256439-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**672**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	179	89.5	200	0.217	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	185	92.6	200	1.08	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *87.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 8 @ SUR (H256439-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**6400**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	179	89.5	200	0.217	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	185	92.6	200	1.08	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *77.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 8 @ 1' (H256439-37)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg **Analyzed By: HM**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**576**	16.0	10/15/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	179	89.5	200	0.217	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	185	92.6	200	1.08	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *91.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 8 @ 2' (H256439-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**336**	16.0	10/15/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	179	89.5	200	0.217	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	185	92.6	200	1.08	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *93.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 8 @ 3' (H256439-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**656**	16.0	10/15/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	179	89.5	200	0.217	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	185	92.6	200	1.08	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *84.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SP 8 @ 4' (H256439-40)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/16/2025	ND	2.26	113	2.00	4.05	
Toluene*	<0.050	0.050	10/16/2025	ND	2.23	112	2.00	4.00	
Ethylbenzene*	<0.050	0.050	10/16/2025	ND	2.28	114	2.00	5.61	
Total Xylenes*	<0.150	0.150	10/16/2025	ND	6.84	114	6.00	6.90	
Total BTEX	<0.300	0.300	10/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1060**	16.0	10/15/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/15/2025	ND	179	89.5	200	0.217	
DRO >C10-C28*	<10.0	10.0	10/15/2025	ND	185	92.6	200	1.08	
EXT DRO >C28-C36	<10.0	10.0	10/15/2025	ND					

Surrogate: 1-Chlorooctane *94.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 149 of 647

Page 43 of 46

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Connor Walker
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Dominic Casarez	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H256439																									
1	SP 1 @ Sur	G	1			X					X		10/13/25		X	X	X								
2	SP 1 @ 1'	G	1			X					X		10/13/25		X	X	X								
3	SP 1 @ 2'	G	1			X					X		10/13/25		X	X	X								
4	SP 1 @ 3'	G	1			X					X		10/13/25		X	X	X								
5	SP 1 @ 4'	G	1			X					X		10/13/25		X	X	X								
6	SP 2 @ Sur	G	1			X					X		10/13/25		X	X	X								
7	SP 2 @ 1'	G	1			X					X		10/13/25		X	X	X								
8	SP 2 @ 2'	G	1			X					X		10/13/25		X	X	X								
9	SP 2 @ 3'	G	1			X					X		10/13/25		X	X	X								
10	SP 2 @ 4'	G	1			X					X		10/13/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CS +040240 1K

Relinquished By:	**Date:** 10.14.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**
	Time: 1104		**All Results are emailed. Please provide Email address:** pm@etechenv.com	
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**	
	Time:			

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -0.3 **Corrected Temp. °C** 0.0	**Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** ~~-0.6°C~~ +0.3

Bacteria (only) Sample Condition Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 150 of 647

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Connor Walker
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Dominic Casarez	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H256439																									
11	SP 3 @ Sur	G	1			X					X		10/13/25		X	X	X								
12	SP 3 @ 1'	G	1			X					X		10/13/25		X	X	X								
13	SP 3 @ 2'	G	1			X					X		10/13/25		X	X	X								
14	SP 3 @ 3'	G	1			X					X		10/13/25		X	X	X								
15	SP 3 @ 4'	G	1			X					X		10/13/25		X	X	X								
16	SP 4 @ Sur	G	1			X					X		10/13/25		X	X	X								
17	SP 4 @ 1'	G	1			X					X		10/13/25		X	X	X								
18	SP 4 @ 2'	G	1			X					X		10/13/25		X	X	X								
19	SP 4 @ 3'	G	1			X					X		10/13/25		X	X	X								
20	SP 4 @ 4'	G	1			X					X		10/13/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CS +0402401K

Relinquished By:	**Date:** 10.14.25	**Received By:**	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 1104		All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** 40.3	**Sample Condition** Cool ☐ Yes Intact ☐ Yes	**CHECKED BY:** (Initials)	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 40.0	☐ No ☐ No		Thermometer ID #140 Correction Factor ~~-0.5°C~~ +0.3

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Page 151 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 45 of 46

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Connor Walker
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Dominic Casarez	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)								
H256439																									
21	SP 5 @ Sur	G	1			X					X		10/13/25		X	X	X								
22	SP 5 @ 1'	G	1			X					X		10/13/25		X	X	X								
23	SP 5 @ 2'	G	1			X					X		10/13/25		X	X	X								
24	SP 5 @ 3'	G	1			X					X		10/13/25		X	X	X								
25	SP 5 @ 4'	G	1			X					X		10/13/25		X	X	X								
26	SP 6 @ Sur	G	1			X					X		10/13/25		X	X	X								
27	SP 6 @ 1'	G	1			X					X		10/13/25		X	X	X								
28	SP 6 @ 2'	G	1			X					X		10/13/25		X	X	X								
29	SP 6 @ 3'	G	1			X					X		10/13/25		X	X	X								
30	SP 6 @ 4'	G	1			X					X		10/13/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CS +0402401K

Relinquished By:	**Date:** 10-14-25 **Time:** 1104	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -0.3 **Corrected Temp. °C** -0.0	**Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** SK	**Turnaround Time:** Standard [X] Rush [ ] Thermometer ID #140 Correction Factor -0.6°C +0.3 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 152 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Connor Walker
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Dominic Casarez	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)								
H256439																									
31	SP 7 @ Sur	G	1			X					X		10/13/25		X	X	X								
32	SP 7 @ 1'	G	1			X					X		10/13/25		X	X	X								
33	SP 7 @ 2'	G	1			X					X		10/13/25		X	X	X								
34	SP 7 @ 3'	G	1			X					X		10/13/25		X	X	X								
35	SP 7 @ 4'	G	1			X					X		10/13/25		X	X	X								
36	SP 8 @ Sur	G	1			X					X		10/13/25		X	X	X								
37	SP 8 @ 1'	G	1			X					X		10/13/25		X	X	X								
38	SP 8 @ 2'	G	1			X					X		10/13/25		X	X	X								
39	SP 8 @ 3'	G	1			X					X		10/13/25		X	X	X								
40	SP 8 @ 4'	G	1			X					X		10/13/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CS + 0402401K

Relinquished By:	**Date:** 10-14-25 **Time:** 1104	**Received By:**	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One)	**Observed Temp. °C** -0.3	**Sample Condition** Cool Intact	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 0.0	☐ Yes ☐ Yes ☐ No ☐ No		Thermometer ID #140 Correction Factor -0.6°C +0.3

Bacteria (only) Sample Condition Cool Intact ☐ Yes ☐ Yes ☐ No ☐ No — Observed Temp. °C — Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 03, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 10/28/25 14:48.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 1 @ 3' (H256799-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.87	93.6	2.00	8.74	
Toluene*	<0.050	0.050	10/29/2025	ND	1.81	90.4	2.00	10.2	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	96.2	2.00	9.48	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.95	99.1	6.00	10.0	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**704**	16.0	10/29/2025	ND	480	120	400	10.5	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *69.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 2 @ 4' (H256799-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.87	93.6	2.00	8.74	
Toluene*	<0.050	0.050	10/29/2025	ND	1.81	90.4	2.00	10.2	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	96.2	2.00	9.48	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.95	99.1	6.00	10.0	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	10/29/2025	ND	480	120	400	10.5	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *88.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 3 @ 3' (H256799-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.87	93.6	2.00	8.74	
Toluene*	<0.050	0.050	10/29/2025	ND	1.81	90.4	2.00	10.2	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	96.2	2.00	9.48	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.95	99.1	6.00	10.0	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	10/29/2025	ND	480	120	400	10.5	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *67.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 4 @ 4' (H256799-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.87	93.6	2.00	8.74	
Toluene*	<0.050	0.050	10/29/2025	ND	1.81	90.4	2.00	10.2	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	96.2	2.00	9.48	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.95	99.1	6.00	10.0	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**704**	16.0	10/29/2025	ND	480	120	400	10.5	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *79.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 5 @ 4' (H256799-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.87	93.6	2.00	8.74	
Toluene*	<0.050	0.050	10/29/2025	ND	1.81	90.4	2.00	10.2	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	96.2	2.00	9.48	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.95	99.1	6.00	10.0	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	10/29/2025	ND	480	120	400	10.5	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *77.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 6 @ 4' (H256799-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.87	93.6	2.00	8.74	
Toluene*	<0.050	0.050	10/29/2025	ND	1.81	90.4	2.00	10.2	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	96.2	2.00	9.48	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.95	99.1	6.00	10.0	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	10/29/2025	ND	480	120	400	10.5	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *90.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 7 @ 4' (H256799-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.87	93.6	2.00	8.74	
Toluene*	<0.050	0.050	10/29/2025	ND	1.81	90.4	2.00	10.2	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	96.2	2.00	9.48	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.95	99.1	6.00	10.0	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	10/29/2025	ND	480	120	400	10.5	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *84.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 8 @ 4' (H256799-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.87	93.6	2.00	8.74	
Toluene*	<0.050	0.050	10/29/2025	ND	1.81	90.4	2.00	10.2	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	96.2	2.00	9.48	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.95	99.1	6.00	10.0	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**512**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *76.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 9 @ 4' (H256799-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.87	93.6	2.00	8.74	
Toluene*	<0.050	0.050	10/29/2025	ND	1.81	90.4	2.00	10.2	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	96.2	2.00	9.48	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.95	99.1	6.00	10.0	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**592**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *75.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 10 @ 4' (H256799-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**304**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *85.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 11 @ 1.5' (H256799-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *61.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *58.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 12 @ 1.5' (H256799-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *73.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 13 @ 3' (H256799-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**480**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *93.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 14 @ 3' (H256799-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**528**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *87.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 15 @ 1.5' (H256799-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *90.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 16 @ 1.5' (H256799-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *80.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 17 @ 4' (H256799-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**352**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	205	103	200	0.665	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	204	102	200	0.933	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *83.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 18 @ 4' (H256799-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**480**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *81.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 19 @ 2' (H256799-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**288**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *88.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 20 @ 2' (H256799-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**736**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *99.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 21 @ 2' (H256799-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**544**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *100 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 22 @ 2' (H256799-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**816**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *78.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 23 @ 2' (H256799-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**816**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 24 @ 2' (H256799-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1140**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *97.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 25 @ 2' (H256799-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**832**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *99.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 26 @ 2' (H256799-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**656**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: NW 1 (H256799-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	10/29/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: NW 2 (H256799-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	10/29/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *75.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 1 (H256799-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.81	90.7	2.00	11.5	
Toluene*	<0.050	0.050	10/29/2025	ND	1.84	91.9	2.00	10.6	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.92	95.8	2.00	11.3	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.90	98.3	6.00	12.8	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	10/29/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *88.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SW 1 (H256799-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.85	92.6	2.00	7.08	
Toluene*	<0.050	0.050	10/29/2025	ND	1.91	95.7	2.00	6.09	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.93	96.7	2.00	5.78	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.81	96.8	6.00	5.43	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	10/29/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *79.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SW 2 (H256799-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.85	92.6	2.00	7.08	
Toluene*	<0.050	0.050	10/29/2025	ND	1.91	95.7	2.00	6.09	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.93	96.7	2.00	5.78	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.81	96.8	6.00	5.43	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	10/29/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *81.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 1 (H256799-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.85	92.6	2.00	7.08	
Toluene*	<0.050	0.050	10/29/2025	ND	1.91	95.7	2.00	6.09	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.93	96.7	2.00	5.78	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.81	96.8	6.00	5.43	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	10/29/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *96.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/28/2025	Sampling Date:	10/27/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 2 (H256799-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/29/2025	ND	1.85	92.6	2.00	7.08	
Toluene*	<0.050	0.050	10/29/2025	ND	1.91	95.7	2.00	6.09	
Ethylbenzene*	<0.050	0.050	10/29/2025	ND	1.93	96.7	2.00	5.78	
Total Xylenes*	<0.150	0.150	10/29/2025	ND	5.81	96.8	6.00	5.43	
Total BTEX	<0.300	0.300	10/29/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	10/29/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	210	105	200	4.49	
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	203	101	200	3.53	
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND					

Surrogate: 1-Chlorooctane *86.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 188 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Addison Elston	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H256799																									
1	FL 1 @ 3'	C	1			X					X		10/27/25		X	X	X								
2	FL 2 @ 4'	C	1			X					X		10/27/25		X	X	X								
3	FL 3 @ 3'	C	1			X					X		10/27/25		X	X	X								
4	FL 4 @ 4'	C	1			X					X		10/27/25		X	X	X								
5	FL 5 @ 4'	C	1			X					X		10/27/25		X	X	X								
6	FL 6 @ 4'	C	1			X					X		10/27/25		X	X	X								
7	FL 7 @ 4'	C	1			X					X		10/27/25		X	X	X								
8	FL 8 @ 4'	C	1			X					X		10/27/25		X	X	X								
9	FL 9 @ 4'	C	1			X					X		10/27/25		X	X	X								
10	FL 10 @ 4'	C	1			X					X		10/27/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CLS 04024017

Relinquished By:	**Date:** 10-28-25 **Time:** 1448	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One)	**Observed Temp. °C** 2.9	**Sample Condition** Cool ☑ Yes Intact ☑ Yes	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard X Rush
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 2.6	☐ No ☐ No		**Thermometer ID** #140 **Correction Factor** ~~0.6~~ °C TO 3

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 189 of 647

Page 37 of 39

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Addison Elston	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST									
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H256799																								
11	FL 11 @ 1.5'	C	1			X					X		10/27/25		X	X	X							
12	FL 12 @ 1.5'	C	1			X					X		10/27/25		X	X	X							
13	FL 13 @ 3'	C	1			X					X		10/27/25		X	X	X							
14	FL 14 @ 3'	C	1			X					X		10/27/25		X	X	X							
15	FL 15 @ 1.5'	C	1			X					X		10/27/25		X	X	X							
16	FL 16 @ 1.5'	C	1			X					X		10/27/25		X	X	X							
17	FL 17 @ 4'	C	1			X					X		10/27/25		X	X	X							
18	FL 18 @ 4'	C	1			X					X		10/27/25		X	X	X							
19	FL 19 @ 2'	C	1			X					X		10/27/25		X	X	X	ND	Cobalt - CLS	250	10.28.25			
20	FL 20 @ 2'	C	1			X					X		10/27/25		X	X	X	ND	Cobalt - CLS	250	10.28.25			

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CLS 040324016

Relinquished By:	**Date:** 10.28.25 **Time:** 1448	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -2.9 **Corrected Temp. °C** -2.6	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** AD	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** ~~-0.5~~ +0.3 AD **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 190 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Addison Elston	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H256799																									
21	FL 21 @ 2'	C	1			X					X		10/27/25		X	X	X								
22	FL 22 @ 2'	C	1			X					X		10/27/25		X	X	X								
23	FL 23 @ 2'	C	1			X					X		10/27/25		X	X	X								
24	FL 24 @ 2'	C	1			X					X		10/27/25		X	X	X								
25	FL 25 @ 2'	C	1			X					X		10/27/25		X	X	X								
26	FL 26 @ 2'	C	1			X					X		10/27/25		X	X	X								
27	NW 1	C	1			X					X		10/27/25		X	X	X								
28	NW 2	C	1			X					X		10/27/25		X	X	X								
29	EW 1	C	1			X					X		10/27/25		X	X	X								
30	SW 1	C	1			X					X		10/27/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CLS 04080101K

Relinquished By:	**Date:** 10.28.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**	
	Time: 1448		**All Results are emailed. Please provide Email address:** pm@etechenv.com		
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**		
	Time:				
Delivered By: (Circle One)	**Observed Temp. °C** 2.9	**Sample Condition** Cool Intact	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]	**Bacteria (only) Sample Condition** Cool Intact Observed Temp. °C
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 2.6	☑ Yes ☑ Yes ☐ No ☐ No		Thermometer ID #140 Correction Factor -0.6°C	☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 191 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Addison Elston	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H250799																									
31	SW 2	C	1			X					X		10/27/25		X	X	X	ND	GRO - C15			AD 10-28-25			
32	WW 1	C	1			X					X		10/27/25		X	X	X								
33	WW 2	C	1			X					X		10/27/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 10.28.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1448		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:** 04324012 IC-5
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -2.9 **Corrected Temp. °C** -2.6	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** AP	**Turnaround Time:** Standard X Rush ☐ **Thermometer ID** #140 AT **Correction Factor** -0.6°C +0.3 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 03, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 10/29/25 15:11.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 27 @ 3' (H256816-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1040**	16.0	10/30/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *91.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 28 @ 3' (H256816-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**560**	16.0	10/30/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *92.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 29 @ 3' (H256816-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**736**	16.0	10/30/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *92.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 30 @ 3' (H256816-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**752**	16.0	10/30/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *93.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 31 @ 3' (H256816-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1020**	16.0	10/30/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *87.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 32 @ 3' (H256816-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1170**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *85.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 33 @ 3' (H256816-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**832**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *82.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 34 @ 3' (H256816-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**992**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *78.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 35 @ 3' (H256816-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1180**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *86.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 36 @ 3' (H256816-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**704**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *92.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 37 @ 3' (H256816-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**752**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *94.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 38 @ 3' (H256816-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**912**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *86.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 39 @ 4' (H256816-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**512**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *91.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 40 @ 3' (H256816-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**256**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *90.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 41 @ 3' (H256816-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**720**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *90.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 42 @ 3' (H256816-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	1.98	98.8	2.00	5.36	
Toluene*	<0.050	0.050	10/30/2025	ND	2.01	101	2.00	4.43	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	2.03	101	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.08	101	6.00	2.83	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	200	100	200	0.0374	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	192	96.0	200	1.25	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *89.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW1 (H256816-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	2.02	101	2.00	6.40	
Toluene*	<0.050	0.050	10/30/2025	ND	1.91	95.4	2.00	6.21	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	1.99	99.4	2.00	5.51	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.14	102	6.00	5.79	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**656**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	204	102	200	2.39	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	185	92.7	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *75.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/29/2025	Sampling Date:	10/28/2025
Reported:	11/03/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW2 (H256816-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2025	ND	2.02	101	2.00	6.40	
Toluene*	<0.050	0.050	10/30/2025	ND	1.91	95.4	2.00	6.21	
Ethylbenzene*	<0.050	0.050	10/30/2025	ND	1.99	99.4	2.00	5.51	
Total Xylenes*	<0.150	0.150	10/30/2025	ND	6.14	102	6.00	5.79	
Total BTEX	<0.300	0.300	10/30/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**640**	16.0	10/30/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/30/2025	ND	204	102	200	2.39	
DRO >C10-C28*	<10.0	10.0	10/30/2025	ND	185	92.7	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	10/30/2025	ND					

Surrogate: 1-Chlorooctane *86.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 212 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H25085																									
1	FL 27 @ 3'	C	1			X					X		10/28/25		X	X	X								
2	FL 28 @ 3'	C	1			X					X		10/28/25		X	X	X								
3	FL 29 @ 3'	C	1			X					X		10/28/25		X	X	X								
4	FL 30 @ 3'	C	1			X					X		10/28/25		X	X	X								
5	FL 31 @ 3'	C	1			X					X		10/28/25		X	X	X								
6	FL 32 @ 3'	C	1			X					X		10/28/25		X	X	X								
7	FL 33 @ 3'	C	1			X					X		10/28/25		X	X	X								
8	FL 34 @ 3'	C	1			X					X		10/28/25		X	X	X								
9	FL 35 @ 3'	C	1			X					X		10/28/25		X	X	X								
10	FL 36 @ 3'	C	1			X					X		10/28/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 10.29.25 **Time:** 1511	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:** 04034014 K

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -3.3 **Corrected Temp. °C** -3.0	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)** AP	**Turnaround Time:** Standard X Rush ☐ **Thermometer ID** #140 **Correction Factor** -0.6°C +0.3	**Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 213 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

ANALYSIS REQUEST

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H251081C																										
11	FL 37 @ 3'	C	1			X					X		10/28/25		X	X	X									
12	FL 38 @ 3'	C	1			X					X		10/28/25		X	X	X									
13	FL 39 @ 4'	C	1			X					X		10/28/25		X	X	X									
14	FL 40 @ 3'	C	1			X					X		10/28/25		X	X	X									
15	FL 41 @ 3'	C	1			X					X		10/28/25		X	X	X									
16	FL 42 @ 3'	C	1			X					X		10/28/25		X	X	X									
17	EW 1	C	1			X					X		10/28/25		X	X	X									
18	WW 2	C	1			X					X		10/28/25		X	X	X									

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Matt Lee	**Date:** 10.29.25 **Time:** 1511	**Received By:** apaniagua	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -3.3 **Corrected Temp. °C** -3.0	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)** AD	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** -0.3°C +0.3 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 05, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 10/30/25 14:53.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 43 @ 3' (H256865-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/02/2025	ND	1.66	83.2	2.00	0.454	
Toluene*	<0.050	0.050	11/02/2025	ND	1.84	91.9	2.00	1.59	
Ethylbenzene*	<0.050	0.050	11/02/2025	ND	1.76	87.9	2.00	3.98	
Total Xylenes*	<0.150	0.150	11/02/2025	ND	5.22	86.9	6.00	4.00	
Total BTEX	<0.300	0.300	11/02/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**800**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	230	115	200	0.832	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	110	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *93.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 44 @ 3' (H256865-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**592**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/01/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/01/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/01/2025	ND					

Surrogate: 1-Chlorooctane *70.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 45 @ 3' (H256865-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**800**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/01/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/01/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/01/2025	ND					

Surrogate: 1-Chlorooctane *84.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 46 @ 3' (H256865-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**976**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/01/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/01/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/01/2025	ND					

Surrogate: 1-Chlorooctane *80.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 47 @ 3' (H256865-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/01/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/01/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/01/2025	ND					

Surrogate: 1-Chlorooctane *86.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 48 @ 3' (H256865-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *84.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 49 @ 3' (H256865-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *80.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 50 @ 3' (H256865-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *85.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 51 @ 3' (H256865-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *84.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 52 @ 3' (H256865-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**512**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *85.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 53 @ 3' (H256865-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**688**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *86.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 54 @ 3' (H256865-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**736**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *83.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 55 @ 3' (H256865-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**288**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *84.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 56 @ 2' (H256865-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**336**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *82.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 57 @ 3' (H256865-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *85.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 58 @ 3' (H256865-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**352**	16.0	11/03/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *80.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 59 @ 4' (H256865-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/03/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *84.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 60 @ 4' (H256865-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/03/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *81.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 61 @ 3' (H256865-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**976**	16.0	11/03/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *84.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 62 @ 3' (H256865-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**704**	16.0	11/03/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *79.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 63 @ 3' (H256865-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.86	93.0	2.00	11.9	
Toluene*	<0.050	0.050	11/03/2025	ND	2.03	102	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.94	97.0	2.00	11.7	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.79	96.4	6.00	11.9	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**688**	16.0	11/03/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/02/2025	ND	222	111	200	0.928	
DRO >C10-C28*	<10.0	10.0	11/02/2025	ND	219	109	200	1.03	
EXT DRO >C28-C36	<10.0	10.0	11/02/2025	ND					

Surrogate: 1-Chlorooctane *83.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 64 @ 3' (H256865-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.65	82.5	2.00	1.93	
Toluene*	<0.050	0.050	11/03/2025	ND	1.70	85.0	2.00	1.56	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.69	84.5	2.00	1.98	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.38	89.7	6.00	1.51	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**704**	16.0	11/03/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/01/2025	ND	234	117	200	2.96	
DRO >C10-C28*	<10.0	10.0	11/01/2025	ND	221	111	200	3.34	
EXT DRO >C28-C36	<10.0	10.0	11/01/2025	ND					

Surrogate: 1-Chlorooctane *99.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 3 (H256865-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.65	82.5	2.00	1.93	
Toluene*	<0.050	0.050	11/03/2025	ND	1.70	85.0	2.00	1.56	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.69	84.5	2.00	1.98	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.38	89.7	6.00	1.51	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**672**	16.0	11/03/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/01/2025	ND	234	117	200	2.96	
DRO >C10-C28*	<10.0	10.0	11/01/2025	ND	221	111	200	3.34	
EXT DRO >C28-C36	<10.0	10.0	11/01/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/30/2025	Sampling Date:	10/29/2025
Reported:	11/05/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 3 (H256865-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/03/2025	ND	1.65	82.5	2.00	1.93	
Toluene*	<0.050	0.050	11/03/2025	ND	1.70	85.0	2.00	1.56	
Ethylbenzene*	<0.050	0.050	11/03/2025	ND	1.69	84.5	2.00	1.98	
Total Xylenes*	<0.150	0.150	11/03/2025	ND	5.38	89.7	6.00	1.51	
Total BTEX	<0.300	0.300	11/03/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/03/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/01/2025	ND	234	117	200	2.96	
DRO >C10-C28*	<10.0	10.0	11/01/2025	ND	221	111	200	3.34	
EXT DRO >C28-C36	<10.0	10.0	11/01/2025	ND					

Surrogate: 1-Chlorooctane *91.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 240 of 647

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H25168165																									
1	FL 43 @ 3'	C	1			X					X		10/29/25		X	X	X								
2	FL 44 @ 3'	C	1			X					X		10/29/25		X	X	X								
3	FL 45 @ 3'	C	1			X					X		10/29/25		X	X	X								
4	FL 46 @ 3'	C	1			X					X		10/29/25		X	X	X								
5	FL 47 @ 3'	C	1			X					X		10/29/25		X	X	X								
6	FL 48 @ 3'	C	1			X					X		10/29/25		X	X	X								
7	FL 49 @ 3'	C	1			X					X		10/29/25		X	X	X								
8	FL 50 @ 3'	C	1			X					X		10/29/25		X	X	X								
9	FL 51 @ 3'	C	1			X					X		10/29/25		X	X	X								
10	FL 52 @ 3'	C	1			X					X		10/29/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024014

Relinquished By:	Date: 10.30.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**	
	Time: 1453		**All Results are emailed. Please provide Email address:** pm@etechenv.com		
Relinquished By:	Date:	**Received By:**	**REMARKS:**		
	Time:				
Delivered By: (Circle One)	**Observed Temp. °C** 2.1	**Sample Condition** Cool Intact	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]	**Bacteria (only) Sample Condition** Cool Intact Observed Temp. °C
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 2.4	☐ Yes ☐ Yes ☐ No ☐ No		Thermometer ID #140 Correction Factor -0.5°C +0.3	☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Page 241 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H256845																									
11	FL 53 @ 3'	C	1			X					X		10/29/25		X	X	X								
12	FL 54 @ 3'	C	1			X					X		10/29/25		X	X	X								
13	FL 55 @ 3'	C	1			X					X		10/29/25		X	X	X								
14	FL 56 @ 2'	C	1			X					X		10/29/25		X	X	X								
15	FL 57 @ 3'	C	1			X					X		10/29/25		X	X	X								
16	FL 58 @ 3'	C	1			X					X		10/29/25		X	X	X								
17	FL 59 @ 4'	C	1			X					X		10/29/25		X	X	X								
18	FL 60 @ 4'	C	1			X					X		10/29/25		X	X	X								
19	FL 61 @ 3'	C	1			X					X		10/29/25		X	X	X								
20	FL 62 @ 3'	C	1			X					X		10/29/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

040240 IK

Relinquished By:	**Date:** 10.30.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**	
	Time: 1453		**All Results are emailed. Please provide Email address:** pm@etechenv.com		
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**		
	Time:				
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 2.1 **Corrected Temp. °C** 2.4	**Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No	**CHECKED BY: (Initials)** SF	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** -0.6°C +0.3	**Bacteria (only) Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 242 of 647

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H25																									
21	FL 63 @ 3'	C	1			X					X		10/29/25		X	X	X								
22	FL 64 @ 3'	C	1			X					X		10/29/25		X	X	X								
23	WW 3	C	1			X					X		10/29/25		X	X	X								
24	EW 3	C	1			X					X		10/29/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024011C

Relinquished By:	**Date:** 10.30.25 **Time:** 1453	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One)	**Observed Temp. °C** 2.1	**Sample Condition** Cool ☒ Yes Intact ☒ Yes	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard ☒ Rush ☐	**Bacteria (only) Sample Condition** Cool ☐ Yes Intact ☐ Yes
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 2.4	☐ No ☐ No		**Thermometer ID** #140 **Correction Factor** -0.6°C	☐ No ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 06, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 10/31/25 8:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 65 @ 3' (H256877-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1010**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *91.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 66 @ 3' (H256877-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**640**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *96.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 67 @ 3' (H256877-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**336**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *87.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 68 @ 3' (H256877-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**368**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *98.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 69 @ 4' (H256877-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *97.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 70 @ 4' (H256877-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**368**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *85.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 71 @ 2' (H256877-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *82.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 72 @ 2' (H256877-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *82.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 73 @ 3' (H256877-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**704**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *91.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 74 @ 5' (H256877-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**560**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *87.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 75 @ 2' (H256877-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 76 @ 1' (H256877-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *97.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 77 @ 1' (H256877-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *94.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 4 (H256877-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**272**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *96.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 5 (H256877-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.14	107	2.00	2.58	
Toluene*	<0.050	0.050	11/04/2025	ND	1.90	94.8	2.00	7.10	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.8	2.00	9.83	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.01	100	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	201	100	200	0.406	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	197	98.5	200	2.02	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *100 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 6 (H256877-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	0.833	
Toluene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	1.88	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	2.06	103	2.00	2.60	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.21	103	6.00	2.48	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	179	89.3	200	0.460	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *79.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 7 (H256877-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	0.833	
Toluene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	1.88	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	2.06	103	2.00	2.60	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.21	103	6.00	2.48	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	179	89.3	200	0.460	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *79.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 4 (H256877-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	0.833	
Toluene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	1.88	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	2.06	103	2.00	2.60	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.21	103	6.00	2.48	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**352**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	179	89.3	200	0.460	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *91.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 5 (H256877-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	0.833	
Toluene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	1.88	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	2.06	103	2.00	2.60	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.21	103	6.00	2.48	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	179	89.3	200	0.460	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *90.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 6 (H256877-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	0.833	
Toluene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	1.88	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	2.06	103	2.00	2.60	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.21	103	6.00	2.48	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	179	89.3	200	0.460	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *94.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	10/31/2025	Sampling Date:	10/30/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 7 (H256877-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	0.833	
Toluene*	<0.050	0.050	11/04/2025	ND	2.08	104	2.00	1.88	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	2.06	103	2.00	2.60	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.21	103	6.00	2.48	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	179	89.3	200	0.460	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane *91.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 266 of 647

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H25168-77																									
1	FL 65 @ 3'	C	1			X					X		10/30/25		X	X	X								
2	FL 66 @ 3'	C	1			X					X		10/30/25		X	X	X								
3	FL 67 @ 3'	C	1			X					X		10/30/25		X	X	X								
4	FL 68 @ 3'	C	1			X					X		10/30/25		X	X	X								
5	FL 69 @ 4'	C	1			X					X		10/30/25		X	X	X								
6	FL 70 @ 4'	C	1			X					X		10/30/25		X	X	X								
7	FL 71 @ 2'	C	1			X					X		10/30/25		X	X	X								
8	FL 72 @ 2'	C	1			X					X		10/30/25		X	X	X								
9	FL 73 @ 3'	C	1			X					X		10/30/25		X	X	X								
10	FL 74 @ 5'	C	1			X					X		10/30/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 10-31-25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 0815		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:** 04024016
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -0.8	**Sample Condition** Cool ☐ Yes Intact ☐ Yes	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 0.52	☐ No ☐ No		**Thermometer ID #140** **Correction Factor** ~~-0.8°C~~ +0.3

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Page 267 of 647

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H256877																									
11	FL 75 @ 2'	C	1			X					X		10/30/25		X	X	X								
12	FL 76 @ 1'	C	1			X					X		10/30/25		X	X	X								
13	FL 77 @ 1'	C	1			X					X		10/30/25		X	X	X								
14	EW 4	C	1			X					X		10/30/25		X	X	X								
15	EW 5	C	1			X					X		10/30/25		X	X	X								
16	EW 6	C	1			X					X		10/30/25		X	X	X								
17	EW 7	C	1			X					X		10/30/25		X	X	X								
18	WW 4	C	1			X					X		10/30/25		X	X	X								
19	WW 5	C	1			X					X		10/30/25		X	X	X								
20	WW 6	C	1			X					X		10/30/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 10 31 25 **Time:** 0815	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One)	**Observed Temp. °C** -0.8	**Sample Condition**	**CHECKED BY:**	**Turnaround Time:** Standard [X] Rush [ ]	**Bacteria (only) Sample Condition**
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -0.5	**Cool** ☐ Yes ☐ No **Intact** ☐ Yes ☐ No	**(Initials)**	**Thermometer ID** #140 **Correction Factor** -0.6°C	**Cool** ☐ Yes ☐ No **Intact** ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Page 268 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST												
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)										
H250877-01	WW 7	C	1			X					X		10/30/25		X	X	X									

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 10.31.25 **Time:** 0815	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One)	**Observed Temp. °C** -0.8	**Sample Condition**	**CHECKED BY:**	**Turnaround Time:**	**Bacteria (only) Sample Condition**
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -0.52	**Cool** ☐ Yes ☐ No **Intact** ☐ Yes ☐ No	**(Initials)** SR	**Standard** X **Rush** ☐ **Thermometer ID** #140 **Correction Factor** ~~-0.6°C~~ +0.32	**Cool** ☐ Yes ☐ No **Intact** ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 07, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/03/25 14:53.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 78 @ 1' (H256914-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**464**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	186	93.2	200	1.83	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	191	95.4	200	2.79	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *94.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 79 @ 1' (H256914-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**656**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	186	93.2	200	1.83	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	191	95.4	200	2.79	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *91.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 80 @ 2' (H256914-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**720**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	186	93.2	200	1.83	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	191	95.4	200	2.79	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *94.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 81 @ 2' (H256914-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**816**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *99.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 82 @ 2' (H256914-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/04/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 83 @ 2' (H256914-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/04/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 84 @ 1' (H256914-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/04/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 85 @ 1' (H256914-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/05/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *99.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 86 @ 1' (H256914-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/05/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 87 @ 1' (H256914-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/05/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *97.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 88 @ 1' (H256914-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/05/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**608**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 89 @ 1' (H256914-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/05/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**752**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 90 @ 1' (H256914-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/05/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**384**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *90.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 91 @ 1' (H256914-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/05/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *77.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 8 (H256914-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/05/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *96.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/03/2025	Sampling Date:	10/31/2025
Reported:	11/07/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 8 (H256914-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.64	82.1	2.00	8.80	
Toluene*	<0.050	0.050	11/05/2025	ND	1.85	92.7	2.00	10.5	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.78	88.8	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.26	87.6	6.00	11.3	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/04/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/04/2025	ND	202	101	200	1.93	
DRO >C10-C28*	<10.0	10.0	11/04/2025	ND	184	91.8	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/04/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 287 of 647

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H251014											✓														
1	FL 78 @ 1'	C	1			X					X		10/31/25		X	X	X								
2	FL 79 @ 1'	C	1			X					X		10/31/25		X	X	X								
3	FL 80 @ 2'	C	1			X					X		10/31/25		X	X	X								
4	FL 81 @ 2'	C	1			X					X		10/31/25		X	X	X								
5	FL 82 @ 2'	C	1			X					X		10/31/25		X	X	X								
6	FL 83 @ 2'	C	1			X					X		10/31/25		X	X	X								
7	FL 84 @ 1'	C	1			X					X		10/31/25		X	X	X								
8	FL 85 @ 1'	C	1			X					X		10/31/25		X	X	X								
9	FL 86 @ 1'	C	1			X					X		10/31/25		X	X	X								
10	FL 87 @ 1'	C	1			X					X		10/31/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Matt Lee	**Date:** 11.3.25 **Time:** 1453	**Received By:** APacheco	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
Relinquished By:	**Date:** **Time:**	**Received By:**	**All Results are emailed. Please provide Email address:** pm@etechenv.com
			REMARKS: C15 - 10402401K - AP1

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 0.0 **Corrected Temp. °C** 0.3	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)** AD	**Turnaround Time:** Standard ☒ Rush ☐ **Thermometer ID** #140 **Correction Factor** -0.6°C +0.3	**Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 288 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
AD 11-3-25 H256913																									
11	FL 88 @ 1'	C	1			X					X		10/31/25		X	X	X								
12	FL 89 @ 1'	C	1			X					X		10/31/25		X	X	X								
13	FL 90 @ 1'	C	1			X					X		10/31/25		X	X	X								
14	FL 91 @ 1'	C	1			X					X		10/31/25		X	X	X								
15	EW 8	C	1			X					X		10/31/25		X	X	X								
16	WW 8	C	1			X					X		10/31/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11-3-25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1453		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 0.0 **Corrected Temp. °C** 0.3	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)** AP	**Turnaround Time:** Standard ☒ Rush ☐ **Thermometer ID** #140 **Correction Factor** -0.6°C +0.3 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 10, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/04/25 14:49.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 92 @ 1' (H256961-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.80	90.1	2.00	1.45	
Toluene*	<0.050	0.050	11/05/2025	ND	2.02	101	2.00	1.79	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.91	95.5	2.00	2.87	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.66	94.4	6.00	3.56	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/05/2025	ND	432	108	400	7.14	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	5.30	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	199	99.3	200	9.07	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *78.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 93 @ 1' (H256961-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.80	90.1	2.00	1.45	
Toluene*	<0.050	0.050	11/05/2025	ND	2.02	101	2.00	1.79	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.91	95.5	2.00	2.87	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.66	94.4	6.00	3.56	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/05/2025	ND	432	108	400	7.14	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	5.30	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	199	99.3	200	9.07	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *72.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 94 @ 1' (H256961-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.80	90.1	2.00	1.45	
Toluene*	<0.050	0.050	11/05/2025	ND	2.02	101	2.00	1.79	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.91	95.5	2.00	2.87	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.66	94.4	6.00	3.56	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	5.30	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	199	99.3	200	9.07	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *78.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 95 @ 1' (H256961-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.80	90.1	2.00	1.45	
Toluene*	<0.050	0.050	11/05/2025	ND	2.02	101	2.00	1.79	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.91	95.5	2.00	2.87	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.66	94.4	6.00	3.56	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	5.30	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	199	99.3	200	9.07	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *76.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 96 @ 3' (H256961-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.80	90.1	2.00	1.45	
Toluene*	<0.050	0.050	11/05/2025	ND	2.02	101	2.00	1.79	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.91	95.5	2.00	2.87	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.66	94.4	6.00	3.56	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**432**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	5.30	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	199	99.3	200	9.07	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *73.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 97 @ 3' (H256961-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2025	ND	1.80	90.1	2.00	1.45	
Toluene*	<0.050	0.050	11/05/2025	ND	2.02	101	2.00	1.79	
Ethylbenzene*	<0.050	0.050	11/05/2025	ND	1.91	95.5	2.00	2.87	
Total Xylenes*	<0.150	0.150	11/05/2025	ND	5.66	94.4	6.00	3.56	
Total BTEX	<0.300	0.300	11/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *92.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 98 @ 5' (H256961-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**448**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *87.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 99 @ 5' (H256961-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**448**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *90.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 100 @ 2' (H256961-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**656**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *87.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 101 @ 2' (H256961-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**640**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *86.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 102 @ 1' (H256961-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *91.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 103 @ 1' (H256961-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *87.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 104 @ 1' (H256961-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *89.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 105 @ 1' (H256961-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *92.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 106 @ 1' (H256961-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *95.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 107 @ 1' (H256961-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *99.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 108 @ 1' (H256961-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *90.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 109 @ 1' (H256961-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *92.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 110 @ 1' (H256961-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *92.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 111 @ 1' (H256961-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *91.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 112 @ 1' (H256961-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *94.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/04/2025	Sampling Date:	11/03/2025
Reported:	11/10/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 113 @ 1' (H256961-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	2.04	102	2.00	0.284	
Toluene*	<0.050	0.050	11/06/2025	ND	2.07	103	2.00	0.179	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.06	103	2.00	0.143	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.19	103	6.00	0.313	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/05/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/05/2025	ND	204	102	200	1.45	
DRO >C10-C28*	<10.0	10.0	11/05/2025	ND	185	92.7	200	0.826	
EXT DRO >C28-C36	<10.0	10.0	11/05/2025	ND					

Surrogate: 1-Chlorooctane *86.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 313 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H25040161																									
1	FL 92 @ 1'	C	1			X					X		11/3/25		X	X	X								
2	FL 93 @ 1'	C	1			X					X		11/3/25		X	X	X								
3	FL 94 @ 1'	C	1			X					X		11/3/25		X	X	X								
4	FL 95 @ 1'	C	1			X					X		11/3/25		X	X	X								
5	FL 96 @ 3'	C	1			X					X		11/3/25		X	X	X								
6	FL 97 @ 3'	C	1			X					X		11/3/25		X	X	X								
7	FL 98 @ 5'	C	1			X					X		11/3/25		X	X	X								
8	FL 99 @ 5'	C	1			X					X		11/3/25		X	X	X								
9	FL 100 @ 2'	C	1			X					X		11/3/25		X	X	X								
10	FL 101 @ 2'	C	1			X					X		11/3/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

0402401K

Relinquished By:	**Date:** 11.4.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**	
	Time: 1449		**All Results are emailed. Please provide Email address:** pm@etechenv.com		
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**		
	Time:				
Delivered By: (Circle One)	**Observed Temp. °C** 2.9	**Sample Condition** Cool / Intact	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]	**Bacteria (only) Sample Condition** Cool / Intact
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 3.2	☐ Yes ☐ Yes ☐ No ☐ No		**Thermometer ID** #140 **Correction Factor** -0.6°C	☐ Yes ☐ Yes ☐ No ☐ No **Observed Temp. °C** 10.3 **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 314 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D. H250901	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
11	FL 102 @ 1'	C	1			X					X		11/3/25		X	X	X								
12	FL 103 @ 1'	C	1			X					X		11/3/25		X	X	X								
13	FL 104 @ 1'	C	1			X					X		11/3/25		X	X	X								
14	FL 105 @ 1'	C	1			X					X		11/3/25		X	X	X								
15	FL 106 @ 1'	C	1			X					X		11/3/25		X	X	X								
16	FL 107 @ 1'	C	1			X					X		11/3/25		X	X	X								
17	FL 108 @ 1'	C	1			X					X		11/3/25		X	X	X								
18	FL 109 @ 1'	C	1			X					X		11/3/25		X	X	X								
19	FL 110 @ 1'	C	1			X					X		11/3/25		X	X	X								
20	FL 111 @ 1'	C	1			X					X		11/3/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024401K

Relinquished By: Martin Sepulveda	**Date:** 11.4.25 **Time:** 1449	**Received By:** SRodriguez	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 2.9 **Corrected Temp. °C** 3.2	**Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** SR
Turnaround Time: Standard [X] Rush [ ]	**Thermometer ID** #140 **Correction Factor** -0.6°C +0.3	**Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No	**Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 315 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H251961																								
21	FL 112 @ 1'	C	1			X					X		11/3/25		X	X	X							
22	FL 113 @ 1'	C	1			X					X		11/3/25		X	X	X							

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024014

Relinquished By:	**Date:** 11.4.25 **Time:** 1449	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One)	**Observed Temp. °C** 2.9	**Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard ☒ Rush ☐	**Bacteria (only) Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 3.2			**Thermometer ID** #140 **Correction Factor** ~~-0.6°C~~ +0.3	**Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 11, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/05/25 15:06.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 114 @ 1' (H256989-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/06/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	191	95.7	200	0.0805	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	199	99.3	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *91.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 115 @ 1' (H256989-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/06/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	191	95.7	200	0.0805	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	199	99.3	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *83.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 116 @ 1' (H256989-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/06/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	191	95.7	200	0.0805	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	199	99.3	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *96.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 117 @ 1' (H256989-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *123 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/06/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	191	95.7	200	0.0805	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	199	99.3	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *98.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 118 @ 3' (H256989-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *126 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	11/06/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	191	95.7	200	0.0805	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	199	99.3	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *92.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 119 @ 3' (H256989-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/06/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	191	95.7	200	0.0805	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	199	99.3	200	3.23	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *91.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 120 @ 5' (H256989-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/06/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 121 @ 5' (H256989-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 122 @ 2' (H256989-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 123 @ 2' (H256989-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 124 @ 1' (H256989-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *123 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 125 @ 1' (H256989-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *124 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 126 @ 1' (H256989-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *127 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 127 @ 1' (H256989-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/07/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *126 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 128 @ 1' (H256989-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *125 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 129 @ 1' (H256989-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *124 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 130 @ 1' (H256989-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *122 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 131 @ 1' (H256989-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.72	85.8	2.00	1.44	
Toluene*	<0.050	0.050	11/06/2025	ND	1.86	93.1	2.00	1.70	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	1.88	94.0	2.00	2.97	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.05	101	6.00	3.21	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *126 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *110 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 132 @ 1' (H256989-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 133 @ 1' (H256989-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 134 @ 1' (H256989-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 135 @ 1' (H256989-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 136 @ 1' (H256989-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 137 @ 1' (H256989-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *113 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 138 @ 1' (H256989-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 139 @ 1' (H256989-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**320**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	206	103	200	0.331	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	192	95.9	200	0.482	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 140 @ 1' (H256989-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	11/06/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	212	106	200	3.89	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	205	103	200	7.64	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *89.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 141 @ 1' (H256989-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	11/06/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	212	106	200	3.89	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	205	103	200	7.64	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *89.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 9 (H256989-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/06/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	212	106	200	3.89	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	205	103	200	7.64	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *97.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 10 (H256989-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/06/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	212	106	200	3.89	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	205	103	200	7.64	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *91.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 11 (H256989-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	11/06/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	212	106	200	3.89	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	205	103	200	7.64	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *85.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 9 (H256989-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/06/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	212	106	200	3.89	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	205	103	200	7.64	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *84.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 10 (H256989-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/06/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	212	106	200	3.89	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	205	103	200	7.64	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *91.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/05/2025	Sampling Date:	11/04/2025
Reported:	11/11/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 11 (H256989-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/06/2025	ND	1.90	94.9	2.00	0.991	
Toluene*	<0.050	0.050	11/06/2025	ND	2.11	106	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/06/2025	ND	2.09	105	2.00	9.18	
Total Xylenes*	<0.150	0.150	11/06/2025	ND	6.29	105	6.00	9.40	
Total BTEX	<0.300	0.300	11/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	11/06/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2025	ND	212	106	200	3.89	
DRO >C10-C28*	<10.0	10.0	11/06/2025	ND	205	103	200	7.64	
EXT DRO >C28-C36	<10.0	10.0	11/06/2025	ND					

Surrogate: 1-Chlorooctane *89.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 352 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H2510989																									
1	FL 114 @ 1'	C	1			X					X		11/4/25		X	X	X								
2	FL 115 @ 1'	C	1			X					X		11/4/25		X	X	X								
3	FL 116 @ 1'	C	1			X					X		11/4/25		X	X	X								
4	FL 117 @ 1'	C	1			X					X		11/4/25		X	X	X								
5	FL 118 @ 3'	C	1			X					X		11/4/25		X	X	X								
6	FL 119 @ 3'	C	1			X					X		11/4/25		X	X	X								
7	FL 120 @ 5'	C	1			X					X		11/4/25		X	X	X								
8	FL 121 @ 5'	C	1			X					X		11/4/25		X	X	X								
9	FL 122 @ 2'	C	1			X					X		11/4/25		X	X	X								
10	FL 123 @ 2'	C	1			X					X		11/4/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11.5.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**
	Time: 1500		**All Results are emailed. Please provide Email address:** pm@etechenv.com	
Relinquished By:	**Date:**	**Received By:**	**REMARKS:** 0402401K	
	Time:			
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -4.7 **Corrected Temp. °C** -4.4	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** -0.6°C +0.3

Bacteria (only) Sample Condition Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 353 of 647

Page 38 of 40

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)									
H256989																									
11	FL 124 @ 1'	C	1			X					X		11/4/25		X	X	X								
12	FL 125 @ 1'	C	1			X					X		11/4/25		X	X	X								
13	FL 126 @ 1'	C	1			X					X		11/4/25		X	X	X								
14	FL 127 @ 1'	C	1			X					X		11/4/25		X	X	X								
15	FL 128 @ 1'	C	1			X					X		11/4/25		X	X	X								
16	FL 129 @ 1'	C	1			X					X		11/4/25		X	X	X								
17	FL 130 @ 1'	C	1			X					X		11/4/25		X	X	X								
18	FL 131 @ 1'	C	1			X					X		11/4/25		X	X	X								
19	FL 132 @ 1'	C	1			X					X		11/4/25		X	X	X								
20	FL 133 @ 1'	C	1			X					X		11/4/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11.5.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1506		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:** 04024011K
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -4.7	**Sample Condition** Cool ☑ Yes ☐ No / Intact ☑ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard ☒ / Rush ☐
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -4.4		AR	Thermometer ID #140 Correction Factor -0.8°C +0.3

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No / Intact ☐ Yes ☐ No — Observed Temp. °C — Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL ✓	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H25e4859																									
21	FL 134 @ 1'	C	1			X					X		11/4/25		X	X	X								
22	FL 135 @ 1'	C	1			X					X		11/4/25		X	X	X								
23	FL 136 @ 1'	C	1			X					X		11/4/25		X	X	X								
24	FL 137 @ 1'	C	1			X					X		11/4/25		X	X	X								
25	FL 138 @ 1'	C	1			X					X		11/4/25		X	X	X								
26	FL 139 @ 1'	C	1			X					X		11/4/25		X	X	X								
27	FL 140 @ 1'	C	1			X					X		11/4/25		X	X	X								
28	FL 141 @ 1'	C	1			X					X		11/4/25		X	X	X								
29	EW 9	C	1			X					X		11/4/25		X	X	X								
30	EW 10	C	1			X					X		11/4/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11.5.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1504		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:** 04024011C
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -4.7	**Sample Condition** Cool: ☑ Yes ☐ No; Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -4.4			**Thermometer ID** #140 **Correction Factor** -0.6°C +0.3

Bacteria (only) Sample Condition Cool: ☐ Yes ☐ No; Intact: ☐ Yes ☐ No; Observed Temp. °C; Corrected Temp. °C

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 355 of 647

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H256989																									
31	EW 11	C	1			X					X		11/4/25		X	X	X								
32	WW 9	C	1			X					X		11/4/25		X	X	X								
33	WW 10	C	1			X					X		11/4/25		X	X	X								
34	WW 11	C	1			X					X		11/4/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11-5-25 **Time:** 1506	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:** 04024401K

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -4.7 **Corrected Temp. °C** -4.4	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** AP	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** -0.8°C +0.3 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 12, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/06/25 14:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 142 @ 1' (H257018-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.80	89.8	2.00	1.23	
Toluene*	<0.050	0.050	11/07/2025	ND	1.90	95.1	2.00	1.52	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	1.91	95.3	2.00	1.50	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.16	103	6.00	1.34	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**320**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	185	92.3	200	6.65	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	188	94.2	200	6.40	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *111 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *115 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 143 @ 1' (H257018-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.80	89.8	2.00	1.23	
Toluene*	<0.050	0.050	11/07/2025	ND	1.90	95.1	2.00	1.52	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	1.91	95.3	2.00	1.50	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.16	103	6.00	1.34	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *125 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	185	92.3	200	6.65	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	188	94.2	200	6.40	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *119 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *131 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 144 @ 1' (H257018-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.80	89.8	2.00	1.23	
Toluene*	<0.050	0.050	11/07/2025	ND	1.90	95.1	2.00	1.52	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	1.91	95.3	2.00	1.50	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.16	103	6.00	1.34	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**304**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	185	92.3	200	6.65	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	188	94.2	200	6.40	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *116 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *119 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 145 @ 1' (H257018-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.80	89.8	2.00	1.23	
Toluene*	<0.050	0.050	11/07/2025	ND	1.90	95.1	2.00	1.52	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	1.91	95.3	2.00	1.50	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.16	103	6.00	1.34	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	185	92.3	200	6.65	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	188	94.2	200	6.40	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 146 @ 1' (H257018-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.80	89.8	2.00	1.23	
Toluene*	<0.050	0.050	11/07/2025	ND	1.90	95.1	2.00	1.52	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	1.91	95.3	2.00	1.50	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.16	103	6.00	1.34	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	185	92.3	200	6.65	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	188	94.2	200	6.40	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *91.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 147 @ 1' (H257018-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.80	89.8	2.00	1.23	
Toluene*	<0.050	0.050	11/07/2025	ND	1.90	95.1	2.00	1.52	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	1.91	95.3	2.00	1.50	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.16	103	6.00	1.34	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *126 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**256**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	185	92.3	200	6.65	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	188	94.2	200	6.40	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *96.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 148 @ 1' (H257018-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.80	89.8	2.00	1.23	
Toluene*	<0.050	0.050	11/07/2025	ND	1.90	95.1	2.00	1.52	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	1.91	95.3	2.00	1.50	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.16	103	6.00	1.34	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *124 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**384**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	185	92.3	200	6.65	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	188	94.2	200	6.40	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *83.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 149 @ 1' (H257018-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.77	88.6	2.00	1.26	
Toluene*	<0.050	0.050	11/07/2025	ND	2.08	104	2.00	0.581	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	2.00	100	2.00	1.79	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	5.94	98.9	6.00	3.03	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**416**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	185	92.3	200	6.65	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	188	94.2	200	6.40	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *94.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 150 @ 1' (H257018-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.77	88.6	2.00	1.26	
Toluene*	<0.050	0.050	11/07/2025	ND	2.08	104	2.00	0.581	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	2.00	100	2.00	1.79	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	5.94	98.9	6.00	3.03	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**384**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	207	104	200	0.166	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	216	108	200	1.51	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 151 @ 1' (H257018-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.77	88.6	2.00	2.50	
Toluene*	<0.050	0.050	11/07/2025	ND	2.07	104	2.00	0.0523	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	2.03	101	2.00	1.57	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.03	101	6.00	2.12	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**640**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	207	104	200	0.166	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	216	108	200	1.51	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 152 @ 5' (H257018-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.77	88.6	2.00	2.50	
Toluene*	<0.050	0.050	11/07/2025	ND	2.07	104	2.00	0.0523	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	2.03	101	2.00	1.57	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.03	101	6.00	2.12	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**384**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	207	104	200	0.166	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	216	108	200	1.51	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *98.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 153 @ 5' (H257018-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.77	88.6	2.00	2.50	
Toluene*	<0.050	0.050	11/07/2025	ND	2.07	104	2.00	0.0523	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	2.03	101	2.00	1.57	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.03	101	6.00	2.12	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**368**	16.0	11/07/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	207	104	200	0.166	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	216	108	200	1.51	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/06/2025	Sampling Date:	11/05/2025
Reported:	11/12/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 154 @ 1' (H257018-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/07/2025	ND	1.77	88.6	2.00	2.50	
Toluene*	<0.050	0.050	11/07/2025	ND	2.07	104	2.00	0.0523	
Ethylbenzene*	<0.050	0.050	11/07/2025	ND	2.03	101	2.00	1.57	
Total Xylenes*	<0.150	0.150	11/07/2025	ND	6.03	101	6.00	2.12	
Total BTEX	<0.300	0.300	11/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	11/07/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2025	ND	207	104	200	0.166	
DRO >C10-C28*	<10.0	10.0	11/07/2025	ND	216	108	200	1.51	
EXT DRO >C28-C36	<10.0	10.0	11/07/2025	ND					

Surrogate: 1-Chlorooctane *116 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *111 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 371 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	**Chloride**	**TPH (8015M)**	**BTEX (8021B)**								
H257018																									
1	FL 142 @ 1'	C	1			X					X		11/5/25		X	X	X								
2	FL 143 @ 1'	C	1			X					X		11/5/25		X	X	X								
3	FL 144 @ 1'	C	1			X					X		11/5/25		X	X	X								
4	FL 145 @ 1'	C	1			X					X		11/5/25		X	X	X								
5	FL 146 @ 1'	C	1			X					X		11/5/25		X	X	X								
6	FL 147 @ 1'	C	1			X					X		11/5/25		X	X	X								
7	FL 148 @ 1'	C	1			X					X		11/5/25		X	X	X								
8	FL 149 @ 1'	C	1			X					X		11/5/25		X	X	X								
9	FL 150 @ 1'	C	1			X					X		11/5/25		X	X	X								
10	FL 151 @ 1'	C	1			X					X		11/5/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

all. 040240 1K

Relinquished By:	**Date:** 11.6.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 455		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 1.5 **Corrected Temp. °C** 1.2	**Sample Condition** Cool: ☐ ~~Yes~~ ☐ No Intact: ☐ ~~Yes~~ ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** ~~-0.5°C~~ +0.3

Bacteria (only) Sample Condition Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 372 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H257018																									
11	FL 152 @ 5'	C	1			X					X		11/5/25		X	X	X								
12	FL 153 @ 5'	C	1			X					X		11/5/25		X	X	X								
13	FL 154 @ 1'	C	1			X					X		11/5/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

add-040240 1K

Relinquished By:	**Date:** 11.6.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**	
	Time: 1455		**All Results are emailed. Please provide Email address:** pm@etechenv.com		
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**		
	Time:				
Delivered By: (Circle One)	**Observed Temp. °C** 1.5	**Sample Condition** Cool Intact	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]	**Bacteria (only) Sample Condition** Cool Intact Observed Temp. °C
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 1.2	☐ Yes ☐ Yes ☐ No ☐ No		**Thermometer ID** #140 **Correction Factor** -0.3°C TD.3	☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 13, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/07/25 14:29.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 155 @ 1' (H257038-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.82	90.9	2.00	1.57	
Toluene*	<0.050	0.050	11/10/2025	ND	1.84	92.2	2.00	1.85	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.84	91.9	2.00	1.70	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.62	93.7	6.00	1.48	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/10/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	210	105	200	0.968	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	197	98.6	200	1.91	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *99.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 156 @ 1' (H257038-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.82	90.9	2.00	1.57	
Toluene*	<0.050	0.050	11/10/2025	ND	1.84	92.2	2.00	1.85	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.84	91.9	2.00	1.70	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.62	93.7	6.00	1.48	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/10/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	210	105	200	0.968	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	197	98.6	200	1.91	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 157 @ 1' (H257038-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.82	90.9	2.00	1.57	
Toluene*	<0.050	0.050	11/10/2025	ND	1.84	92.2	2.00	1.85	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.84	91.9	2.00	1.70	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.62	93.7	6.00	1.48	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *125 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/10/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	210	105	200	0.968	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	197	98.6	200	1.91	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *97.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 158 @ 1' (H257038-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.82	90.9	2.00	1.57	
Toluene*	<0.050	0.050	11/10/2025	ND	1.84	92.2	2.00	1.85	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.84	91.9	2.00	1.70	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.62	93.7	6.00	1.48	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/10/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	210	105	200	0.968	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	197	98.6	200	1.91	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 159 @ 1' (H257038-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	QM-07
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	QM-07
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	QM-07
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	QM-07
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/10/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	210	105	200	0.968	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	197	98.6	200	1.91	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *99.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 160 @ 1' (H257038-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/10/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	210	105	200	0.968	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	197	98.6	200	1.91	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 161 @ 4' (H257038-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/10/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	210	105	200	0.968	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	197	98.6	200	1.91	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 162 @ 1' (H257038-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/10/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	210	105	200	0.968	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	197	98.6	200	1.91	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *98.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 163 @ 4' (H257038-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	210	105	200	0.968	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	197	98.6	200	1.91	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *95.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 164 @ 4' (H257038-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *96.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 165 @ 4' (H257038-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *88.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 166 @ 4' (H257038-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *92.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 167 @ 4' (H257038-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *93.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 168 @ 4' (H257038-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *88.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 169 @ 4' (H257038-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *94.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 170 @ 4' (H257038-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *95.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 171 @ 4' (H257038-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *94.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: NW 3 (H257038-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *96.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: NW 4 (H257038-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *92.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SW 3 (H257038-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *85.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SW 4 (H257038-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.79	89.5	2.00	1.27	
Toluene*	<0.050	0.050	11/10/2025	ND	2.15	108	2.00	7.97	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.25	112	2.00	9.73	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	7.01	117	6.00	10.6	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/10/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	202	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	187	93.5	200	0.512	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane *93.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 396 of 647

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 24 of 26

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H257038																									
1	FL 155 @ 1'	C	1			X					X		11/6/25		X	X	X								
2	FL 156 @ 1'	C	1			X					X		11/6/25		X	X	X								
3	FL 157 @ 1'	C	1			X					X		11/6/25		X	X	X								
4	FL 158 @ 1'	C	1			X					X		11/6/25		X	X	X								
5	FL 159 @ 1'	C	1			X					X		11/6/25		X	X	X								
6	FL 160 @ 1'	C	1			X					X		11/6/25		X	X	X								
7	FL 161 @ 4'	C	1			X					X		11/6/25		X	X	X								
8	FL 162 @ 1'	C	1			X					X		11/6/25		X	X	X								
9	FL 163 @ 4'	C	1			X					X		11/6/25		X	X	X								
10	FL 164 @ 4'	C	1			X					X		11/6/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11.7.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1409		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:** CIS - 0402401K
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -7.4	**Sample Condition** Cool ☑ Yes Intact ☐ Yes	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -7.1	☐ No ☐ No		**Thermometer ID** #140 **Correction Factor** -0.6°C +0.3

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Page 397 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H257038																									
11	FL 165 @ 4'	C	1			X					X		11/6/25		X	X	X								
12	FL 166 @ 4'	C	1			X					X		11/6/25		X	X	X								
13	FL 167 @ 4'	C	1			X					X		11/6/25		X	X	X								
14	FL 168 @ 4'	C	1			X					X		11/6/25		X	X	X								
15	FL 169 @ 4'	C	1			X					X		11/6/25		X	X	X								
16	FL 170 @ 4'	C	1			X					X		11/6/25		X	X	X								
17	FL 171 @ 4'	C	1			X					X		11/6/25		X	X	X								
18	NW 3	C	1			X					X		11/6/25		X	X	X								
19	NW 4	C	1			X					X		11/6/25		X	X	X								
20	SW 3	C	1			X					X		11/6/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11.7.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**
	Time: 1429		**All Results are emailed. Please provide Email address:** pm@etechenv.com	
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**	
	Time:			
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -7.4C **Corrected Temp. °C** -7.1C	**Sample Condition** Cool ☑ Yes ☐ No Intact ☑ Yes ☐ No	**CHECKED BY: (Initials)** AR	**Turnaround Time:** Standard X Rush ☐ Thermometer ID #140 Correction Factor -0.6°C +0.3C
				Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 398 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 26 of 26

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)									
H257038																									
01	SW 4	C	1			X					X		11/6/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11.7.25 **Time:** 1489	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One)	**Observed Temp. °C** 7.4	**Sample Condition** Cool Yes ☑ Intact Yes ☐	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard ☒ Rush ☐
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 7.1	No ☐ No ☐		**Thermometer ID** #140 **Correction Factor** -0.6°C +0.3

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 18, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/11/25 8:54.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 173 @ 4' (H257089-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 174 @ 5' (H257089-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *112 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 175 @ 4' (H257089-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *114 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 176 @ 4' (H257089-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 177 @ 4' (H257089-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *120 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *121 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 178 @ 4' (H257089-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *116 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *117 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 179 @ 4' (H257089-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**512**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *97.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 180 @ 4' (H257089-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *99.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 181 @ 4' (H257089-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 182 @ 4' (H257089-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 183 @ 4' (H257089-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 184 @ 4' (H257089-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 185 @ 4' (H257089-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *110 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *111 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 186 @ 4' (H257089-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *112 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 187 @ 4' (H257089-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *110 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 188 @ 4' (H257089-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	215	108	200	2.35	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	200	100	200	3.59	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *113 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 189 @ 4' (H257089-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.89	94.3	2.00	1.19	
Toluene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	4.05	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	1.87	93.5	2.00	3.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	5.57	92.8	6.00	4.58	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	213	106	200	1.99	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	198	99.1	200	3.01	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *122 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *116 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 190 @ 4' (H257089-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	2.24	112	2.00	6.60	
Toluene*	<0.050	0.050	11/17/2025	ND	2.20	110	2.00	6.16	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	2.15	107	2.00	6.88	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	6.48	108	6.00	6.46	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	213	106	200	1.99	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	198	99.1	200	3.01	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *114 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *111 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 191 @ 4' (H257089-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	2.24	112	2.00	6.60	
Toluene*	<0.050	0.050	11/17/2025	ND	2.20	110	2.00	6.16	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	2.15	107	2.00	6.88	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	6.48	108	6.00	6.46	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	213	106	200	1.99	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	198	99.1	200	3.01	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *113 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *109 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 192 @ 4' (H257089-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	2.24	112	2.00	6.60	
Toluene*	<0.050	0.050	11/17/2025	ND	2.20	110	2.00	6.16	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	2.15	107	2.00	6.88	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	6.48	108	6.00	6.46	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**448**	16.0	11/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	213	106	200	1.99	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	198	99.1	200	3.01	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *121 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *115 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 193 @ 4' (H257089-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	2.24	112	2.00	6.60	
Toluene*	<0.050	0.050	11/17/2025	ND	2.20	110	2.00	6.16	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	2.15	107	2.00	6.88	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	6.48	108	6.00	6.46	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/12/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	213	106	200	1.99	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	198	99.1	200	3.01	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *116 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *111 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/11/2025	Sampling Date:	11/10/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 194 @ 4' (H257089-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	2.24	112	2.00	6.60	
Toluene*	<0.050	0.050	11/17/2025	ND	2.20	110	2.00	6.16	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	2.15	107	2.00	6.88	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	6.48	108	6.00	6.46	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/12/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	213	106	200	1.99	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	198	99.1	200	3.01	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane *114 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 423 of 647

Page 25 of 27

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H251089																									
1	FL 173 @ 4'	C	1			X					X		11/10/25		X	X	X								
2	FL 174 @ 5'	C	1			X					X		11/10/25		X	X	X								
3	FL 175 @ 4'	C	1			X					X		11/10/25		X	X	X								
4	FL 176 @ 4'	C	1			X					X		11/10/25		X	X	X								
5	FL 177 @ 4'	C	1			X					X		11/10/25		X	X	X								
6	FL 178 @ 4'	C	1			X					X		11/10/25		X	X	X								
7	FL 179 @ 4'	C	1			X					X		11/10/25		X	X	X								
8	FL 180 @ 4'	C	1			X					X		11/10/25		X	X	X								
9	FL 181 @ 4'	C	1			X					X		11/10/25		X	X	X								
10	FL 182 @ 4'	C	1			X					X		11/10/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

0402401K

Relinquished By:	**Date:** 11.11.25 **Time:** 0854	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -1.5 **Corrected Temp. °C** -1.2	**Sample Condition** Cool: ☒ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** ~~0.6°C~~ +0.3 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 424 of 647

Page 26 of 27

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	**Chloride**	**TPH (8015M)**	**BTEX (8021B)**								
H257089																									
11	FL 183 @ 4'	C	1			X					X		11/10/25		X	X	X								
12	FL 184 @ 4'	C	1			X					X		11/10/25		X	X	X								
13	FL 185 @ 4'	C	1			X					X		11/10/25		X	X	X								
14	FL 186 @ 4'	C	1			X					X		11/10/25		X	X	X								
15	FL 187 @ 4'	C	1			X					X		11/10/25		X	X	X								
16	FL 188 @ 4'	C	1			X					X		11/10/25		X	X	X								
17	FL 189 @ 4'	C	1			X					X		11/10/25		X	X	X								
18	FL 190 @ 4'	C	1			X					X		11/10/25		X	X	X								
19	FL 191 @ 4'	C	1			X					X		11/10/25		X	X	X								
20	FL 192 @ 4'	C	1			X					X		11/10/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024014

Relinquished By:	**Date:** 11-11-25	**Received By:**	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 0854		All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -1.5	**Sample Condition** Cool ☐ Yes Intact ☐ Yes	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -1.2	☐ No ☐ No		Thermometer ID #140 Correction Factor ~~0.6°C~~ +0.3

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H257089																									
21	FL 193 @ 4'	C	1			X					X		11/10/25		X	X	X								
22	FL 194 @ 4'	C	1			X					X		11/10/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

040240 1K

Relinquished By:	**Date:** 11-11-25 **Time:** 0854	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -1.5 **Corrected Temp. °C** -1.2	**Sample Condition** Cool Yes ☐ Intact Yes ☐ No ☐	**CHECKED BY:** (Initials)	**Turnaround Time:** Standard X Rush ☐ **Thermometer ID** #140 **Correction Factor** ~~0.6°C~~ TO-3

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 18, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/12/25 15:03.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 195 @ 4' (H257133-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/13/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/13/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/13/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	187	93.3	200	1.12	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	196	97.9	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *117 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 196 @ 4' (H257133-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/13/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/13/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/13/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	187	93.3	200	1.12	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	196	97.9	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *115 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *120 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 197 @ 4' (H257133-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/13/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/13/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/13/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	187	93.3	200	1.12	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	196	97.9	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *115 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *121 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 198 @ 4' (H257133-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/13/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/13/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/13/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	187	93.3	200	1.12	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	196	97.9	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *115 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *117 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 199 @ 4' (H257133-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/13/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/13/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/13/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	187	93.3	200	1.12	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	196	97.9	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *114 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 200 @ 5' (H257133-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/14/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	187	93.3	200	1.12	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	196	97.9	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *121 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *127 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 201 @ 5' (H257133-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/14/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	184	91.8	200	0.505	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	202	101	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *111 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 202 @ 6' (H257133-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/14/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	184	91.8	200	0.505	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	202	101	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *114 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 203 @ 4' (H257133-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/14/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	184	91.8	200	0.505	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	202	101	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 204 @ 4' (H257133-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/13/2025	ND	1.89	94.6	2.00	2.36	
Toluene*	<0.050	0.050	11/13/2025	ND	1.95	97.6	2.00	3.44	
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	1.87	93.6	2.00	5.14	
Total Xylenes*	<0.150	0.150	11/13/2025	ND	5.58	92.9	6.00	5.92	
Total BTEX	<0.300	0.300	11/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	184	91.8	200	0.505	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	202	101	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 205 @ 4' (H257133-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/13/2025	ND	1.89	94.6	2.00	2.36	
Toluene*	<0.050	0.050	11/13/2025	ND	1.95	97.6	2.00	3.44	
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	1.87	93.6	2.00	5.14	
Total Xylenes*	<0.150	0.150	11/13/2025	ND	5.58	92.9	6.00	5.92	
Total BTEX	<0.300	0.300	11/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	184	91.8	200	0.505	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	202	101	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/12/2025	Sampling Date:	11/11/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 206 @ 4' (H257133-12)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/13/2025	ND	1.89	94.6	2.00	2.36	
Toluene*	<0.050	0.050	11/13/2025	ND	1.95	97.6	2.00	3.44	
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	1.87	93.6	2.00	5.14	
Total Xylenes*	<0.150	0.150	11/13/2025	ND	5.58	92.9	6.00	5.92	
Total BTEX	<0.300	0.300	11/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	184	91.8	200	0.505	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	202	101	200	1.36	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H257133																									
1	FL 195 @ 4'	C	1			X					X		11/11/25		X	X	X								
2	FL 196 @ 4'	C	1			X					X		11/11/25		X	X	X								
3	FL 197 @ 4'	C	1			X					X		11/11/25		X	X	X								
4	FL 198 @ 4'	C	1			X					X		11/11/25		X	X	X								
5	FL 199 @ 4'	C	1			X					X		11/11/25		X	X	X								
6	FL 200 @ 5'	C	1			X					X		11/11/25		X	X	X								
7	FL 201 @ 5'	C	1			X					X		11/11/25		X	X	X								
8	FL 202 @ 6'	C	1			X					X		11/11/25		X	X	X								
9	FL 203 @ 4'	C	1			X					X		11/11/25		X	X	X								
10	FL 204 @ 4'	C	1			X					X		11/11/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11-12-25 **Time:** 1503	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:** 040340 1K
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -11.0 **Corrected Temp. °C** -10.7	**Sample Condition** Cool ☑ Yes ☐ No Intact ☑ Yes ☐ No	**CHECKED BY: (Initials)** AP
Turnaround Time: Standard X Rush ☐	**Thermometer ID** #140 **Correction Factor** -0.6°C +0.3	**Bacteria (only) Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No	**Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 441 of 647

Page 16 of 16

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H257133																									
11	FL 205 @ 4'	C	1			X					X		11/11/25		X	X	X								
12	FL 206 @ 4'	C	1			X					X		11/11/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11.12.25 **Time:** 1503	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One)	**Observed Temp. °C** -11.0	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)** AR	**Turnaround Time:** Standard ☒ Rush ☐	**Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -10.7			**Thermometer ID** #140 **Correction Factor** -0.6°C +0.3	**Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 19, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/13/25 14:51.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 207 @ 4' (H257165-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2025	ND	1.86	92.8	2.00	1.35	
Toluene*	<0.050	0.050	11/15/2025	ND	1.91	95.5	2.00	2.97	
Ethylbenzene*	<0.050	0.050	11/15/2025	ND	1.86	92.9	2.00	5.15	
Total Xylenes*	<0.150	0.150	11/15/2025	ND	5.58	92.9	6.00	4.18	
Total BTEX	<0.300	0.300	11/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	185	92.6	200	1.46	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	201	101	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *82.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 208 @ 4' (H257165-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2025	ND	1.86	92.8	2.00	1.35	
Toluene*	<0.050	0.050	11/15/2025	ND	1.91	95.5	2.00	2.97	
Ethylbenzene*	<0.050	0.050	11/15/2025	ND	1.86	92.9	2.00	5.15	
Total Xylenes*	<0.150	0.150	11/15/2025	ND	5.58	92.9	6.00	4.18	
Total BTEX	<0.300	0.300	11/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *79.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 209 @ 4' (H257165-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2025	ND	1.86	92.8	2.00	1.35	
Toluene*	<0.050	0.050	11/15/2025	ND	1.91	95.5	2.00	2.97	
Ethylbenzene*	<0.050	0.050	11/15/2025	ND	1.86	92.9	2.00	5.15	
Total Xylenes*	<0.150	0.150	11/15/2025	ND	5.58	92.9	6.00	4.18	
Total BTEX	<0.300	0.300	11/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *87.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 210 @ 4' (H257165-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2025	ND	1.86	92.8	2.00	1.35	
Toluene*	<0.050	0.050	11/15/2025	ND	1.91	95.5	2.00	2.97	
Ethylbenzene*	<0.050	0.050	11/15/2025	ND	1.86	92.9	2.00	5.15	
Total Xylenes*	<0.150	0.150	11/15/2025	ND	5.58	92.9	6.00	4.18	
Total BTEX	<0.300	0.300	11/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *81.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 211 @ 4' (H257165-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *86.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 212 @ 4' (H257165-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *83.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 213 @ 4' (H257165-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *81.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 214 @ 4' (H257165-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *84.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 215 @ 4' (H257165-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *70.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 216 @ 4' (H257165-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *83.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 217 @ 4' (H257165-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *81.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 218 @ 4' (H257165-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *65.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 219 @ 4' (H257165-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *80.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 220 @ 4' (H257165-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *86.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 221 @ 4' (H257165-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *77.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 222 @ 4' (H257165-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *71.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 223 @ 4' (H257165-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *73.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 224 @ 4' (H257165-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *83.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 225 @ 4' (H257165-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *75.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 226 @ 4' (H257165-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *67.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 227 @ 4' (H257165-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	181	90.7	200	0.313	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	192	96.0	200	0.347	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *84.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 228 @ 4' (H257165-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	203	101	200	1.90	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	194	97.2	200	0.446	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *83.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/13/2025	Sampling Date:	11/12/2025
Reported:	11/19/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 229 @ 5' (H257165-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/17/2025	ND	1.85	92.6	2.00	3.39	
Toluene*	<0.050	0.050	11/17/2025	ND	1.94	96.8	2.00	1.93	
Ethylbenzene*	<0.050	0.050	11/17/2025	ND	1.89	94.6	2.00	2.32	
Total Xylenes*	<0.150	0.150	11/17/2025	ND	5.71	95.2	6.00	1.92	
Total BTEX	<0.300	0.300	11/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2025	ND	203	101	200	1.90	
DRO >C10-C28*	<10.0	10.0	11/14/2025	ND	194	97.2	200	0.446	
EXT DRO >C28-C36	<10.0	10.0	11/14/2025	ND					

Surrogate: 1-Chlorooctane *82.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 467 of 647

Page 26 of 28

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H257165																									
1	FL 207 @ 4'	C	1			X					X		11/12/25		X	X	X								
2	FL 208 @ 4'	C	1			X					X		11/12/25		X	X	X								
3	FL 209 @ 4'	C	1			X					X		11/12/25		X	X	X								
4	FL 210 @ 4'	C	1			X					X		11/12/25		X	X	X								
5	FL 211 @ 4'	C	1			X					X		11/12/25		X	X	X								
6	FL 212 @ 4'	C	1			X					X		11/12/25		X	X	X								
7	FL 213 @ 4'	C	1			X					X		11/12/25		X	X	X								
8	FL 214 @ 4'	C	1			X					X		11/12/25		X	X	X								
9	FL 215 @ 4'	C	1			X					X		11/12/25		X	X	X								
10	FL 216 @ 4'	C	1			X					X		11/12/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11.13.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1051		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		01002401K-AM

Delivered By: (Circle One)	**Observed Temp. °C** 8.4	**Sample Condition** Cool Intact	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 8.1	☑ Yes ☑ Yes ☐ No ☐ No		**Thermometer ID** #140 **Correction Factor** -0.6°C 10.3

Bacteria (only) Sample Condition Cool Intact **Observed Temp. °C** ☐ Yes ☐ Yes ☐ No ☐ No **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 468 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H257165																									
11	FL 217 @ 4'	C	1			X					X		11/12/25		X	X	X								
12	FL 218 @ 4'	C	1			X					X		11/12/25		X	X	X								
13	FL 219 @ 4'	C	1			X					X		11/12/25		X	X	X								
14	FL 220 @ 4'	C	1			X					X		11/12/25		X	X	X								
15	FL 221 @ 4'	C	1			X					X		11/12/25		X	X	X								
16	FL 222 @ 4'	C	1			X					X		11/12/25		X	X	X								
17	FL 223 @ 4'	C	1			X					X		11/12/25		X	X	X								
18	FL 224 @ 4'	C	1			X					X		11/12/25		X	X	X								
19	FL 225 @ 4'	C	1			X					X		11/12/25		X	X	X								
20	FL 226 @ 4'	C	1			X					X		11/12/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11-13-25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1451		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -8.4 **Corrected Temp. °C** -8.1	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)** AP	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** -0.6°C +0.3 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 469 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H257105																									
21	FL 227 @ 4'	C	1			X					X		11/12/25		X	X	X								
22	FL 228 @ 4'	C	1			X					X		11/12/25		X	X	X								
23	FL 229 @ 5'	C	1			X					X		11/12/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 11-13-25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1451		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -8.4	**Sample Condition** Cool Intact	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -8.1	☑ Yes ☑ Yes ☐ No ☐ No		**Thermometer ID** #140 **Correction Factor** -0.6°C +0.3

Bacteria (only) Sample Condition Cool Intact **Observed Temp. °C** ☐ Yes ☐ Yes ☐ No ☐ No **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 20, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/14/25 14:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 230 @ 4' (H257197-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	QM-07
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	203	102	200	4.82	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	190	95.2	200	3.31	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *87.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 231 @ 4' (H257197-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	203	102	200	4.82	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	190	95.2	200	3.31	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *90.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 232 @ 4' (H257197-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**256**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	203	102	200	4.82	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	190	95.2	200	3.31	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *80.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 233 @ 4' (H257197-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	203	102	200	4.82	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	190	95.2	200	3.31	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *90.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 234 @ 4' (H257197-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	182	91.2	200	1.31	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	175	87.4	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *76.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 235 @ 4' (H257197-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	182	91.2	200	1.31	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	175	87.4	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *82.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 236 @ 4' (H257197-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	182	91.2	200	1.31	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	175	87.4	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *80.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 237 @ 4' (H257197-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	182	91.2	200	1.31	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	175	87.4	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *72.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 238 @ 4' (H257197-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	182	91.2	200	1.31	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	175	87.4	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *76.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 239 @ 4' (H257197-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	182	91.2	200	1.31	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	175	87.4	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *79.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 240 @ 4' (H257197-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	11/17/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	182	91.2	200	1.31	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	175	87.4	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *65.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 241 @ 4' (H257197-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	11/17/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	182	91.2	200	1.31	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	175	87.4	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *82.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 242 @ 4' (H257197-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	11/17/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	182	91.2	200	1.31	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	175	87.4	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *83.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 243 @ 4' (H257197-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	11/17/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	182	91.2	200	1.31	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	175	87.4	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *77.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/14/2025	Sampling Date:	11/13/2025
Reported:	11/20/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 244 @ 4' (H257197-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2025	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	11/18/2025	ND	2.14	107	2.00	2.13	
Ethylbenzene*	<0.050	0.050	11/18/2025	ND	2.19	110	2.00	1.38	
Total Xylenes*	<0.150	0.150	11/18/2025	ND	6.81	113	6.00	0.125	
Total BTEX	<0.300	0.300	11/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/17/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	182	91.2	200	1.31	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	175	87.4	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *75.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H257197																									
1	FL 230 @ 4'	C	1			X					X		11/13/25		X	X	X								
2	FL 231 @ 4'	C	1			X					X		11/13/25		X	X	X								
3	FL 232 @ 4'	C	1			X					X		11/13/25		X	X	X								
4	FL 233 @ 4'	C	1			X					X		11/13/25		X	X	X								
5	FL 234 @ 4'	C	1			X					X		11/13/25		X	X	X								
6	FL 235 @ 4'	C	1			X					X		11/13/25		X	X	X								
7	FL 236 @ 4'	C	1			X					X		11/13/25		X	X	X								
8	FL 237 @ 4'	C	1			X					X		11/13/25		X	X	X								
9	FL 238 @ 4'	C	1			X					X		11/13/25		X	X	X								
10	FL 239 @ 4'	C	1			X					X		11/13/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024011K

Relinquished By:	**Date:** 11-14-25	**Received By:**	Verbal Result: ☐ Yes ☐ No	Add'l Phone #:	
	Time: 1450		All Results are emailed. Please provide Email address: pm@etechenv.com		
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**		
	Time:				
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 11.0 **Corrected Temp. °C** 10.7	**Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard [X] Rush [ ] Thermometer ID #140 Correction Factor -0.6°C +0.3	**Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 488 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)								
H25-7197																									
11	FL 240 @ 4'	C	1			X					X		11/13/25		X	X	X								
12	FL 241 @ 4'	C	1			X					X		11/13/25		X	X	X								
13	FL 242 @ 4'	C	1			X					X		11/13/25		X	X	X								
14	FL 243 @ 4'	C	1			X					X		11/13/25		X	X	X								
15	FL 244 @ 4'	C	1			X					X		11/13/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024011K

Relinquished By:	**Date:** 11-14-25 **Time:** 1450	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 11.0 **Corrected Temp. °C** 10.7	**Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** SK	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** -0.6°C +0.3 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 21, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/17/25 10:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/17/2025	Sampling Date:	11/14/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 245 @ 4' (H257207-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.18	109	2.00	5.51	
Toluene*	<0.050	0.050	11/19/2025	ND	2.14	107	2.00	4.63	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.09	104	2.00	6.55	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.32	105	6.00	5.86	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	194	96.8	200	3.42	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	188	93.9	200	6.85	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *77.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/17/2025	Sampling Date:	11/14/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 246 @ 4' (H257207-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.18	109	2.00	5.51	
Toluene*	<0.050	0.050	11/19/2025	ND	2.14	107	2.00	4.63	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.09	104	2.00	6.55	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.32	105	6.00	5.86	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	194	96.8	200	3.42	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	188	93.9	200	6.85	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *76.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/17/2025	Sampling Date:	11/14/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 247 @ 4' (H257207-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.18	109	2.00	5.51	
Toluene*	<0.050	0.050	11/19/2025	ND	2.14	107	2.00	4.63	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.09	104	2.00	6.55	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.32	105	6.00	5.86	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	194	96.8	200	3.42	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	188	93.9	200	6.85	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *81.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/17/2025	Sampling Date:	11/14/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 248 @ 4' (H257207-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.18	109	2.00	5.51	
Toluene*	<0.050	0.050	11/19/2025	ND	2.14	107	2.00	4.63	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.09	104	2.00	6.55	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.32	105	6.00	5.86	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**448**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	194	96.8	200	3.42	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	188	93.9	200	6.85	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *79.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/17/2025	Sampling Date:	11/14/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 249 @ 4' (H257207-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.18	109	2.00	5.51	
Toluene*	<0.050	0.050	11/19/2025	ND	2.14	107	2.00	4.63	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.09	104	2.00	6.55	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.32	105	6.00	5.86	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	194	96.8	200	3.42	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	188	93.9	200	6.85	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *80.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/17/2025	Sampling Date:	11/14/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 250 @ 4' (H257207-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.18	109	2.00	5.51	
Toluene*	<0.050	0.050	11/19/2025	ND	2.14	107	2.00	4.63	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.09	104	2.00	6.55	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.32	105	6.00	5.86	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/18/2025	ND	194	96.8	200	3.42	
DRO >C10-C28*	<10.0	10.0	11/18/2025	ND	188	93.9	200	6.85	
EXT DRO >C28-C36	<10.0	10.0	11/18/2025	ND					

Surrogate: 1-Chlorooctane *79.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/17/2025	Sampling Date:	11/14/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 251 @ 4' (H257207-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.18	109	2.00	5.51	
Toluene*	<0.050	0.050	11/19/2025	ND	2.14	107	2.00	4.63	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.09	104	2.00	6.55	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.32	105	6.00	5.86	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/18/2025	ND	194	96.8	200	3.42	
DRO >C10-C28*	<10.0	10.0	11/18/2025	ND	188	93.9	200	6.85	
EXT DRO >C28-C36	<10.0	10.0	11/18/2025	ND					

Surrogate: 1-Chlorooctane *80.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/17/2025	Sampling Date:	11/14/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 252 @ 4' (H257207-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.18	109	2.00	5.51	
Toluene*	<0.050	0.050	11/19/2025	ND	2.14	107	2.00	4.63	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.09	104	2.00	6.55	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.32	105	6.00	5.86	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/18/2025	ND	194	96.8	200	3.42	
DRO >C10-C28*	<10.0	10.0	11/18/2025	ND	188	93.9	200	6.85	
EXT DRO >C28-C36	<10.0	10.0	11/18/2025	ND					

Surrogate: 1-Chlorooctane *83.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/17/2025	Sampling Date:	11/14/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 253 @ 4' (H257207-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.18	109	2.00	5.51	
Toluene*	<0.050	0.050	11/19/2025	ND	2.14	107	2.00	4.63	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.09	104	2.00	6.55	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.32	105	6.00	5.86	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/18/2025	ND	194	96.8	200	3.42	
DRO >C10-C28*	<10.0	10.0	11/18/2025	ND	188	93.9	200	6.85	
EXT DRO >C28-C36	<10.0	10.0	11/18/2025	ND					

Surrogate: 1-Chlorooctane *85.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/17/2025	Sampling Date:	11/14/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 254 @ 4' (H257207-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.18	109	2.00	5.51	
Toluene*	<0.050	0.050	11/19/2025	ND	2.14	107	2.00	4.63	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.09	104	2.00	6.55	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.32	105	6.00	5.86	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/17/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/17/2025	ND	183	91.4	200	3.09	
DRO >C10-C28*	<10.0	10.0	11/17/2025	ND	201	100	200	3.03	
EXT DRO >C28-C36	<10.0	10.0	11/17/2025	ND					

Surrogate: 1-Chlorooctane *74.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 501 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H257207																									
1	FL 245 @ 4'	C	1			X					X		11/14/25		X	X	X								
2	FL 246 @ 4'	C	1			X					X		11/14/25		X	X	X								
3	FL 247 @ 4'	C	1			X					X		11/14/25		X	X	X								
4	FL 248 @ 4'	C	1			X					X		11/14/25		X	X	X								
5	FL 249 @ 5'	C	1			X					X		11/14/25		X	X	X								
6	FL 250 @ 4'	C	1			X					X		11/14/25		X	X	X								
7	FL 251 @ 5'	C	1			X					X		11/14/25		X	X	X	- NO	Lot #						
8	FL 252 @ 4'	C	1			X					X		11/14/25		X	X	X								
9	FL 253 @ 4'	C	1			X					X		11/14/25		X	X	X	- NO	Lot #						
10	FL 254 @ 4'	C	1			X					X		11/14/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

040240 1K) 1-6, 8+10

Relinquished By:	**Date:** 11-17-25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1035		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 5.7 **Corrected Temp. °C** 5.4	**Sample Condition** Cool: ☒ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard ☒ Rush ☐ **Thermometer ID** #140 **Correction Factor** ~~-0.8°C~~ TO 3: **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 21, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/18/25 14:45.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 79 @ 2' (H257253-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	11/19/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	204	102	200	0.208	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	223	111	200	0.176	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *79.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 80 @ 3' (H257253-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**288**	16.0	11/19/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	204	102	200	0.208	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	223	111	200	0.176	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *80.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 81 @ 3' (H257253-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**256**	16.0	11/19/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	204	102	200	0.208	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	223	111	200	0.176	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *81.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 88 @ 3' (H257253-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**320**	16.0	11/19/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	204	102	200	0.208	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	223	111	200	0.176	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *74.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 89 @ 3' (H257253-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**304**	16.0	11/19/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	204	102	200	0.208	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	223	111	200	0.176	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *80.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 255 @ 4' (H257253-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *80.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 256 @ 4' (H257253-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *80.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 257 @ 4' (H257253-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *83.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 258 @ 4' (H257253-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *82.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 259 @ 4' (H257253-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *83.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 260 @ 4' (H257253-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *84.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 261 @ 4' (H257253-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *81.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 262 @ 4' (H257253-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.12	106	2.00	5.57	
Toluene*	<0.050	0.050	11/20/2025	ND	2.22	111	2.00	5.46	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.15	107	2.00	3.86	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	6.47	108	6.00	5.18	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *84.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 263 @ 4' (H257253-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.16	108	2.00	1.99	
Toluene*	<0.050	0.050	11/19/2025	ND	2.16	108	2.00	1.84	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.10	105	2.00	0.875	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.35	106	6.00	0.976	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *85.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 264 @ 4' (H257253-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.16	108	2.00	1.99	
Toluene*	<0.050	0.050	11/19/2025	ND	2.16	108	2.00	1.84	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.10	105	2.00	0.875	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.35	106	6.00	0.976	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *83.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 265 @ 4' (H257253-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.16	108	2.00	1.99	
Toluene*	<0.050	0.050	11/19/2025	ND	2.16	108	2.00	1.84	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.10	105	2.00	0.875	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.35	106	6.00	0.976	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *76.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/18/2025	Sampling Date:	11/17/2025
Reported:	11/21/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 266 @ 4' (H257253-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2025	ND	2.16	108	2.00	1.99	
Toluene*	<0.050	0.050	11/19/2025	ND	2.16	108	2.00	1.84	
Ethylbenzene*	<0.050	0.050	11/19/2025	ND	2.10	105	2.00	0.875	
Total Xylenes*	<0.150	0.150	11/19/2025	ND	6.35	106	6.00	0.976	
Total BTEX	<0.300	0.300	11/19/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/19/2025	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	193	96.4	200	3.94	
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	205	103	200	7.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND					

Surrogate: 1-Chlorooctane *79.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 521 of 647

Page 20 of 21

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H257253																									
1	FL 79 @ 2'	C	1			X					X		11/17/25		X	X	X								
2	FL 80 @ 3'	C	1			X					X		11/17/25		X	X	X								
3	FL 81 @ 3'	C	1			X					X		11/17/25		X	X	X								
4	FL 88 @ 3'	C	1			X					X		11/17/25		X	X	X								
5	FL 89 @ 3'	C	1			X					X		11/17/25		X	X	X								
6	FL 255 @ 4'	C	1			X					X		11/17/25		X	X	X								
7	FL 256 @ 4'	C	1			X					X		11/17/25		X	X	X								
8	FL 257 @ 4'	C	1			X					X		11/17/25		X	X	X								
9	FL 258 @ 4'	C	1			X					X		11/17/25		X	X	X								
10	FL 259 @ 4'	C	1			X					X		11/17/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CS-0402401K

Relinquished By:	**Date:** 11.18.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**
	Time: 1445		**All Results are emailed. Please provide Email address:** pm@etechenv.com	
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**	
	Time:			

Delivered By: (Circle One)	**Observed Temp. °C** -10.0	**Sample Condition** Cool ☑ Yes ☐ No Intact ☑ Yes ☐ No	**CHECKED BY: (Initials)** AA	**Turnaround Time:** Standard ☒ Rush ☐
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -9.7			**Thermometer ID** #140 **Correction Factor** -0.6°C +0.3

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 522 of 647

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

ANALYSIS REQUEST

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
H257253																	
11	FL 260 @ 4'	C	1			X					X		11/17/25		X	X	X
12	FL 261 @ 4'	C	1			X					X		11/17/25		X	X	X
13	FL 262 @ 4'	C	1			X					X		11/17/25		X	X	X
14	FL 263 @ 4'	C	1			X					X		11/17/25		X	X	X
15	FL 264 @ 4'	C	1			X					X		11/17/25		X	X	X
16	FL 265 @ 4'	C	1			X					X		11/17/25		X	X	X
17	FL 266 @ 4'	C	1			X					X		11/17/25		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CS-040240 1K

Relinquished By:	**Date:** 11-18-25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1445		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -10.0 **Corrected Temp. °C** -9.7	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)** AP	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** -0.6°C +0.3 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 25, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/19/25 14:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Mike Snyder For Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/19/2025	Sampling Date:	11/18/2025
Reported:	11/25/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 61 @ 4' (H257277-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.04	102	2.00	4.00	
Toluene*	<0.050	0.050	11/20/2025	ND	1.99	99.6	2.00	3.30	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	1.91	95.4	2.00	2.88	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	5.81	96.9	6.00	2.90	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	11/20/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/20/2025	ND	211	106	200	2.50	
DRO >C10-C28*	<10.0	10.0	11/20/2025	ND	199	99.7	200	2.77	
EXT DRO >C28-C36	<10.0	10.0	11/20/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/19/2025	Sampling Date:	11/18/2025
Reported:	11/25/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 62 @ 4' (H257277-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.04	102	2.00	4.00	
Toluene*	<0.050	0.050	11/20/2025	ND	1.99	99.6	2.00	3.30	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	1.91	95.4	2.00	2.88	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	5.81	96.9	6.00	2.90	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	11/20/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/20/2025	ND	211	106	200	2.50	
DRO >C10-C28*	<10.0	10.0	11/20/2025	ND	199	99.7	200	2.77	
EXT DRO >C28-C36	<10.0	10.0	11/20/2025	ND					

Surrogate: 1-Chlorooctane *93.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/19/2025	Sampling Date:	11/18/2025
Reported:	11/25/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 63 @ 4' (H257277-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.04	102	2.00	4.00	
Toluene*	<0.050	0.050	11/20/2025	ND	1.99	99.6	2.00	3.30	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	1.91	95.4	2.00	2.88	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	5.81	96.9	6.00	2.90	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	11/20/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/20/2025	ND	211	106	200	2.50	
DRO >C10-C28*	<10.0	10.0	11/20/2025	ND	199	99.7	200	2.77	
EXT DRO >C28-C36	<10.0	10.0	11/20/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/19/2025	Sampling Date:	11/18/2025
Reported:	11/25/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 64 @ 6' (H257277-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.04	102	2.00	4.00	
Toluene*	<0.050	0.050	11/20/2025	ND	1.99	99.6	2.00	3.30	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	1.91	95.4	2.00	2.88	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	5.81	96.9	6.00	2.90	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**304**	16.0	11/20/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/20/2025	ND	211	106	200	2.50	
DRO >C10-C28*	<10.0	10.0	11/20/2025	ND	199	99.7	200	2.77	
EXT DRO >C28-C36	<10.0	10.0	11/20/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/19/2025	Sampling Date:	11/18/2025
Reported:	11/25/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 65 @ 4' (H257277-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.04	102	2.00	4.00	
Toluene*	<0.050	0.050	11/20/2025	ND	1.99	99.6	2.00	3.30	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	1.91	95.4	2.00	2.88	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	5.81	96.9	6.00	2.90	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	11/20/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/20/2025	ND	211	106	200	2.50	
DRO >C10-C28*	<10.0	10.0	11/20/2025	ND	199	99.7	200	2.77	
EXT DRO >C28-C36	<10.0	10.0	11/20/2025	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/19/2025	Sampling Date:	11/18/2025
Reported:	11/25/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 66 @ 4' (H257277-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.04	102	2.00	4.00	
Toluene*	<0.050	0.050	11/20/2025	ND	1.99	99.6	2.00	3.30	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	1.91	95.4	2.00	2.88	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	5.81	96.9	6.00	2.90	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	11/20/2025	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/20/2025	ND	211	106	200	2.50	
DRO >C10-C28*	<10.0	10.0	11/20/2025	ND	199	99.7	200	2.77	
EXT DRO >C28-C36	<10.0	10.0	11/20/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/19/2025	Sampling Date:	11/18/2025
Reported:	11/25/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 73 @ 4' (H257277-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.04	102	2.00	4.00	
Toluene*	<0.050	0.050	11/20/2025	ND	1.99	99.6	2.00	3.30	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	1.91	95.4	2.00	2.88	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	5.81	96.9	6.00	2.90	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**256**	16.0	11/20/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/20/2025	ND	211	106	200	2.50	
DRO >C10-C28*	<10.0	10.0	11/20/2025	ND	199	99.7	200	2.77	
EXT DRO >C28-C36	<10.0	10.0	11/20/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/19/2025	Sampling Date:	11/18/2025
Reported:	11/25/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 1A (H257277-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2025	ND	2.04	102	2.00	4.00	
Toluene*	<0.050	0.050	11/20/2025	ND	1.99	99.6	2.00	3.30	
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	1.91	95.4	2.00	2.88	
Total Xylenes*	<0.150	0.150	11/20/2025	ND	5.81	96.9	6.00	2.90	
Total BTEX	<0.300	0.300	11/20/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	11/20/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/20/2025	ND	211	106	200	2.50	
DRO >C10-C28*	<10.0	10.0	11/20/2025	ND	199	99.7	200	2.77	
EXT DRO >C28-C36	<10.0	10.0	11/20/2025	ND					

Surrogate: 1-Chlorooctane *97.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/19/2025	Sampling Date:	11/18/2025
Reported:	11/25/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 2A (H257277-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/21/2025	ND	2.04	102	2.00	4.00	
Toluene*	<0.050	0.050	11/21/2025	ND	1.99	99.6	2.00	3.30	
Ethylbenzene*	<0.050	0.050	11/21/2025	ND	1.91	95.4	2.00	2.88	
Total Xylenes*	<0.150	0.150	11/21/2025	ND	5.81	96.9	6.00	2.90	
Total BTEX	<0.300	0.300	11/21/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	11/20/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/20/2025	ND	219	109	200	1.63	
DRO >C10-C28*	<10.0	10.0	11/20/2025	ND	207	104	200	1.17	
EXT DRO >C28-C36	<10.0	10.0	11/20/2025	ND					

Surrogate: 1-Chlorooctane *84.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/19/2025	Sampling Date:	11/18/2025
Reported:	11/25/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 3A (H257277-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/21/2025	ND	2.04	102	2.00	4.00	
Toluene*	<0.050	0.050	11/21/2025	ND	1.99	99.6	2.00	3.30	
Ethylbenzene*	<0.050	0.050	11/21/2025	ND	1.91	95.4	2.00	2.88	
Total Xylenes*	<0.150	0.150	11/21/2025	ND	5.81	96.9	6.00	2.90	
Total BTEX	<0.300	0.300	11/21/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	11/20/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/20/2025	ND	219	109	200	1.63	
DRO >C10-C28*	<10.0	10.0	11/20/2025	ND	207	104	200	1.17	
EXT DRO >C28-C36	<10.0	10.0	11/20/2025	ND					

Surrogate: 1-Chlorooctane *76.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

Page 535 of 647

CARDINAL Laboratories
101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING DATE	SAMPLING TIME	ANALYSIS REQUEST: Chloride	TPH (8015M)	BTEX (8021B)
H257277											✓						
1	FL 61 @ 4'	C	1			X					X		11/18/25		X	X	X
2	FL 62 @ 4'	C	1			X					X		11/18/25		X	X	X
3	FL 63 @ 4'	C	1			X					X		11/18/25		X	X	X
4	FL 64 @ 6'	C	1			X					X		11/18/25		X	X	X
5	FL 65 @ 4'	C	1			X					X		11/18/25		X	X	X
6	FL 66 @ 4'	C	1			X					X		11/18/25		X	X	X
7	FL 73 @ 4'	C	1			X					X		11/18/25		X	X	X
8	EW 1A	C	1			X					X		11/18/25		X	X	X
9	WW 2A	C	1			X					X		11/18/25		X	X	X
10	WW 3A	C	1			X					X		11/18/25		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

0402401K-all

Relinquished By:	**Date:** 11-19-25 **Time:** 1455	**Received By:**	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
Relinquished By:	**Date:** **Time:**	**Received By:**	All Results are emailed. Please provide Email address: pm@etechenv.com
			REMARKS:

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 4.7 **Corrected Temp. °C** 4.4	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard X Rush ☐ Thermometer ID #140 Correction Factor -0.6°C +0.3°C	**Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM
Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

December 02, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SHARPS SWD LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 11/24/25 14:45.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 1 @ 4' (H257394-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *128 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *81.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 4 @ 5' (H257394-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *88.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 20 @ 3' (H257394-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *126 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *83.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 22 @ 3' (H257394-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *86.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 23 @ 3' (H257394-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *84.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 24 @ 3' (H257394-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *85.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 25 @ 3' (H257394-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *89.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 26 @ 3' (H257394-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *122 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *82.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 27 @ 4' (H257394-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *76.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 29 @ 4' (H257394-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *82.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 30 @ 4' (H257394-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *79.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 31 @ 4' (H257394-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *82.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 32 @ 4' (H257394-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**256**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	197	98.4	200	3.20	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	209	105	200	4.77	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *82.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 33 @ 4' (H257394-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *66.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 34 @ 4' (H257394-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *76.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 35 @ 4' (H257394-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *62.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *55.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 36 @ 4' (H257394-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *69.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 37 @ 4' (H257394-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *72.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 38 @ 4' (H257394-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *72.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 41 @ 4' (H257394-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.76	88.2	2.00	8.98	
Toluene*	<0.050	0.050	11/26/2025	ND	1.95	97.6	2.00	0.411	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.27	114	2.00	5.46	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.98	116	6.00	5.45	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**416**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *66.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *60.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 43 @ 4' (H257394-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *70.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 45 @ 4' (H257394-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *75.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 46 @ 4' (H257394-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *69.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *61.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 53 @ 4' (H257394-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *67.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *60.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 54 @ 4' (H257394-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *57.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *50.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 100 @ 3' (H257394-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**512**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *74.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 101 @ 3' (H257394-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**448**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *78.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: FL 151 @ 2' (H257394-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**528**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *78.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: NW 5 (H257394-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *83.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: NW 6 (H257394-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *81.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: NW 7 (H257394-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/26/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *79.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: NW 8 (H257394-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/26/2025	ND	464	116	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *79.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: NW 9 (H257394-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	11/26/2025	ND	464	116	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	185	92.6	200	1.14	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	206	103	200	0.0894	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *81.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: EW 12 (H257394-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/26/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/26/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/26/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/26/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/26/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/26/2025	ND	464	116	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	190	95.2	200	1.84	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	203	101	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *95.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: WW 12 (H257394-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/27/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/27/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/27/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/27/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/27/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/26/2025	ND	464	116	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	190	95.2	200	1.84	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	203	101	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *93.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SW 5 (H257394-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/27/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/27/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/27/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/27/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/27/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/26/2025	ND	464	116	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	190	95.2	200	1.84	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	203	101	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *94.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SW 6 (H257394-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/27/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/27/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/27/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/27/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/27/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/26/2025	ND	464	116	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	190	95.2	200	1.84	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	203	101	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *93.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SW 7 (H257394-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/27/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/27/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/27/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/27/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/27/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/26/2025	ND	464	116	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	190	95.2	200	1.84	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	203	101	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *92.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SW 8 (H257394-39)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/27/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/27/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/27/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/27/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/27/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	11/26/2025	ND	464	116	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	190	95.2	200	1.84	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	203	101	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *93.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	11/24/2025	Sampling Date:	11/21/2025
Reported:	12/02/2025	Sampling Type:	Soil
Project Name:	SHARPS SWD LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	22900	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.6002-104.059189		

Sample ID: SW 9 (H257394-40)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/27/2025	ND	1.87	93.4	2.00	7.31	
Toluene*	<0.050	0.050	11/27/2025	ND	1.97	98.4	2.00	4.48	
Ethylbenzene*	<0.050	0.050	11/27/2025	ND	2.03	101	2.00	2.56	
Total Xylenes*	<0.150	0.150	11/27/2025	ND	6.50	108	6.00	2.08	
Total BTEX	<0.300	0.300	11/27/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	11/26/2025	ND	464	116	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/26/2025	ND	190	95.2	200	1.84	
DRO >C10-C28*	<10.0	10.0	11/26/2025	ND	203	101	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	11/26/2025	ND					

Surrogate: 1-Chlorooctane *88.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 578 of 647

Page 43 of 46

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL ✓	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H257394																									
1	FL 1 @ 4'	C	1			X					X		11/21/25		X	X	X								
2	FL 4 @ 5'	C	1			X					X		11/21/25		X	X	X								
3	FL 20 @ 3'	C	1			X					X		11/21/25		X	X	X								
4	FL 22 @ 3'	C	1			X					X		11/21/25		X	X	X								
5	FL 23 @ 3'	C	1			X					X		11/21/25		X	X	X								
6	FL 24 @ 3'	C	1			X					X		11/21/25		X	X	X								
7	FL 25 @ 3'	C	1			X					X		11/21/25		X	X	X								
8	FL 26 @ 3'	C	1			X					X		11/21/25		X	X	X								
9	FL 27 @ 4'	C	1			X					X		11/21/25		X	X	X								
10	FL 29 @ 4'	C	1			X					X		11/21/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

0402401K -all

Relinquished By:	**Date:** 11.24.25 **Time:** 1445	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -9.3 **Corrected Temp. °C** -9.0	**Sample Condition** Cool ~~☐ Yes~~ ☐ No Intact ~~☐ Yes~~ ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** ~~0.6°C~~ +0.3 **Bacteria (only) Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

ANALYSIS REQUEST

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL ✓	OTHER :	SAMPLING: DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
H257394																	
11	FL 30 @ 4'	C	1			X					X		11/21/25		X	X	X
12	FL 31 @ 4'	C	1			X					X		11/21/25		X	X	X
13	FL 32 @ 4'	C	1			X					X		11/21/25		X	X	X
14	FL 33 @ 4'	C	1			X					X		11/21/25		X	X	X
15	FL 34 @ 4'	C	1			X					X		11/21/25		X	X	X
16	FL 35 @ 4'	C	1			X					X		11/21/25		X	X	X
17	FL 36 @ 4'	C	1			X					X		11/21/25		X	X	X
18	FL 37 @ 4'	C	1			X					X		11/21/25		X	X	X
19	FL 38 @ 4'	C	1			X					X		11/21/25		X	X	X
20	FL 41 @ 4'	C	1			X					X		11/21/25		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

040240115 - all

Relinquished By:	**Date:** 11.24.25 **Time:** 1445	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -9.3 **Corrected Temp. °C** -9.0	**Sample Condition** Cool: ☒ Yes ☐ No Intact: ☒ Yes ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard [X] Rush [ ] Thermometer ID #140 Correction Factor -0.6°C +0.3

Bacteria (only) Sample Condition Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 580 of 647

Page 45 of 46

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:** **Zip:**	
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H257394																									
21	FL 43 @ 4'	C	1			X					X		11/21/25		X	X	X								
22	FL 45 @ 4'	C	1			X					X		11/21/25		X	X	X								
23	FL 46 @ 4'	C	1			X					X		11/21/25		X	X	X								
24	FL 53 @ 4'	C	1			X					X		11/21/25		X	X	X								
25	FL 54 @ 4'	C	1			X					X		11/21/25		X	X	X								
26	FL 100 @ 3'	C	1			X					X		11/21/25		X	X	X								
27	FL 101 @ 3'	C	1			X					X		11/21/25		X	X	X								
28	FL 151 @ 2'	C	1			X					X		11/21/25		X	X	X								
29	NW 5	C	1			X					X		11/21/25		X	X	X								
30	NW 6	C	1			X					X		11/21/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

0402401K-aeg

Relinquished By:	**Date:** 11.24.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1445		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -9.3	**Sample Condition** Cool Intact	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -9.0	☐ Yes ☐ Yes ☐ No ☐ No		**Thermometer ID** #140 **Correction Factor** -0.6°C +0.3 =

Bacteria (only) Sample Condition Cool Intact **Observed Temp. °C** ☐ Yes ☐ Yes ☐ No ☐ No **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Page 581 of 647

Page 46 of 46

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Compan
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22900 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Sharps SWD Line Release	**State:**	**Zip:**
Project Location:	32.6002, -104.059189	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H257394																									
31	NW 7	C	1			X					X		11/21/25		X	X	X								
32	NW 8	C	1			X					X		11/21/25		X	X	X								
33	NW 9	C	1			X					X		11/21/25		X	X	X								
34	EW 12	C	1			X					X		11/21/25		X	X	X								
35	WW 12	C	1			X					X		11/21/25		X	X	X								
36	SW 5	C	1			X					X		11/21/25		X	X	X								
37	SW 6	C	1			X					X		11/21/25		X	X	X								
38	SW 7	C	1			X					X		11/21/25		X	X	X								
39	SW 8	C	1			X					X		11/21/25		X	X	X								
40	SW 9	C	1			X					X		11/21/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

0402401K - all

Relinquished By:	**Date:** 11.24.25	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**
	Time: 1445		**All Results are emailed. Please provide Email address:** pm@etechenv.com	
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**	
	Time:			

Delivered By: (Circle One)	**Observed Temp. °C** -9.3	**Sample Condition**	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]	**Bacteria (only) Sample Condition**
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -9.0	**Cool** ☐ Yes ☐ No **Intact** ☐ Yes ☐ No		**Thermometer ID** #140 **Correction Factor** -0.6°C +0.3=	**Cool** ☐ Yes ☐ No **Intact** ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 12, 2025

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: BARRILLEAUX PWMS SHARPS LINE STRIKE

Enclosed are the results of analyses for samples received by the laboratory on 05/06/25 12:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/06/2025	Sampling Date:	05/05/2025
Reported:	05/12/2025	Sampling Type:	Soil
Project Name:	BARRILLEAUX PWMS SHARPS LINE STRI	Sampling Condition:	Cool & Intact
Project Number:	22142	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.609257-104.060207		

Sample ID: STOCKTON PIT #1208 - BACKFILL (H252703-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/07/2025	ND	1.98	99.2	2.00	5.35	
Toluene*	<0.050	0.050	05/07/2025	ND	1.96	97.9	2.00	5.78	
Ethylbenzene*	<0.050	0.050	05/07/2025	ND	1.94	97.2	2.00	6.94	
Total Xylenes*	<0.150	0.150	05/07/2025	ND	6.01	100	6.00	7.82	
Total BTEX	<0.300	0.300	05/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: CT

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/07/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/06/2025	ND	185	92.4	200	2.51	
DRO >C10-C28*	<10.0	10.0	05/06/2025	ND	181	90.5	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	05/06/2025	ND					

Surrogate: 1-Chlorooctane *96.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *96.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	22142
Address:	2617 W Marland Blvd	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	22142 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	Barrilleaux PWMS Sharps Line Strike	**State:**	**Zip:**
Project Location:	GPS:(32.609257, -104.060207)	**Phone #:**	
Sampler Name:		**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH	BTEX 8021									
H252703-1	STOCKTON PIT #1208 - BACKFILL	C	1			X					X		5/5/25		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 05/06	**Received By:**	
	Time: 1250		
Relinquished By:	**Date:**	**Received By:**	
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other: -3.7°C / CF 0.3° -3.4°C #1140

Sample Condition Cool: ☐ Yes ☐ No Intact: ☑ Yes ☐ No

CHECKED BY: (Initials) SR

Phone Result:	☐ Yes	☐ No	**Add'l Phone #:**
Fax Result:	☐ Yes	☐ No	**Add'l Fax #:**

REMARKS: Email copy of COC and results to: PM@etechenv.com

† Cardinal cannot accept verbal changes. Please fax written changes to 575-393-2476

FORM-006 R 2.0

Received by OCD: 1/2/2026 1:56:12 PM

Released to Imaging: 1/13/2026 11:34:00 AM

Appendix E
Karst Study Report



Environmental Karst Study Report
Mewbourne Sharps Flow Line Release
Eddy County, New Mexico

Prepared For:

eTech Environmental & Safety Solutions, Inc.
6309 Indiana Avenue, Suite D
Lubbock, TX 79413

Within 200 feet of the spill delineation boundary:

☑ Negative ☐ Positive for surface karst

☑ Stable ☐ Unstable Ground

☐ Karst Monitor Recommended

October 3, 2025

ETEC-022-20250903

©2025 – Southwest Geophysical Consulting, LLC. All rights reserved.

Published by:
Southwest Geophysical Consulting, LLC
5117 Fairfax Drive NW
Albuquerque, NM 87114
(505) 585-2550
www.swgeophys.com

Prepared by:
Kat Knight
Field Geologist
kat@swgeophys.com

Reviewed by:
David Decker, PhD, PG, CPG
CEO, Principal Geologist
dave@swgeophys.com

Prepared for:
eTech Environmental & Safety Solutions, Inc.
6309 Indiana Avenue, Suite D
Lubbock, TX 79413

Point of Contact:
Lance Crenshaw
(575) 631-1064
lance@etechenv.com

MMXXV

TABLE OF CONTENTS

FRONT MATTER i
TABLE OF CONTENTS ii
LIST OF FIGURES iii
LIST OF TABLES iii
1.0 INTRODUCTION 1
1.1 Goals of this Study 1
1.2 Summary of Findings 1
1.3 Affected Environment 1
1.4 Limitations of Report 3
2.0 LOCATION AND DESCRIPTION OF STUDY AREA 4
2.1 Description of Site 4
2.2 Local Geology Summary 5
2.3 Description of Survey 6
2.3.1 Surface Karst Survey 6
2.3.2 Geophysical Survey 8
3.0 RESULTS 10
3.1 Surface Karst Survey 10
3.2 Geophysical Survey 12
4.0 DISCUSSION 13
5.0 SUMMARY 15
6.0 DISCLOSURE STATEMENT 15
7.0 REFERENCES 17
8.0 GLOSSARY OF TERMS 19
9.0 ATTESTATION 21

LIST OF FIGURES

Figure 1: Karst occurrence zone overview 2
Figure 2: Land ownership and PLSS overview 4
Figure 3: Geology overview 5
Figure 4: Surface karst survey overview 7
Figure 5: Geophysical survey overview 8
Figure 6: Aerial karst survey results 10
Figure 7: 2D inverted resistivity sections 12
Figure 8: Data overlay 14

LIST OF TABLES

Table 1: Survey Line Data Table 9
Table 2: Software Information and Settings 9
Table 3: Surface Karst Feature Data Table 11

1.0 INTRODUCTION

This report was commissioned by eTech Environmental & Safety Solutions, Inc. (hereinafter referred to as "the client"), on September 3, 2025, for the purpose of conducting an environmental karst study within an area encompassing the Mewbourne Sharps Flow Line Release site (hereinafter termed “SHFL”) centered at N 32.6001220° W 104.0591464°.

1.1 Goals of this Study

The goals of this study are to conduct a surface karst inventory and provide the client with the location and description of any surface karst features located within 200 feet (61 meters) of the spill delineation boundary (as defined by 19.15.29.12 NMAC[1]), and to determine whether stable ground exists (as defined by 19.15.2 NMAC Definitions[2]) within 200 feet of the spill boundary of the Mewbourne Sharps Flow Line Release as provided by the client via e-mail (**1_GeoMeasure_2025-09-02-17-04-57_bmacinfotech.kmz**) on September 3, 2025, using electrical resistivity imaging[3].

1.2 Summary of Findings

- **No surface karst features exist within the 200-foot (61-meter) perimeter of the spill delineation boundary.**
- One medium-likelihood surface karst feature lie within the 200-*meter* survey boundary.
- Additionally, two high-likelihood and one medium-likelihood surface karst features lie within the 305-meter survey boundary, but outside the 200-meter survey boundary.
- **No anomalies consistent with subsurface air-filled voids were found within the SHFL resistivity survey area, indicating the area is not subject to collapse.**
- **Well-layered stratigraphy is interpreted to exist beneath the area where the geophysical survey was conducted.**

1.3 Affected Environment

The SHFL project is located in evaporite karst terrain, a landform that is characterized by underground drainage through solutionally enlarged conduits. Evaporite karst terrain may contain sinkholes, sinking streams, caves, and springs. Sinkholes leading to underground drainages and voids are common. These karst features, as well as occasional fissures and discontinuities in the bedrock, provide the primary sources for rapid recharge of the groundwater aquifers of the region. Karst may develop by hypogene processes involving dissolution by upwelling fluids from depth independent of recharge from the overlying or immediately adjacent surface. Hypogene karst systems may not be connected to the surface and can remain undiscovered unless encountered during drilling or excavation.

Karst features are delicate resources that are often of geological, hydrological, biological, and archeological importance, and should be protected. The four primary concerns that need to be considered in these types of terrain are environmental issues, worker safety, equipment damage, and infrastructure integrity.

The Bureau of Land Management (BLM) categorizes all areas within the Carlsbad Field Office (CFO) zone of responsibility as having either low, medium, high, or critical cave potential based on geology, occurrence of known caves, density of karst features, and potential impacts to freshwater aquifers[4]. These designations are also recognized by the New Mexico State Land Office (NMSLO). This project occurs within a **HIGH** karst occurrence zone (HKOZ)[5] (**Figure 1**).



Figure 1: Karst occurrence zone overview. Background image credit: Google Earth. Image date: July 13, 2024. Image datum: WGS-84.

A high karst occurrence zone is defined as an area in known soluble rock types that contains a high frequency of significant caves and karst features such as sinkholes, bedrock fractures that provide rapid recharge of karst aquifers, and springs that provide riparian habitat[4].

Due to the rapidity with which evaporite karst develops, each location within a BLM-CFO designated karst occurrence zone must be assessed on an individual basis to determine the existence of surface karst features and the possibility of sub-surface karst development each time a release occurs.

1.4 Limitations of Report

This report should be read in full. No responsibility is accepted for the use of any part of this report in any other context or for any other purpose or by third parties. This report does not purport to give legal advice. Legal advice can only be given by qualified legal practitioners.

This report has been prepared for the use of eTech Environmental & Safety Solutions, Inc., in accordance with generally accepted consulting practices. Every effort has been made to ensure the information in this report is accurate as of the time of its writing. This report has not been prepared for use by parties other than the client, their contracting party, and their respective consulting advisors. It may not contain sufficient information for the purposes of other parties or for other uses.

This report was prepared upon completion of the associated fieldwork using a standard template prepared by Southwest Geophysical Consulting and is based on information collected prior to fieldwork, conditions encountered on-site, and data collected during the fieldwork and reviewed at the time of preparation. Southwest Geophysical Consulting disclaims responsibility for any changes that might have occurred at the site after this time. The interpreted results, locations, and depths noted in this report (if applicable) should be taken as an interpretation only and no decision should be based solely on this information. Physical verification of aerial imagery analysis results in the field should be conducted prior to using this information for remediation planning. Physical verification of geophysical results using geotechnical methods should be conducted.

To the best of our knowledge, the information contained in this report is accurate at the date of issue. Due to the nature of karst terrain, the information in this report shall not be used beyond two years past the date of the field work provided in section **2.3 Description of Survey**. Large weather events can shorten this time period as areas subject to karst development can rapidly form new features subsequent to these events.

2.0 LOCATION AND DESCRIPTION OF STUDY AREA

2.1 Description of Site

The site is located 25.8 kilometers (16.0 miles) northeast of Carlsbad, New Mexico, along Burton Flats Road and south of Curry Comb Road. The release site is located within the SE ¼ section of section 3, NM T20S R29E[6] (**Figure 1** and **Figure 2**). The region has relatively flat-lying terrain with karstification occurring in the gypsite soils and underlying gypsum and dolomite bedrock[7] (see section ***2.2 Local Geology Summary*** for further information). The climate in this area of southeast New Mexico is semi-arid with an average annual precipitation of approximately 13 inches, of which about two-thirds falls as rain during summer thunderstorms from June to October. Summers are hot and sunny while winters are generally mild, with an average maximum temperature of 96°F in July and an average minimum temperature of 28°F in January[8]. This area is within the Chihuahuan Desert Thornscrub as defined by the Southwestern Regional ReGAP Vegetation map[9] and the vegetation consists mostly of areas of blue grama, nine-awned pappus grass, burro grass and low scrub including yucca. The survey boundary is located within an HKOZ[5] (**Figure 1**) and within BLM-CFO managed land[10] (**Figure 2**).



Figure 2: Land ownership and PLSS overview. Background image credit: Google Earth. Image date: July 13, 2024. Image datum: WGS-84.

2.2 Local Geology Summary

The site for the SHFL survey is located at an elevation of 1,010 meters (3,314 feet), ± 6 meters (20 feet), and is located within a region underlain by the Permian Rustler Formation (Pru). The area is mantled by thin gypsiferous soils (gypsite), older Quaternary alluvium (Qao), and piedmont alluvial gravels (Qp)[11] up to 5 meters in depth (**Figure 3**).

The Rustler Formation is an evaporite facies and is composed mainly of thin siltstones and sandstones interbedded with claystones, dolomite and gypsum[12], and contains both karst-forming strata (the Forty-niner and Tamarisk members) and two shallow aquifers (the Magenta and Culebra Dolomite members). The Forty-niner and Tamarisk members are known to have highly developed karst features including large voids and solution-enlarged fractures[13].



Figure 3: Geology overview. Geology map credit: The Digital Geologic Map of New Mexico in ARC/INFO Format. Background image credit: Google Earth. Image date: July 13, 2024. Image datum: WGS-84.

The Pru overlies the Permian Salado Formation (Psl), a layer of extremely soluble halite which can readily dissolve to create caves, sinkholes, and other karst features; however, due to its extremely soluble nature, only non-soluble silt and sand remain from the dissolution of this layer at the surface[12]. The Rustler Formation may be subject to collapse if a void has developed beneath it in the Salado Formation[14].

The survey area is covered by the easily accessible Geologic Map of New Mexico (2003) at 1:500,000 scale[15] and the Digital Geologic Map of New Mexico in ARC/INFO Format[11].

2.3 Description of Survey

2.3.1 Surface Karst Survey

Southwest Geophysical Consulting, in partnership with SWCA Environmental Consultants, provides surface karst surveys using small, uncrewed aerial systems (sUAS) that are flown by qualified, FAA licensed drone pilots and that meet the stringent Bureau of Land Management – Carlsbad Field Office requirements for both pedestrian and aerial karst surveys.

The surface karst survey includes a desk study prior to the flight which allows us to provide client feedback in the event of any previously known karst features in the area. The desk study is performed out to 305 meters (1,000 feet) from the spill delineation boundary per New Mexico Oil Conservation Division guidance [1] (**Figure 4**). The study was performed using satellite and aerial imagery from Google Earth Pro dated July 13, 2024 (please note features less than one meter in diameter are generally not visible using this method); the Southwest Geophysical Cave and Karst Database dated September 18, 2025[16]; the Illinois Camp SE, NM, 1:24,000 quad, 1985, USGS topographic map; and the latest lidar imagery from CalTopo.com. Please note that we use older topographic maps because newer maps have had caves removed from them. These searches and queries returned two results within the survey boundary. These features can be recognized in the table by the Feature IDs with dates earlier than those of this survey.

Surface karst surveys are conducted by sUAS at low elevation within 200 meters of the spill delineation boundary[4] (**Figure 4**) following a preplanned raster pattern flightpath designed for the purpose of generating at least 75% imagery overlap. The collected high-resolution, georeferenced imagery is stitched together to develop orthomosaic imagery which is further developed into a digital elevation model (DEM); the DEM is then processed into a local relief model (LRM) (**Figure 6**). This LRM is color coded to enhance differences in elevation of as little as five centimeters. The orthoimagery, DEM, and LRM are uploaded to a server where they are analyzed by an experienced karst geologist. Finally, the data is reviewed by a senior karst geologist for quality assurance and downloaded into a table for inclusion in a written report[17].

The resolution of the orthoimagery is clear enough that features as small as 10 centimeters can be positively identified in most circumstances. Occasionally there are ambiguous features identified during an aerial survey that will need to be checked in the field if they are impacted by the proposed remediation efforts. Specifically, it is difficult to tell the difference between solution tubes, abandoned uncased well bores, and some burrows in drone imagery. If an ambiguous feature is located during imagery analysis, it is marked with a yellow dot in **Figure 6**. If a feature of any likelihood is subsequently verified in the field prior to publication of the report, the dot will be changed to a red triangle if confirmed as a karst feature or deleted if not.



Figure 4: Surface karst survey overview. Background image credit: Google Earth. Image date: July 13, 2024. Datum: WGS-84.

The imagery for this study was collected via sUAS by Pat Lagodney of SWCA on September 10, 2025. Surface karst features may have developed after this date and will not be noted in this report. Imagery analysis was completed by Kat Knight and Michael Jones of Southwest Geophysical Consulting on September 25, 2025.

2.3.2 Geophysical Survey

For this survey, an ABEM Terrameter LS 2 and a 56-electrode array of 40-centimeter-long electrodes were used to image the subsurface. This survey consisted of two resistivity lines of 56 electrodes at 5-meter spacing in a dipole-dipole configuration resulting in two 275-meter-long arrays; line one was laid out south to north and line two was laid out southeast to northwest (**Figure 5**, **Table 1**). A preconfigured protocol file was used to run the data collection (DiDi56). This electrode configuration provided a depth of investigation of 55 meters (189 feet) and a resolution of 2.5 to 3.0 meters (8.2 to 9.8 feet) within the first 5 to 8 meters (16 to 26 feet) from the surface. A Leica GS18 GPS was used to record electrode locations and elevations.



Figure 5: Geophysical survey overview. Both survey lines were conducted with 56 electrodes (yellow dots denoted with blue numbers). Background image credit: Google Earth. Image date: July 13, 2024. Datum: WGS-84.

Table 1 provides basic line data. Detailed information for each line including electrode number, location in latitude/longitude (decimal degree format), and elevation in meters can be found in the accompanying data files.

Table 1: Survey Line Data Table. The .kmz file contains all the points for the survey line listed in the file name. These data are available in the accompanying files SHFL_ERI_Points.xlsx and ETEC-022-20250903_SHFL_Data_Files.kmz.

File Name:	Completed By:	Date:
SHFL_ERI_01.kmz	Steven Kesler – Field Geologist Michael Jones – Field Geologist Aaron Beirl – Field Geologist	9/16/2025
SHFL_ERI_02.kmz		

EarthImager™ 2D software was used to download and process the data and to provide the model used to make our interpretations. The design of the survey and the orientation of each of the lines provides the information necessary to make the determination of "stable" or "unstable" ground at this site.

A typical starting model was used for the data processing due to the two-layer model of the geology in the area; specifically, generally high-resistivity gypsum and dolomite at the surface and low-resistivity saturated gypsum and dolomite bedrock at depth. The starting model used was "average apparent resistivity" and a default inversion setting of "surface," with a minimum apparent resistivity set to 0.1 Ohm-meters (Ohm-m or Ω-m) and a max apparent resistivity set to 100,000 Ω-m (**Table 2**).

Table 2: Software Information and Settings

Software Name:	EarthImager™ 2D
Version:	2.4.4.649
Starting Model:	Average Apparent Resistivity
Default Inversion Settings:	Surface
Changes to Default Inversion Settings:	Max Apparent Resistivity = 100 kΩ-m Min Apparent Resistivity = 0.1 Ω-m

Note: Raw data files (.dat files for EarthImager™ 2D) and processed data (.trn files, terrain files for surface correction in EarthImager™ 2D and .out files, the processed .dat files) are available upon request.

All field work, including setup, stow, and travel, was completed by Steven Kesler, Michael Jones, and Aaron Beirl on September 16, 2025.

3.0 RESULTS

3.1 Surface Karst Survey

No surface karst features were located within 200 feet of the spill delineation boundary.

The desk study and surface karst survey located four surface karst features within 305 meters (1,000 feet)[1] of the spill delineation boundary (**Figure 6**, **Table 3**).

One medium-likelihood surface karst feature is located within the 200-*meter* survey boundary, but outside of the 200-*foot* (61-meter) survey boundary. Additionally, two high-likelihood and one medium-likelihood surface karst features are located within the 305-*meter* survey boundary, but outside the 200-*meter* survey boundary (**Figure 6**, **Table 3**).

No springs exist within the 305-meter (1,000-foot)[1] survey boundary.



Figure 6: Surface karst survey results. Background image credit: Google Earth. Image date: July 13, 2024. Image datum: WGS-84.

Caution should be exercised while operating in or around all karst-related features due to the possibility of near-surface voids. Employing a BLM-CFO approved karst monitor on site during these activities should be considered.

Table 3 contains a list of features identified during the aerial karst survey and subsequent imagery analysis. Each feature is identified with a feature identification number (Feature ID), the type of feature, estimated size (in meters), recommended buffer (in meters), the likelihood of this feature being a surface karst feature (modifiers H/M for high or medium likelihood), and its location in WGS-84/UTM-13 (EPSG: 32613).

Table 3: Surface Karst Feature Data Table

KF Status	Feature ID	Type	Size (m)	Buffer (m)	Mod	Easting	Northing
PKF	230203-D21	Cave	2.4	50	H	588264.771	3606870.809
PKF	230203-D22	Swallet	1.0	50	H	588280.635	3606901.341
PKF	250925-R01	Solution chimney	0.12	50	M	588175.122	3607707.997
PKF	250925-R02	Suffosion sinkhole	3.1	10	M	588484.273	3607434.572

NOTE: Location data provided in WGS-84/UTM 13N. PKF – possible karst feature.

3.2 Geophysical Survey

Electrical resistivity tomography forms images of the subsurface by causing a current to flow through the rock and soil and then measuring the resistance of these materials as the current flows through them. This measurement is taken many times and the resulting data, once processed, is used to produce a model of the subsurface (**Figure 7**). This model is produced using "non-unique" solutions, which means that there are many models and interpretations which will satisfy the data. Using experience and knowledge of the local geology, a high-confidence model can be established and used to develop an accurate understanding of what lies below the surface. This survey was conducted with the express purpose of locating subsurface voids and does not purport to find paleokarst (old, non-active karst features that have been filled in with sand and sediment) or nascent karst features below the resolution limit of the survey.

The results of this study indicate a well-layered geologic system with resistivities between 15 and 601 Ohm-m (**Figure 7**), suggesting stable ground beneath the geophysical survey area.

Please keep in mind when viewing the 2D inverted resistivity sections that color maps can be widely different for each view. Always check the color map located on the right side of the image when viewing the 2D images to ensure you understand the range of resistivities presented. Distances along the top and depths along the left side are in meters. The color map along the right side is in Ohm-m. Due to the nature of the survey, shallower zones have higher resolution between electrodes than deeper zones; therefore, small features at depth will not be visible.



Figure 7: 2D inverted resistivity sections. Reds and oranges indicate higher resistivity values. Yellows and greens are medium-resistivity values. Blues are low-resistivity values. Please note that the color scale is relative.

4.0 DISCUSSION

Four surface karst features exist within the survey area; however, none of these are within 200 feet of the spill delineation boundary. No subsurface anomalies interpreted as large near-surface voids are located within the geophysical study area, indicating the area is not subject to collapse. Due to the resolution limit of the survey, small voids at or near the resolution limit (2.5 – 3.0 meters) cannot be ruled out. Slightly higher-than-average resistivity areas (reds and oranges) located less than 15 meters beneath the surface are interpreted as sand, caliche, or gypsum of the Permian Rustler Formation. Due to their much lower resistivity values when compared with significant subsurface voids, these features should not be a concern during remediation efforts[18] (**Figure 7** and **Figure 8**).

Low-resistivity areas between 15 – 25 Ohm-m may either represent fluid from the brine release, surface-to-subsurface hydrologic pathways, or a layer of either clays and halite lenses or moist or saturated layers within the Dewey Lake or Rustler Formations (**Figure 7**).

Please remember that these are interpretations made from knowledge of the local subsurface materials and experience. **They remain interpretations until verified by geotechnical methods.** Employing a BLM-CFO approved karst monitor on site during any drilling and/or remediation activities should be considered.

Fracture sets within the subsurface can act as hydrologic pathways to the water table. Rapid dissolution of gypsum can occur along these pathways creating solution-enlarged fractures, and in some cases, voids within months to years. For this reason, this survey is valid only for this remediation event.

Within karst terrains like the project site, small air- or sediment-filled voids and/or brecciated zones and solutionally enlarged fractures that are below the resolution limit of the survey (2.5 – 3.0 meters) may exist; these may be encountered during excavation, and if so, should be evaluated by a karst specialist prior to continued work.



Figure 8: Data overlay. Colored trapezoids are 2D inverted resistivity lines. Background image credit: Google Earth. Image date: July 13, 2024. Datum: WGS-84.

5.0 SUMMARY

- **No surface karst features exist within 200 feet (61 meters) of the spill delineation boundary.**
- One medium-likelihood surface karst feature lies within the 200-meter survey boundary.
- Two high-likelihood and one medium-likelihood surface karst features lie within the 305-meter survey boundary, but outside the 200-meter survey boundary.
- **No anomalies consistent with subsurface air-filled voids were found within the SHFL resistivity survey area, indicating the area beneath the geophysical survey is not subject to collapse.**
- **Moderately flat-lying stratigraphy is interpreted to exist beneath the area where the geophysical survey was conducted, indicating stable ground.**
- When conducting any remediation activities in this area, employing a BLM-CFO approved karst monitor on site should be considered.

6.0 DISCLOSURE STATEMENT

Karst occurrence zones are prone to rapid karst formation and warrant careful planning and engineering to mitigate karst-forming processes that could be accelerated by removal of surface cover or the vibrations associated with heavy equipment used in the remediation process.

Mitigation measures for any karst features revealed during excavation shall be approved by the Bureau of Land Management – Carlsbad Field Office and follow the Natural Resources Conservation Service Conservation Practice Standard for Karst Sinkhole Treatment, Code 527, or the Bureau of Land Management Cave and Karst Management Handbook, H-8380-1.

Vigilance during remediation activities is paramount. If voids are encountered during excavation, contact the Bureau of Land Management Karst Division at (575) 234-5972, the New Mexico State Land Office Surface Resources Division at (505) 827-5768, or a BLM-CFO approved karst contractor and request an on-site investigation from a karst expert if one is not already on site. A karst consultant can generally be available in Eddy County within five hours.

Approved karst monitors should have karst feature identification training, at least two years of supervised experience identifying karst features, wilderness first aid training, SRT training, confined space training, gas monitor training, and a minimum of SPAR cave rescue training through NCRC. They should have with them the proper gear and be prepared both physically and mentally to enter a collapse feature within minutes to perform a rescue if needed. Monitoring services with qualified karst monitors, as well as cave surveys and geophysical surveys, are available from Southwest Geophysical Consulting.

Under no circumstances should an untrained, inexperienced person enter a cave, pit, sinkhole, or collapse feature. All field employees of Southwest Geophysical Consulting have extensive caving experience and the ability to determine whether entry into a karst feature is safe or presents a hazard. In the event it is necessary to enter a karst feature, Southwest Geophysical Consulting can provide these services on request.

Cave and karst resource inventory reports, karst feature investigations, and geophysical reports (along with the associated data files) commissioned at the request of the land manager should be submitted to BLM-CFO at blm_nm_karst@blm.gov.

Cave and karst resource inventory reports for the NMSLO should be submitted to the respective project manager.

Environmental karst reports should be submitted to the appropriate project manager at the New Mexico Oil Conservation Division.

7.0 REFERENCES

1 Division, O. C. *Title 19, Chapter 15, Part 29* (Oil Conservation Division, 2018).

2 NMSLO. (ed Oil Conservation Division) (New Mexico State Land Office, Santa Fe, NM, 2018).

3 Decker, D. & Jorgensen, G. L. *Environmental Karst Surveys White Paper* (Southwest Geophysical Consulting, LLC, 2024).

4 Goodbar, J. R. Vol. BLM Management Handbook H-8380-1 (ed Carlsbad Field Office) 59 (Bureau of Land Management, Denver, CO, 2015).

5 Decker, D., Trautner, E. & Palmer, R. (Bureau of Land Management - Carlsbad Field Office, 2025).

6 Earthpoint. *Earthpoint Tools for Google Earth*, <https://www.earthpoint.us/Townships.aspx> (2022).

7 Decker, D. D., Land, L. & Luke, B. Characterization of Playa Lakes in the Gypsum Karst of Southeastern New Mexico and West Texas, USA. *Oklahoma Geological Survey Circular 113* **113** (2021).

8 W.R.C.C. *National Climate Data Center 1981-2010 Normal Climate Summary for Carlsbad, New Mexico (291469)*, 2010).

9 Whitehead, W. & Flynn, C. *Plant Utilization in Southeastern New Mexico: Botany, Ethnobotany, and Archaeology*. (Bureau of Land Management, Carlsbad Field Office, 2017).

10 NMSLO. Digital overlay (KML) of the surface land ownership in New Mexico (New Mexico State Land Office, Santa Fe, NM, 2024).

11 Green, G. N. & Jones, G. E. *The Digital Geologic Map of New Mexico in ARC/INFO Format*, <https://mrdata.usgs.gov/geology/state/state.php?state=NM> (1997).

12 Austin, G. S. *Geology and mineral deposits of Ochoan rocks in Delaware Basin and adjacent areas*. Vol. Circular 159 (New Mexico Bureau of Mines and Mineral Resources, 1978).

13 Goodbar, J. R. & Goodbar, A. in *US Geological Survey Karst Interest Group* (National Cave and Karst Research Institute, Carlsbad, NM, 2014).

14 Martinez, J. D., Johnson, K. S. & Neal, J. T. Sinkholes in Evaporite Rocks. *American Scientist* **86**, 38-51 (1998).

15 Scholle, P. A. Geologic Map of New Mexico. (2003).

16 Decker, D. D., Jorgensen, G. L. & Palmer, R. in *Southwest Geophysical Cave and Karst Database* (ed LLC Southwest Geophysical Consulting) (Albuquerque, NM, 2025).

17 Whitehead, W., Bandy, M. & Decker, D. Protocol for Using UAV Photography for Rapid Assessment of Karst Features in Southeast New Mexico. *Proceedings of the 2022 Cave and Karst Management Symposium* (2022).

18 Hill, C. A. *Geology of the Delaware Basin, Guadalupe, Apache and Glass Mountains, New Mexico and West Texas*. Vol. 96-39 (Permian Basin Section - SEPM, 1996).

8.0 GLOSSARY OF TERMS

AGI	Advanced Geosciences Inc.
BLM-CFO	Bureau of Land Management - Carlsbad Field Office
brecciated	Fractured rock caused by faulting or collapse.
caprock-collapse sinkhole	Collapse of roof-spanning rock into a cave or void.
cave	Natural opening at the surface large enough for a person to enter.
cover-collapse sinkhole	Collapse of roof-spanning soil or clay ground cover into a subsurface void.
ERI	Electrical Resistivity Imaging
GPS	Global Positioning System
grike	A solutionally enlarged, vertical, or sub-vertical joint or fracture.
(H)	High confidence modifier for a PKF. This is typically reserved for a feature that is definitely karst but has not been confirmed in the field.
HKOZ	High Karst Occurrence Zone
karst	A landscape containing solutional features such as caves, sinkholes, swallets, and springs.
(L)	Low confidence modifier for a PKF. This is typically a feature that cannot be ruled out as karst but is most likely NOT karst related. This modifier may also be used for pseudokarst features.
(M)	Medium confidence modifier for PKF. This is an ambiguous feature that can't be positively identified as karst without a field visit (e.g., burrows, abandoned unlined wells, solution tubes, pseudokarst).
MKOZ	Medium Karst Occurrence Zone
NCRC	National Cave Rescue Commission
NKF	Non-karst feature. Used for features originally identified as PKF that have been subsequently identified in the field as non-karst related. This term may also be used for pseudokarst features.
NMSLO	New Mexico State Land Office
Ohm-m	Ohm-meter, a unit of measurement for resistivity. Sometimes abbreviated Ω-m.
paleokarst	Previously formed karst features that have been filled in by erosion and/or deposition of minerals.
Pat	Permian Artesia Group
Pcp	Permian Capitan Formation
Pc	Permian Castile Formation

Pdl	Permian Dewey Lake Formation
PKF	Possible karst feature. This term is reserved for features identified in satellite or aerial imagery that have NOT been visited in the field. Further modifiers include (H) for high confidence, (M) for medium confidence, and (L) for low confidence. These confidence levels are based on field experience.
PLSS	Public Land Survey System
Pqg	Permian Queen/Greyburg Formation
Pru	Permian Rustler Formation
pseudokarst	Karst-like features (sinkholes, conduits, voids etc.) that are not formed by dissolution. These types of features include soil piping, lava tubes, and some cover-collapse and suffosion sinkholes.
Psl	Permian Salado Formation
Psr	Permian Seven Rivers Formation
Pt	Permian Tansill Formation
Py	Permian Yates Formation
Qal	Quaternary alluvium
Qe	Quaternary eolian deposits
Qp	Quaternary piedmont deposits
Qpl	Quaternary playa lake deposits
RKF	Recognized karst feature. This term is reserved for karst features that have been physically verified in the field.
SPAR	Small Party Assisted Rescue
sUAS	Small, uncrewed aerial system
suffosion sinkhole	Raveling of soil into a pre-existing void or fracture.
swallet	A natural opening in the surface, too small for a person, that drains water to an aquifer. Some are "open," meaning a void can be seen below; some are "closed, "meaning they are full of sediment.
SWG	Southwest Geophysical Consulting, LLC
UTM	Universal Transverse Mercator (projected coordinates)
(V)	Field verified modifier for a RKF. This indicates that the feature has been visited by a qualified karst professional in the field and fully identified
WGS	World Geodetic System (geographic coordinates)

9.0 ATTESTATION

David D. Decker, PhD, PG, CPG
Chief Executive Officer, Principal Geologist
Southwest Geophysical Consulting, LLC
5117 Fairfax Dr. NW
Albuquerque, NM 87114
dave@swgeophys.com
(505) 585-2550

CERTIFICATE OF AUTHOR

I, David D. Decker, a Licensed Professional Geologist and a Certified Professional Geologist, do certify that:

- I am currently employed as a consulting geologist in the specialty of caves and karst with an office address of 5117 Fairfax Dr. NW, Albuquerque, NM, USA, 87114.
- I graduated with a Master of Science in Applied Physics with a specialization in Sensor Systems from the Naval Post Graduate School in Monterey, California, in 2003, and a Doctor of Philosophy in Earth and Planetary Sciences from the University of New Mexico, Albuquerque, New Mexico, in 2018.
- I am a Licensed Professional Geologist in the State of Texas, USA (PG-15242) and have been since 2021. I am a Certified Professional Geologist through the American Institute of Professional Geologists (CPG-12123) and have been since 2021.
- I have been employed as a geologist continuously since 2016. I was previously employed as a Fire Controlman, Naval Flight Officer, and Aerospace Engineering Duty Officer in the U.S. Navy and operated, maintained, and installed various sensor systems including magnetic, electromagnetic, radar, communications, and acoustic systems in various capacities from 1986 through 2010.
- I have been involved in various aspects of cave and karst studies continuously since 1985, including exploration, mapping, and scientific studies.
- I have read the definition of “qualified karst professional” set out in the ASTM Standard Practice for Preliminary Karst Terrain Assessment for Site Development (ASTM E-1527). I meet the definition of “qualified professional” for the purposes of this standard.
- I am responsible for the content, compilation, and editing of all sections of report number ETEC-022-20250903 entitled, “Environmental Karst Study Report, Mewbourne Sharps Flow Line Release, Eddy County, New Mexico.” I or a duly authorized and qualified representative of Southwest Geophysical Consulting, LLC, have personally visited this site and/or reviewed the aerial imagery on the date or dates mentioned in section ***2.3 Description of Survey***.

- I have no prior involvement nor monetary interest in the described property or project, save for my fee for conducting this investigation and providing the report.

Dated in Albuquerque, New Mexico, October 5, 2025.

David D. Decker
PhD, CPG-12123

Appendix F
Regulatory Correspondence

From: OCDOnline@state.nm.us
Sent: Wednesday, October 22, 2025 4:49 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 519177

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 10/27/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432-305-7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Wednesday, October 22, 2025 4:52 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 519178

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 10/28/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Wednesday, October 22, 2025 4:54 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 519179

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 10/29/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Wednesday, October 22, 2025 4:56 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 519180

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 10/30/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Wednesday, October 22, 2025 4:58 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 519181

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 10/31/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Wednesday, October 22, 2025 5:00 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 519183

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/03/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Wednesday, October 22, 2025 5:03 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 519185

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/04/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Wednesday, October 22, 2025 5:05 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 519186

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/05/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Wednesday, October 22, 2025 5:07 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 519188

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/06/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Tuesday, November 4, 2025 5:24 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 523193

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/07/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Tuesday, November 4, 2025 5:28 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 523195

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/10/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Tuesday, November 4, 2025 5:31 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 523196

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/11/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Tuesday, November 4, 2025 5:33 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 523197

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/12/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Tuesday, November 4, 2025 5:36 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 523198

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/13/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Tuesday, November 4, 2025 5:38 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 523199

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/14/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Tuesday, November 4, 2025 5:41 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 523200

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/17/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Tuesday, November 4, 2025 5:43 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 523201

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/18/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Tuesday, November 4, 2025 5:46 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 523202

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/19/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Monday, November 17, 2025 3:53 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 527313

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/20/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Monday, November 17, 2025 3:56 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 527316

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/21/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Monday, November 17, 2025 3:58 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 527317

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/24/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Monday, November 17, 2025 4:01 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 527318

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/25/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
Sent: Monday, November 17, 2025 4:04 PM
To: Jeff Broom
Subject: [EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 527323

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2526054335.

The sampling event is expected to take place:

When: 11/26/2025 @ 07:30
Where: G-03-20S-29E 0 FNL 0 FEL (32.60248,-104.05941)

Additional Information: Martin Sepulveda, 432.305.7322

Additional Instructions: From the intersection of US Hwy 62 and Co Rd 238 (32.530370, -104.035235), head N on Co Rd 238 for 2.08 mi, then continue N on Co Rd 238 for 3.06 mi to arrive at the Sharps Flow Line release area (32.600200, -104.059189).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: Buchanan, Michael, EMNRD
To: Ben Arguijo
Cc: Lance Crenshaw; Conner Walker (cwalker@mewbourne.com); Jeff Broom (jbroom@mewbourne.com); Cesar Rosendo
Subject: RE: [EXTERNAL] nAPP2526054335 - PBWMS Sharps SWD Line - Extension Request
Date: Tuesday, November 25, 2025 12:37:43 PM
Attachments: image001.png

> You don't often get email from michael.buchanan@emnrd.nm.gov. Learn why this is important

My apologies, I miscalculated that. The new deadline is now 01/02/2026, 30-days after the original 12/01/2025 deadline.

Kind regards,

From: Buchanan, Michael, EMNRD
Sent: Tuesday, November 25, 2025 11:08 AM
To: 'Ben Arguijo' <bena@etechenv.com>
Cc: Lance Crenshaw <lance@etechenv.com>; Conner Walker (cwalker@mewbourne.com) <cwalker@mewbourne.com>; Jeff Broom (jbroom@mewbourne.com) <jbroom@mewbourne.com>; Cesar Rosendo <crosendo@mewbourne.com>
Subject: RE: [EXTERNAL] nAPP2526054335 - PBWMS Sharps SWD Line - Extension Request

Ben,

The 30-day extension request to submit a final closure report is approved. The application page has been updated to reflect these changes, with the new deadline updated to submit a closure report no later than 12/29/2025. Please include a copy of this correspondence with the next report submittal.

Thank you,

From: Ben Arguijo <bena@etechenv.com>
Sent: Tuesday, November 25, 2025 10:56 AM
To: Buchanan, Michael, EMNRD <Michael.Buchanan@emnrd.nm.gov>
Cc: Lance Crenshaw <lance@etechenv.com>; Conner Walker (cwalker@mewbourne.com) <cwalker@mewbourne.com>; Jeff Broom (jbroom@mewbourne.com) <jbroom@mewbourne.com>; Cesar Rosendo <crosendo@mewbourne.com>
Subject: Re: [EXTERNAL] nAPP2526054335 - PBWMS Sharps SWD Line - Extension Request

Michael,

We just need a 30-day extension, please.

Thank you.

Ben

From: Buchanan, Michael, EMNRD <Michael.Buchanan@emnrd.nm.gov>
Sent: Tuesday, November 25, 2025 11:06 AM
To: Ben Arguijo <bena@etechenv.com>
Cc: Lance Crenshaw <lance@etechenv.com>; Conner Walker (cwalker@mewbourne.com) <cwalker@mewbourne.com>; Jeff Broom (jbroom@mewbourne.com) <jbroom@mewbourne.com>; Cesar Rosendo <crosendo@mewbourne.com>
Subject: RE: [EXTERNAL] nAPP2526054335 - PBWMS Sharps SWD Line - Extension Request

> You don't often get email from michael.buchanan@emnrd.nm.gov. Learn why this is important

Good morning, Ben

How much of an extension is needed to complete the remediation at the site and have the closure report submitted?

Thanks,

From: Ben Arguijo <bena@etechenv.com>
Sent: Monday, November 24, 2025 5:29 PM
To: Enviro, OCD, EMNRD <OCD.Enviro@emnrd.nm.gov>
Cc: Lance Crenshaw <lance@etechenv.com>; Conner Walker (cwalker@mewbourne.com) <cwalker@mewbourne.com>; Jeff Broom (jbroom@mewbourne.com) <jbroom@mewbourne.com>; Cesar Rosendo <crosendo@mewbourne.com>
Subject: [EXTERNAL] nAPP2526054335 - PBWMS Sharps SWD Line - Extension Request

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

NMOCD Environmental Bureau:

Mewbourne Oil Company (Mewbourne) has contracted Etech Environmental & Safety Solutions, Inc. (Etech), to conduct remediation activities for the PBWMS Sharps SWD Line

release (NMOCD Incident # nAPP2526054335) located in Eddy County. Pursuant to NMOCD requirements, a remediation plan or closure report for the release is due by December 1, 2025.

Etech is in the process of remediating the release, and the field work is nearly complete. However, site-specific and logistical challenges—including, but not limited to, laboratory analytical turnaround times and the upcoming Thanksgiving holiday—will prevent Etech from completing the work and preparing a closure report prior to the deadline. Therefore, Etech, on behalf of Mewbourne, respectfully requests an extension to the due date.

If you have any questions or need any additional information, please do not hesitate to contact me or Lance Crenshaw.

Thank you for your time and consideration.

Respectfully,
Ben J. Arguijo

Ben J. Arguijo
Project Manager

ETECH
Environmental & Safety Solutions, Inc.
6309 Indiana Ave., Ste. D
Lubbock, TX 79413
(432) 813-1592

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 539644

QUESTIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 539644
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	**nAPP2526054335**
Incident Name	**NAPP2526054335 PBWMS SHARPS SWD LINE @ G-03-20S-29E**
Incident Type	**Produced Water Release**
Incident Status	**Remediation Closure Report Received**

Location of Release Source *Please answer all the questions in this group.*	
Site Name	PBWMS SHARPS SWD LINE
Date Release Discovered	09/02/2025
Surface Owner	Federal

Incident Details *Please answer all the questions in this group.*	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release *Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*	
Crude Oil Released (bbls) Details	*Not answered.*
Produced Water Released (bbls) Details	Cause: Equipment Failure | Pipeline (Any) | Produced Water | Released: 122 BBL | Recovered: 0 BBL | Lost: 122 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	*Not answered.*
Natural Gas Vented (Mcf) Details	*Not answered.*
Natural Gas Flared (Mcf) Details	*Not answered.*
Other Released Details	*Not answered.*
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	*Not answered.*

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 539644
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	**No, according to supplied volumes this does not appear to be a "gas only" report.**
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	**Yes**
Reasons why this would be considered a submission for a notification of a major release	**From paragraph A. "Major release" determine using:** **(1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.**

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response	
The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.	
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	*Not answered.*

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Jeff Broom Title: Environmental Rep Email: jbroom@mewbourne.com Date: 01/02/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 539644
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization	
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 75 and 100 (ft.)
What method was used to determine the depth to ground water	U.S. Geological Survey
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 200 and 300 (ft.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 500 and 1000 (ft.)
Any other fresh water well or spring	Between 1000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 200 and 300 (ft.)
A subsurface mine	Between 1 and 5 (mi.)
An (non-karst) unstable area	Between 200 and 300 (ft.)
Categorize the risk of this well / site being in a karst geology	High
A 100-year floodplain	Between 1 and 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
Requesting a remediation plan approval with this submission	Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	17600
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	0
GRO+DRO (EPA SW-846 Method 8015M)	0
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.	
On what estimated date will the remediation commence	10/24/2025
On what date will (or did) the final sampling or liner inspection occur	11/21/2025
On what date will (or was) the remediation complete(d)	12/05/2025
What is the estimated surface area (in square feet) that will be reclaimed	53211
What is the estimated volume (in cubic yards) that will be reclaimed	5912
What is the estimated surface area (in square feet) that will be remediated	53211
What is the estimated volume (in cubic yards) that will be remediated	7676
These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.	
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 539644
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
(Select all answers below that apply.)	
(Ex Situ) Excavation and **off-site** disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for **off-site** disposal	fEEM0112334510 HALFWAY DISPOSAL AND LANDFILL
OR which OCD approved well (API) will be used for **off-site** disposal	*Not answered.*
OR is the **off-site** disposal site, to be used, out-of-state	*Not answered.*
OR is the **off-site** disposal site, to be used, an NMED facility	*Not answered.*
(Ex Situ) Excavation and **on-site** remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Jeff Broom Title: Environmental Rep Email: jbroom@mewbourne.com Date: 01/02/2026
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 539644
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only *Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.*	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 539644
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	**527323**
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	**11/26/2025**
What was the (estimated) number of samples that were to be gathered	**274**
What was the sampling surface area in square feet	**54621**

Remediation Closure Request	
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	**Yes**
Was this release entirely contained within a lined containment area	**No**
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	53211
What was the total volume (cubic yards) remediated	7676
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	53211
What was the total volume (in cubic yards) reclaimed	5912
Summarize any additional remediation activities not included by answers (above)	Please reference the attached Remediation Summary & Soil Closure Request.

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Jeff Broom Title: Environmental Rep Email: jbroom@mewbourne.com Date: 01/02/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 539644
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 539644

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 539644
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Remediation closure is approved.	1/13/2026
michael.buchanan	The reclamation report will need to include: Executive Summary of the reclamation activities; Scaled Site Map including sampling locations; Analytical results including, but not limited to, results showing that any remaining impacts meet the reclamation standards and results to prove the backfill is non-waste containing; At least one (1) representative 5-point composite sample will need to be collected from the backfill material that will be used for the reclamation of the top four feet of the excavation. The OCD reserves the right to request additional sampling if needed; pictures of the backfilled areas showing that the area is back, as nearly as practical, to the original condition or the final land use and maintain those areas to control dust and minimize erosion to the extent practical; pictures of the top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater; and a revegetation plan.	1/13/2026
michael.buchanan	A reclamation report will not be accepted until reclamation of the release area, including areas reasonably needed for production or drilling activities, is complete and meet the requirements of 19.15.29.13 NMAC. Areas not reasonably needed for production or drilling activities will still need to be reclaimed and revegetated as early as practicable.	1/13/2026
michael.buchanan	All revegetation activities will need to be documented and included in the revegetation report. The revegetation report will need to include: An executive summary of the revegetation activities including: Seed mix, Method of seeding, dates of when the release area was reseeded, information pertinent to inspections, information about any amendments added to the soil, information on how the vegetative cover established meets the life-form ratio of plus or minus fifty percent of pre-disturbance levels and a total percent plant cover of at least seventy percent of pre-disturbance levels, excluding noxious weeds per 19.15.29.13 D.(3) NMAC, and any additional information; a scaled Site Map including area that was revegetated in square feet; and pictures of the revegetated areas during reseeding activities, inspections, and final pictures when revegetation is achieved.	1/13/2026
michael.buchanan	A revegetation report will not be accepted until revegetation of the release area, including areas reasonably needed for production or drilling activities, is complete and meet the requirements of 19.15.29.13 NMAC. Areas not reasonably needed for production or drilling activities will still need to be reclaimed and revegetated as early as practicable.	1/13/2026
michael.buchanan	Per 19.15.29.13 E. NMAC, if a reclamation and revegetation report has been submitted to the surface owner, it may be used if the requirements of the surface owner provide equal or better protection of freshwater, human health, and the environment. A copy of the approval of the reclamation and revegetation report from the surface owner and a copy of the approved reclamation and revegetation report will need to be submitted to the OCD via the Permitting website.	1/13/2026