



SITE INFORMATION

Closure Report
Yukon Gold 31 CTB 2 (04.29.2026)
Incident ID: nAPP2612430390
Unit H, Sec 31, T23S, R30E
Eddy County, New Mexico
32.262993°, -103.913058°

Produced Water Release
Point of Release: Dump Line Developed Pinhole Leak
Release Date: 04.29.2026
Volume Released: 8 Barrels of Produced Water
Volume Recovered: 7 Barrels of Produced Water

CARMONA RESOURCES



Prepared for:
Devon Energy
5315 Buena Vista Drive,
Carlsbad, New Mexico 88220

Prepared by:
Carmona Resources, LLC
310 West Wall Street
Suite 500
Midland, Texas 79701



TABLE OF CONTENTS

1.0 SITE INFORMATION AND BACKGROUND

2.0 SITE CHARACTERIZATION AND GROUNDWATER

3.0 NMAC REGULATORY CRITERIA

4.0 REMEDIATION ACTIVITIES

5.0 CONCLUSIONS

FIGURES

FIGURE 1	OVERVIEW	FIGURE 2	TOPOGRAPHIC
FIGURE 3	EXCAVATION DEPTH		

APPENDICES

APPENDIX A	TABLE
APPENDIX B	PHOTOS
APPENDIX C	INITIAL C-141 & NMOCD CORRESPONDENCE
APPENDIX D	SITE CHARACTERIZATION, GROUNDWATER, & KARST SURVEY
APPENDIX E	LABORATORY REPORTS



June 2, 2026

Mike Bratcher
District Supervisor
Oil Conservation Division, District 2
811 S. First Street
Artesia, New Mexico 88210

**Re: Closure Report
Yukon Gold 31 CTB 2 (04.29.2026)
Devon Energy Production Company
Incident ID: nAPP2612430390
Site Location: Unit H, S31, T23S, R30E
(Lat 32.262993°, Long -103.913058°)
Eddy County, New Mexico**

Mr. Bratcher:

On behalf of Devon Energy (Devon), Carmona Resources, LLC has prepared this letter to document site activities for the Yukon Gold 31 CTB 2. The site is located at 32.262993°, -103.913058° within Unit H, S31, T23S, R30E, in Eddy County, New Mexico (Figures 1 and 2).

1.0 Site Information and Background

Based on the initial C-141 obtained from the New Mexico Oil Conservation Division (NMOCD), the release was discovered on April 29, 2026, due to a dump line developing a pinhole leak, allowing fluids to reach the surface of the pad. It resulted in the release of eight (8) barrels of produced water, with seven (7) barrels of produced water recovered. The spill boundaries are shown in Figure 3. The initial C-141 form is attached in Appendix C.

2.0 Site Characterization and Groundwater

The site is located within a medium karst area. Based on a review of the New Mexico Office of State Engineers and USGS databases, no known water sources are within a 0.50-mile radius of the location. On April 1, 2025, Carmona Resources installed a groundwater determination bore located approximately 0.04 miles Southwest of the release area in S31, T23S, R30E. The bore indicated no signs of water at a depth of 55 feet below ground surface (ft bgs) when it was gauged on April 7, 2025. A copy of the groundwater determination bore log is attached in Appendix D.

A karst survey was completed for a previous incident on January 27, 2025, within the same area as the new release (NAPP2605673419), in accordance with NMOCD and BLM requirements. The survey concluded that there were no surface karst features identified within the 200-foot (61-meter) survey area surrounding the spill delineation boundary. Based on these findings, the site was classified as a “Low Karst” environment.

Remediation activities proceeded in accordance with the standards outlined in Table 1 of NMAC 19.15.29.12, with no groundwater encountered at depths greater than 55 feet. Additional details, including site characterization, groundwater data, and the karst survey results, are provided in Appendix D.

310 West Wall Street, Suite 500
Midland, Texas 79701
432.813.1992



3.0 NMAC Regulatory Criteria

Per the NMOCD regulatory criteria established in 19.15.29.12 NMAC, the following criteria were utilized in assessing the site.

- Benzene: 10 milligrams per kilogram (mg/kg).
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg.
- TPH: 2,500 mg/kg (GRO + DRO + MRO).
- TPH: 1,000 mg/kg (GRO + DRO).
- Chloride: 10,000 mg/kg.

4.0 Remediation Activities

On May 26, 2026, Carmona Resources personnel were onsite to supervise the remediation activities, collect confirmation samples, and document backfill activities. Before collecting composite confirmation samples, the NMOCD division office was notified via NMOCD portal on May 21, 2026, per Subsection D of 19.15.29.12 NMAC. See Appendix C. The entire area of concern was excavated to a depth of 0.5' bgs. A total of six (6) confirmation floor samples were collected (CS-1 through CS-6), and seven (7) horizontal samples (H-1 through H-7) were collected every 200 square feet to ensure the proper removal of the contaminated soils. All collected samples were analyzed for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B, and Chloride by EPA method 300. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix E. The excavation depths and confirmation sample locations are shown in Figures 3.

Once the remediation activities were completed, the excavated areas were backfilled with clean material to surface grade. Approximately 200 square feet of contamination was remediated, resulting in approximately 4 cubic yards of material excavated and transported offsite for proper disposal. The backfill material was sourced from Northern Delaware Basin Landfill and was collected for laboratory analysis on May 26, 2026, before being utilized. Laboratory data can be found in Table 1.

5.0 Conclusions

Due to the excavation being less than one (1) foot in depth, horizontal delineation samples were collected in place of composite confirmation sidewall samples

Based on the analytical data from the remediation, no further actions are required at the site. Devon formally requests the closure of the spill. If you have any questions regarding this report or need additional information, please contact us at 432-813-8988

Sincerely,
Carmona Resources, LLC

Ashton Thielke
Director of Operations


Riley Plogger
Project Manager


FIGURES

CARMONA RESOURCES






<p>OVERVIEW MAP DEVON ENERGY PRODUCTION COMPANY YUKON GOLD 31 CTB 2 (04.29.2026) EDDY COUNTY, NEW MEXICO 32.262993°, -103.913058°</p>	<p>CARMONA RESOURCES </p>	<p>FIGURE 1</p>
---	--	-----------------



TOPOGRAPHIC MAP
DEVON ENERGY PRODUCTION COMPANY
YUKON GOLD 31 CTB 2 (04.29.2026)
EDDY COUNTY, NEW MEXICO
32.262993°, -103.913058°



FIGURE 2



Google Earth

Image © 2026 Airbus

EXCAVATION DEPTH MAP
DEVON ENERGY PRODUCTION COMPANY
YUKON GOLD 31 CTB 2 (04.29.2026)
EDDY COUNTY, NEW MEXICO
32.262993°, -103.913058°



FIGURE 3

APPENDIX A

CARMONA RESOURCES



**Table 1
YUKON GOLD 31 CTB 2 (04.29.2026)
Devon Energy Production Company
Eddy County, New Mexico**

Sample ID	Date	Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
CS-1	5/26/2026	0.5'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	94.7
CS-2	5/26/2026	0.5'	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	99.5
CS-3	5/26/2026	0.5'	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	104
CS-4	5/26/2026	0.5'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401	53.5
CS-5	5/26/2026	0.5'	<49.8	<49.8	<49.8	<49.8	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	50.5
CS-6	5/26/2026	0.5'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	61.3
Backfill	5/26/2026	-	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	0.00721	0.00578	<0.00400	10.0
Regulatory Criteria^A			1,000 mg/kg			2,500 mg/kg	10 mg/kg				50 mg/kg	10,000 mg/kg

^A – Table 1 - 19.15.29 NMAC
 mg/kg - milligram per kilogram
 TPH - Total Petroleum Hydrocarbons
 ft - feet
 (CS) - Confirmation Sample

Table 1
YUKON GOLD 31 CTB 2 (04.29.2026)
Devon Energy Production Company
Eddy County, New Mexico

Sample ID	Date	Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
H-1	5/26/2026	0-0.5'	<49.8	<49.8	<49.8	<49.8	<0.00201	0.00204	<0.00201	<0.00402	<0.00402	<9.98
H-2	5/26/2026	0-0.5'	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404	<9.94
H-3	5/26/2026	0-0.5'	<50.1	<50.1	<50.1	<50.1	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	20.5
H-4	5/26/2026	0-0.5'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400	<9.96
H-5	5/26/2026	0-0.5'	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	<10.1
H-6	5/26/2026	0-0.5'	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	11.1
H-7	5/26/2026	0-0.5'	<50.2	<50.2	<50.2	<50.2	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	<10.0
Regulatory Criteria^A			1,000 mg/kg			2,500 mg/kg	10 mg/kg				50 mg/kg	10,000 mg/kg

^A – Table 1 - 19.15.29 NMAC
 mg/kg - milligram per kilogram
 TPH - Total Petroleum Hydrocarbons
 ft - feet
 (H) - Horizontal Sample

APPENDIX B

CARMONA RESOURCES



PHOTOGRAPHIC LOG


Devon Energy Production Company

Photograph No. 1

Facility: Yukon Gold 31 CTB 2 (04.29.2026)

County: Eddy County, New Mexico

Description:
View East, area of CS-1 through CS-4.




Photograph No. 2

Facility: Yukon Gold 31 CTB 2 (04.29.2026)

County: Eddy County, New Mexico

Description:
View South area of CS-5 and CS-6.




Photograph No. 3

Facility: Yukon Gold 31 CTB 2 (04.29.2026)

County: Eddy County, New Mexico

Description:
View Southwest, area of CS-1 through CS-4.



APPENDIX C

CARMONA RESOURCES



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS

Action 581450

QUESTIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 581450
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	YUKON GOLD 31 CTB 2
Date Release Discovered	04/29/2026
Surface Owner	Federal

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Corrosion Dump Line Produced Water Released: 8 BBL Recovered: 7 BBL Lost: 1 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Dump line developed pinhole leak, allowing release of fluids to pad surface.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 581450

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 581450
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph 4 of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 581450

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 581450
	Action Type: [NOTIFY] Notification Of Release (NOR)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I acknowledge that I am authorized to submit notification of a release on behalf of my operator.
<input checked="" type="checkbox"/>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to my operator) to track the notification(s) and corrective action(s) for a release, pursuant to NMAC 19.15.29.
<input checked="" type="checkbox"/>	I acknowledge that creating a new incident file will require my operator to file subsequent submission(s) of form "C-141, Application for administrative approval of a release notification and corrective action", pursuant to NMAC 19.15.29.
<input checked="" type="checkbox"/>	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment.
<input checked="" type="checkbox"/>	I acknowledge the fact that the acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment.
<input checked="" type="checkbox"/>	I acknowledge the fact that, in addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 581450

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 581450
	Action Type: [NOTIFY] Notification Of Release (NOR)

CONDITIONS

Created By	Condition	Condition Date
jraley	When submitting future reports regarding this release, please submit the calculations used or specific justification for the volumes reported on the initial C-141.	5/4/2026

Spill Volume Calculations

Free Standing Fluid Volume

How do you want to enter area? Total area from app

Area from app (ft²) 99.07

Depth of fluid 6.00 in

Number of Tanks in Fluid Affected Area (if any):

Tank Diameter (if needed): 15.5 ft

Volume of Standing Fluid 8.82 bbl

Contaminated Soil Calculations

How do you want to enter area? Total area from app

Area from app (ft²) 99.07

Depth of impacted soil 0.25 in

Soil Type Caliche

Spilled Material Produced Water

Soil Saturation Very Wet - Free liquid in soil

Volume of Spill In Soil 0.15 bbls

Total Spill Volume 8.98 bbls

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 583210

QUESTIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 583210
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2612430390
Incident Name	NAPP2612430390 YUKON GOLD 31 CTB 2 @ FAPP2123652649
Incident Type	Produced Water Release
Incident Status	Initial C-141 Received
Incident Facility	[fAPP2123652649] YUKON GOLD 31 CTB 2

Location of Release Source

Please answer all the questions in this group.

Site Name	YUKON GOLD 31 CTB 2
Date Release Discovered	04/29/2026
Surface Owner	Federal

Incident Details

Please answer all the questions in this group.

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Corrosion Dump Line Produced Water Released: 8 BBL Recovered: 7 BBL Lost: 1 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Dump line developed pinhole leak, allowing release of fluids to pad surface.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 583210

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 583210
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 05/08/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 583210

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 583210
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Site Characterization

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Not answered.
What method was used to determine the depth to ground water	Not answered.
Did this release impact groundwater or surface water	Not answered.
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Not answered.
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Not answered.
An occupied permanent residence, school, hospital, institution, or church	Not answered.
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Not answered.
Any other fresh water well or spring	Not answered.
Incorporated municipal boundaries or a defined municipal fresh water well field	Not answered.
A wetland	Not answered.
A subsurface mine	Not answered.
An (non-karst) unstable area	Not answered.
Categorize the risk of this well / site being in a karst geology	Not answered.
A 100-year floodplain	Not answered.
Did the release impact areas not on an exploration, development, production, or storage site	Not answered.

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	No
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 583210

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 583210
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	None	5/11/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS

Action 587305

QUESTIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 587305
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2612430390
Incident Name	NAPP2612430390 YUKON GOLD 31 CTB 2 @ FAPP2123652649
Incident Type	Produced Water Release
Incident Status	Initial C-141 Approved
Incident Facility	[fAPP2123652649] YUKON GOLD 31 CTB 2

Location of Release Source	
Site Name	YUKON GOLD 31 CTB 2
Date Release Discovered	04/29/2026
Surface Owner	Federal

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	162
What is the estimated number of samples that will be gathered	4
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	05/26/2026
Time sampling will commence	12:00 PM
Please provide any information necessary for observers to contact samplers	432-701-5475
Please provide any information necessary for navigation to sampling site	32.262993,-103.913058

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 587305

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 587305
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
jraley	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	5/21/2026
jraley	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	5/21/2026

APPENDIX D





CARMONA RESOURCES




Nearest water well

DEVON ENERGY PRODUCTION COMPANY, LP

Legend

-  0.04 Miles
-  0.50 Mile Radius
-  Groundwater Determination Bore
-  YUKON GOLD 31 CTB 2 (04.29.2026)



55' GWDB - Drilled 2025  YUKON GOLD 31 CTB 2 (04.29.2026)





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
C 04526 POD1		CUB	ED	SE	NW	SE	06	24S	30E	601898.6	3568060.3		2107			
C 02486		C	ED	SW	NE	SW	19	23S	30E	601304.0	3572832.0 *		2893	350		
C 04497 POD1		CUB	ED	NW	NE	SW	04	24S	30E	604659.7	3568278.5		2976	110		
C 04597 POD5		CUB	ED	NE	NW	SE	24	23S	29E	600198.3	3572931.9		3521			
C 04597 POD4		CUB	ED	NW	NW	SE	24	23S	29E	600158.9	3572947.2		3557			
C 03908 POD3		CUB	ED	SW	NW	SW	34	23S	30E	605850.9	3569640.1		3559	463		
C 04597 POD3		CUB	ED	NW	NW	SE	24	23S	29E	600171.6	3572991.0		3585			
C 03908 POD2		CUB	ED	SW	NW	SW	34	23S	30E	605872.3	3569594.1		3587	518		
C 04597 POD2		CUB	ED	NW	NW	SE	24	23S	29E	600122.2	3572959.1		3589			
C 04597 POD1		CUB	ED	NW	NW	SE	24	23S	29E	600124.4	3573002.9		3623			
C 02108		CUB	ED		NW	SW	08	24S	30E	602702.0	3566487.0 *		3656	200	186	14

Average Depth to Water: **186 feet**

Minimum Depth: **186 feet**

Maximum Depth: **186 feet**

Record Count: 11

UTM Filters (in meters):

Easting: 602324.00

Northing: 3570124.00

Radius: 4000

* UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) Pod 1		WELL TAG ID NO.		OSE FILE NO(S). C-4913		
	WELL OWNER NAME(S) Devon Production Co. LP.				PHONE (OPTIONAL)		
	WELL OWNER MAILING ADDRESS 5315 Buena Vista Dr.				CITY Carlsbad	STATE NM	ZIP 88220
	WELL LOCATION (FROM GPS)	DEGREES 32	MINUTES 15	SECONDS 45.26	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84	
		LONGITUDE 103	54	49.73	W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS – PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE S31 T23s R30e							


2. DRILLING & CASING INFORMATION	LICENSE NO. WD-1862		NAME OF LICENSED DRILLER James Hawley			NAME OF WELL DRILLING COMPANY H&R Enterprises, LLC		
	DRILLING STARTED 4-1-25	DRILLING ENDED 4-1-25	DEPTH OF COMPLETED WELL (FT) 55'	BORE HOLE DEPTH (FT) 55'	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED 4-7-25		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES – SPECIFY:			
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER – SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
	0'	55'	5'	No casing left in hole				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
				N/A		

FOR OSE INTERNAL USE			WR-20 WELL RECORD & LOG (Version 09/22/2022)		
FILE NO.	POD NO.	TRN NO.			
LOCATION	WELL TAG ID NO.				PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
	FROM	TO				
	0'	5'	5'	Topsoil	Y ✓ N	
	5'	15'	10'	Brown Sand	Y ✓ N	
	15'	55'	40'	Red Sand	Y ✓ N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input checked="" type="checkbox"/> OTHER - SPECIFY: DTGW Bore					TOTAL ESTIMATED WELL YIELD (gpm): 0.00	

5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION:	Depth to groundwater bore was gauged for water on 4-7-25. DTGW bore was dry. Temporary well casing was removed, bore hole was backfilled with drill cutting to 10' BGS. Hydrated bentonite hole plug was poured from 10' BGS to surface.
	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE: Nathan Smelcer	

6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:	
	 _____ SIGNATURE OF DRILLER / PRINT SIGNEE NAME	James Hawley _____ DATE
		4-7-25

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 09/22/2022)	
FILE NO.	POD NO.	TRN NO.	
LOCATION		WELL TAG ID NO.	PAGE 2 OF 2



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: C-4913 POD1
Well owner: Devon Production CO. LP. Phone No.: _____
Mailing address: 5315 Buena Vista Dr.
City: Carlsbad State: NM Zip code: 88220

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: H&R Enterprises, LLC.
- 2) New Mexico Well Driller License No.: WD-1862 Expiration Date: 6-16-25
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
Nathan Smelcer
- 4) Date well plugging began: 4-7-25 Date well plugging concluded: 4-7-25
- 5) GPS Well Location: Latitude: 32 deg, 15 min, 45.26 sec
Longitude: 103 deg, 54 min, 49.73 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 55' ft below ground level (bgl),
by the following manner: well sounder
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 11-15-24
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
0' - 10'	Hydrated Bentonite	Approx. 10.2 gallons	10.2 gallons	Pour	
10' - 55'	Drill Cuttings	Approx. 46 gallons	46 gallons	Pour	

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

III. SIGNATURE:

I, James Hawley, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.




 Signature of Well Driller

4-7-25


 Date

YUKON GOLD 31 CTB 2 (04.29.2026)




5/4/2026

World_Hillshade




Source: FEMA, Esri, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Esri, NASA,

YUKON GOLD 31 CTB 2 (04.29.2026)



5/4/2026, 1:59:47 PM


— OSE Streams



NM OSE, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community, Esri, NASA, NGA, USGS, FEMA

U.S. Fish and Wildlife Service
National Wetlands Inventory

YUKON GOLD 31 CTB 2 (04.29.2026)



U.S. Fish and Wildlife Service, National Standards and Support Team, wetlands_team@fws.gov

May 4, 2026


Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



Environmental Karst Study Report Yukon Gold 31 19 Federal Com #212 Eddy County, New Mexico

**Prepared For:
Carmona Resources
310 W Wall Street, Suite 500
Midland, TX 79701**

- Positive within 200 feet of spill delineation boundary
- Negative within 200 feet of spill delineation boundary
- Stable Unstable Ground
- Karst Monitor Recommended

February 21, 2025

CARM-001-20241105

©2025 – Southwest Geophysical Consulting, LLC. All rights reserved.

Published by:

Southwest Geophysical Consulting, LLC
5117 Fairfax Dr. NW
Albuquerque, NM 87114
(505) 585-2550
www.swgeophys.com

Prepared by:

Garrett Jorgensen Olague
Senior Field Geologist
garrett@swgeophys.com

Reviewed by:

David Decker, PhD, PG, CPG
CEO, Principal Geologist
dave@swgeophys.com

Prepared for:

Carmona Resources
310 West Wall Street, Suite 500
Midland TX, 79701

Ashton Thielke
(281) 753-5659
thielkea@carmonaresources.com

MMXXV

TABLE OF CONTENTS

FRONT MATTER..... i

TABLE OF CONTENTS.....ii

LIST OF FIGURES.....iii

LIST OF TABLES.....iii

1.0 INTRODUCTION..... 1

 1.1 Goals of this Study..... 1

 1.2 Summary of Findings..... 1

 1.3 Affected Environment..... 1

 1.4 Limitations of Report..... 3

2.0 LOCATION AND DESCRIPTION OF STUDY AREA..... 4

 2.1 Description of Site..... 4

 2.2 Local Geology Summary..... 5

 2.3 Description of Survey..... 6

 2.3.1 Surface Karst Inventory..... 6

 2.3.2 Geophysical Survey..... 8

3.0 RESULTS..... 10

 3.1 Surface Karst Survey..... 10

 3.2 Geophysical Survey..... 10

4.0 DISCUSSION..... 12

5.0 SUMMARY..... 14

6.0 DISCLOSURE STATEMENT..... 14

7.0 REFERENCES..... 16

8.0 GLOSSARY OF TERMS..... 18

9.0 ATTESTATION..... 20

LIST OF FIGURES

Figure 1: Karst occurrence zone overview..... 2

Figure 2: Land ownership and PLSS overview..... 4

Figure 3: Geology overview 5

Figure 4: Surface survey overview 6

Figure 5: Geophysical survey overview 8

Figure 6: Aerial karst survey results..... 10

Figure 7: 2D inverted resistivity section 11

Figure 8: Data overlay 13

LIST OF TABLES

Table 1: Survey Line Data Table 9

Table 2: Software Information and Settings..... 9

1.0 INTRODUCTION

This report was commissioned by Carmona Resources (hereinafter referred to as "the client"), on November 5, 2024, for the purpose of conducting an environmental karst study within an area encompassing the Yukon Gold 31 19 Federal Com #212 release site (hereinafter termed "YG31") centered at N 32.765001° W 104.282459°.

1.1 Goals of this Study

The goals of this study are to conduct a surface karst inventory and provide the client with the location and description of any surface karst features located within 200 feet (61 meters) of the spill delineation boundary (as defined by 19.15.29.12 NMAC^[1]) and to determine whether stable ground exists (as defined by 19.15.2 NMAC Definitions^[2]) within the spill boundary of the Yukon Gold 31 19 Federal Com #212 release using electrical resistivity imaging^[3].

1.2 Summary of Findings

- **No surface karst features exist within the 200-foot (61-meter) zone surrounding the spill delineation boundary.**
- **No anomalies consistent with air-filled voids are located within the YG31 resistivity survey area, indicating the zone beneath the geophysical survey is not subject to collapse.**
- **Well-layered stratigraphy is interpreted to exist beneath the area where the geophysical survey was conducted, indicating stable ground.**

1.3 Affected Environment

The YG31 project site is located in evaporite karst terrain, a landform that is characterized by underground drainage through solutionally enlarged conduits. Evaporite karst terrain may contain sinkholes, sinking streams, caves, and springs. Sinkholes leading to underground drainages and voids are common. These karst features, as well as occasional fissures and discontinuities in the bedrock, provide the primary sources for rapid recharge of the groundwater aquifers of the region. Additionally, karst may develop by hypogene processes involving dissolution by upwelling fluids from depth independent of recharge from the overlying or immediately adjacent surface. Hypogene karst systems may not be connected to the surface and can remain undiscovered unless encountered during drilling or excavation.

Karst features are delicate resources that are often of geological, hydrological, biological, and archeological importance, and should be protected. The four primary concerns in these types of terrain are environmental issues, worker safety, equipment damage, and infrastructure integrity.

The Bureau of Land Management (BLM) categorizes all areas within the Carlsbad Field Office (CFO) zone of responsibility as having either low, medium, high, or critical cave potential based on geology, occurrence of known caves, density of karst features, and potential impacts to freshwater aquifers^[4]. These designations are also recognized by the New Mexico State Land Office (NMSLO). This project occurs within both a **HIGH** karst occurrence zone (HKOZ) and a **MEDIUM** karst occurrence zone (MKOZ)^[5] (**Figure 1**).

A high karst occurrence zone is defined as an area in known soluble rock types that contains a high frequency of significant caves and karst features such as sinkholes, bedrock fractures that provide rapid recharge of karst aquifers, and springs that provide riparian habitat^[4].

A medium karst occurrence zone is defined as an area in known soluble rock types that may have a shallow insoluble overburden. These areas may contain isolated karst features such as caves and sinkholes. Groundwater recharge may not be wholly dependent on karst features, but the karst features still provide the most rapid aquifer recharge in response to surface runoff^[4].




Figure 1: Karst occurrence zone overview. Background image credit: Google Earth. Image date: August 21, 2024. Image datum: WGS-84.

Due to the rapidity with which evaporite karst develops, each location within a CKOZ or HKOZ must be assessed on an individual basis to determine the existence of surface karst features and the possibility of sub-surface karst development each time a release occurs.

1.4 Limitations of Report

This report should be read in full. No responsibility is accepted for the use of any part of this report in any other context or for any other purpose or by third parties. This report does not purport to give legal advice. Legal advice can only be given by qualified legal practitioners.

This report has been prepared for the use of Carmona Resources in accordance with generally accepted consulting practices. Every effort has been made to ensure the information in this report is accurate as of the time of its writing. This report has not been prepared for use by parties other than the client, their contracting party, and their respective consulting advisors. It may not contain sufficient information for the purposes of other parties or for other uses.

This report was prepared upon completion of the associated fieldwork using a standard template prepared by Southwest Geophysical Consulting and is based on information collected prior to fieldwork, conditions encountered on site, and data collected during the fieldwork and reviewed at the time of preparation. Southwest Geophysical Consulting disclaims responsibility for any changes that might have occurred at the site after this time. The interpreted results, locations, and depths noted in this report (if applicable) should be taken as an interpretation only and no decision should be based solely on this information. Physical verification of aerial imagery analysis results should be conducted in the field prior to using this information for remediation planning. Physical verification of geophysical results using geotechnical methods should be conducted.

To the best of our knowledge, the information contained in this report is accurate at the date of issue. Due to the nature of karst terrain, the information in this report shall not be used beyond three years past the dates of the field work provided in section **2.3 Description of Survey**. Large weather events can shorten this time period as areas subject to karst development can rapidly form new features subsequent to these events.

2.0 LOCATION AND DESCRIPTION OF STUDY AREA

2.1 Description of Site

The site is located 34.3 kilometers (21.3 miles) southeast of Carlsbad, New Mexico, east of Rawhide and Gavilan Roads. The release area is located within the northeast ¼ section of section 31, NM T23S R30E^[6] (**Figure 1** and **Figure 2**). The region has rolling terrain with karstification occurring in the gypsite soils and underlying gypsum and dolomite bedrock^[7] (see section **2.2 Local Geology Summary** for further information). The climate in this area of southeast New Mexico is semi-arid with an average annual precipitation of approximately 13 inches, of which about two-thirds falls as rain during summer thunderstorms from June to October. Summers are hot and sunny while winters are generally mild, with an average maximum temperature of 96°F in July and an average minimum temperature of 28°F in January^[8]. This area is within the Chihuahuan Desert Thornscrub as defined by the Southwestern Regional ReGAP Vegetation map^[9] and the vegetation consists mostly of areas of blue grama, nine-awned pappus grass, burro grass and low scrub including yucca. The spill delineation boundary is located within both an HKOZ and MKOZ^[5] (**Figure 1**) and entirely within BLM-CFO managed land^[10] (**Figure 2**).




Figure 2: Land ownership and PLSS overview. Background image credit: Google Earth. Image date: August 21, 2024. Image datum: WGS-84.

2.2 Local Geology Summary

The site for the YG31 survey is located east of Nash Draw at an elevation of 967 meters (3,173 feet), ± 15 meters (49.2 feet). This region is entirely underlain by the Permian Rustler Formation (Pru). The area is mantled by thin gypsiferous soils (gypsite), Quaternary eolian deposits (Qe), and piedmont gravels (Qp)^[11] up to 5 meters in depth (**Figure 3**).

The Rustler Formation is an evaporite facies composed mainly of thin siltstones and sandstones interbedded with claystones, dolomite, and gypsum, and contains both karst-forming strata (the Forty-niner and Tamarisk members) and two shallow aquifers (the Magenta and Culebra Dolomite members)^[12].

The Pru overlies the Permian Salado Formation (Psl), a layer of extremely soluble halite which can readily dissolve to create caves, sinkholes, and other karst features; however, due to its extremely soluble nature, only non-soluble silt and sand remain from the dissolution of this layer at the surface^[12]. The Rustler Formation may be subject to collapse if a void has developed beneath it in the Salado Formation^[13].

The survey area is covered by the easily accessible Geologic Map of New Mexico (2003) at 1:500,000 scale^[11] and the Digital Geologic Map of New Mexico in ARC/INFO Format^[14].




Figure 3: Geology overview. Geology map credit: The Digital Geologic Map of New Mexico in ARC/INFO Format. Background image credit: Google Earth. Image date: August 21, 2024. Image datum: WGS-84.

2.3 Description of Survey

2.3.1 Surface Karst Inventory

Southwest Geophysical Consulting, in partnership with SWCA Environmental Consultants, provides aerial karst surveys using small, uncrewed aerial systems (sUAS) that are flown by qualified, FAA licensed drone pilots and that meet the stringent Bureau of Land Management – Carlsbad Field Office requirements for both pedestrian and aerial karst surveys.

The aerial karst survey includes a surface karst desk study prior to the flight which allows us to provide client feedback in the event of any previously known karst features in the area. The desk study is performed out to 305 meters (1,000 feet) from the spill delineation boundary per New Mexico Oil Conservation Division guidance^[1] (**Figure 4**). The study was performed using satellite and aerial imagery from Google Earth Pro dated March 20, 2023 (please note features less than one meter in diameter are generally not visible using this method); the Southwest Geophysical Cave and Karst Database dated December 23, 2024^[15]; the Remuda Basin, NM, 1:24,000 quad, 1985, USGS topographic map; and the latest lidar imagery from CalTopo.com. Please note that we use older topographic maps because newer maps have had caves removed from them. These searches and queries returned no results within the survey boundary.




Figure 4: Surface survey overview. Background image credit: Google Earth. Image date: August 21, 2024. Datum: WGS-84.

Aerial karst surveys are conducted at low elevation within 200 meters of the spill delineation boundary^[4] (**Figure 4**) following a preplanned raster pattern flightpath designed for the purpose of generating at least 75% imagery overlap. The collected high-resolution, georeferenced imagery is stitched together to develop orthomosaic imagery which is further developed into a digital elevation model (DEM); the DEM is then processed into a local relief model (LRM) (**Figure 6**). This LRM is color coded to enhance differences in elevation of as little as five centimeters. The orthoimagery, DEM, and LRM are uploaded to a server where they are analyzed by an experienced karst geologist. Finally, the data is reviewed by a senior karst geologist for quality assurance and downloaded into a table for inclusion in a written report^[16].

The resolution of the orthoimagery is clear enough that features as small as 10 centimeters can be positively identified in most circumstances. Occasionally there are ambiguous features identified during an aerial survey that will need to be checked in the field if they are impacted by the proposed remediation efforts. Specifically, it is difficult to tell the difference between solution tubes, abandoned uncased well bores, and some burrows in drone imagery. If an ambiguous feature is located during imagery analysis, it is marked with a yellow dot in **Figure 6**. If a feature of any likelihood is subsequently verified in the field prior to publication of the report, the dot will be changed to a red triangle if confirmed as a karst feature or deleted if not.

The imagery for this study was collected via aerial survey by Pat Lagodney of SWCA on November 18, 2024. Surface karst features may have developed after this date and will not be noted in this report. Imagery analysis was completed by Dave Decker of Southwest Geophysical Consulting on December 2, 2024.

2.3.2 Geophysical Survey

For this survey, an Advanced Geosciences Inc. (AGI) SuperSting™ Wifi R8 with a multi-electrode switchbox, a 56-electrode array of 40-centimeter-long electrodes, and a tablet controller were used to image the subsurface. This survey consisted of one resistivity line in a dipole-dipole strong-gradient configuration laid out south to north. The single line consisted of 56 electrodes at 4-meter spacing, resulting in a 220-meter-long array (**Figure 5, Table 1**). A preconfigured command file was used to run the data collection (DDSG56). This electrode configuration provided a depth of investigation of 44 meters (144 feet) and a resolution of 2.0 to 2.5 meters (6.6 to 8.2 feet) within the first 5 to 8 meters (16 to 26 feet) from the surface. A Leica GS18 GPS was used to record electrode locations and elevations.




Figure 5: Geophysical survey overview. One survey line was conducted with 56 electrodes each at 4-meter spacing (yellow dots denoted with blue numbers). Background image credit: Google Earth. Image date: August 21, 2024. Image datum: WGS-84.

Table 1 provides basic line data. Detailed information including electrode number, location in latitude/ longitude (decimal degree format), and elevation in meters can be found in the accompanying data files.

Table 1: Survey Line Data Table. The .kmz file contains all the points for the survey line listed in the file name. These data are available in the accompanying files YG31_ERI_Points.xlsx and CARM-001-20241105_YG31_Data_Files.kmz.

File Name:	Completed By:	Date:
YG3101.kmz	Garrett Jorgensen Olague – Senior Field Geologist Britt Bommer – Field Geologist Steven Kesler – Field Geologist	1/27/2025

EarthImager™ 2D software was used to download and process the data and to provide the model used to make our interpretations. The design of the survey and the orientation of each of the lines provides the information necessary to make the determination of “stable” or “unstable” ground at this site.

A typical starting model was used for the data processing due to the two-layer model of the geology in the area; specifically, generally high-resistivity gypsum and dolomite at the surface and low-resistivity saturated gypsum and dolomite bedrock at depth. The starting model used was “average apparent resistivity” and a default inversion setting of “surface,” with a minimum apparent resistivity set to 0.1 Ohm-meters (Ohm-m or Ω-m) and a max apparent resistivity set to 100,000 Ω-m (**Table 2**).

Table 2: Software Information and Settings

Software Name:	EarthImager™ 2D
Version:	2.4.4.649
Starting Model:	Average Apparent Resistivity
Default Inversion Settings:	Surface
Changes to Default Inversion Settings:	Max Apparent Resistivity = 100 kΩ-m Min Apparent Resistivity = 0.1 Ω-m

Note: Raw data files (.stg files for EarthImager™ 2D) and processed data (.trn files, terrain files for surface correction in EarthImager™ 2D and .out files, the processed .stg files) are available upon request.

All field work, including setup, stow, and travel, was completed by Garrett Jorgensen Olague, Britt Bommer, and Steven Kesler on January 27, 2025.

3.0 RESULTS

3.1 Surface Karst Survey

The desk study and surface karst survey showed no surface karst features within the 200-foot (61-meter)^[1] survey area surrounding the spill delineation boundary (Figure 6). No springs exist within the 1,000-foot (305-meter)^[1] survey boundary.




Figure 6: Aerial karst survey results. Background image credit: Google Earth. Image date: March 20, 2023. Image datum: WGS-84.

3.2 Geophysical Survey

Electrical resistivity tomography forms images of the subsurface by causing a current to flow through the rock and soil and then measuring the resistance of these materials as the current flows through them. This measurement is taken many times and the resulting data, once processed, is used to produce a model of the subsurface (**Figure 7**). This model is produced using "non-unique" solutions, which means that there are many models and interpretations which will satisfy the data. Using experience and knowledge of the local geology, a high-confidence model can be established and used to develop an accurate understanding of what lies below the surface. This survey was conducted with the express purpose of locating subsurface voids and does not purport to find paleokarst (old, non-

active karst features that have been filled in with sand and sediment) or nascent karst features below the resolution limit of the survey.

The results of this study indicate a moderately well-layered geologic system with resistivities between 3.3 and 1,572 Ohm-m (**Figure 7**). Please keep in mind when viewing the 2D inverted resistivity sections that color maps can be widely different for each view. Always check the color map located on the right side of the image when viewing the 2D images to ensure you understand the range of resistivities presented. Distances along the top and depths along the left side are in meters. The color map along the right side is in Ohm-m. Due to the nature of the survey, shallower zones have higher resolution between electrodes than deeper zones; therefore, small features at depth will not be visible.




Figure 7: 2D inverted resistivity sections. Reds and oranges indicate higher resistivity values. Yellows and greens are medium-resistivity values. Blues are low-resistivity values. Please note that the color scale is relative. The dashed black line indicates the location of the well pad.

4.0 DISCUSSION

No anomalies consistent with air-filled subsurface voids are found within the YG31 survey area. However, small solutionally enlarged voids or fractures at or near the resolution limit of the survey (1.5 – 2.0 meters) may be present. Slightly higher-than-average resistivity areas less than 10 meters beneath the surface are interpreted as dry caliche or gypsite soils. Due to their low resistivity values when compared with significant subsurface voids, these features should not be a concern during remediation efforts. Areas of moderate resistivity (yellows, and greens) near the surface are interpreted as dry gypsite soils and gypsum bedrock of the Rustler Formation^[17] (**Figure 7** and **Figure 8**).

The low-resistivity area between 3.3 – 15 Ohm-m is interpreted to represent fluid from the brine release. Other low resistivity areas between 15 and 50 may represent surface-to-subsurface hydrologic pathways, or a layer of either clays and halite lenses or moist or saturated layers within the Rustler Formation. (**Figure 7**).

Please remember that these are interpretations made from knowledge of the local subsurface materials and experience. **They remain interpretations until verified by geotechnical methods.** Employing a BLM-CFO approved karst monitor on site during any drilling and/or remediation activities that require excavation below four feet in depth should be considered.

Fracture sets within the subsurface can act as hydrologic pathways to the water table. Rapid dissolution of gypsum can occur along these pathways creating solution-enlarged fractures, and in some cases, voids within months to years. For this reason, this survey is valid only for this remediation event.

Within karst terrains like the project site, small air- or sediment-filled voids and/or brecciated zones and solutionally enlarged fractures that are below the resolution limit of the survey (2.0 – 2.5 meters) may exist; these may be encountered during excavation, and if so, should be evaluated by a karst specialist prior to continued work.




Figure 8: Data overlay. Colored trapezoid is the 2D inverted resistivity line. Background image credit: Google Earth. Image date: March 20, 2023.

5.0 SUMMARY

- **The YG31 survey contains no surface karst features within 200 feet (61 meters) of the spill delineation boundary.**
- **No shallow anomalies interpreted as large voids or related karst features that would present a danger to equipment operators are located within the survey area.**
- Intercepting a void during remediation is unlikely, but still possible. Small voids or solutionally enlarged fractures below the resolution limit of the survey may be encountered.
- **Well-layered stratigraphy is interpreted to exist beneath the area where the geophysical survey was conducted, indicating stable ground.**
- When conducting any remediation activities in this area, employing a BLM-CFO approved karst monitor on site should be considered.

6.0 DISCLOSURE STATEMENT

High karst occurrence zones are prone to rapid karst formation and warrant careful planning and engineering to mitigate karst-forming processes that could be accelerated by removal of surface cover or the vibrations associated with heavy equipment used in the remediation process.

Mitigation measures for any karst features revealed during excavation shall be approved by the Bureau of Land Management – Carlsbad Field Office and follow the Natural Resources Conservation Service Conservation Practice Standard for Karst Sinkhole Treatment, Code 527, or the Bureau of Land Management Cave and Karst Management Handbook, H-8380-1.

Vigilance during remediation activities is paramount. If voids are encountered during excavation, contact the Bureau of Land Management Karst Division at (575) 234-5972, the New Mexico State Land Office Surface Resources Division at (505) 827-5768, or a BLM-CFO approved karst contractor and request an on-site investigation from a karst expert if one is not already on site. A karst consultant can generally be available in Eddy County within five hours.

Approved karst monitors should have karst feature identification training, at least two years of supervised experience identifying karst features, wilderness first aid training, SRT training, confined space training, gas monitor training, and a minimum of SPAR cave rescue training through NCRC. They should have with them the proper gear and be prepared both physically and mentally to enter a collapse feature within minutes to perform a rescue if needed. Monitoring services with qualified karst monitors, as well as cave surveys and geophysical surveys, are available from Southwest Geophysical Consulting.

Under no circumstances should an untrained, inexperienced person enter a cave, pit, sinkhole, or collapse feature. All field employees of Southwest Geophysical Consulting have extensive caving experience and the ability to determine whether entry into a karst feature is safe or presents a hazard. In the event it is necessary to enter a karst feature, Southwest Geophysical Consulting can provide these services on request.

Cave and karst resource inventory reports, karst feature investigations, and geophysical reports commissioned at the request of the land manager should be submitted to:

BLM-CFO: blm_nm_karst@blm.gov

Cave and karst resource inventory reports for the NMSLO should be submitted to the respective project manager.

7.0 REFERENCES

- 1 Division, O. C. *Title 19, Chapter 15, Part 29* (Oil Conservation Division, 2018).
- 2 NMSLO. (ed Oil Conservation Division) (New Mexico State Land Office, Santa Fe, NM, 2018).
- 3 Decker, D. & Jorgensen, G. L. *Environmental Karst Surveys White Paper* (Southwest Geophysical Consulting, LLC, 2024).
- 4 Goodbar, J. R. Vol. BLM Management Handbook H-8380-1 (ed Carlsbad Field Office) 59 (Bureau of Land Management, Denver, CO, 2015).
- 5 Decker, D., Trautner, E. & Palmer, R. (Bureau of Land Management - Carlsbad Field Office, 2025).
- 6 Earthpoint. *Earthpoint Tools for Google Earth*, <<https://www.earthpoint.us/Townships.aspx>> (2022).
- 7 Decker, D. D., Land, L. & Luke, B. Characterization of Playa Lakes in the Gypsum Karst of Southeastern New Mexico and West Texas, USA. *Oklahoma Geological Survey Circular 113 113* (2021).
- 8 W.R.C.C. *National Climate Data Center 1981-2010 Normal Climate Summary for Carlsbad, New Mexico (291469)*, (2010).
- 9 Whitehead, W. & Flynn, C. *Plant Utilization in Southeastern New Mexico: Botany, Ethnobotany, and Archaeology*. (Bureau of Land Management, Carlsbad Field Office, 2017).
- 10 NMSLO. Digital overlay (KML) of the surface land ownership in New Mexico (New Mexico State Land Office, Santa Fe, NM, 2024).
- 11 Scholle, P. A. *Geologic Map of New Mexico*. (2003).
- 12 Austin, G. S. *Geology and mineral deposits of Ochoan rocks in Delaware Basin and adjacent areas*. Vol. Circular 159 (New Mexico Bureau of Mines and Mineral Resources, 1978).
- 13 Johnson, K. S. Evaporite Karst in the United States. *Carbonates and Evaporites* **12**, 2-14 (1997).
- 14 Green, G. N. & Jones, G. E. *The Digital Geologic Map of New Mexico in ARC/INFO Format*, <<https://mrdata.usgs.gov/geology/state/state.php?state=NM>> (1997).
- 15 Decker, D. D., Jorgensen, G. L. & Palmer, R. in *Southwest Geophysical Cave and Karst Database* (ed LLC Southwest Geophysical Consulting) (Albuquerque, NM, 2025).

- 16 Whitehead, W., Bandy, M. & Decker, D. Protocol for Using UAV Photography for Rapid Assessment of Karst Features in Southeast New Mexico. *Proceedings of the 2022 Cave and Karst Management Symposium* (2022).
- 17 Hill, C. A. *Geology of the Delaware Basin, Guadalupe, Apache and Glass Mountains, New Mexico and West Texas*. Vol. 96-39 (Permian Basin Section - SEPM, 1996).

8.0 GLOSSARY OF TERMS

AGI	Advanced Geosciences Inc.
BLM-CFO	Bureau of Land Management - Carlsbad Field Office
brecciated	Fractured rock caused by faulting or collapse.
caprock-collapse sinkhole	Collapse of roof-spanning rock into a cave or void.
cave	Natural opening at the surface large enough for a person to enter.
cover-collapse sinkhole	Collapse of roof-spanning soil or clay ground cover into a subsurface void.
ERI	Electrical Resistivity Imaging
GPS	Global Positioning System
grike	A solutionally enlarged, vertical, or sub-vertical joint or fracture.
(H)	High confidence modifier for a PKF. This is typically reserved for a feature that is definitely karst but has not been confirmed in the field.
HKOZ	High Karst Occurrence Zone
karst	A landscape containing solutional features such as caves, sinkholes, swallets, and springs.
(L)	Low confidence modifier for a PKF. This is typically a feature that cannot be ruled out as karst but is most likely NOT karst related. This modifier may also be used for pseudokarst features.
(M)	Medium confidence modifier for PKF. This is an ambiguous feature that can't be positively identified as karst without a field visit (e.g., burrows, abandoned unlined wells, solution tubes, pseudokarst).
MKOZ	Medium Karst Occurrence Zone
NCRC	National Cave Rescue Commission
NKF	Non-karst feature. Used for features originally identified as PKF that have been subsequently identified in the field as non-karst related. This term may also be used for pseudokarst features.
NMSLO	New Mexico State Land Office
Ohm-m	Ohm-meter, a unit of measurement for resistivity. Sometimes abbreviated Ω -m.
paleokarst	Previously formed karst features that have been filled in by erosion and/or deposition of minerals.
Pat	Permian Artesia Group
Pc	Permian Capitan Formation
Pcs	Permian Castile Formation

Pdl	Permian Dewey Lake Formation
PKF	Possible karst feature. This term is reserved for features identified in satellite or aerial imagery that have NOT been visited in the field. Further modifiers include (H) for high confidence, (M) for medium confidence, and (L) for low confidence. These confidence levels are based on field experience.
PLSS	Public Land Survey System
Pqg	Permian Queen/Greyburg Formation
Pru	Permian Rustler Formation
pseudokarst	Karst-like features (sinkholes, conduits, voids etc.) that are not formed by dissolution. These types of features include soil piping, lava tubes, and some cover-collapse and suffosion sinkholes.
Psl	Permian Salado Formation
Psr	Permian Seven Rivers Formation
Pt	Permian Tansill Formation
Py	Permian Yates Formation
Qal	Quaternary alluvium
Qe	Quaternary eolian deposits
Qp	Quaternary piedmont deposits
Qpl	Quaternary playa lake deposits
RKF	Recognized karst feature. This term is reserved for karst features that have been physically verified in the field.
SPAR	Small Party Assisted Rescue
sUAS	Small, uncrewed aerial system
suffosion sinkhole	Raveling of soil into a pre-existing void or fracture.
swallet	A natural opening in the surface, too small for a person, that drains water to an aquifer. Some are "open," meaning a void can be seen below; some are "closed," meaning they are full of sediment.
SWG	Southwest Geophysical Consulting, LLC
UTM	Universal Transverse Mercator (projected coordinates)
(V)	Field verified modifier for a RKF. This indicates that the feature has been visited by a qualified karst professional in the field and fully identified
WGS	World Geodetic System (geographic coordinates)

9.0 ATTESTATION

David D. Decker, PhD, PG, CPG

Chief Executive Officer, Principal Geologist

Southwest Geophysical Consulting, LLC

5117 Fairfax Dr. NW

Albuquerque, NM 87114

dave@swgeophys.com

(505) 585-2550

CERTIFICATE OF AUTHOR

I, David D. Decker, a Licensed Professional Geologist and a Certified Professional Geologist, do certify that:

- I am currently employed as a consulting geologist in the specialty of caves and karst with an office address of 5117 Fairfax Dr. NW, Albuquerque, NM, USA, 87114.
- I graduated with a Master of Science in Applied Physics with a specialization in Sensor Systems from the Naval Post Graduate School in Monterey, California, in 2003, and a Doctor of Philosophy in Earth and Planetary Sciences from the University of New Mexico, Albuquerque, New Mexico, in 2018.
- I am a Licensed Professional Geologist in the State of Texas, USA (PG-15242) and have been since 2021. I am a Certified Professional Geologist through the American Institute of Professional Geologists (CPG-12123) and have been since 2021.
- I have been employed as a geologist continuously since 2016. I was previously employed as a Fire Controlman, Naval Flight Officer, and Aerospace Engineering Duty Officer in the U.S. Navy and operated, maintained, and installed various sensor systems including magnetic, electromagnetic, radar, communications, and acoustic systems in various capacities from 1986 through 2010.
- I have been involved in various aspects of cave and karst studies continuously since 1985, including exploration, mapping, and scientific studies.
- I have read the definition of “qualified karst professional” set out in the ASTM Standard Practice for Preliminary Karst Terrain Assessment for Site Development (ASTM E-1527). I meet the definition of “qualified professional” for the purposes of this standard.
- I am responsible for the content, compilation, and editing of all sections of report number CARM-001-20241105 entitled, “Environmental Karst Study Report, Yukon Gold 31 19 Federal Com #212, Eddy County, New Mexico.” I or a duly authorized and qualified representative of Southwest Geophysical Consulting, LLC, have personally visited this site and/or reviewed the aerial imagery on the date or dates mentioned in section **2.3 Description of Survey**.

- I have no prior involvement nor monetary interest in the described property or project, save for my fee for conducting this investigation and providing the report.

Dated in Albuquerque, New Mexico, February 23, 2025.



David D. Decker
PhD, CPG-12123



APPENDIX E

CARMONA RESOURCES





Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Riley Plogger
 Carmona Resources
 310 W Wall St
 Ste 500
 Midland, Texas 79701

Generated 5/29/2026 11:39:01 AM

JOB DESCRIPTION

YUKON GOLD (04.29.2026)
 Eddy County NM

JOB NUMBER

890-9991-1

Eurofins Carlsbad
 1089 N Canal St.
 Carlsbad NM 88220



Eurofins Carlsbad

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
5/29/2026 11:39:01 AM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Laboratory Job ID: 890-9991-1
SDG: Eddy County NM

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	17
Lab Chronicle	20
Certification Summary	22
Method Summary	23
Sample Summary	24
Chain of Custody	25
Receipt Checklists	26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
SDG: Eddy County NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Carmona Resources
Project: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1

Job ID: 890-9991-1

Eurofins Carlsbad

Job Narrative 890-9991-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 5/26/2026 2:36 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.2°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: CS-1 (0.5) (890-9991-1), CS-2 (0.5) (890-9991-2), CS-3 (0.5) (890-9991-3), CS-4 (0.5) (890-9991-4), CS-5 (0.5) (890-9991-5) and CS-6 (0.5) (890-9991-6).

GC VOA

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-141836 and analytical batch 880-141892 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: CS-1 (0.5) (890-9991-1), CS-2 (0.5) (890-9991-2), CS-3 (0.5) (890-9991-3), CS-4 (0.5) (890-9991-4), CS-5 (0.5) (890-9991-5), CS-6 (0.5) (890-9991-6) and (880-72727-A-19-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (880-72727-A-19-B MS) and (880-72727-A-19-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (LCSD 880-141785/3-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-141785 and analytical batch 880-141871 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Client Sample ID: CS-1 (0.5)

Lab Sample ID: 890-9991-1

Date Collected: 05/26/26 12:07

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 01:44	1
Toluene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 01:44	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 01:44	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		05/27/26 11:08	05/29/26 01:44	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 01:44	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		05/27/26 11:08	05/29/26 01:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	05/27/26 11:08	05/29/26 01:44	1
1,4-Difluorobenzene (Surr)	91		70 - 130	05/27/26 11:08	05/29/26 01:44	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			05/29/26 01:44	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			05/28/26 08:25	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 08:25	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 08:25	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 08:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	28	S1-	70 - 130	05/26/26 18:16	05/28/26 08:25	1
o-Terphenyl	28	S1-	70 - 130	05/26/26 18:16	05/28/26 08:25	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	94.7		10.0		mg/Kg			05/28/26 03:10	1

Client Sample ID: CS-2 (0.5)

Lab Sample ID: 890-9991-2

Date Collected: 05/26/26 12:13

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 02:05	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 02:05	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 02:05	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		05/27/26 11:08	05/29/26 02:05	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 02:05	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		05/27/26 11:08	05/29/26 02:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	05/27/26 11:08	05/29/26 02:05	1
1,4-Difluorobenzene (Surr)	91		70 - 130	05/27/26 11:08	05/29/26 02:05	1

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Client Sample ID: CS-2 (0.5)

Lab Sample ID: 890-9991-2

Date Collected: 05/26/26 12:13

Matrix: Solid

Date Received: 05/26/26 14:36

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			05/29/26 02:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			05/28/26 08:44	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		05/26/26 18:16	05/28/26 08:44	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		05/26/26 18:16	05/28/26 08:44	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		05/26/26 18:16	05/28/26 08:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	8	S1-	70 - 130	05/26/26 18:16	05/28/26 08:44	1
o-Terphenyl	0.8	S1-	70 - 130	05/26/26 18:16	05/28/26 08:44	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	99.5		10.1		mg/Kg			05/28/26 13:28	1

Client Sample ID: CS-3 (0.5)

Lab Sample ID: 890-9991-3

Date Collected: 05/26/26 12:17

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		05/27/26 11:08	05/29/26 02:25	1
Toluene	<0.00201	U	0.00201		mg/Kg		05/27/26 11:08	05/29/26 02:25	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		05/27/26 11:08	05/29/26 02:25	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		05/27/26 11:08	05/29/26 02:25	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		05/27/26 11:08	05/29/26 02:25	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		05/27/26 11:08	05/29/26 02:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	74		70 - 130	05/27/26 11:08	05/29/26 02:25	1
1,4-Difluorobenzene (Surr)	95		70 - 130	05/27/26 11:08	05/29/26 02:25	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			05/29/26 02:25	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			05/28/26 09:03	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		05/26/26 18:16	05/28/26 09:03	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		05/26/26 18:16	05/28/26 09:03	1

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Client Sample ID: CS-3 (0.5)

Lab Sample ID: 890-9991-3

Date Collected: 05/26/26 12:17

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		05/26/26 18:16	05/28/26 09:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	53	S1-	70 - 130				05/26/26 18:16	05/28/26 09:03	1
o-Terphenyl	62	S1-	70 - 130				05/26/26 18:16	05/28/26 09:03	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	104		10.0		mg/Kg			05/28/26 13:44	1

Client Sample ID: CS-4 (0.5)

Lab Sample ID: 890-9991-4

Date Collected: 05/26/26 12:21

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 03:58	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 03:58	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 03:58	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		05/27/26 11:08	05/29/26 03:58	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 03:58	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		05/27/26 11:08	05/29/26 03:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	85		70 - 130				05/27/26 11:08	05/29/26 03:58	1
1,4-Difluorobenzene (Surr)	99		70 - 130				05/27/26 11:08	05/29/26 03:58	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			05/29/26 03:58	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			05/28/26 09:23	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 09:23	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 09:23	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 09:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	17	S1-	70 - 130				05/26/26 18:16	05/28/26 09:23	1
o-Terphenyl	12	S1-	70 - 130				05/26/26 18:16	05/28/26 09:23	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	53.5		10.1		mg/Kg			05/28/26 13:49	1

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Client Sample ID: CS-5 (0.5)

Lab Sample ID: 890-9991-5

Date Collected: 05/26/26 12:24

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 04:19	1
Toluene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 04:19	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 04:19	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		05/27/26 11:08	05/29/26 04:19	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 04:19	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		05/27/26 11:08	05/29/26 04:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	05/27/26 11:08	05/29/26 04:19	1
1,4-Difluorobenzene (Surr)	89		70 - 130	05/27/26 11:08	05/29/26 04:19	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			05/29/26 04:19	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			05/28/26 09:42	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		05/26/26 18:16	05/28/26 09:42	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		05/26/26 18:16	05/28/26 09:42	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		05/26/26 18:16	05/28/26 09:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	20	S1-	70 - 130	05/26/26 18:16	05/28/26 09:42	1
o-Terphenyl	18	S1-	70 - 130	05/26/26 18:16	05/28/26 09:42	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	50.5		10.0		mg/Kg			05/28/26 13:54	1

Client Sample ID: CS-6 (0.5)

Lab Sample ID: 890-9991-6

Date Collected: 05/26/26 12:28

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 04:40	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 04:40	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 04:40	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		05/27/26 11:08	05/29/26 04:40	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 04:40	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		05/27/26 11:08	05/29/26 04:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	05/27/26 11:08	05/29/26 04:40	1
1,4-Difluorobenzene (Surr)	93		70 - 130	05/27/26 11:08	05/29/26 04:40	1

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Client Sample ID: CS-6 (0.5)

Lab Sample ID: 890-9991-6

Date Collected: 05/26/26 12:28

Matrix: Solid

Date Received: 05/26/26 14:36

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			05/29/26 04:40	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			05/28/26 10:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 10:01	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 10:01	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 10:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	11	S1-	70 - 130	05/26/26 18:16	05/28/26 10:01	1
o-Terphenyl	6	S1-	70 - 130	05/26/26 18:16	05/28/26 10:01	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	61.3		10.0		mg/Kg			05/28/26 13:59	1

Surrogate Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-72593-A-1-E MS	Matrix Spike	95	98
880-72593-A-1-F MSD	Matrix Spike Duplicate	101	96
890-9991-1	CS-1 (0.5)	98	91
890-9991-2	CS-2 (0.5)	100	91
890-9991-3	CS-3 (0.5)	74	95
890-9991-4	CS-4 (0.5)	85	99
890-9991-5	CS-5 (0.5)	102	89
890-9991-6	CS-6 (0.5)	98	93
LCS 880-141836/1-A	Lab Control Sample	95	97
LCSD 880-141836/2-A	Lab Control Sample Dup	98	92
MB 880-141836/5-A	Method Blank	101	90
MB 880-141908/5-A	Method Blank	102	90

Surrogate Legend
 BFB = 4-Bromofluorobenzene (Surr)
 DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-72727-A-19-B MS	Matrix Spike	55 S1-	56 S1-
880-72727-A-19-C MSD	Matrix Spike Duplicate	50 S1-	49 S1-
890-9991-1	CS-1 (0.5)	28 S1-	28 S1-
890-9991-2	CS-2 (0.5)	8 S1-	0.8 S1-
890-9991-3	CS-3 (0.5)	53 S1-	62 S1-
890-9991-4	CS-4 (0.5)	17 S1-	12 S1-
890-9991-5	CS-5 (0.5)	20 S1-	18 S1-
890-9991-6	CS-6 (0.5)	11 S1-	6 S1-
LCS 880-141785/2-A	Lab Control Sample	85	82
LCSD 880-141785/3-A	Lab Control Sample Dup	71	65 S1-
MB 880-141785/1-A	Method Blank	95	104

Surrogate Legend
 1CO = 1-Chlorooctane
 OTPH = o-Terphenyl

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-141836/5-A
 Matrix: Solid
 Analysis Batch: 141892

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 141836

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/28/26 22:59	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/28/26 22:59	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/28/26 22:59	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		05/27/26 11:08	05/28/26 22:59	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/28/26 22:59	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		05/27/26 11:08	05/28/26 22:59	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	05/27/26 11:08	05/28/26 22:59	1
1,4-Difluorobenzene (Surr)	90		70 - 130	05/27/26 11:08	05/28/26 22:59	1

Lab Sample ID: LCS 880-141836/1-A
 Matrix: Solid
 Analysis Batch: 141892

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 141836

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.07654		mg/Kg		77	70 - 130
Toluene	0.100	0.08330		mg/Kg		83	70 - 130
Ethylbenzene	0.100	0.08695		mg/Kg		87	70 - 130
m-Xylene & p-Xylene	0.200	0.1714		mg/Kg		86	70 - 130
o-Xylene	0.100	0.08513		mg/Kg		85	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	95		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: LCSD 880-141836/2-A
 Matrix: Solid
 Analysis Batch: 141892

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 141836

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	0.100	0.07485		mg/Kg		75	70 - 130	2	35
Toluene	0.100	0.08743		mg/Kg		87	70 - 130	5	35
Ethylbenzene	0.100	0.1136		mg/Kg		114	70 - 130	27	35
m-Xylene & p-Xylene	0.200	0.2124		mg/Kg		106	70 - 130	21	35
o-Xylene	0.100	0.09568		mg/Kg		96	70 - 130	12	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	92		70 - 130

Lab Sample ID: 880-72593-A-1-E MS
 Matrix: Solid
 Analysis Batch: 141892

Client Sample ID: Matrix Spike
 Prep Type: Total/NA
 Prep Batch: 141836

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U F1	0.100	0.06523	F1	mg/Kg		65	70 - 130
Toluene	<0.00200	U	0.100	0.07266		mg/Kg		73	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-72593-A-1-E MS

Client Sample ID: Matrix Spike

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 141892

Prep Batch: 141836

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
Ethylbenzene	<0.00200	U	0.100	0.07742		mg/Kg		77	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1530		mg/Kg		76	70 - 130
o-Xylene	<0.00200	U	0.100	0.07725		mg/Kg		77	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	95		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 880-72593-A-1-F MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 141892

Prep Batch: 141836

Analyte	Sample	Sample	Spike Added	MSD	MSD	Unit	D	%Rec	%Rec Limits	RPD	Limit
	Result	Qualifier		Result	Qualifier						
Benzene	<0.00200	U F1	0.100	0.06814	F1	mg/Kg		68	70 - 130	4	35
Toluene	<0.00200	U	0.100	0.07578		mg/Kg		76	70 - 130	4	35
Ethylbenzene	<0.00200	U	0.100	0.08195		mg/Kg		82	70 - 130	6	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1616		mg/Kg		81	70 - 130	6	35
o-Xylene	<0.00200	U	0.100	0.08003		mg/Kg		80	70 - 130	4	35

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	101		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: MB 880-141908/5-A

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 141892

Prep Batch: 141908

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.00200	U	0.00200		mg/Kg		05/28/26 10:09	05/28/26 11:01	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/28/26 10:09	05/28/26 11:01	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/28/26 10:09	05/28/26 11:01	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		05/28/26 10:09	05/28/26 11:01	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/28/26 10:09	05/28/26 11:01	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		05/28/26 10:09	05/28/26 11:01	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	102		70 - 130	05/28/26 10:09	05/28/26 11:01	1
1,4-Difluorobenzene (Surr)	90		70 - 130	05/28/26 10:09	05/28/26 11:01	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-141785/1-A

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 141871

Prep Batch: 141785

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 03:09	1

Eurofins Carlsbad

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-141785/1-A
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 141785

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 03:09	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 03:09	1
Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac			
	%Recovery	Qualifier							
1-Chlorooctane	95		70 - 130	05/26/26 18:16	05/28/26 03:09	1			
o-Terphenyl	104		70 - 130	05/26/26 18:16	05/28/26 03:09	1			

Lab Sample ID: LCS 880-141785/2-A
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 141785

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (Over C10-C28)	1000	1284		mg/Kg		128	70 - 130
Surrogate	LCS	LCS	Limits				
	%Recovery	Qualifier					
1-Chlorooctane	85		70 - 130				
o-Terphenyl	82		70 - 130				

Lab Sample ID: LCSD 880-141785/3-A
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 141785

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics (Over C10-C28)	1000	1271		mg/Kg		127	70 - 130	1	20
Surrogate	LCSD	LCSD	Limits						
	%Recovery	Qualifier							
1-Chlorooctane	71		70 - 130						
o-Terphenyl	65	S1-	70 - 130						

Lab Sample ID: 880-72727-A-19-B MS
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 141785

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (Over C10-C28)	<50.1	U F1	1010	400.4	F1	mg/Kg		40	70 - 130
Surrogate	MS	MS	Limits						
	%Recovery	Qualifier							
1-Chlorooctane	55	S1-	70 - 130						
o-Terphenyl	56	S1-	70 - 130						

Eurofins Carlsbad

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-72727-A-19-C MSD
 Matrix: Solid
 Analysis Batch: 141871

Client Sample ID: Matrix Spike Duplicate
 Prep Type: Total/NA
 Prep Batch: 141785

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.1	U F1	1010	405.3	F1	mg/Kg		40	70 - 130	5	20
Diesel Range Organics (Over C10-C28)	<50.1	U F1	1010	357.4	F1	mg/Kg		36	70 - 130	11	20
Surrogate	%Recovery	MSD Qualifier	MSD	Limits							
1-Chlorooctane	50	S1-		70 - 130							
o-Terphenyl	49	S1-		70 - 130							

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-141789/1-A
 Matrix: Solid
 Analysis Batch: 141834

Client Sample ID: Method Blank
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			05/28/26 00:39	1

Lab Sample ID: LCS 880-141789/2-A
 Matrix: Solid
 Analysis Batch: 141834

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	238.1		mg/Kg		95	90 - 110

Lab Sample ID: LCSD 880-141789/3-A
 Matrix: Solid
 Analysis Batch: 141834

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	265.0		mg/Kg		106	90 - 110	11	20

Lab Sample ID: 890-9986-A-6-C MS
 Matrix: Solid
 Analysis Batch: 141834

Client Sample ID: Matrix Spike
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	<9.92	U	248	252.6		mg/Kg		99	90 - 110

Lab Sample ID: 890-9986-A-6-D MSD
 Matrix: Solid
 Analysis Batch: 141834

Client Sample ID: Matrix Spike Duplicate
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<9.92	U	248	277.3		mg/Kg		109	90 - 110	9	20

Eurofins Carlsbad

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 880-141790/1-A
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: Method Blank
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			05/28/26 13:13	1

Lab Sample ID: LCS 880-141790/2-A
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	239.4		mg/Kg		96	90 - 110

Lab Sample ID: LCSD 880-141790/3-A
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	245.2		mg/Kg		98	90 - 110	2	20

Lab Sample ID: 890-9991-2 MS
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: CS-2 (0.5)
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	99.5		253	354.4		mg/Kg		101	90 - 110

Lab Sample ID: 890-9991-2 MSD
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: CS-2 (0.5)
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	99.5		253	353.3		mg/Kg		100	90 - 110	0	20

QC Association Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

GC VOA

Prep Batch: 141836

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9991-1	CS-1 (0.5)	Total/NA	Solid	5035	
890-9991-2	CS-2 (0.5)	Total/NA	Solid	5035	
890-9991-3	CS-3 (0.5)	Total/NA	Solid	5035	
890-9991-4	CS-4 (0.5)	Total/NA	Solid	5035	
890-9991-5	CS-5 (0.5)	Total/NA	Solid	5035	
890-9991-6	CS-6 (0.5)	Total/NA	Solid	5035	
MB 880-141836/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-141836/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-141836/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-72593-A-1-E MS	Matrix Spike	Total/NA	Solid	5035	
880-72593-A-1-F MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 141892

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9991-1	CS-1 (0.5)	Total/NA	Solid	8021B	141836
890-9991-2	CS-2 (0.5)	Total/NA	Solid	8021B	141836
890-9991-3	CS-3 (0.5)	Total/NA	Solid	8021B	141836
890-9991-4	CS-4 (0.5)	Total/NA	Solid	8021B	141836
890-9991-5	CS-5 (0.5)	Total/NA	Solid	8021B	141836
890-9991-6	CS-6 (0.5)	Total/NA	Solid	8021B	141836
MB 880-141836/5-A	Method Blank	Total/NA	Solid	8021B	141836
MB 880-141908/5-A	Method Blank	Total/NA	Solid	8021B	141908
LCS 880-141836/1-A	Lab Control Sample	Total/NA	Solid	8021B	141836
LCSD 880-141836/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	141836
880-72593-A-1-E MS	Matrix Spike	Total/NA	Solid	8021B	141836
880-72593-A-1-F MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	141836

Prep Batch: 141908

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-141908/5-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 142036

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9991-1	CS-1 (0.5)	Total/NA	Solid	Total BTEX	
890-9991-2	CS-2 (0.5)	Total/NA	Solid	Total BTEX	
890-9991-3	CS-3 (0.5)	Total/NA	Solid	Total BTEX	
890-9991-4	CS-4 (0.5)	Total/NA	Solid	Total BTEX	
890-9991-5	CS-5 (0.5)	Total/NA	Solid	Total BTEX	
890-9991-6	CS-6 (0.5)	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 141785

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9991-1	CS-1 (0.5)	Total/NA	Solid	8015NM Prep	
890-9991-2	CS-2 (0.5)	Total/NA	Solid	8015NM Prep	
890-9991-3	CS-3 (0.5)	Total/NA	Solid	8015NM Prep	
890-9991-4	CS-4 (0.5)	Total/NA	Solid	8015NM Prep	
890-9991-5	CS-5 (0.5)	Total/NA	Solid	8015NM Prep	
890-9991-6	CS-6 (0.5)	Total/NA	Solid	8015NM Prep	
MB 880-141785/1-A	Method Blank	Total/NA	Solid	8015NM Prep	

Eurofins Carlsbad

QC Association Summary

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
SDG: Eddy County NM

GC Semi VOA (Continued)

Prep Batch: 141785 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 880-141785/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-141785/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-72727-A-19-B MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
880-72727-A-19-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Analysis Batch: 141871

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9991-1	CS-1 (0.5)	Total/NA	Solid	8015B NM	141785
890-9991-2	CS-2 (0.5)	Total/NA	Solid	8015B NM	141785
890-9991-3	CS-3 (0.5)	Total/NA	Solid	8015B NM	141785
890-9991-4	CS-4 (0.5)	Total/NA	Solid	8015B NM	141785
890-9991-5	CS-5 (0.5)	Total/NA	Solid	8015B NM	141785
890-9991-6	CS-6 (0.5)	Total/NA	Solid	8015B NM	141785
MB 880-141785/1-A	Method Blank	Total/NA	Solid	8015B NM	141785
LCS 880-141785/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	141785
LCSD 880-141785/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	141785
880-72727-A-19-B MS	Matrix Spike	Total/NA	Solid	8015B NM	141785
880-72727-A-19-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	141785

Analysis Batch: 141969

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9991-1	CS-1 (0.5)	Total/NA	Solid	8015 NM	
890-9991-2	CS-2 (0.5)	Total/NA	Solid	8015 NM	
890-9991-3	CS-3 (0.5)	Total/NA	Solid	8015 NM	
890-9991-4	CS-4 (0.5)	Total/NA	Solid	8015 NM	
890-9991-5	CS-5 (0.5)	Total/NA	Solid	8015 NM	
890-9991-6	CS-6 (0.5)	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 141789

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9991-1	CS-1 (0.5)	Soluble	Solid	DI Leach	
MB 880-141789/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-141789/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-141789/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-9986-A-6-C MS	Matrix Spike	Soluble	Solid	DI Leach	
890-9986-A-6-D MSD	Matrix Spike Duplicate	Soluble	Solid	DI Leach	

Leach Batch: 141790

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9991-2	CS-2 (0.5)	Soluble	Solid	DI Leach	
890-9991-3	CS-3 (0.5)	Soluble	Solid	DI Leach	
890-9991-4	CS-4 (0.5)	Soluble	Solid	DI Leach	
890-9991-5	CS-5 (0.5)	Soluble	Solid	DI Leach	
890-9991-6	CS-6 (0.5)	Soluble	Solid	DI Leach	
MB 880-141790/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-141790/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-141790/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-9991-2 MS	CS-2 (0.5)	Soluble	Solid	DI Leach	
890-9991-2 MSD	CS-2 (0.5)	Soluble	Solid	DI Leach	

Eurofins Carlsbad

QC Association Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

HPLC/IC

Analysis Batch: 141834

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9991-1	CS-1 (0.5)	Soluble	Solid	300.0	141789
MB 880-141789/1-A	Method Blank	Soluble	Solid	300.0	141789
LCS 880-141789/2-A	Lab Control Sample	Soluble	Solid	300.0	141789
LCSD 880-141789/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	141789
890-9986-A-6-C MS	Matrix Spike	Soluble	Solid	300.0	141789
890-9986-A-6-D MSD	Matrix Spike Duplicate	Soluble	Solid	300.0	141789

Analysis Batch: 141893

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9991-2	CS-2 (0.5)	Soluble	Solid	300.0	141790
890-9991-3	CS-3 (0.5)	Soluble	Solid	300.0	141790
890-9991-4	CS-4 (0.5)	Soluble	Solid	300.0	141790
890-9991-5	CS-5 (0.5)	Soluble	Solid	300.0	141790
890-9991-6	CS-6 (0.5)	Soluble	Solid	300.0	141790
MB 880-141790/1-A	Method Blank	Soluble	Solid	300.0	141790
LCS 880-141790/2-A	Lab Control Sample	Soluble	Solid	300.0	141790
LCSD 880-141790/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	141790
890-9991-2 MS	CS-2 (0.5)	Soluble	Solid	300.0	141790
890-9991-2 MSD	CS-2 (0.5)	Soluble	Solid	300.0	141790

Lab Chronicle

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Client Sample ID: CS-1 (0.5)

Lab Sample ID: 890-9991-1

Date Collected: 05/26/26 12:07

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 01:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142036	05/29/26 01:44	SA	EET MID
Total/NA	Analysis	8015 NM		1			141969	05/28/26 08:25	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	141785	05/26/26 18:16	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141871	05/28/26 08:25	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	141789	05/26/26 18:38	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141834	05/28/26 03:10	SMC	EET MID

Client Sample ID: CS-2 (0.5)

Lab Sample ID: 890-9991-2

Date Collected: 05/26/26 12:13

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 02:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142036	05/29/26 02:05	SA	EET MID
Total/NA	Analysis	8015 NM		1			141969	05/28/26 08:44	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	141785	05/26/26 18:16	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141871	05/28/26 08:44	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 13:28	SMC	EET MID

Client Sample ID: CS-3 (0.5)

Lab Sample ID: 890-9991-3

Date Collected: 05/26/26 12:17

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 02:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142036	05/29/26 02:25	SA	EET MID
Total/NA	Analysis	8015 NM		1			141969	05/28/26 09:03	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	141785	05/26/26 18:16	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141871	05/28/26 09:03	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 13:44	SMC	EET MID

Client Sample ID: CS-4 (0.5)

Lab Sample ID: 890-9991-4

Date Collected: 05/26/26 12:21

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 03:58	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142036	05/29/26 03:58	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
 SDG: Eddy County NM

Client Sample ID: CS-4 (0.5)

Lab Sample ID: 890-9991-4

Date Collected: 05/26/26 12:21

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			141969	05/28/26 09:23	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	141785	05/26/26 18:16	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141871	05/28/26 09:23	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 13:49	SMC	EET MID

Client Sample ID: CS-5 (0.5)

Lab Sample ID: 890-9991-5

Date Collected: 05/26/26 12:24

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 04:19	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142036	05/29/26 04:19	SA	EET MID
Total/NA	Analysis	8015 NM		1			141969	05/28/26 09:42	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	141785	05/26/26 18:16	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141871	05/28/26 09:42	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 13:54	SMC	EET MID

Client Sample ID: CS-6 (0.5)

Lab Sample ID: 890-9991-6

Date Collected: 05/26/26 12:28

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 04:40	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142036	05/29/26 04:40	SA	EET MID
Total/NA	Analysis	8015 NM		1			141969	05/28/26 10:01	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	141785	05/26/26 18:16	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141871	05/28/26 10:01	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 13:59	SMC	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
SDG: Eddy County NM

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by Texas NELAP T 104704400. This list may include analytes for which the agency does not offer certification :			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
SDG: Eddy County NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



Sample Summary

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9991-1
SDG: Eddy County NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
890-9991-1	CS-1 (0.5)	Solid	05/26/26 12:07	05/26/26 14:36	Texas
890-9991-2	CS-2 (0.5)	Solid	05/26/26 12:13	05/26/26 14:36	Texas
890-9991-3	CS-3 (0.5)	Solid	05/26/26 12:17	05/26/26 14:36	Texas
890-9991-4	CS-4 (0.5)	Solid	05/26/26 12:21	05/26/26 14:36	Texas
890-9991-5	CS-5 (0.5)	Solid	05/26/26 12:24	05/26/26 14:36	Texas
890-9991-6	CS-6 (0.5)	Solid	05/26/26 12:28	05/26/26 14:36	Texas

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Chain of Custody



Project Manager: Riley Plogger
 Company Name: Carrmona Resources
 Address: 310 West Wall Ste. 500
 City, State ZIP: Midland, TX 79701
 Phone: 432-813-8988
 Email: jim.raley@dvm.com & Rplogger@CarrmonaResources.com

Bill to: (if different)
 Company Name: Devon Energy
 Address: 5315 Buena Vista Dr
 City, State ZIP: Carlsbad NM, 88220

Program: UST/PST PRP Rowfields RC perfund
 State of Project: Level II Level III ST/UST RRP Level IV
 Reporting: EDD ADAPT Other:

Project Name: YUKON GOLD (04.29.2026) Routine Rush
 Project Number: 3239
 Project Location: Eddy County, NM
 Sampler's Name: KR
 PO #:
SAMPLE RECEIPT
 Received In tact: Yes No
 Cooler Custody Seals: Yes No
 Sample Custody Seals: Yes No
 Total Containers:
 Temp Blank: Yes No
 Thermometer ID:
 Wet Ice: Yes No
 Correction Factor:
 Temperature Reading:
 Corrected Temperature:
 Parameters: BTEX 8021B, TPH 8015M (GRO + DRO + MRO), Chloride 300

Sample Identification	Date	Time	Soil	Water	Grab/Comp	# of Cont	ANALYSIS REQUEST										Preservative Codes	Sample Comments			
							None: NO	DI Water: H ₂ O	Cool: Cool	MeOH: Me	HCL: HC	HNO ₃ : HN	H ₂ SO ₄ : H ₂	NaOH: Na	H ₃ PO ₄ : HP	NaHSO ₄ : NABIS			Na ₂ S ₂ O ₃ : NaSO ₃	Zn Acetate+NaOH: Zn	NaOH+Ascorbic Acid: SARC
CS-1 (0.5')	5/26/2026	12:07	X		Comp	1	X	X	X												
CS-2 (0.5')	5/26/2026	12:13	X		Comp	1	X	X	X												
CS-3 (0.5')	5/26/2026	12:17	X		Comp	1	X	X	X												
CS-4 (0.5')	5/26/2026	12:21	X		Comp	1	X	X	X												
CS-5 (0.5')	5/26/2026	12:24	X		Comp	1	X	X	X												
CS-6 (0.5')	5/26/2026	12:28	X		Comp	1	X	X	X												

Please send results to cmohring@carrmonaresources.com and mcarrmona@carrmonaresources.com

Relinquished by: (Signature) Riley Plogger
 Received by: (Signature) [Signature]
 Date/Time: 10:30 5/26
 Relinquished by: (Signature)
 Received by: (Signature)
 Date/Time

Login Sample Receipt Checklist

Client: Carmona Resources

Job Number: 890-9991-1
SDG Number: Eddy County NM

Login Number: 9991

List Number: 1

Creator: Lopez, Abraham

List Source: Eurofins Carlsbad

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	N/A	Refer to Job Narrative for details.
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Login Sample Receipt Checklist

Client: Carmona Resources

Job Number: 890-9991-1
SDG Number: Eddy County NM

Login Number: 9991
List Number: 2
Creator: Laing, Edmundo

List Source: Eurofins Midland
List Creation: 05/27/26 09:42 AM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Riley Plogger
 Carmona Resources
 310 W Wall St
 Ste 500
 Midland, Texas 79701

Generated 5/29/2026 11:40:01 AM

JOB DESCRIPTION

YUKON GOLD (04.29.2026)
 Eddy County NM

JOB NUMBER

890-9992-1

Eurofins Carlsbad
 1089 N Canal St.
 Carlsbad NM 88220



Eurofins Carlsbad

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
5/29/2026 11:40:01 AM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Laboratory Job ID: 890-9992-1
SDG: Eddy County NM

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	7
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	20
Lab Chronicle	23
Certification Summary	26
Method Summary	27
Sample Summary	28
Chain of Custody	29
Receipt Checklists	30

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
SDG: Eddy County NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Carmona Resources
Project: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1

Job ID: 890-9992-1

Eurofins Carlsbad

Job Narrative 890-9992-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 5/26/2026 2:36 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.2°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: H-1 (0-0.5) (890-9992-1), H-2 (0-0.5) (890-9992-2), H-3 (0-0.5) (890-9992-3), H-4 (0-0.5) (890-9992-4), H-5 (0-0.5) (890-9992-5), H-6 (0-0.5) (890-9992-6) and H-7 (0-0.5) (890-9992-7).

GC VOA

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-141836 and analytical batch 880-141892 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: H-1 (0-0.5) (890-9992-1), H-2 (0-0.5) (890-9992-2), H-3 (0-0.5) (890-9992-3) and (880-72727-A-19-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (880-72727-A-19-B MS) and (880-72727-A-19-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (LCSD 880-141785/3-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-141785 and analytical batch 880-141871 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (890-9992-A-4-C MS) and (890-9992-A-4-D MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (MB 880-141882/1-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: H-4 (0-0.5) (890-9992-4). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: H-6 (0-0.5) (890-9992-6). Evidence of matrix interferences is not obvious.

Eurofins Carlsbad

Case Narrative

Client: Carmona Resources
Project: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1

Job ID: 890-9992-1 (Continued)

Eurofins Carlsbad

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: H-5 (0-0.5) (890-9992-5). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Client Sample ID: H-1 (0-0.5)

Lab Sample ID: 890-9992-1

Date Collected: 05/26/26 12:32

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		05/27/26 11:08	05/29/26 05:00	1
Toluene	0.00204		0.00201		mg/Kg		05/27/26 11:08	05/29/26 05:00	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		05/27/26 11:08	05/29/26 05:00	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		05/27/26 11:08	05/29/26 05:00	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		05/27/26 11:08	05/29/26 05:00	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		05/27/26 11:08	05/29/26 05:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	81		70 - 130				05/27/26 11:08	05/29/26 05:00	1
1,4-Difluorobenzene (Surr)	110		70 - 130				05/27/26 11:08	05/29/26 05:00	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			05/29/26 05:00	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			05/28/26 10:21	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		05/26/26 18:16	05/28/26 10:21	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		05/26/26 18:16	05/28/26 10:21	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		05/26/26 18:16	05/28/26 10:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	22	S1-	70 - 130				05/26/26 18:16	05/28/26 10:21	1
o-Terphenyl	19	S1-	70 - 130				05/26/26 18:16	05/28/26 10:21	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			05/28/26 14:15	1

Client Sample ID: H-2 (0-0.5)

Lab Sample ID: 890-9992-2

Date Collected: 05/26/26 12:35

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		05/27/26 11:08	05/29/26 05:21	1
Toluene	<0.00202	U	0.00202		mg/Kg		05/27/26 11:08	05/29/26 05:21	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		05/27/26 11:08	05/29/26 05:21	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		05/27/26 11:08	05/29/26 05:21	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		05/27/26 11:08	05/29/26 05:21	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		05/27/26 11:08	05/29/26 05:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	82		70 - 130				05/27/26 11:08	05/29/26 05:21	1
1,4-Difluorobenzene (Surr)	100		70 - 130				05/27/26 11:08	05/29/26 05:21	1

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Client Sample ID: H-2 (0-0.5)

Lab Sample ID: 890-9992-2

Date Collected: 05/26/26 12:35

Matrix: Solid

Date Received: 05/26/26 14:36

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			05/29/26 05:21	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			05/28/26 10:40	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 10:40	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 10:40	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 10:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	3	S1-	70 - 130	05/26/26 18:16	05/28/26 10:40	1
o-Terphenyl	0.2	S1-	70 - 130	05/26/26 18:16	05/28/26 10:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			05/28/26 14:20	1

Client Sample ID: H-3 (0-0.5)

Lab Sample ID: 890-9992-3

Date Collected: 05/26/26 12:39

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 05:41	1
Toluene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 05:41	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 05:41	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		05/27/26 11:08	05/29/26 05:41	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 05:41	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		05/27/26 11:08	05/29/26 05:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	85		70 - 130	05/27/26 11:08	05/29/26 05:41	1
1,4-Difluorobenzene (Surr)	99		70 - 130	05/27/26 11:08	05/29/26 05:41	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			05/29/26 05:41	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			05/28/26 11:00	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		05/26/26 18:16	05/28/26 11:00	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		05/26/26 18:16	05/28/26 11:00	1

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Client Sample ID: H-3 (0-0.5)

Lab Sample ID: 890-9992-3

Date Collected: 05/26/26 12:39

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		05/26/26 18:16	05/28/26 11:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	3	S1-	70 - 130				05/26/26 18:16	05/28/26 11:00	1
o-Terphenyl	0.1	S1-	70 - 130				05/26/26 18:16	05/28/26 11:00	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	20.5		9.92		mg/Kg			05/28/26 14:25	1

Client Sample ID: H-4 (0-0.5)

Lab Sample ID: 890-9992-4

Date Collected: 05/26/26 12:43

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 06:02	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 06:02	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 06:02	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		05/27/26 11:08	05/29/26 06:02	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 06:02	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		05/27/26 11:08	05/29/26 06:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130				05/27/26 11:08	05/29/26 06:02	1
1,4-Difluorobenzene (Surr)	91		70 - 130				05/27/26 11:08	05/29/26 06:02	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			05/29/26 06:02	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			05/28/26 17:26	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U F1	50.0		mg/Kg		05/27/26 17:05	05/28/26 17:26	1
Diesel Range Organics (Over C10-C28)	<50.0	U F1	50.0		mg/Kg		05/27/26 17:05	05/28/26 17:26	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/27/26 17:05	05/28/26 17:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	53	S1-	70 - 130				05/27/26 17:05	05/28/26 17:26	1
o-Terphenyl	61	S1-	70 - 130				05/27/26 17:05	05/28/26 17:26	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.96	U	9.96		mg/Kg			05/28/26 14:30	1

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Client Sample ID: H-5 (0-0.5)

Lab Sample ID: 890-9992-5

Date Collected: 05/26/26 12:48

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 06:22	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 06:22	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 06:22	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		05/27/26 11:08	05/29/26 06:22	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/29/26 06:22	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		05/27/26 11:08	05/29/26 06:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	75		70 - 130	05/27/26 11:08	05/29/26 06:22	1
1,4-Difluorobenzene (Surr)	114		70 - 130	05/27/26 11:08	05/29/26 06:22	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			05/29/26 06:22	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			05/28/26 18:09	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		05/27/26 17:05	05/28/26 18:09	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		05/27/26 17:05	05/28/26 18:09	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		05/27/26 17:05	05/28/26 18:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	44	S1-	70 - 130	05/27/26 17:05	05/28/26 18:09	1
o-Terphenyl	53	S1-	70 - 130	05/27/26 17:05	05/28/26 18:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			05/28/26 14:35	1

Client Sample ID: H-6 (0-0.5)

Lab Sample ID: 890-9992-6

Date Collected: 05/26/26 12:51

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		05/27/26 11:08	05/29/26 06:43	1
Toluene	<0.00201	U	0.00201		mg/Kg		05/27/26 11:08	05/29/26 06:43	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		05/27/26 11:08	05/29/26 06:43	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		05/27/26 11:08	05/29/26 06:43	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		05/27/26 11:08	05/29/26 06:43	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		05/27/26 11:08	05/29/26 06:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	05/27/26 11:08	05/29/26 06:43	1
1,4-Difluorobenzene (Surr)	87		70 - 130	05/27/26 11:08	05/29/26 06:43	1

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Client Sample ID: H-6 (0-0.5)

Lab Sample ID: 890-9992-6

Date Collected: 05/26/26 12:51

Matrix: Solid

Date Received: 05/26/26 14:36

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			05/29/26 06:43	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			05/28/26 18:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/27/26 17:05	05/28/26 18:24	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/27/26 17:05	05/28/26 18:24	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/27/26 17:05	05/28/26 18:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	66	S1-	70 - 130	05/27/26 17:05	05/28/26 18:24	1
o-Terphenyl	73		70 - 130	05/27/26 17:05	05/28/26 18:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.1		10.0		mg/Kg			05/28/26 14:40	1

Client Sample ID: H-7 (0-0.5)

Lab Sample ID: 890-9992-7

Date Collected: 05/26/26 12:55

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 07:03	1
Toluene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 07:03	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 07:03	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		05/27/26 11:08	05/29/26 07:03	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		05/27/26 11:08	05/29/26 07:03	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		05/27/26 11:08	05/29/26 07:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	75		70 - 130	05/27/26 11:08	05/29/26 07:03	1
1,4-Difluorobenzene (Surr)	92		70 - 130	05/27/26 11:08	05/29/26 07:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			05/29/26 07:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.2	U	50.2		mg/Kg			05/28/26 18:39	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U	50.2		mg/Kg		05/27/26 17:05	05/28/26 18:39	1
Diesel Range Organics (Over C10-C28)	<50.2	U	50.2		mg/Kg		05/27/26 17:05	05/28/26 18:39	1

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Client Sample ID: H-7 (0-0.5)

Lab Sample ID: 890-9992-7

Date Collected: 05/26/26 12:55

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		05/27/26 17:05	05/28/26 18:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				05/27/26 17:05	05/28/26 18:39	1
o-Terphenyl	94		70 - 130				05/27/26 17:05	05/28/26 18:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			05/28/26 15:21	1

Surrogate Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
880-72593-A-1-E MS	Matrix Spike	95	98
880-72593-A-1-F MSD	Matrix Spike Duplicate	101	96
890-9992-1	H-1 (0-0.5)	81	110
890-9992-2	H-2 (0-0.5)	82	100
890-9992-3	H-3 (0-0.5)	85	99
890-9992-4	H-4 (0-0.5)	99	91
890-9992-5	H-5 (0-0.5)	75	114
890-9992-6	H-6 (0-0.5)	100	87
890-9992-7	H-7 (0-0.5)	75	92
LCS 880-141836/1-A	Lab Control Sample	95	97
LCSD 880-141836/2-A	Lab Control Sample Dup	98	92
MB 880-141836/5-A	Method Blank	101	90
MB 880-141908/5-A	Method Blank	102	90

Surrogate Legend
 BFB = 4-Bromofluorobenzene (Surr)
 DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
880-72727-A-19-B MS	Matrix Spike	55 S1-	56 S1-
880-72727-A-19-C MSD	Matrix Spike Duplicate	50 S1-	49 S1-
890-9992-1	H-1 (0-0.5)	22 S1-	19 S1-
890-9992-2	H-2 (0-0.5)	3 S1-	0.2 S1-
890-9992-3	H-3 (0-0.5)	3 S1-	0.1 S1-
890-9992-4	H-4 (0-0.5)	53 S1-	61 S1-
890-9992-4 MS	H-4 (0-0.5)	64 S1-	64 S1-
890-9992-4 MSD	H-4 (0-0.5)	63 S1-	65 S1-
890-9992-5	H-5 (0-0.5)	44 S1-	53 S1-
890-9992-6	H-6 (0-0.5)	66 S1-	73
890-9992-7	H-7 (0-0.5)	83	94
LCS 880-141785/2-A	Lab Control Sample	85	82
LCS 880-141882/2-A	Lab Control Sample	118	114
LCSD 880-141785/3-A	Lab Control Sample Dup	71	65 S1-
LCSD 880-141882/3-A	Lab Control Sample Dup	113	112
MB 880-141785/1-A	Method Blank	95	104
MB 880-141882/1-A	Method Blank	81	170 S1+

Surrogate Legend
 1CO = 1-Chlorooctane
 OTPH = o-Terphenyl

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-141836/5-A
 Matrix: Solid
 Analysis Batch: 141892

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 141836

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/28/26 22:59	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/28/26 22:59	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/28/26 22:59	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		05/27/26 11:08	05/28/26 22:59	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/27/26 11:08	05/28/26 22:59	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		05/27/26 11:08	05/28/26 22:59	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	05/27/26 11:08	05/28/26 22:59	1
1,4-Difluorobenzene (Surr)	90		70 - 130	05/27/26 11:08	05/28/26 22:59	1

Lab Sample ID: LCS 880-141836/1-A
 Matrix: Solid
 Analysis Batch: 141892

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 141836

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.07654		mg/Kg		77	70 - 130
Toluene	0.100	0.08330		mg/Kg		83	70 - 130
Ethylbenzene	0.100	0.08695		mg/Kg		87	70 - 130
m-Xylene & p-Xylene	0.200	0.1714		mg/Kg		86	70 - 130
o-Xylene	0.100	0.08513		mg/Kg		85	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	95		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: LCSD 880-141836/2-A
 Matrix: Solid
 Analysis Batch: 141892

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 141836

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	0.100	0.07485		mg/Kg		75	70 - 130	2	35
Toluene	0.100	0.08743		mg/Kg		87	70 - 130	5	35
Ethylbenzene	0.100	0.1136		mg/Kg		114	70 - 130	27	35
m-Xylene & p-Xylene	0.200	0.2124		mg/Kg		106	70 - 130	21	35
o-Xylene	0.100	0.09568		mg/Kg		96	70 - 130	12	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	92		70 - 130

Lab Sample ID: 880-72593-A-1-E MS
 Matrix: Solid
 Analysis Batch: 141892

Client Sample ID: Matrix Spike
 Prep Type: Total/NA
 Prep Batch: 141836

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U F1	0.100	0.06523	F1	mg/Kg		65	70 - 130
Toluene	<0.00200	U	0.100	0.07266		mg/Kg		73	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-72593-A-1-E MS

Client Sample ID: Matrix Spike

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 141892

Prep Batch: 141836

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier	Added	Result	Qualifier				
Ethylbenzene	<0.00200	U	0.100	0.07742		mg/Kg		77	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1530		mg/Kg		76	70 - 130
o-Xylene	<0.00200	U	0.100	0.07725		mg/Kg		77	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	95		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 880-72593-A-1-F MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 141892

Prep Batch: 141836

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Benzene	<0.00200	U F1	0.100	0.06814	F1	mg/Kg		68	70 - 130	4	35
Toluene	<0.00200	U	0.100	0.07578		mg/Kg		76	70 - 130	4	35
Ethylbenzene	<0.00200	U	0.100	0.08195		mg/Kg		82	70 - 130	6	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1616		mg/Kg		81	70 - 130	6	35
o-Xylene	<0.00200	U	0.100	0.08003		mg/Kg		80	70 - 130	4	35

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	101		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: MB 880-141908/5-A

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 141892

Prep Batch: 141908

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.00200	U	0.00200		mg/Kg		05/28/26 10:09	05/28/26 11:01	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/28/26 10:09	05/28/26 11:01	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/28/26 10:09	05/28/26 11:01	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		05/28/26 10:09	05/28/26 11:01	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/28/26 10:09	05/28/26 11:01	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		05/28/26 10:09	05/28/26 11:01	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	102		70 - 130	05/28/26 10:09	05/28/26 11:01	1
1,4-Difluorobenzene (Surr)	90		70 - 130	05/28/26 10:09	05/28/26 11:01	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-141785/1-A

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 141871

Prep Batch: 141785

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 03:09	1

Eurofins Carlsbad

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-141785/1-A
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 141785

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 03:09	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 03:09	1
Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac			
	%Recovery	Qualifier							
1-Chlorooctane	95		70 - 130	05/26/26 18:16	05/28/26 03:09	1			
o-Terphenyl	104		70 - 130	05/26/26 18:16	05/28/26 03:09	1			

Lab Sample ID: LCS 880-141785/2-A
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 141785

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (Over C10-C28)	1000	1284		mg/Kg		128	70 - 130
Surrogate	LCS	LCS	Limits				
	%Recovery	Qualifier					
1-Chlorooctane	85		70 - 130				
o-Terphenyl	82		70 - 130				

Lab Sample ID: LCSD 880-141785/3-A
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 141785

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics (Over C10-C28)	1000	1271		mg/Kg		127	70 - 130	1	20
Surrogate	LCSD	LCSD	Limits						
	%Recovery	Qualifier							
1-Chlorooctane	71		70 - 130						
o-Terphenyl	65	S1-	70 - 130						

Lab Sample ID: 880-72727-A-19-B MS
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 141785

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (Over C10-C28)	<50.1	U F1	1010	400.4	F1	mg/Kg		40	70 - 130
Surrogate	MS	MS	Limits						
	%Recovery	Qualifier							
1-Chlorooctane	55	S1-	70 - 130						
o-Terphenyl	56	S1-	70 - 130						

Eurofins Carlsbad

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-72727-A-19-C MSD
 Matrix: Solid
 Analysis Batch: 141871

Client Sample ID: Matrix Spike Duplicate
 Prep Type: Total/NA
 Prep Batch: 141785

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.1	U F1	1010	405.3	F1	mg/Kg		40	70 - 130	5	20
Diesel Range Organics (Over C10-C28)	<50.1	U F1	1010	357.4	F1	mg/Kg		36	70 - 130	11	20
Surrogate	%Recovery	Qualifier	Limits								
1-Chlorooctane	50	S1-	70 - 130								
o-Terphenyl	49	S1-	70 - 130								

Lab Sample ID: MB 880-141882/1-A
 Matrix: Solid
 Analysis Batch: 141904

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 141882

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/27/26 17:04	05/28/26 16:39	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/27/26 17:04	05/28/26 16:39	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/27/26 17:04	05/28/26 16:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	81		70 - 130				05/27/26 17:04	05/28/26 16:39	1
o-Terphenyl	170	S1+	70 - 130				05/27/26 17:04	05/28/26 16:39	1

Lab Sample ID: LCS 880-141882/2-A
 Matrix: Solid
 Analysis Batch: 141904

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 141882

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	988.3		mg/Kg		99	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1190		mg/Kg		119	70 - 130
Surrogate	%Recovery	Qualifier	Limits				
1-Chlorooctane	118		70 - 130				
o-Terphenyl	114		70 - 130				

Lab Sample ID: LCSD 880-141882/3-A
 Matrix: Solid
 Analysis Batch: 141904

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 141882

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	931.7		mg/Kg		93	70 - 130	6	20
Diesel Range Organics (Over C10-C28)	1000	1137		mg/Kg		114	70 - 130	5	20

Eurofins Carlsbad

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-141882/3-A
 Matrix: Solid
 Analysis Batch: 141904

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 141882

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1-Chlorooctane	113		70 - 130
o-Terphenyl	112		70 - 130

Lab Sample ID: 890-9992-4 MS
 Matrix: Solid
 Analysis Batch: 141904

Client Sample ID: H-4 (0-0.5)
 Prep Type: Total/NA
 Prep Batch: 141882

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<50.0	U F1	998	485.1	F1	mg/Kg		49	70 - 130
Diesel Range Organics (Over C10-C28)	<50.0	U F1	998	526.5	F1	mg/Kg		53	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
1-Chlorooctane	64	S1-	70 - 130
o-Terphenyl	64	S1-	70 - 130

Lab Sample ID: 890-9992-4 MSD
 Matrix: Solid
 Analysis Batch: 141904

Client Sample ID: H-4 (0-0.5)
 Prep Type: Total/NA
 Prep Batch: 141882

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.0	U F1	998	471.2	F1	mg/Kg		47	70 - 130	3	20
Diesel Range Organics (Over C10-C28)	<50.0	U F1	998	509.0	F1	mg/Kg		51	70 - 130	3	20

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1-Chlorooctane	63	S1-	70 - 130
o-Terphenyl	65	S1-	70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-141790/1-A
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: Method Blank
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			05/28/26 13:13	1

Lab Sample ID: LCS 880-141790/2-A
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	239.4		mg/Kg		96	90 - 110

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 880-141790/3-A
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	245.2		mg/Kg		98	90 - 110	2	20

Lab Sample ID: 890-9992-6 MS
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: H-6 (0-0.5)
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	11.1		251	265.5		mg/Kg		102	90 - 110

Lab Sample ID: 890-9992-6 MSD
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: H-6 (0-0.5)
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	11.1		251	265.9		mg/Kg		102	90 - 110	0	20

QC Association Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

GC VOA

Prep Batch: 141836

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9992-1	H-1 (0-0.5)	Total/NA	Solid	5035	
890-9992-2	H-2 (0-0.5)	Total/NA	Solid	5035	
890-9992-3	H-3 (0-0.5)	Total/NA	Solid	5035	
890-9992-4	H-4 (0-0.5)	Total/NA	Solid	5035	
890-9992-5	H-5 (0-0.5)	Total/NA	Solid	5035	
890-9992-6	H-6 (0-0.5)	Total/NA	Solid	5035	
890-9992-7	H-7 (0-0.5)	Total/NA	Solid	5035	
MB 880-141836/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-141836/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-141836/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-72593-A-1-E MS	Matrix Spike	Total/NA	Solid	5035	
880-72593-A-1-F MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 141892

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9992-1	H-1 (0-0.5)	Total/NA	Solid	8021B	141836
890-9992-2	H-2 (0-0.5)	Total/NA	Solid	8021B	141836
890-9992-3	H-3 (0-0.5)	Total/NA	Solid	8021B	141836
890-9992-4	H-4 (0-0.5)	Total/NA	Solid	8021B	141836
890-9992-5	H-5 (0-0.5)	Total/NA	Solid	8021B	141836
890-9992-6	H-6 (0-0.5)	Total/NA	Solid	8021B	141836
890-9992-7	H-7 (0-0.5)	Total/NA	Solid	8021B	141836
MB 880-141836/5-A	Method Blank	Total/NA	Solid	8021B	141836
MB 880-141908/5-A	Method Blank	Total/NA	Solid	8021B	141908
LCS 880-141836/1-A	Lab Control Sample	Total/NA	Solid	8021B	141836
LCSD 880-141836/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	141836
880-72593-A-1-E MS	Matrix Spike	Total/NA	Solid	8021B	141836
880-72593-A-1-F MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	141836

Prep Batch: 141908

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-141908/5-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 142037

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9992-1	H-1 (0-0.5)	Total/NA	Solid	Total BTEX	
890-9992-2	H-2 (0-0.5)	Total/NA	Solid	Total BTEX	
890-9992-3	H-3 (0-0.5)	Total/NA	Solid	Total BTEX	
890-9992-4	H-4 (0-0.5)	Total/NA	Solid	Total BTEX	
890-9992-5	H-5 (0-0.5)	Total/NA	Solid	Total BTEX	
890-9992-6	H-6 (0-0.5)	Total/NA	Solid	Total BTEX	
890-9992-7	H-7 (0-0.5)	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 141785

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9992-1	H-1 (0-0.5)	Total/NA	Solid	8015NM Prep	
890-9992-2	H-2 (0-0.5)	Total/NA	Solid	8015NM Prep	
890-9992-3	H-3 (0-0.5)	Total/NA	Solid	8015NM Prep	
MB 880-141785/1-A	Method Blank	Total/NA	Solid	8015NM Prep	

Eurofins Carlsbad

QC Association Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

GC Semi VOA (Continued)

Prep Batch: 141785 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 880-141785/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-141785/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-72727-A-19-B MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
880-72727-A-19-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Analysis Batch: 141871

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9992-1	H-1 (0-0.5)	Total/NA	Solid	8015B NM	141785
890-9992-2	H-2 (0-0.5)	Total/NA	Solid	8015B NM	141785
890-9992-3	H-3 (0-0.5)	Total/NA	Solid	8015B NM	141785
MB 880-141785/1-A	Method Blank	Total/NA	Solid	8015B NM	141785
LCS 880-141785/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	141785
LCSD 880-141785/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	141785
880-72727-A-19-B MS	Matrix Spike	Total/NA	Solid	8015B NM	141785
880-72727-A-19-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	141785

Prep Batch: 141882

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9992-4	H-4 (0-0.5)	Total/NA	Solid	8015NM Prep	
890-9992-5	H-5 (0-0.5)	Total/NA	Solid	8015NM Prep	
890-9992-6	H-6 (0-0.5)	Total/NA	Solid	8015NM Prep	
890-9992-7	H-7 (0-0.5)	Total/NA	Solid	8015NM Prep	
MB 880-141882/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-141882/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-141882/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-9992-4 MS	H-4 (0-0.5)	Total/NA	Solid	8015NM Prep	
890-9992-4 MSD	H-4 (0-0.5)	Total/NA	Solid	8015NM Prep	

Analysis Batch: 141904

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9992-4	H-4 (0-0.5)	Total/NA	Solid	8015B NM	141882
890-9992-5	H-5 (0-0.5)	Total/NA	Solid	8015B NM	141882
890-9992-6	H-6 (0-0.5)	Total/NA	Solid	8015B NM	141882
890-9992-7	H-7 (0-0.5)	Total/NA	Solid	8015B NM	141882
MB 880-141882/1-A	Method Blank	Total/NA	Solid	8015B NM	141882
LCS 880-141882/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	141882
LCSD 880-141882/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	141882
890-9992-4 MS	H-4 (0-0.5)	Total/NA	Solid	8015B NM	141882
890-9992-4 MSD	H-4 (0-0.5)	Total/NA	Solid	8015B NM	141882

Analysis Batch: 141970

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9992-1	H-1 (0-0.5)	Total/NA	Solid	8015 NM	
890-9992-2	H-2 (0-0.5)	Total/NA	Solid	8015 NM	
890-9992-3	H-3 (0-0.5)	Total/NA	Solid	8015 NM	
890-9992-4	H-4 (0-0.5)	Total/NA	Solid	8015 NM	
890-9992-5	H-5 (0-0.5)	Total/NA	Solid	8015 NM	
890-9992-6	H-6 (0-0.5)	Total/NA	Solid	8015 NM	
890-9992-7	H-7 (0-0.5)	Total/NA	Solid	8015 NM	

QC Association Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

HPLC/IC

Leach Batch: 141790

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9992-1	H-1 (0-0.5)	Soluble	Solid	DI Leach	
890-9992-2	H-2 (0-0.5)	Soluble	Solid	DI Leach	
890-9992-3	H-3 (0-0.5)	Soluble	Solid	DI Leach	
890-9992-4	H-4 (0-0.5)	Soluble	Solid	DI Leach	
890-9992-5	H-5 (0-0.5)	Soluble	Solid	DI Leach	
890-9992-6	H-6 (0-0.5)	Soluble	Solid	DI Leach	
890-9992-7	H-7 (0-0.5)	Soluble	Solid	DI Leach	
MB 880-141790/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-141790/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-141790/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-9992-6 MS	H-6 (0-0.5)	Soluble	Solid	DI Leach	
890-9992-6 MSD	H-6 (0-0.5)	Soluble	Solid	DI Leach	

Analysis Batch: 141893

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9992-1	H-1 (0-0.5)	Soluble	Solid	300.0	141790
890-9992-2	H-2 (0-0.5)	Soluble	Solid	300.0	141790
890-9992-3	H-3 (0-0.5)	Soluble	Solid	300.0	141790
890-9992-4	H-4 (0-0.5)	Soluble	Solid	300.0	141790
890-9992-5	H-5 (0-0.5)	Soluble	Solid	300.0	141790
890-9992-6	H-6 (0-0.5)	Soluble	Solid	300.0	141790
890-9992-7	H-7 (0-0.5)	Soluble	Solid	300.0	141790
MB 880-141790/1-A	Method Blank	Soluble	Solid	300.0	141790
LCS 880-141790/2-A	Lab Control Sample	Soluble	Solid	300.0	141790
LCSD 880-141790/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	141790
890-9992-6 MS	H-6 (0-0.5)	Soluble	Solid	300.0	141790
890-9992-6 MSD	H-6 (0-0.5)	Soluble	Solid	300.0	141790

Lab Chronicle

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Client Sample ID: H-1 (0-0.5)

Lab Sample ID: 890-9992-1

Date Collected: 05/26/26 12:32

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 05:00	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142037	05/29/26 05:00	SA	EET MID
Total/NA	Analysis	8015 NM		1			141970	05/28/26 10:21	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	141785	05/26/26 18:16	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141871	05/28/26 10:21	FC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 14:15	SMC	EET MID

Client Sample ID: H-2 (0-0.5)

Lab Sample ID: 890-9992-2

Date Collected: 05/26/26 12:35

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 05:21	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142037	05/29/26 05:21	SA	EET MID
Total/NA	Analysis	8015 NM		1			141970	05/28/26 10:40	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	141785	05/26/26 18:16	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141871	05/28/26 10:40	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 14:20	SMC	EET MID

Client Sample ID: H-3 (0-0.5)

Lab Sample ID: 890-9992-3

Date Collected: 05/26/26 12:39

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 05:41	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142037	05/29/26 05:41	SA	EET MID
Total/NA	Analysis	8015 NM		1			141970	05/28/26 11:00	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	141785	05/26/26 18:16	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141871	05/28/26 11:00	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 14:25	SMC	EET MID

Client Sample ID: H-4 (0-0.5)

Lab Sample ID: 890-9992-4

Date Collected: 05/26/26 12:43

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 06:02	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142037	05/29/26 06:02	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Client Sample ID: H-4 (0-0.5)

Lab Sample ID: 890-9992-4

Date Collected: 05/26/26 12:43

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			141970	05/28/26 17:26	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	141882	05/27/26 17:05	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141904	05/28/26 17:26	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 14:30	SMC	EET MID

Client Sample ID: H-5 (0-0.5)

Lab Sample ID: 890-9992-5

Date Collected: 05/26/26 12:48

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 06:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142037	05/29/26 06:22	SA	EET MID
Total/NA	Analysis	8015 NM		1			141970	05/28/26 18:09	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	141882	05/27/26 17:05	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141904	05/28/26 18:09	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 14:35	SMC	EET MID

Client Sample ID: H-6 (0-0.5)

Lab Sample ID: 890-9992-6

Date Collected: 05/26/26 12:51

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 06:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142037	05/29/26 06:43	SA	EET MID
Total/NA	Analysis	8015 NM		1			141970	05/28/26 18:24	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	141882	05/27/26 17:05	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141904	05/28/26 18:24	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 14:40	SMC	EET MID

Client Sample ID: H-7 (0-0.5)

Lab Sample ID: 890-9992-7

Date Collected: 05/26/26 12:55

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	141836	05/27/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141892	05/29/26 07:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			142037	05/29/26 07:03	SA	EET MID
Total/NA	Analysis	8015 NM		1			141970	05/28/26 18:39	SA	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10.00 mL	141882	05/27/26 17:05	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141904	05/28/26 18:39	FC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
SDG: Eddy County NM

Client Sample ID: H-7 (0-0.5)

Lab Sample ID: 890-9992-7

Date Collected: 05/26/26 12:55

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.00 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 15:21	SMC	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
SDG: Eddy County NM

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26

The following analytes are included in this report, but the laboratory is not certified by Texas NELAP T 104704400. This list may include analytes for which the agency does not offer certification :

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
 SDG: Eddy County NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



Sample Summary

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9992-1
SDG: Eddy County NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
890-9992-1	H-1 (0-0.5)	Solid	05/26/26 12:32	05/26/26 14:36	Texas
890-9992-2	H-2 (0-0.5)	Solid	05/26/26 12:35	05/26/26 14:36	Texas
890-9992-3	H-3 (0-0.5)	Solid	05/26/26 12:39	05/26/26 14:36	Texas
890-9992-4	H-4 (0-0.5)	Solid	05/26/26 12:43	05/26/26 14:36	Texas
890-9992-5	H-5 (0-0.5)	Solid	05/26/26 12:48	05/26/26 14:36	Texas
890-9992-6	H-6 (0-0.5)	Solid	05/26/26 12:51	05/26/26 14:36	Texas
890-9992-7	H-7 (0-0.5)	Solid	05/26/26 12:55	05/26/26 14:36	Texas

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Chain of Custody



890-9992 Chain of Custody

Page 1 of 1

Project Manager:	Riley Plogger	Bill to: (if different)	Jim Raley
Company Name:	Carmona Resources	Company Name:	Devon Energy
Address:	310 West Wall Ste. 500	Address:	5315 Buena Vista Dr
City, State ZIP:	Midland, TX 79701	City, State ZIP:	Carlsbad NM, 88220
Phone:	432-813-8988	Email:	jim.raley@dvn.com & Rlogger@CarmonaResources.com

Program:	UST/PST	<input type="checkbox"/> PRP	<input type="checkbox"/> Rowfields	<input type="checkbox"/> RC	<input type="checkbox"/> perfund
State of Project:					
Reporting Level:	Level II	<input type="checkbox"/> Level III	<input type="checkbox"/> ST/UST	<input type="checkbox"/> RRP	<input type="checkbox"/> Level IV
Deliverables:	EDD	<input type="checkbox"/> ADAPT	<input type="checkbox"/> Other:		

Project Name:	YUKON GOLD (04.29.2026)		Turn Around		Pres. Code	ANALYSIS REQUEST	None: NO	DI Water: H ₂ O
Project Number:	3239	<input type="checkbox"/> Routine	<input checked="" type="checkbox"/> Rush	Due Date:				
Project Location:	Eddy County, NM	Sampler's Name:	KR	Temp Blank:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Thermometer ID:	17111007	
PO #:		Received Infract:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Cooler Custody Seals:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Correction Factor:	N/A	
SAMPLE RECEIPT		Sample Custody Seals:	<input type="checkbox"/> Yes <input type="checkbox"/> No	N/A	<input checked="" type="checkbox"/> N/A	Temperature Reading:	5.4	
Total Containers:		Corrected Temperature:	5.2					

Sample Identification	Date	Time	Soil	Water	Grab/Comp	# of Cont	BTEX 8021B	TPH 8015M (GRO + DRO + MRO)	Chloride 300	Sample Comments
H-1 (0-0.5)	5/26/2026	12:32	X	Grab/	1	X	X	X		
H-2 (0-0.5)	5/26/2026	12:35	X	Grab/	1	X	X	X		
H-3 (0-0.5)	5/26/2026	12:39	X	Grab/	1	X	X	X		
H-4 (0-0.5)	5/26/2026	12:43	X	Grab/	1	X	X	X		
H-5 (0-0.5)	5/26/2026	12:48	X	Grab/	1	X	X	X		
H-6 (0-0.5)	5/26/2026	12:51	X	Grab/	1	X	X	X		
H-7 (0-0.5)	5/26/2026	12:55	X	Grab/	1	X	X	X		

Please send results to cmohring@carmonaresources.com and mcarmona@carmonaresources.com

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<i>Riley Plogger</i>	<i>OR</i>	5/26 14:56			

Login Sample Receipt Checklist

Client: Carmona Resources

Job Number: 890-9992-1
SDG Number: Eddy County NM

Login Number: 9992

List Number: 1

Creator: Lopez, Abraham

List Source: Eurofins Carlsbad

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	N/A	Refer to Job Narrative for details.
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Login Sample Receipt Checklist

Client: Carmona Resources

Job Number: 890-9992-1
SDG Number: Eddy County NM

Login Number: 9992
List Number: 2
Creator: Laing, Edmundo

List Source: Eurofins Midland
List Creation: 05/27/26 09:42 AM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Riley Plogger
 Carmona Resources
 310 W Wall St
 Ste 500
 Midland, Texas 79701

Generated 5/29/2026 2:08:23 PM

JOB DESCRIPTION

YUKON GOLD (04.29.2026)
 Eddy County New Mexico

JOB NUMBER

890-9993-1

Eurofins Carlsbad
 1089 N Canal St.
 Carlsbad NM 88220



Eurofins Carlsbad

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
5/29/2026 2:08:23 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Laboratory Job ID: 890-9993-1
SDG: Eddy County New Mexico

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	7
QC Sample Results	8
QC Association Summary	12
Lab Chronicle	14
Certification Summary	15
Method Summary	16
Sample Summary	17
Chain of Custody	18
Receipt Checklists	19

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
 SDG: Eddy County New Mexico

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Carmona Resources
Project: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1

Job ID: 890-9993-1

Eurofins Carlsbad

Job Narrative 890-9993-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The sample was received on 5/26/2026 2:36 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.2°C.

Receipt Exceptions

The following sample was received and analyzed from an unpreserved bulk soil jar: Backfill Sample (890-9993-1).

GC VOA

Method 8021B: The matrix spike duplicate (MSD) recoveries for preparation batch 880-141964 and analytical batch 880-141855 were outside control limits. Non-homogeneity is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: Backfill Sample (890-9993-1) and (880-72727-A-19-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (880-72727-A-19-B MS) and (880-72727-A-19-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (LCSD 880-141785/3-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-141785 and analytical batch 880-141871 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad

Client Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
 SDG: Eddy County New Mexico

Client Sample ID: Backfill Sample

Lab Sample ID: 890-9993-1

Date Collected: 05/26/26 13:01

Matrix: Solid

Date Received: 05/26/26 14:36

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U F1	0.00200		mg/Kg		05/28/26 16:43	05/29/26 09:03	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/28/26 16:43	05/29/26 09:03	1
Ethylbenzene	0.00721	F1	0.00200		mg/Kg		05/28/26 16:43	05/29/26 09:03	1
m-Xylene & p-Xylene	0.00578		0.00399		mg/Kg		05/28/26 16:43	05/29/26 09:03	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/28/26 16:43	05/29/26 09:03	1
Xylenes, Total	0.00578		0.00399		mg/Kg		05/28/26 16:43	05/29/26 09:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	127		70 - 130	05/28/26 16:43	05/29/26 09:03	1
1,4-Difluorobenzene (Surr)	80		70 - 130	05/28/26 16:43	05/29/26 09:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			05/28/26 11:19	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		05/26/26 18:16	05/28/26 11:19	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		05/26/26 18:16	05/28/26 11:19	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		05/26/26 18:16	05/28/26 11:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	37	S1-	70 - 130	05/26/26 18:16	05/28/26 11:19	1
o-Terphenyl	41	S1-	70 - 130	05/26/26 18:16	05/28/26 11:19	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.0		9.96		mg/Kg			05/28/26 15:01	1

Surrogate Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
 SDG: Eddy County New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
890-9993-1	Backfill Sample	127	80
890-9993-1 MS	Backfill Sample	106	100
890-9993-1 MSD	Backfill Sample	115	102
LCS 880-141964/1-A	Lab Control Sample	103	103
LCSD 880-141964/2-A	Lab Control Sample Dup	105	98
MB 880-141477/5-A	Method Blank	99	100
MB 880-141964/5-A	Method Blank	98	99

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)
 DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
880-72727-A-19-B MS	Matrix Spike	55 S1-	56 S1-
880-72727-A-19-C MSD	Matrix Spike Duplicate	50 S1-	49 S1-
890-9993-1	Backfill Sample	37 S1-	41 S1-
LCS 880-141785/2-A	Lab Control Sample	85	82
LCSD 880-141785/3-A	Lab Control Sample Dup	71	65 S1-
MB 880-141785/1-A	Method Blank	95	104

Surrogate Legend

1CO = 1-Chlorooctane
 OTPH = o-Terphenyl

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
 SDG: Eddy County New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-141477/5-A
 Matrix: Solid
 Analysis Batch: 141855

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 141477

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/21/26 13:07	05/28/26 21:56	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/21/26 13:07	05/28/26 21:56	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/21/26 13:07	05/28/26 21:56	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		05/21/26 13:07	05/28/26 21:56	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/21/26 13:07	05/28/26 21:56	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		05/21/26 13:07	05/28/26 21:56	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130	05/21/26 13:07	05/28/26 21:56	1
1,4-Difluorobenzene (Surr)	100		70 - 130	05/21/26 13:07	05/28/26 21:56	1

Lab Sample ID: MB 880-141964/5-A
 Matrix: Solid
 Analysis Batch: 141855

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 141964

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/28/26 16:43	05/29/26 08:41	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/28/26 16:43	05/29/26 08:41	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/28/26 16:43	05/29/26 08:41	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		05/28/26 16:43	05/29/26 08:41	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/28/26 16:43	05/29/26 08:41	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		05/28/26 16:43	05/29/26 08:41	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	05/28/26 16:43	05/29/26 08:41	1
1,4-Difluorobenzene (Surr)	99		70 - 130	05/28/26 16:43	05/29/26 08:41	1

Lab Sample ID: LCS 880-141964/1-A
 Matrix: Solid
 Analysis Batch: 141855

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 141964

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.07699		mg/Kg		77	70 - 130
Toluene	0.100	0.08107		mg/Kg		81	70 - 130
Ethylbenzene	0.100	0.07784		mg/Kg		78	70 - 130
m-Xylene & p-Xylene	0.200	0.1590		mg/Kg		79	70 - 130
o-Xylene	0.100	0.08113		mg/Kg		81	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	103		70 - 130
1,4-Difluorobenzene (Surr)	103		70 - 130

Lab Sample ID: LCSD 880-141964/2-A
 Matrix: Solid
 Analysis Batch: 141855

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 141964

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09272		mg/Kg		93	70 - 130	19	35

Eurofins Carlsbad

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
 SDG: Eddy County New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-141964/2-A
 Matrix: Solid
 Analysis Batch: 141855

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 141964

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Toluene	0.100	0.1002		mg/Kg		100	70 - 130	21	35
Ethylbenzene	0.100	0.09799		mg/Kg		98	70 - 130	23	35
m-Xylene & p-Xylene	0.200	0.1975		mg/Kg		99	70 - 130	22	35
o-Xylene	0.100	0.1009		mg/Kg		101	70 - 130	22	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	105		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 890-9993-1 MS
 Matrix: Solid
 Analysis Batch: 141855

Client Sample ID: Backfill Sample
 Prep Type: Total/NA
 Prep Batch: 141964

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	<0.00200	U F1	0.100	0.07934		mg/Kg		79	70 - 130		
Toluene	<0.00200	U	0.100	0.08586		mg/Kg		86	70 - 130		
Ethylbenzene	0.00721	F1	0.100	0.08432		mg/Kg		77	70 - 130		
m-Xylene & p-Xylene	0.00578		0.200	0.1675		mg/Kg		81	70 - 130		
o-Xylene	<0.00200	U	0.100	0.08682		mg/Kg		87	70 - 130		

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	106		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: 890-9993-1 MSD
 Matrix: Solid
 Analysis Batch: 141855

Client Sample ID: Backfill Sample
 Prep Type: Total/NA
 Prep Batch: 141964

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	<0.00200	U F1	0.100	0.06793	F1	mg/Kg		68	70 - 130	15	35
Toluene	<0.00200	U	0.100	0.07477		mg/Kg		75	70 - 130	14	35
Ethylbenzene	0.00721	F1	0.100	0.07521	F1	mg/Kg		68	70 - 130	11	35
m-Xylene & p-Xylene	0.00578		0.200	0.1569		mg/Kg		76	70 - 130	7	35
o-Xylene	<0.00200	U	0.100	0.08171		mg/Kg		82	70 - 130	6	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	115		70 - 130
1,4-Difluorobenzene (Surr)	102		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-141785/1-A
 Matrix: Solid
 Analysis Batch: 141871

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 141785

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 03:09	1

Eurofins Carlsbad

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
 SDG: Eddy County New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-141785/1-A
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 141785

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 03:09	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/26/26 18:16	05/28/26 03:09	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1-Chlorooctane	95		70 - 130	05/26/26 18:16	05/28/26 03:09	1
o-Terphenyl	104		70 - 130	05/26/26 18:16	05/28/26 03:09	1

Lab Sample ID: LCS 880-141785/2-A
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 141785

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Gasoline Range Organics (GRO)-C6-C10	1000	980.1		mg/Kg		98	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1284		mg/Kg		128	70 - 130

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1-Chlorooctane	85		70 - 130
o-Terphenyl	82		70 - 130

Lab Sample ID: LCSD 880-141785/3-A
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 141785

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
		Result	Qualifier						
Gasoline Range Organics (GRO)-C6-C10	1000	1130		mg/Kg		113	70 - 130	14	20
Diesel Range Organics (Over C10-C28)	1000	1271		mg/Kg		127	70 - 130	1	20

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
1-Chlorooctane	71		70 - 130
o-Terphenyl	65	S1-	70 - 130

Lab Sample ID: 880-72727-A-19-B MS
Matrix: Solid
Analysis Batch: 141871

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 141785

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
Gasoline Range Organics (GRO)-C6-C10	<50.1	U F1	1010	426.9	F1	mg/Kg		42	70 - 130
Diesel Range Organics (Over C10-C28)	<50.1	U F1	1010	400.4	F1	mg/Kg		40	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1-Chlorooctane	55	S1-	70 - 130
o-Terphenyl	56	S1-	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
 SDG: Eddy County New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-72727-A-19-C MSD
 Matrix: Solid
 Analysis Batch: 141871

Client Sample ID: Matrix Spike Duplicate
 Prep Type: Total/NA
 Prep Batch: 141785

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.1	U F1	1010	405.3	F1	mg/Kg		40	70 - 130	5	20
Diesel Range Organics (Over C10-C28)	<50.1	U F1	1010	357.4	F1	mg/Kg		36	70 - 130	11	20
Surrogate	%Recovery	MSD Qualifier	MSD	Limits							
1-Chlorooctane	50	S1-		70 - 130							
o-Terphenyl	49	S1-		70 - 130							

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-141790/1-A
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: Method Blank
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			05/28/26 13:13	1

Lab Sample ID: LCS 880-141790/2-A
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	239.4		mg/Kg		96	90 - 110

Lab Sample ID: LCSD 880-141790/3-A
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	245.2		mg/Kg		98	90 - 110	2	20

Lab Sample ID: 890-9992-A-6-B MS
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: Matrix Spike
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	11.1		251	265.5		mg/Kg		102	90 - 110

Lab Sample ID: 890-9992-A-6-C MSD
 Matrix: Solid
 Analysis Batch: 141893

Client Sample ID: Matrix Spike Duplicate
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	11.1		251	265.9		mg/Kg		102	90 - 110	0	20

Eurofins Carlsbad

QC Association Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
 SDG: Eddy County New Mexico

GC VOA

Prep Batch: 141477

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-141477/5-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 141855

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9993-1	Backfill Sample	Total/NA	Solid	8021B	141964
MB 880-141477/5-A	Method Blank	Total/NA	Solid	8021B	141477
MB 880-141964/5-A	Method Blank	Total/NA	Solid	8021B	141964
LCS 880-141964/1-A	Lab Control Sample	Total/NA	Solid	8021B	141964
LCSD 880-141964/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	141964
890-9993-1 MS	Backfill Sample	Total/NA	Solid	8021B	141964
890-9993-1 MSD	Backfill Sample	Total/NA	Solid	8021B	141964

Prep Batch: 141964

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9993-1	Backfill Sample	Total/NA	Solid	5035	
MB 880-141964/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-141964/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-141964/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-9993-1 MS	Backfill Sample	Total/NA	Solid	5035	
890-9993-1 MSD	Backfill Sample	Total/NA	Solid	5035	

GC Semi VOA

Prep Batch: 141785

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9993-1	Backfill Sample	Total/NA	Solid	8015NM Prep	
MB 880-141785/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-141785/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-141785/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-72727-A-19-B MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
880-72727-A-19-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Analysis Batch: 141871

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9993-1	Backfill Sample	Total/NA	Solid	8015B NM	141785
MB 880-141785/1-A	Method Blank	Total/NA	Solid	8015B NM	141785
LCS 880-141785/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	141785
LCSD 880-141785/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	141785
880-72727-A-19-B MS	Matrix Spike	Total/NA	Solid	8015B NM	141785
880-72727-A-19-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	141785

Analysis Batch: 141971

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9993-1	Backfill Sample	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 141790

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9993-1	Backfill Sample	Soluble	Solid	DI Leach	
MB 880-141790/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-141790/2-A	Lab Control Sample	Soluble	Solid	DI Leach	

Eurofins Carlsbad

QC Association Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
 SDG: Eddy County New Mexico

HPLC/IC (Continued)

Leach Batch: 141790 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 880-141790/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-9992-A-6-B MS	Matrix Spike	Soluble	Solid	DI Leach	
890-9992-A-6-C MSD	Matrix Spike Duplicate	Soluble	Solid	DI Leach	

Analysis Batch: 141893

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9993-1	Backfill Sample	Soluble	Solid	300.0	141790
MB 880-141790/1-A	Method Blank	Soluble	Solid	300.0	141790
LCS 880-141790/2-A	Lab Control Sample	Soluble	Solid	300.0	141790
LCSD 880-141790/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	141790
890-9992-A-6-B MS	Matrix Spike	Soluble	Solid	300.0	141790
890-9992-A-6-C MSD	Matrix Spike Duplicate	Soluble	Solid	300.0	141790

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Lab Chronicle

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
 SDG: Eddy County New Mexico

Client Sample ID: Backfill Sample

Lab Sample ID: 890-9993-1

Date Collected: 05/26/26 13:01

Matrix: Solid

Date Received: 05/26/26 14:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	141964	05/28/26 16:43	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141855	05/29/26 09:03	MNR	EET MID
Total/NA	Analysis	8015 NM		1			141971	05/28/26 11:19	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	141785	05/26/26 18:16	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141871	05/28/26 11:19	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	141790	05/26/26 18:40	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141893	05/28/26 15:01	SMC	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
SDG: Eddy County New Mexico

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by Texas NELAP T 104704400. This list may include analytes for which the agency does not offer certification :			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Carmona Resources
 Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
 SDG: Eddy County New Mexico

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



Sample Summary

Client: Carmona Resources
Project/Site: YUKON GOLD (04.29.2026)

Job ID: 890-9993-1
SDG: Eddy County New Mexico

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
890-9993-1	Backfill Sample	Solid	05/26/26 13:01	05/26/26 14:36	Texas

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Login Sample Receipt Checklist

Client: Carmona Resources

Job Number: 890-9993-1
SDG Number: Eddy County New Mexico

Login Number: 9993

List Number: 1

Creator: Lopez, Abraham

List Source: Eurofins Carlsbad

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	N/A	Refer to Job Narrative for details.
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Login Sample Receipt Checklist

Client: Carmona Resources

Job Number: 890-9993-1
SDG Number: Eddy County New Mexico

Login Number: 9993
List Number: 2
Creator: Laing, Edmundo

List Source: Eurofins Midland
List Creation: 05/27/26 09:42 AM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 591680

QUESTIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 591680
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2612430390
Incident Name	NAPP2612430390 YUKON GOLD 31 CTB 2 @ FAPP2123652649
Incident Type	Produced Water Release
Incident Status	Remediation Closure Report Received
Incident Facility	[fAPP2123652649] YUKON GOLD 31 CTB 2

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	YUKON GOLD 31 CTB 2
Date Release Discovered	04/29/2026
Surface Owner	Federal

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Corrosion Dump Line Produced Water Released: 8 BBL Recovered: 7 BBL Lost: 1 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Dump line developed pinhole leak, allowing release of fluids to pad surface.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 591680

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 591680
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 06/08/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 591680

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 591680
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	Direct Measurement
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1000 (ft.) and ½ (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between ½ and 1 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Between 1000 (ft.) and ½ (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 1000 (ft.) and ½ (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	104
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	0
GRO+DRO (EPA SW-846 Method 8015M)	0
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	05/26/2026
On what date will (or did) the final sampling or liner inspection occur	05/26/2026
On what date will (or was) the remediation complete(d)	05/29/2026
What is the estimated surface area (in square feet) that will be reclaimed	0
What is the estimated volume (in cubic yards) that will be reclaimed	0
What is the estimated surface area (in square feet) that will be remediated	200
What is the estimated volume (in cubic yards) that will be remediated	4

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 591680

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 591680
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fEEM0112334510 HALFWAY DISPOSAL AND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 06/08/2026
--	--

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 591680

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 591680
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 591680

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 591680
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	587305
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	05/26/2026
What was the (estimated) number of samples that were to be gathered	4
What was the sampling surface area in square feet	162

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	200
What was the total volume (cubic yards) remediated	4
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	0
What was the total volume (in cubic yards) reclaimed	0
Summarize any additional remediation activities not included by answers (above)	Remediation complete

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dmv.com Date: 06/08/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 591680

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 591680
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 591680

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 591680
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	We have received your Remediation Closure Report for Incident #nAPP2612430390 YUKON GOLD 31 CTB 2, thank you. This Remediation Closure Report is approved.	6/8/2026