Amended Remediation Summary & Soil Closure Request

Prepared For:

Mewbourne Oil Company
4801 Business Park Blvd.
Hobbs, NM 88240

Site Information:

SLWMS Fuller SWD Line
Eddy County, New Mexico
Unit Letter "H", Section 14, Township 26S, Range 29E
Latitude 32.043933° North, Longitude -103.949870° West
NMOCD Reference No. nAPP2603741796

Etech Environmental & Safety Solutions, Inc.
6309 Indiana Ave, Ste. D
Lubbock, Texas 79413

June 9, 2026

Ben J. Arguijo

Lance Crenshaw

Received by OCD: 6/11/2026 1:45:49 PM

Table of Contents

1.0 PROJECT INFORMATION....1
2.0 SITE CHARACTERIZATION....2
3.0 CLOSURE CRITERIA FOR SOILS IMPACTED BY A RELEASE....3
4.0 REMEDIATION ACTIVITIES SUMMARY....4
5.0 SOIL CLOSURE REQUEST....7
6.0 REVEGETATION PLAN....8
7.0 LIMITATIONS....8
8.0 DISTRIBUTION....9

FIGURES

Figure 1 – Site Location Map
Figure 2A – Site Characterization Map (0.5-Mile Radius)
Figure 2B – Site Characterization Map (5-Mile Radius)
Figure 3 – Inferred Depth to Groundwater Map
Figure 4 – Sample Location Map – Delineation
Figure 5 – Sample Location Map – Excavation

TABLES

Table 1 – Concentrations of BTEX, TPH & Chloride in Soil

APPENDICES

Appendix A – Depth to Groundwater Information
Appendix B – Environmental Karst Study Report
Appendix C – Soil Survey Information
Appendix D – Protected Species & Habitats
Appendix E – Photographic Log
Appendix F – Field Data
Appendix G – Laboratory Analytical Reports
Appendix H – Regulatory Correspondence

Released to Imaging: 6/22/2026 2:15:51 PM

1.0 PROJECT INFORMATION

Etech Environmental & Safety Solutions (Etech), on behalf of Mewbourne Oil Company (Mewbourne), has prepared this *Amended Remediation Summary & Soil Closure Request* (Amended Closure Request) for the release site known as the SLWMS Fuller SWD Line (Site). Details of the release are summarized below:

Location of Release Source			
Latitude:	32.043933°	Longitude:	-103.949870°

Provided GPS are in WGS84 format.

Site Name:	SLWMS Fuller SWD Line	Site Type:	Pipeline
Date Release Discovered:	2/1/2026	API # (if applicable):	N/A

Unit Letter	Section	Township	Range	County
H	14	26S	29E	Eddy

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name:_____)

Nature and Volume of Release		
☐ Crude Oil	Volume Released (bbls):	Volume Recovered (bbls):
☒ Produced Water	Volume Released (bbls): 925	Volume Recovered (bbls): 0
Is the concentration of dissolved chloride in the produced water >10,000 mg/L?		☒ Yes ☐ No ☐ N/A
☐ Condensate	Volume Released (bbls):	Volume Recovered (bbls):
☐ Natural Gas	Volume Released (Mcf):	Volume Recovered (Mcf):
☐ Other (describe):	Volume/Weight Released:	Volume/Weight Recovered:
Cause of Release:	Equipment failure	

Initial Response
☒ The source of the release has been stopped.
☒ The impacted area has been secured to protect human health and the environment.
☒ Release materials have been contained via the use of berms or dikes, absorbent pad, or other containment devices.
☒ All free liquids and recoverable materials have been removed and managed appropriately.

Previously submitted portions of the New Mexico Oil Conservation Division (NMOCD) Form C-141 are available in the NMOCD Permitting System.

2.0 SITE CHARACTERIZATION

Depth to Groundwater:	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (bgs)?	Between 51 and 75 (ft.)
What method was used to determine the depth to groundwater?	Direct Measurement
Did the release impact groundwater or surface water?	☐ Yes ☒ No
What is the minimum distance between the closest lateral extents of the release and the following surface areas?	
A continuously flowing watercourse or any other significant watercourse?	Between 300 and 500 (ft.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution or church?	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	Between ½ and 1 (mi.)
Any other fresh water well or spring?	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field?	Greater than 5 (mi.)
A wetland?	Between 300 and 500 (ft.)
A subsurface mine?	Greater than 5 (mi.)
A (non-karst) unstable area?	Between 300 and 500 (ft.)
Categorize the risk of this well/site being in a karst geology.	Medium
A 100-year floodplain?	Between 500 and 1,000 (ft.)
Did the release impact areas not on an exploration, development, production or storage site?	☐ Yes ☒ No

A search of groundwater databases maintained by the New Mexico Office of the State Engineer (NMOSE) and United States Geological Survey (USGS) was conducted in an effort to determine the horizontal distance to known water sources within a half-mile radius of the Site. Probable groundwater depth was determined using data generated by numeric models based on available water well data and published information. In addition, on March 26, 2026, an investigative soil boring was drilled nearby in an effort to determine if shallow groundwater is present in the area. The soil boring was advanced to a total depth of approximately 57 feet bgs and left open for over 72 hours. No indications of inflow and/or accumulation of water were noted during the advancement of the soil boring or prior to plugging and abandonment. A groundwater gauging event conducted on March 30 2026, confirmed that the borehole was dry. The location of the investigative soil bore is depicted in Figures 2A, 2B, and 3. A drilling log is provided in Appendix A. Additional NMOCD Siting Criteria data was gathered from available resources including Bureau of Land Management (BLM) and Fish and Wildlife Services (FWS) shapefiles; topographic maps; NMOSE and USGS databases; and aerial imagery. The results are depicted in Figures 1, 2A, 2B, and 3.

A cave and karst study of the affected area was conducted by a third-party environmental contractor on July 16 and 21, 2024. According to the *Environmental Karst Study Report* (Karst Survey) dated March 14, 2026, “no surface karst features were identified within 200 feet (61 meters) of the spill delineation boundary. No anomalies consistent with subsurface air- or water-filled voids were identified within the geophysical survey area, indicating the zone beneath the geophysical survey is not subject to collapse. Moderately well-layered stratigraphy is interpreted to exist beneath the area where the geophysical survey was conducted, indicating stable ground within the 200-foot survey boundary." The Karst Survey is provided as Appendix B.

The release occurred within a pipeline and utility right-of-way, and remediation activities did "not involve new surface disturbing activity outside the authorized boundaries of any existing roads, rights of way, well pads, associated oil and gas facilities or other structures." Therefore, it was inferred that said activities were exempt from the acknowledgment, archaeological records inspection/survey, and compliance measures requirements of the Cultural Properties Protection Rule, pursuant to Subsection 19.2.24.10.A.(8) of the New Mexico Administrative Code (NMAC).

A review of United States Department of Agriculture soil survey data indicates that the soil at the Site is classified as eroded Pajarito loamy fine sand with 0 to 3 percent slopes and eroded Upton-Simona complex with 1 to 15 percent slopes. The depth to the restrictive layer is listed as “more than 80 inches” in the area classified as Pajarito and "7 to 20 inches to petrocalcic" in the area classified as Upton-Simona complex. Soil survey information is provided in Appendix C.

Searches of the FWS Information for Planning and Consultation (IPaC), available BLM shapefiles and the New Mexico Crucial Habitat Assessment Tool (CHAT) were conducted in an effort to determine whether the Site was located within or proximate to any critical habitats that support sensitive, threatened or endangered species. It was determined that the Site is not within a designated critical wildlife habitat, such as the Dunes Sagebrush Lizard or Lesser Prairie Chicken ranges. No sensitive species or habitats were encountered during the course of remediation activities; therefore, associated timing restrictions and other requirements were not applicable. Additional information regarding protected species and habitats is provided in Appendix D.

3.0 CLOSURE CRITERIA FOR SOILS IMPACTED BY A RELEASE

Based on the information summarized above, the Closure Criteria and Reclamation Standards for the Site are as listed below:

Closure Criteria for Soil Impacted by a Release				
Probable Depth to Groundwater	**Constituent**	**Laboratory Analytical Method**	**Closure Criteria*†**	**Reclamation Standards *‡**
Between 51 and 75 (ft.)	Chloride (Cl^-)	EPA** 300.0 or SM4500 Cl B	10,000	600
	Total Petroleum Hydrocarbons (TPH)	EPA SW-846 Method 8015M Ext	2,500	100
	Gas Range Organics + Diesel Range Organics (GRO+DRO)	EPA SW-846 Method 8015M	1.000	N/A

Closure Criteria for Soil Impacted by a Release (Cont.)				
Probable Depth to Groundwater	Constituent	Laboratory Analytical Method	Closure Criteria*†	Reclamation Standards *‡
Between 51 and 75 (ft.)	Benzene	EPA SW-846 Methods 8021b or 8260b	50	50
	Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX)	EPA SW-846 Methods 8021b or 8260b	50	50

** Measured in milligrams per kilogram (mg/kg)*
*** Environmental Protection Agency*
† Table I, Section 19.15.29.12 NMAC.
‡ The NMOCD Reclamation Standard applies only to the top 4' of soil in non-production areas. Section 19.15.29.13 D.(1) NMAC.

4.0 REMEDIATION ACTIVITIES SUMMARY

Remediation Plan	
Requesting a remediation plan approval with this submission?	☒ Yes ☐ No
Have the lateral and vertical extents of contamination been fully delineated?	☒ Yes ☐ No
Was this release entirely contained within a lined containment area?	☐ Yes ☒ No
On what estimated date will (or did) the remediation commence?	2/26/2026
On what date will (or did) the final sampling or liner inspection occur?	5/21/2026
On what date will (or was) the remediation complete(d)?	5/21/2026
What is the total surface area (sq. ft.) in need of or that will eventually be reclaimed?	49,995
What is the total volume (cy) in need of or that will eventually be reclaimed?	7,407
What was the total surface area (sq. ft.) that has or will be remediated?	49,995
What was the total volume (cy) that has or will be remediated?	8,280
This remediation utilized the following processes to remediate/reduce contaminants:	
(Ex Situ) Excavation and off-site disposal (i.e., dig and haul, hydrovac, etc.)	☒ Yes ☐ No
(Ex Situ) Excavation and on-site remediation (i.e., On-Site Land Farms)	☐ Yes ☒ No
(In Situ) Soil Vapor Extraction	☐ Yes ☒ No
(In Situ) Chemical processing (i.e., Soil Shredding, Potassium Permanganate, etc.)	☐ Yes ☒ No

This remediation utilized the following processes to reme+diate/reduce contaminants (Cont.)	
(In Situ) Biological processing (i.e., Microbes/Fertilizer, etc.)	☐ Yes ☒ No
(In Situ) Physical processing (i.e., Soil Washing, Gypsum, Disking, etc.)	☐ Yes ☒ No
Ground Water Abatement pursuant to 19.15.30 NMAC	☐ Yes ☒ No
Other (Non-listed remedial process)	☐ Yes ☒ No
Which OCD approved facility was or will be used for off-site disposal?	R360 Red Bluff Facility
NMOCD Disposal Facility ID?	Texas
Summarize any additional remediation activities not included by answers above.	See below

On February 26, 2026, Etech commenced remediation activities at the Site. In accordance with NMOCD regulatory guidelines, impacted soil affected above the Closure Criteria and/or Reclamation Standards was excavated and stockpiled on-site, pending transfer to an NMOCD-permitted surface waste facility for disposal. Olfactory/visual senses and/or a chloride test kit were utilized to field-screen the horizontal and vertical extent of impacted soil and to guide the excavation. The sidewalls and floor of the excavation were advanced until field tests and field observations suggested that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and/or Reclamation Standards. Representative five-point composite confirmation soil samples representing no more than 200 square feet were collected from the sidewalls and floor of the excavated area to be submitted for laboratory analysis. A summary of soil sampling events is provided below:

Summary of Soil Sampling Events

Constituent	Highest Observed Concentration (mg/kg)	Sample ID	Sample Date	Sample Depth (ft bgs)	Soil Status
Chloride	22,400	SP 2 @ Sur	3/2/2026	0	Excavated
TPH	91.3	SP 1 @ Sur	3/2/2026	0	Excavated
GRO+DRO	91.3	SP 1 @ Sur	3/2/2026	0	Excavated
BTEX	1.05	SP 1 @ Sur	3/2/2026	0	Excavated
Benzene	<0.050	All submitted samples	Various (see Table 1)	0–9	Excavated & In-Situ

Please refer to Table 1 for additional information.

On February 27, 2026, Etech advanced a series of hand-augered soil bores and/or test trenches (NH 1, NH 2, EH 1, EH 2, SH 1, SH 2, SH 3, WH 1, and WH 2) along the inferred margins of the release in an effort to determine the horizontal extent of impacted soil. During the advancement of the soil bores/test trenches, soil samples were collected and field-screened for concentrations of chloride utilizing a chloride test kit and/or the presence of Volatile Organic Compounds (VOCs) utilizing olfactory/visual senses.

Based on field tests and field observations, a total of 18 delineation soil samples (NH 1 @ Sur, NH 1 @ 1', NH 2 @ Sur, NH 2 @ 1', EH 1 @ Sur, EH 1 @ 1', EH 2 @ Sur, EH 2 @ 1', SH 1 @ Sur, SH 1 @ 1', SH 2 @ Sur, SH 2 @ 1', SH 3 @ Sur, SH 3 @ 1', WH 1 @ Sur, WH 1 @ 1', WH 2 @ Sur, and WH 2 @ 1') were submitted to a certified commercial laboratory ("the laboratory") for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the Closure Criteria and/or Reclamation Standards in each of the submitted soil samples. Based on these laboratory analytical results, horizontal delineation of the release had been achieved.

On March 2, 2026, Etech advanced a series of test trenches (SP 1 through SP 5) within the inferred margins of the release in an effort to determine the vertical extent of impacted soil. During the advancement of the test trenches, soil samples were collected and field-screened for concentrations of chloride and VOCs utilizing the field methods described above.

Based on field tests and field observations, a total of 14 delineation soil samples (SP 1 @ Sur, SP 1 @ 4', SP 1 @ 9', SP 2 @ Sur, SP 2 @ 4', SP 2 @ 8', SP 3 @ Sur, SP 3 @ 4', SP 3 @ 7', SP 4 @ Sur, SP 4 @ 4', SP 4 @ 6', SP 5 @ Sur, and SP 5 @ 4') were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX and TPH concentrations were below the Closure Criteria and/or Reclamation Standards in each of the submitted soil samples. Chloride concentrations in soil samples SP 1 @ Sur, SP 2 @ Sur, SP 3 @ Sur, SP 4 @ Sur, and SP 5 @ Sur exceeded the Closure Criterion. Based on laboratory analytical results, vertical delineation of the release had been achieved in sample points SP1 through SP 4. However, additional vertical delineation was required in the area characterized by sample point SP 5.

On March 5, 2026, Etech collected a 5-point composite soil sample (R360 Red Bluff Backfill) from the imported material stockpiled on-site to be utilized as backfill. The soil sample was submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the Reclamation Standards and confirmed that the imported soil was acceptable for use as backfill material.

On March 10, 2026, Etech further advanced the test trench in the area characterized by sample point SP5. An additional delineation sample (SP 5 @ 5') was collected and submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the Closure Criteria.

On March 13, 2026, Etech collected 14 confirmation soil samples (NW 1 through NW 7, EW 1, EW 2, EW 3, and SW 1 through SW 4) from the sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the Closure Criteria and/or Reclamation Standards in each of the submitted soil samples.

On March 20, 2026, Etech collected six confirmation soil samples (SW5, SW6, SW7, WW1, WW2, and WW3) from the sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the Closure Criteria and/or Reclamation Standards in each of the submitted soil samples.

On March 24, 2026, Etech collected 72 confirmation soil samples (FL 1 @ 4' through FL 72 @ 4') from the floor of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the Closure Criteria in each of the submitted soil samples.

On March 25, 2026, Etech collected 180 confirmation soil samples (FL 73 @ 4' through FL 252 @ 4') from the floor of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the Closure Criteria in each of the submitted soil samples.

On April 21, 2026, based on field activities conducted to that point, a *Remediation Summary & Soil Closure Request* (Closure Request) was submitted to the NMOCD requesting regulatory closure of the release. The Closure Request was denied by the NMOCD on May 13, 2026, for the following reasons:

"1) To the question, 'What is the minimum distance, between the closest lateral extents of the release and the following surface areas: A continuously flowing watercourse or any other significant watercourse' and 'A wetland' was answered, 'Between 1000 (ft.) and ½ (mi.).' According to USGS topoview maps and the National Wetlands Inventory Mapper, the nearest wetland is a wetland riverine located between 300-500 feet north of the release area.
2) To the question, 'What is the minimum distance, between the closest lateral extents of the release and the following surface areas: A 100-year floodplain,' was answered, 'Between 1000 (ft.) and ½ (mi.).' According to the FEMA National Flood Hazard Layer, the nearest 100-year floodplain is located between 500 -1000 ft west. The distance to all of these site receptors must be updated in the C-141 application during next report submission.
3) Operator failed to provide proper Sampling Notification pursuant to 19.15.29.12.D.(1).(a) NMAC. Failure to provide proper sampling notice is a compliance issue and the OCD may pursue compliance actions pursuant to 19.15.5 NMAC. Operator shall ensure future compliance with 19.15.29.12.D.(1).(a) NMAC. Sidewall samples NW1 through SW4 were collected on 3/13/26 and no C-141N was submitted.
4) Based on Figure 5, the excavation perimeter was 1372 linear feet. A total of 28 sidewall samples should have been collected and only 20 were collected. Submit a complete and accurate report to OCD no later than 7/13/26."

On May 21, 2026, in accordance with NMOCD requirements, and after receiving copies of C-141N Sampling Notifications from Mewbourne (see Appendix H), Etech returned to the Site to collect additional wall samples from the remediated area. A total of 22 confirmation soil samples (NW 1 through NW 8, EW 1 through EW 6, SW 1 through SW 4, SW 8, SW 9, WW 4, and WW 5) were collected, including replacements for samples NW 1 through NW 7, EW 1, EW 2, EW 3, and SW 1 through SW 4, which were originally collected on March 13, 2026, without prior notification to the NMOCD. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable Closure Criteria and/or Reclamation Standards in each of the submitted soil samples.

The additional deficiencies and discrepancies identified by the NMOCD during its review of the Closure Request are addressed in this submittal.

The final dimensions of the excavated area were approximately 434 feet in length, 14 to 175 feet in width, and four feet in depth. During the course of remediation activities, Etech transported approximately 8,280 cubic yards of impacted soil to an NMOCD-permitted surface waste facility for disposal and imported approximately 7,190 cubic yards of locally sourced, non-impacted material to the Site for use as backfill.

Delineation sample locations are depicted in Figure 4, "Sample Location Map – Delineation." Soil sample locations and the extent of the excavated area are depicted in Figure 5, "Sample Location Map – Excavation." Soil chemistry data is summarized in Table 1. General photographs of the Site are provided in Appendix E. Field data is provided in Appendix F. Laboratory analytical reports are provided in Appendix G. Copies of all regulatory correspondence are provided in Appendix H.

5.0 SOIL CLOSURE REQUEST

Soil Closure Request	
Requesting a deferral of remediation closure due date with the approval of this submission?	☐ Yes ☒ No
Requesting a remediation closure approval with this submission?	☒ Yes ☐ No

Soil Closure Request (Cont.)	
Have the lateral and vertical extents of contamination been fully delineated?	☒ Yes ☐ No
Was this release entirely contained within a lined containment area?	☐ Yes ☒ No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the site's existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion.	☒ Yes ☐ No
What was the total surface area (sq. ft.) remediated?	49,995
What was the total volume (cy) remediated?	8,280

Remediation activities were conducted in accordance with NMOCD regulatory guidelines. The entire affected area was excavated to a depth of four feet bgs. Laboratory analytical results from confirmation soil samples indicate that in-situ concentrations of BTEX, TPH, and chloride are below the established Closure Criteria and/or the Reclamation Standards.

Based on laboratory analytical results and field activities conducted to date, Mewbourne respectfully requests remediation closure approval for the Site.

6.0 REVEGETATION PLAN

Affected areas in the pasture will be revegetated during the first favorable growing season following closure of the Site with a seed mix certified to be free of noxious weeds. Based on the USDA soil survey, Etech proposes the use of State Sandy Loam seed mix. The seed will be installed at the prescribed rate utilizing a broadcaster and harrow. Erosion controls such as seeded water bars and/or seeded diverters will be installed as needed to minimize erosion.

7.0 LIMITATIONS

Etech Environmental & Safety Solutions, Inc., has prepared this Amended Closure Request to the best of its ability. No other warranty, expressed or implied, is made or intended. Etech has examined and relied upon documents referenced in the report and on oral statements made by certain individuals. Etech has not conducted an independent examination of the facts contained in referenced materials and statements. Etech has presumed the genuineness of these documents and statements and that the information provided therein is true and accurate. Etech has prepared the report in a professional manner, using the degree of skill and care exercised by similar environmental consultants. Etech notes that the facts and conditions referenced in this report may change over time, and the conclusions and recommendations set forth herein are applicable only to the facts and conditions as described at the time of this report.

This report has been prepared for the benefit of Mewbourne Oil Company. Use of the information contained in this report is prohibited without the consent of Etech and/or Mewbourne Oil Company.

8.0 DISTRIBUTION

Mewbourne Oil Company
4801 Business Park Blvd.
Hobbs, NM 88240

New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division, District 2
811 S. First Street
Artesia, NM 88210

United States Department of the Interior
Bureau of Land Management
620 E. Greene Street
Carlsbad, NM 88220

(Electronic Submission)

Figures



Legend

- Site Location

Figure 1
Site Location Map
Mewbourne Oil Company
SLWMS Fuller SWD Line
GPS: 32.0443,-103.94972
Eddy County, New Mexico

eTECH Environmental & Safety Solutions, Inc.

Drafted: bja Checked: rlc Date: 4/17/2026

320301103572201

SLWMS Fuller SWD Line

POD-1

N

Figure 2A
Site Characterization Map (0.5-Mile Radius)
Mewbourne Oil Company
SLWMS Fuller SWD Line
GPS: 32.0443,-103.94972
Eddy County, New Mexico

Legend

- Site Location
- Well - Exploratory
- Well - NMOSE
- Well - USGS
- 100-Ft. Radius
- 200-Ft. Radius
- 300-Ft. Radius
- 500-Ft. Radius
- 1,000-Ft. Radius
- 0.5-Mi. Radius
- Potash Mine Workings
- Affected Area
- Emergent/Forested Wetlands
- FEMA 100-Yr Flood Zone
- Freshwater Pond/Lake
- Municipal Boundary
- Riverine Wetland

Karst Potential

- Low
- Medium
- High
- Critical

Imagery Source: ESRI, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community.

500 0 500 1,000 ft

eTECH Environmental & Safety Solutions, Inc.

Drafted: bja Checked: rlc Date: 4/18/26

SLWMS Fuller SWD Line

N

Figure 2B
Site Characterization Map (5-Mile Radius)
Mewbourne Oil Company
SLWMS Fuller SWD Line
GPS: 32.0443,-103.94972
Eddy County, New Mexico

Legend

- Site Location
- Well - Exploratory
- Well - NMOSE
- Well - USGS
- 1,000-Ft. Radius
- 0.5-Mi. Radius
- 1-Mi. Radius
- 5-Mi. Radius
- Potash Mine Workings
- Emergent/Forested Wetlands
- FEMA 100-Yr Flood Zone
- Freshwater Pond/Lake
- Municipal Boundary
- Riverine Wetland

Karst Potential

- Low
- Medium
- High
- Critical

Imagery Source: ESRI, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community.

1 0 1 2 mi

eTECH Environmental & Safety Solutions, Inc.

Drafted: bja Checked: rlc Date: 4/18/2026



Source: NMOSE and USGS

Note: Only wells with depth to groundwater data ≤25 years old are depicted.

Legend

- Site Location
- Well - NMOSE
- Well - USGS
- Well - Exporatory
- 500-Ft Radius
- 1,000-Ft Radius
- 0.5-Mi Radius
- Affected Area

Figure 3
Inferred Depth to Groundwater Map
Mewbourne Oil Company
SLWMS Fuller SWD Line
GPS: 32.0443,-103.94972
Eddy County, New Mexico

eTECH Environmental & Safety Solutions, Inc.

Drafted: bja Checked: rlc Revised: 6/9/2026

N

NH 2
EH 1
SP 5
SP 4
SH 2
SP 3
SP 2
NH 1
SH 1
SP 1
WH 1

25 0 25 50 ft

Legend

- Affected Area (~50,240 ft²)
- Delineation Sample Location

Figure 4
Sample Location Map - Delineation
Mewbourne Oil Company
SLWMS Fuller SWD Line
GPS: 32.0443,-103.94972
Eddy County, New Mexico

eTECH Environmental & Safety Solutions, Inc.

Revised: bja Checked: rlc Date: 4/16/2026



Legend

- Excavation Extent (~49,995 ft²)
- Composite Floor Sample
- Composite Wall Sample

Figure 5
Sample Location Map - Excavation
Mewbourne Oil Company
SLWMS Fuller SWD Line
GPS: 32.0443,-103.94972
Eddy County, New Mexico

eTECH Environmental & Safety Solutions, Inc.

Revised: bja Checked: rlc Date: 6/4/2026

Tables

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
SLWMS Fuller SWD Line
NMOCD Ref. #: nAPP2603741796

NMOCD Closure Criteria				**10**	**50**	**-**	**-**	**1,000**	**-**	**2,500**	**10,000**
NMOCD Reclamation Standards				**10**	**50**	**-**	**-**	**-**	**-**	**100**	**600**
Sample ID	**Date**	**Depth (Feet)**	**Soil Status**	**SW 846 8021B**		**SW 846 8015M Ext.**					**4500 Cl**
				Benzene (mg/kg)	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO+DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
NH 1 @ Sur	2/27/2026	0	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
NH 1 @ 1'	2/27/2026	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
NH 2 @ Sur	2/27/2026	0	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
NH 2 @ 1'	2/27/2026	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
EH 1 @ Sur	2/27/2026	0	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
EH 1 @ 1'	2/27/2026	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
EH 2 @ Sur	2/27/2026	0	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
EH 2 @ 1'	2/27/2026	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
SH 1 @ Sur	2/27/2026	0	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
SH 1 @ 1'	2/27/2026	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
SH 2 @ Sur	2/27/2026	0	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
SH 2 @ 1'	2/27/2026	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
SH 3 @ Sur	2/27/2026	0	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
SH 3 @ 1'	2/27/2026	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
WH 1 @ Sur	2/27/2026	0	In-Situ	<0.050	<0.300	<10.0	17.2	17.2	13.9	31.1	16.0
WH 1 @ 1'	2/27/2026	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
WH 2 @ Sur	2/27/2026	0	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
WH 2 @ 1'	2/27/2026	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
SP 1 @ Sur	3/2/2026	0	Excavated	<0.050	1.05	18.3	73.0	91.3	<10.0	91.3	**17,700**
SP 1 @ 4'	3/2/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	4,880
SP 1 @ 9'	3/2/2026	9	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	592
SP 2 @ Sur	3/2/2026	0	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**22,400**
SP 2 @ 4'	3/2/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	3,360
SP 2 @ 8'	3/2/2026	8	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
SP 3 @ Sur	3/2/2026	0	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	9,440
SP 3 @ 4'	3/2/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	2,440
SP 3 @ 7'	3/2/2026	7	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
SP 4 @ Sur	3/2/2026	0	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**13,300**
SP 4 @ 4'	3/2/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	3,880
SP 4 @ 6'	3/2/2026	6	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
SP 5 @ Sur	3/2/2026	0	Excavated	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	**16,100**
SP 5 @ 4'	3/2/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,260
SP 5 @ 5'	3/10/2026	5	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 1 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 2 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	2,920
FL 3 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 4 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	768
FL 5 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	4,720
FL 6 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 7 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	8,640
FL 8 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	2,220
FL 9 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 10 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	7,440
FL 11 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	192

Asterisk (*): Replacement sample.
Dash (-): Not Applicable.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
SLWMS Fuller SWD Line
NMOCD Ref. #: nAPP2603741796

NMOCD Closure Criteria				**10**	**50**	**-**	**-**	**1,000**	**-**	**2,500**	**10,000**
NMOCD Reclamation Standards				**10**	**50**	**-**	**-**	**-**	**-**	**100**	**600**
Sample ID	**Date**	**Depth (Feet)**	**Soil Status**	**SW 846 8021B**		**SW 846 8015M Ext.**					**4500 Cl**
				Benzene (mg/kg)	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO+DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 12 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	6,080
FL 13 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	3,920
FL 14 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,840
FL 15 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	6,240
FL 16 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 17 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,160
FL 18 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	2,120
FL 19 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,920
FL 20 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	4,960
FL 21 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	6,000
FL 22 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	4,960
FL 23 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	7,920
FL 24 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	7,520
FL 25 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	4,720
FL 26 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	3,280
FL 27 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	816
FL 28 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	3,360
FL 29 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	3,080
FL 30 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,760
FL 31 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	368
FL 32 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	2,200
FL 33 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 34 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
FL 35 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,120
FL 36 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,440
FL 37 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 38 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	2,050
FL 39 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,440
FL 40 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,200
FL 41 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 42 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 43 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	6,880
FL 44 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 45 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 46 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 47 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	3,440
FL 48 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	7,040
FL 49 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 50 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	240
FL 51 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,120
FL 52 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 53 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 54 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,340
FL 55 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160

Asterisk (*): Replacement sample.
Dash (-): Not Applicable.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
SLWMS Fuller SWD Line
NMOCD Ref. #: nAPP2603741796

NMOCD Closure Criteria				**10**	**50**	**-**	**-**	**1,000**	**-**	**2,500**	**10,000**
NMOCD Reclamation Standards				**10**	**50**	**-**	**-**	**-**	**-**	**100**	**600**
Sample ID	**Date**	**Depth (Feet)**	**Soil Status**	**SW 846 8021B**		**SW 846 8015M Ext.**					**4500 Cl**
				Benzene (mg/kg)	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO+DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 56 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	976
FL 57 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,920
FL 58 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,600
FL 59 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,120
FL 60 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	320
FL 61 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,020
FL 62 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,630
FL 63 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 64 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 65 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 66 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	3,840
FL 67 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	240
FL 68 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,980
FL 69 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 70 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,890
FL 71 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 72 @ 4'	3/24/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	2,960
FL 73 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	6,800
FL 74 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	8,240
FL 75 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	7,200
FL 76 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,600
FL 77 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	4,960
FL 78 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	7,920
FL 79 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	9,920
FL 80 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	8,560
FL 81 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,520
FL 82 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,360
FL 83 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	5,680
FL 84 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	336
FL 85 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
FL 86 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 87 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	560
FL 88 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,660
FL 89 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 90 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
FL 91 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
FL 92 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	352
FL 93 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	624
FL 94 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	976
FL 95 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	736
FL 96 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	864
FL 97 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
FL 98 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	192
FL 99 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	384

Asterisk (*): Replacement sample.
Dash (-): Not Applicable.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
SLWMS Fuller SWD Line
NMOCD Ref. #: nAPP2603741796

NMOCD Closure Criteria				**10**	**50**	**-**	**-**	**1,000**	**-**	**2,500**	**10,000**
NMOCD Reclamation Standards				**10**	**50**	**-**	**-**	**-**	**-**	**100**	**600**
Sample ID	**Date**	**Depth (Feet)**	**Soil Status**	**SW 846 8021B**		**SW 846 8015M Ext.**					**4500 Cl**
				Benzene (mg/kg)	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO+DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 100 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	432
FL 101 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	592
FL 102 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	896
FL 103 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	992
FL 104 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,470
FL 105 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 106 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	560
FL 107 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 108 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 109 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 110 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 111 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 112 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 113 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 114 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 115 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 116 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 117 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 118 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 119 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 120 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 121 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 122 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 123 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 124 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 125 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 126 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	176
FL 127 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
FL 128 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 129 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 130 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 131 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 132 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 133 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 134 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 135 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 136 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 137 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 138 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 139 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 140 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 141 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 142 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 143 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0

Asterisk (*): Replacement sample.
Dash (-): Not Applicable.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
SLWMS Fuller SWD Line
NMOCD Ref. #: nAPP2603741796

NMOCD Closure Criteria				**10**	**50**	**-**	**-**	**1,000**	**-**	**2,500**	**10,000**
NMOCD Reclamation Standards				**10**	**50**	**-**	**-**	**-**	**-**	**100**	**600**
Sample ID	**Date**	**Depth (Feet)**	**Soil Status**	**SW 846 8021B**		**SW 846 8015M Ext.**					**4500 Cl**
				Benzene (mg/kg)	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO+DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 144 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 145 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 146 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 147 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 148 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 149 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208
FL 150 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208
FL 151 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 152 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 153 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 154 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 155 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 156 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	432
FL 157 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 158 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	512
FL 159 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	464
FL 160 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	400
FL 161 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,390
FL 162 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,150
FL 163 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	480
FL 164 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	448
FL 165 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,380
FL 166 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,630
FL 167 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,260
FL 168 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,070
FL 169 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 170 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 171 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 172 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 173 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 174 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 175 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 176 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 177 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	496
FL 178 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	640
FL 179 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	832
FL 180 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 181 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 182 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 183 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 184 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 185 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 186 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 187 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0

Asterisk (*): Replacement sample.
Dash (-): Not Applicable.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
SLWMS Fuller SWD Line
NMOCD Ref. #: nAPP2603741796

NMOCD Closure Criteria				**10**	**50**	**-**	**-**	**1,000**	**-**	**2,500**	**10,000**
NMOCD Reclamation Standards				**10**	**50**	**-**	**-**	**-**	**-**	**100**	**600**
Sample ID	**Date**	**Depth (Feet)**	**Soil Status**	**SW 846 8021B**		**SW 846 8015M Ext.**					**4500 Cl**
				Benzene (mg/kg)	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO+DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 188 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 189 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 190 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 191 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 192 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 193 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 194 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 195 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 196 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 197 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 198 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 199 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 200 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 201 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 202 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	304
FL 203 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	272
FL 204 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	672
FL 205 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	368
FL 206 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	352
FL 207 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	816
FL 208 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	656
FL 209 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 210 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 211 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	304
FL 212 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	752
FL 213 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 214 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 215 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 216 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 217 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 218 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 219 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 220 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 221 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 222 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 223 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 224 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 225 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 226 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 227 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	800
FL 228 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	784
FL 229 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 230 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 231 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0

Asterisk (*): Replacement sample.
Dash (-): Not Applicable.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
SLWMS Fuller SWD Line
NMOCD Ref. #: nAPP2603741796

NMOCD Closure Criteria				**10**	**50**	**-**	**-**	**1,000**	**-**	**2,500**	**10,000**
NMOCD Reclamation Standards				**10**	**50**	**-**	**-**	**-**	**-**	**100**	**600**
Sample ID	**Date**	**Depth (Feet)**	**Soil Status**	**SW 846 8021B**		**SW 846 8015M Ext.**					**4500 Cl**
				Benzene (mg/kg)	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO+DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
FL 232 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 233 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 234 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 235 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 236 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 237 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 238 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 239 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 240 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 241 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 242 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 243 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 244 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 245 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 246 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 247 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 248 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 249 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 250 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 251 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 252 @ 4'	3/25/2026	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
NW 1	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
NW 1*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
NW 2	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
NW 2*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
NW 3	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
NW 3*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
NW 4	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208
NW 4*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
NW 5	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
NW 5*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
NW 6	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	128
NW 6*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
NW 7	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
NW 7*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
NW 8	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
EW 1	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
EW 1*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
EW 2	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
EW 2*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
EW 3	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
EW 3*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
EW 4	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
EW 5	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0

Asterisk (*): Replacement sample.
Dash (-): Not Applicable.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

Table 1
Concentrations of BTEX, TPH & Chloride in Soil
Mewbourne Oil Company
SLWMS Fuller SWD Line
NMOCD Ref. #: nAPP2603741796

NMOCD Closure Criteria				**10**	**50**	**-**	**-**	**1,000**	**-**	**2,500**	**10,000**
NMOCD Reclamation Standards				**10**	**50**	**-**	**-**	**-**	**-**	**100**	**600**
Sample ID	**Date**	**Depth (Feet)**	**Soil Status**	**SW 846 8021B**		**SW 846 8015M Ext.**					**4500 Cl**
				Benzene (mg/kg)	**BTEX (mg/kg)**	**GRO C_6-C_{10} (mg/kg)**	**DRO C_{10}-C_{28} (mg/kg)**	**GRO+DRO C_6-C_{28} (mg/kg)**	**ORO C_{28}-C_{36} (mg/kg)**	**TPH C_6-C_{36} (mg/kg)**	**Chloride (mg/kg)**
EW 6	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
SW 1	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
SW 1*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
SW 2	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
SW 2*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
SW 3	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
SW 3*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
SW 4	3/13/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
SW 4*	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
SW 5	3/20/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
SW 6	3/20/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	144
SW 7	3/20/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
SW 8	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
SW 9	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
WW 1	3/20/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
WW 2	3/20/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
WW 3	3/20/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
WW 4	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
WW 5	5/21/2026	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
R360 Red Bluff Backfill	3/5/2026	N/A	Backfill	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	448

Asterisk (*): Replacement sample.
Dash (-): Not Applicable.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
Red Border with Shading: Highest observed concentration.

Appendices

Appendix A
Depth to Groundwater Information

eTECH Environmental & Safety Solutions, Inc.

Soil Boring/Temporary Monitor Well POD-1

Company: Mewbourne Oil Company	**Well/Borehole ID:** POD-1	**Drilling Company:** H&R Enterprises, Inc.
Site: SLWMS Fuller SWD Line	**Coordinates (NAD 83):** 32.043181,-103.949875	**Driller:** J. Hawley
NMOCD Reference #: nAPP2603741796	**Drilling Date:** 3/24/2026	**Drilling Method:** Air Rotary
Location: Eddy Co., NM	**Depth of Boring (ft):** 57	**Logged By:** J. Hawley
PLSS: Unit "H", Sec. 14, T26S, R29E	**Depth to Groundwater (ft):** >57	**Drafted By:** B. Arguijo
	Plugging Date: 3/30/2026	**Draft Date:** 4/14/2025
Completion: N/A	**Casing:** No casing left in hole	**Screen:** N/A

Comments: N/A

Depth (ft)	Groundwater	Lithology	Material Description	Chloride Field Test Result	Petroleum Odor/Staining	Moisture	Plugging Material
0–5			Topsoil	-	-	-	Bentonite Plug
5–10				-	-	-	
10–15			Dry white caliche	-	-	-	
15–20			Sandy red clay	-	-	-	Drill Cuttings
20–25				-	-	-	
25–30				-	-	-	
30–35				-	-	-	
35–40				-	-	-	
40–45				-	-	-	
45–50				-	-	-	
50–55				-	-	-	
55				-	-	-	
60–100			Notes: Lines between material types represent approximate boundaries. Actual transitions may be gradual.				

Disclaimer This bore log is intended for environmental not geotechnical purposes.

produced by ESlog.ESdat.net on 14 Apr 2026

WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION

OSE POD NO. (WELL NO.)	WELL TAG ID NO.	OSE FILE NO(S).
Pod-1		C-5060

WELL OWNER NAME(S)	PHONE (OPTIONAL)
Mewbourne Oil CO.	806-202-8358

WELL OWNER MAILING ADDRESS	CITY	STATE	ZIP
4801 Business Park Blvd.	Hobbs	NM	88242

WELL LOCATION (FROM GPS)		DEGREES	MINUTES	SECONDS	
	LATITUDE	32	02	35.45	N
	LONGITUDE	103	56	59.44	W

* ACCURACY REQUIRED: ONE TENTH OF A SECOND
* DATUM REQUIRED: WGS 84

DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS – PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE

SENE S-14 T-26S R29E

2. DRILLING & CASING INFORMATION

LICENSE NO.	NAME OF LICENSED DRILLER	NAME OF WELL DRILLING COMPANY
WD-1862	James Hawley	H&R Enterprises, LLC

DRILLING STARTED	DRILLING ENDED	DEPTH OF COMPLETED WELL (FT)	BORE HOLE DEPTH (FT)	DEPTH WATER FIRST ENCOUNTERED (FT)
3/24/26	3/24/26	57	57	DRY

COMPLETED WELL IS: ☐ ARTESIAN *add Centralizer info below ☑ DRY HOLE ☐ SHALLOW (UNCONFINED)

STATIC WATER LEVEL IN COMPLETED WELL (FT): DRY

DATE STATIC MEASURED: 3/30/26

DRILLING FLUID: ☑ AIR ☐ MUD ADDITIVES – SPECIFY:

DRILLING METHOD: ☑ ROTARY ☐ HAMMER ☐ CABLE TOOL ☐ OTHER – SPECIFY:

CHECK HERE IF PITLESS ADAPTER IS INSTALLED ☐

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
			no casing left in hole				

3. ANNULAR MATERIAL

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL *(if using Centralizers for Artesian wells- indicate the spacing below)	AMOUNT (cubic feet)	METHOD OF PLACEMENT
			N/A		

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.	
LOCATION		WELL TAG ID NO.	PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES **(attach supplemental sheets to fully describe all units)**	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
0	10	10	topsoil	Y ✓ N	
10	25	15	dry white caliche	Y ✓ N	
25	57	32	sandy red clay	Y ✓ N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	

METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA:

☐ PUMP ☐ AIR LIFT ☐ BAILER ☐ OTHER – SPECIFY:

TOTAL ESTIMATED WELL YIELD (gpm): Dry

5. TEST; RIG SUPERVISION

WELL TEST — TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.

MISCELLANEOUS INFORMATION: Well was drilled on 3/24/26, gauged on 3/30/26, well was dry, casing was removed and well bore was plugged according to the approved Plugging Plan of Operations.

PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:

James Hawley

6. SIGNATURE

THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:

James Hawley — SIGNATURE OF DRILLER / PRINT SIGNEE NAME

3/31/26 — DATE

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.	
LOCATION		WELL TAG ID NO.	PAGE 2 OF 2

PLUGGING RECORD

NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: C-5060 Pod-1

Well owner: Mewbourne Oil Co. Phone No.: _____

Mailing address: 4801 Business Park Blvd.

City: Hobbs State: NM Zip code: 88242

II. WELL PLUGGING INFORMATION:

1) Name of well drilling company that plugged well: H&R Enterprises, LLC.

2) New Mexico Well Driller License No.: WD-1862 Expiration Date: 6/27

3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): _____
James Hawley

4) Date well plugging began: 3/30/36 Date well plugging concluded: 3/30/26

5) GPS Well Location: Latitude: 32 deg, 02 min, 35.45 sec
Longitude: 103 deg, 56 min, 59.44 sec, WGS 84

6) Depth of well confirmed at initiation of plugging as: 57 ft below ground level (bgl),
by the following manner: Well Sounder

7) Static water level measured at initiation of plugging: Dry ft bgl

8) Date well plugging plan of operations was approved by the State Engineer: 3/16/26

9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
	0-10 Hydrated Haliburton Bentonite chip plug	16.5	14.7	pour	
	10-57 drill cuttings	69.09	69.09	pour	

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, James Hawley, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Signature of Well Driller — Date: 3/31/26

Version: September 8, 2009
Page 2 of 2

Appendix B
Environmental Karst Study Report

Environmental Karst Study Report
SLWMS Fuller SWD Line
Eddy County, New Mexico

Prepared For:

Mewbourne Oil Company
4801 Business Park Boulevard
Hobbs, NM 88240

Within 200 feet of the spill delineation boundary:

☑ Negative ☐ Positive for surface karst

☑ Stable ☐ Unstable Ground

☐ Karst Monitor Recommended

March 14, 2026

MBRN-001-20260211

©2026 – Southwest Geophysical Consulting, LLC. All rights reserved.

Published by:
Southwest Geophysical Consulting, LLC
5117 Fairfax Dr. NW
Albuquerque, NM 87114
(505) 585-2550
www.swgeophys.com

Prepared by:
Michael Jones, MSc, PG
Field Geophysicist
michael@swgeophys.com

Reviewed by:
David Decker, PhD, PG, CPG
CEO, Principal Geologist
dave@swgeophys.com

Prepared for:
Mewbourne Oil Company
4801 Business Park Boulevard
Hobbs, NM 88240

Point of Contact:
Jeff Broom
(575) 393-5905
jbroom@mewbourne.com

MMXXVI

TABLE OF CONTENTS

FRONT MATTER i
TABLE OF CONTENTS ii
LIST OF FIGURES iii
LIST OF TABLES iii
1.0 INTRODUCTION 1
1.1 Goals of this Study 1
1.2 Summary of Findings 1
1.3 Affected Environment 1
1.4 Limitations of Report 3
2.0 LOCATION AND DESCRIPTION OF STUDY AREA 4
2.1 Description of Site 4
2.2 Local Geology Summary 5
2.3 Description of Survey 6
2.3.1 Surface Karst Survey 6
2.3.2 Geophysical Survey 8
3.0 RESULTS 10
3.1 Surface Karst Survey 10
3.2 Geophysical Survey 11
4.0 DISCUSSION 12
5.0 SUMMARY 14
6.0 DISCLOSURE STATEMENT 14
7.0 REFERENCES 16
8.0 GLOSSARY OF TERMS 18
9.0 ATTESTATION 20

LIST OF FIGURES

Figure 1: Karst occurrence zone overview 2
Figure 2: Land ownership and PLSS overview 4
Figure 3: Geology overview 5
Figure 4: Surface survey overview 7
Figure 5: Geophysical survey overview 8
Figure 6: Surface karst survey results 10
Figure 7: 2D inverted resistivity section SLWMS01 11
Figure 8: Data overlay 12

LIST OF TABLES

Table 1: Survey Line Data Table. 9
Table 2: Software Information and Settings 9

1.0 INTRODUCTION

This report was commissioned by Mewbourne Oil Company (hereinafter referred to as "the client"), on February 11, 2026, for the purpose of conducting an environmental karst study within an area encompassing the SLWMS Fuller SWD Line project site (hereinafter termed “SLWMS”) centered at N 32.043891° W 103.949872°.

1.1 Goals of this Study

The goals of this study are to conduct a surface karst inventory and provide the client with the location and description of any surface karst features located within 200 feet (61 meters) of the spill delineation boundary (as defined by 19.15.29.12 NMAC[1]), and to determine whether stable ground exists (as defined by 19.15.2 NMAC Definitions[2]) within 200 feet of the spill delineation boundary at the SLWMS Fuller SWD Line site as provided by the client via e-mail (**slwms_2-5-26.kmz**) on February 11, 2026, using electrical resistivity imaging[3].

1.2 Summary of Findings

- **No surface karst features were identified within 200 feet (61 meters) of the spill delineation boundary.**
- **No anomalies consistent with subsurface air- or water-filled voids were identified within the geophysical survey area, indicating the zone beneath the geophysical survey is not subject to collapse.**
- **Moderately well-layered stratigraphy is interpreted to exist beneath the area where the geophysical survey was conducted, indicating stable ground within the 200-foot survey boundary.**

1.3 Affected Environment

The SLWMS project site is located in evaporite karst terrain, a landform that is characterized by underground drainage through solutionally enlarged conduits. Evaporite karst terrain may contain sinkholes, sinking streams, caves, and springs. Sinkholes leading to underground drainages and voids are common. These karst features, as well as occasional fissures and discontinuities in the bedrock, provide the primary sources for rapid recharge of the groundwater aquifers of the region. Additionally, karst may develop by hypogene processes involving dissolution by upwelling fluids from depth independent of recharge from the overlying or immediately adjacent surface. Hypogene karst systems may not be connected to the surface and can remain undiscovered unless encountered during drilling or excavation.

Karst features are delicate resources that are often of geological, hydrological, biological, and archeological importance, and should be protected. The four primary concerns in these types of terrain are environmental issues, worker safety, equipment damage, and infrastructure integrity.

The Bureau of Land Management (BLM) categorizes all areas within the Carlsbad Field Office (CFO) zone of responsibility as having either low, medium, high, or critical cave potential based on geology, occurrence of known caves, density of karst features, and potential impacts to freshwater aquifers[4]. These designations are also recognized by the New Mexico State Land Office (NMSLO). This project occurs within a **MEDIUM** karst occurrence zone (MKOZ)[5] (**Figure 1**).



Figure 1: Karst occurrence zone overview. Background image: Google Earth. Image date: March 20, 2023. Image datum: WGS-84.

A medium karst occurrence zone is defined as an area in known soluble rock types that may have a shallow insoluble overburden. These areas may contain isolated karst features such as caves and sinkholes. Groundwater recharge may not be wholly dependent on karst features, but the karst features still provide the most rapid aquifer recharge in response to surface runoff[4].

Due to the rapidity with which evaporite karst develops, each location within a BLM-CFO-designated critical- or high-karst occurrence zone must be assessed on an individual basis to determine the existence of surface karst features and the possibility of sub-surface karst development each time a release occurs.

1.4 Limitations of Report

This report should be read in full. No responsibility is accepted for the use of any part of this report in any other context or for any other purpose or by third parties. This report does not purport to give legal advice. Legal advice can only be given by qualified legal practitioners.

This report has been prepared for the use of Mewbourne Oil Company in accordance with generally accepted consulting practices. Every effort has been made to ensure the information in this report is accurate as of the time of its writing. This report has not been prepared for use by parties other than the client, their contracting party, and their respective consulting advisors. It may not contain sufficient information for the purposes of other parties or for other uses.

This report was prepared upon completion of the associated fieldwork using a standard template prepared by Southwest Geophysical Consulting and is based on information collected prior to fieldwork, conditions encountered on site, and data collected during the fieldwork and reviewed at the time of preparation. Southwest Geophysical Consulting disclaims responsibility for any changes that might have occurred at the site after this time. The interpreted results, locations, and depths noted in this report (if applicable) should be taken as an interpretation only and no decision should be based solely on this information. Physical verification of aerial imagery analysis results should be conducted in the field prior to using this information for remediation planning. Physical verification of geophysical results using geotechnical methods should be conducted.

To the best of our knowledge, information contained in this report is accurate at the date of issue; however, conditions on the site can change over a short period of time and, therefore, the information in this report should not be used beyond two years, and shall not be used beyond five years past the date of the imagery collection reported in section ***2.3 Description of Survey***, as per BLM guidelines. Large weather events can shorten this time period as areas subject to karst development can rapidly form new features subsequent to these events.

2.0 LOCATION AND DESCRIPTION OF STUDY AREA

2.1 Description of Site

The site is located in Eddy County, New Mexico, 19.5 kilometers (12.1 miles) southeast of Malaga, east of U.S. Highway 285 and Longhorn Road. The release area is located within section 14 of NM T26S R29E[6] (**Figure 1** and **Figure 2**). The region has rolling terrain with karstification occurring in the gypsite soils and underlying gypsum and dolomite bedrock[7] (see section ***2.2 Local Geology Summary*** for further information). The climate in this area of southeast New Mexico is semi-arid with an average annual precipitation of approximately 13 inches, of which about two-thirds falls as rain during summer thunderstorms from June to October. Summers are hot and sunny while winters are generally mild, with an average maximum temperature of 96°F in July and an average minimum temperature of 28°F in January[8]. This area is within the Chihuahuan Creosotebush, Mixed Desert and Thorn Scrub and Apacherian–Chihuahuan Mesquite Upland Scrub as defined by the Southwestern Regional ReGAP Vegetation map[9] and the vegetation consists mostly of areas of creosotebush-dominated desert scrub with scattered mesquite and mixed desert shrubs and grasses. The spill delineation boundary is located within an MKOZ[5] (**Figure 1**) and within BLM-CFO managed land[10] (**Figure 2**).

Figure 2: Land ownership and PLSS overview. Background image credit: Google Earth. Image date: March 20, 2023. Image datum: WGS-84.

2.2 Local Geology Summary

The site for the SLWMS survey is located at an elevation of 997 meters (2,943 feet), ± 4 meters (13 feet). This region is entirely underlain by the Permian Dewey Lake (Pdl) and Rustler (Pru) Formations. The area is mantled by thin gypsiferous soils (gypsite), Quaternary eolian deposits (Qe), and Quaternary alluvium (Qal)[11] up to 5 meters in depth (**Figure 3**).

The Dewey Lake Formation (previously the Quartermaster) is composed of calcite-cemented, hematite-stained quartz sand grains and occasional gypsum lenses and can, in favorable conditions, form cavernous porosity within 30 meters of the top of the Rustler[12]. The Dewey Lake is also known to be highly fractured near areas of heavy halite dissolution (e.g., Nash Draw) and these fractures can act as hydrologic conduits[13].

The Rustler Formation is an evaporite facies composed mainly of thin siltstones and sandstones interbedded with claystones, dolomite, and gypsum, and contains both karst-forming strata (the Forty-niner and Tamarisk members) and two shallow aquifers (the Magenta and Culebra Dolomite members)[12]. The Forty-niner and Tamarisk members are known to have highly developed karst features including large voids and solution-enlarged fractures[7].



Figure 3: Geology overview. Geology map credit: The Digital Geologic Map of New Mexico in ARC/INFO Format. Background image credit: Google Earth. Image date: March 20, 2023. Image datum: WGS-84.

The survey area is covered by the easily accessible Geologic Map of New Mexico (2003) at 1:500,000 scale[14] and the Digital Geologic Map of New Mexico in ARC/INFO Format[11].

2.3 Description of Survey

2.3.1 Surface Karst Survey

Southwest Geophysical Consulting, in partnership with SWCA Environmental Consultants, provides surface karst surveys using small, uncrewed aerial systems (sUAS) that are flown by qualified, FAA licensed drone pilots and that meet the stringent Bureau of Land Management – Carlsbad Field Office requirements for both pedestrian and aerial karst surveys.

The surface karst survey includes a desk study prior to the flight which allows us to provide client feedback in the event of any previously known karst features in the area. The desk study is typically performed out to 305 meters (1,000 feet) from the spill delineation boundary per New Mexico Oil Conservation Division guidance [1] (**Figure 4**). The study was performed using satellite and aerial imagery from Google Earth Pro dated March 20, 2023 (please note features less than one meter in diameter are generally not visible using this method); the Southwest Geophysical Cave and Karst Database dated March 10, 2026[15]; the Ross Ranch, NM, 1:24,000 quad, 1968, USGS; and the latest lidar imagery from CalTopo.com. Please note that we use older topographic maps because newer maps have had caves removed from them. These searches and queries returned no karst feature within the 305-meter survey boundary.

Surface karst surveys are conducted by sUAS at low elevation within 200 meters of the spill delineation boundary[4] (**Figure 4**) following a preplanned raster pattern flightpath designed for the purpose of generating at least 75% imagery overlap. The collected high-resolution, georeferenced imagery is stitched together to develop orthomosaic imagery which is further developed into a digital elevation model (DEM); the DEM is then processed into a local relief model (LRM) (**Figure 6**). This LRM is color coded to enhance differences in elevation of as little as five centimeters. The orthoimagery, DEM, and LRM are uploaded to a server where they are analyzed by an experienced karst geologist. Finally, the data is reviewed by a senior karst geologist for quality assurance and downloaded into a table for inclusion in a written report[16].



Figure 4: Surface survey overview. Background image credit: Google Earth. Image date: March 20, 2023. Datum: WGS-84.

The resolution of the orthoimagery is clear enough that features as small as 10 centimeters can be positively identified in most circumstances. Occasionally there are ambiguous features identified during an aerial survey that will need to be checked in the field if they are impacted by the proposed remediation efforts. Specifically, it is difficult to tell the difference between solution tubes, abandoned uncased well bores, and some burrows in drone imagery. If an ambiguous feature is located during imagery analysis, it is marked with a yellow dot in **Figure 6**. If a feature of any likelihood is subsequently verified in the field prior to publication of the report, the dot will be changed to a red triangle if confirmed as a karst feature or deleted if not.

The imagery for this study was collected via aerial survey by Pat Lagodney of SWCA on February 26, 2026. Surface karst features may have developed after these dates and will not be noted in this report. Imagery analysis was completed by Michael Jones of Southwest Geophysical Consulting on March 10, 2026.

2.3.2 Geophysical Survey

For this survey, an Advanced Geosciences Inc. (AGI) SuperSting™ Wifi R8 with an 8-channel switchbox, a 42-electrode line of 40-centimeter-long (1.3 feet) stainless-steel electrodes, and a tablet controller were used to image the subsurface. The Spill Delineation Boundary provided by the client was used to plan the resistivity line and define the survey boundaries. The SLWMS survey consisted of a single resistivity line in a dipole-dipole strong gradient configuration, with a 42-electrode line laid out southwest to northeast (SLWMS01) at 5-meter electrode spacing, resulting in a single 205-meter-long line (**Figure 5**, **Table 1**). **NOTE:** The originally planned resistivity line had to be moved to the northeast to avoid the deep excavation in the center of the spill delineation boundary as well as pipelines on both sides of the survey area.

A preconfigured command file was used to run the data collection (DDSG42) which consisted of a dipole-dipole strong gradient survey. This electrode configuration provided a depth of investigation of up to 44 meters (144 feet) in this location at a resolution of 2.5 to 3.0 meters (8.2 to 9.8 feet) near the surface. A Leica GS18 GPS was used to record electrode locations and elevations. On this survey, the estimated horizontal error mean was 4.2 cm (1.67 inches), and the estimated vertical error mean was 7.5 cm (2.96 inches).

Figure 5: Geophysical survey overview. The survey line was conducted with 42 electrodes at 5-meter spacing (yellow dots denoted with blue numbers). Background image credit: Google Earth. Image date: March 20, 2023. Image datum: WGS-84.

Table 1 provides basic line data. Detailed information including electrode number, location in latitude/longitude (decimal degree format), and elevation in meters can be found in the accompanying data files.

Table 1: Survey Line Data Table. The .kmz file contains all the points for the survey line listed in the file name. These data are available in the accompanying files SLWMS_ERI_Points.xlsx and MBRN-001-20260211_SLWMS_Data_Files.kmz.

File Name:	Completed By:	Date:
SLWMS01.kmz	Michael Jones – Field Geophysicist Steven Kesler – Field Geologist Aaron Beirl – Field Geologist	3/6/2026

EarthImager™ 2D software was used to download and process the data and to provide the model used to make our interpretations. The design of the survey and the orientation of each of the lines provides the information necessary to make the determination of "stable" or "unstable" ground at this site.

A typical starting model was used for the data processing due to the two-layer model of the geology in the area; specifically, generally high-resistivity gypsum and dolomite at the surface and low-resistivity saturated gypsum and dolomite bedrock at depth. The starting model used was "average apparent resistivity" and a default inversion setting of "surface," with a minimum apparent resistivity set to 0.1 Ohm-meters (Ohm-m or Ω-m) and a max apparent resistivity set to 100,000 Ω-m (**Table 2**).

Table 2: Software Information and Settings

Software Name:	EarthImager™ 2D
Version:	2.4.4.649
Starting Model:	Average Apparent Resistivity
Default Inversion Settings:	Surface
Changes to Default Inversion Settings:	Max Apparent Resistivity = 100 kΩ-m Min Apparent Resistivity = 0.1 Ω-m

Note: Raw data files (.dat files for EarthImager™ 2D) and processed data (.trn files, terrain files for surface correction in EarthImager™ 2D and .out files, the processed .dat files) are available upon request.

All resistivity field work, including setup, stow, and travel, was completed by Michael Jones, Steven Kesler, and Aaron Beirl on March 6, 2026.

3.0 RESULTS

3.1 Surface Karst Survey

The desk study and surface karst survey identified no surface karst features located within the 200-meter (656-foot)[1] survey area surrounding the spill delineation boundary (**Figure 6**).

No springs exist within the 305-meter (1,000-foot)[1] survey boundary (**Figure 6**).



Figure 6: Surface karst survey results. Background image credit: Google Earth. Image date: March 20, 2023. Image datum: WGS-84.

The lack of surface karst features does not mean the area is not karstified and the survey area may still contain buried karst features. Caution should be exercised while clearing brush and during any excavation, drilling, or construction operations. Employing a BLM-CFO approved karst monitor on site during these operations should be considered.

3.2 Geophysical Survey

Electrical resistivity tomography forms images of the subsurface by causing a current to flow through the rock and soil and then measuring the resistance of these materials as the current flows through them. This measurement is taken many times and the resulting data, once processed, is used to produce a model of the subsurface (**Figure 7**). This model is produced using "non-unique" solutions, which means that there are many models and interpretations which will satisfy the data. Using experience and knowledge of the local geology, a high-confidence model can be established and used to develop an accurate understanding of what lies below the surface. This survey was conducted with the express purpose of locating subsurface voids and does not purport to find paleokarst (old, non-active karst features that have been filled in with sand and sediment) or nascent karst features below the resolution limit of the survey.

The results of this study indicate a moderately well-layered geologic system with low resistivities between 1.7 and 320 Ohm-m with occasional areas up to 1,812 Ohm-m (**Figure 7**). Please keep in mind when viewing the 2D inverted resistivity sections that color maps can be widely different for each view. Always check the color map located on the right side of the image when viewing the 2D images to ensure you understand the range of resistivities presented. Distances along the top and depths along the left side are in meters. The color map along the right side is in Ohm-m. Due to the nature of the survey, shallower zones have higher resolution between electrodes than deeper zones; therefore, small features at depth will not be visible.



Figure 7: 2D inverted resistivity section SLWMS01. Reds and oranges indicate higher resistivity values. Yellows and greens are medium-resistivity values. Blues are low-resistivity values. Please note that the color scale is relative.

4.0 DISCUSSION

No surface karst features were identified within 200 meters of the spill delineation boundary.

No anomalies consistent with air-filled subsurface voids are identified within the SLWMS survey area. Small solutionally enlarged voids or fractures at or near the resolution limit of the survey (2.5 – 3.0 meters) may be present. Areas of high-resistivity (reds and oranges) near the surface are interpreted as dry gypsite soils and dolomite bedrock of the Rustler Formation[17] (**Figure 7** and **Figure 8**). Low-resistivity areas between 1.7 – 20 Ohm-m may either represent surface-to-subsurface hydrologic pathways, or a layer of either clays and halite lenses or moist or saturated layers within the Rustler Formation (**Figure 7**).

Please remember that these are interpretations made from knowledge of the local subsurface materials and experience. **They remain interpretations until verified by geotechnical methods.** Employing a BLM-CFO-approved karst monitor on site during any drilling and/or remediation activities should be considered.



Figure 8: Data overlay. Colored trapezoid is the 2D inverted resistivity line. Background image credit: Google Earth. Image date: March 20, 2023.

Fracture sets within the subsurface can act as hydrologic pathways to the water table. Rapid dissolution of gypsum can occur along these pathways creating solution-enlarged fractures, and in some cases, voids within months to years. For this reason, this survey is valid only for this remediation event.

Within karst terrains like the project site, small air- or sediment-filled voids and/or brecciated zones and solutionally enlarged fractures that are below the resolution limit of the survey (2.5–3.0 meters) may exist; these may be encountered during excavation, and if so, should be evaluated by a karst specialist prior to continued work.

5.0 SUMMARY

- **The SLWMS survey identified no surface karst features within 200 feet (61 meters) of the spill delineation boundary.**
- No surface karst feature were identified within the 200-meter survey boundary, and no springs are noted within the 305-meter survey boundary.
- **No shallow anomalies interpreted as large voids or related karst features that would present a danger to equipment operators are located within the geophysical survey area.**
- Intercepting a void during remediation is unlikely, but still possible. Small voids or solutionally enlarged fractures below the resolution limit of the survey may be encountered.
- **Moderately well-layered stratigraphy is interpreted to exist beneath the geophysical survey line, indicating stable ground in the area of the subsurface investigation.**
- When conducting any remediation activities in this area, employing a BLM-CFO approved karst monitor on site should be considered.

6.0 DISCLOSURE STATEMENT

Karst occurrence zones are prone to rapid karst formation and warrant careful planning and engineering to mitigate karst-forming processes that could be accelerated by removal of surface cover or the vibrations associated with heavy equipment used in the remediation process.

Mitigation measures for any karst features revealed during excavation shall be approved by the Bureau of Land Management – Carlsbad Field Office and follow the Natural Resources Conservation Service Conservation Practice Standard for Karst Sinkhole Treatment, Code 527, or the Bureau of Land Management Cave and Karst Management Handbook, H-8380-1.

Vigilance during remediation activities is paramount. If voids are encountered during excavation, contact the Bureau of Land Management Karst Division at (575) 234-5972, the New Mexico State Land Office Surface Resources Division at (505) 827-5768, or a BLM-CFO approved karst contractor and request an on-site investigation from a karst expert if one is not already on site. A karst consultant can generally be available in Eddy County within five hours.

Approved karst monitors should have karst feature identification training, at least two years of supervised experience identifying karst features, wilderness first aid training, SRT training, confined space training, gas monitor training, and a minimum of SPAR cave rescue training through NCRC. They should have with them the proper gear and be prepared both physically and mentally to enter a collapse feature within minutes to perform a rescue if needed. Monitoring services with qualified karst monitors, as well as cave surveys and geophysical surveys, are available from Southwest Geophysical Consulting.

Under no circumstances should an untrained, inexperienced person enter a cave, pit, sinkhole, or collapse feature. All field employees of Southwest Geophysical Consulting have extensive caving experience and the ability to determine whether entry into a karst feature is safe or presents a hazard. In the event it is necessary to enter a karst feature, Southwest Geophysical Consulting can provide these services on request.

Cave and karst resource inventory reports, karst feature investigations, and geophysical reports (along with the associated data files) commissioned at the request of the land manager should be submitted to BLM-CFO at blm_nm_karst@blm.gov.

Cave and karst resource inventory reports for the NMSLO should be submitted to the respective project manager.

Environmental karst reports should be submitted to the appropriate project manager at the New Mexico Oil Conservation Division.

7.0 REFERENCES

1 Division, O. C. *Title 19, Chapter 15, Part 29* (Oil Conservation Division, 2018).

2 NMSLO. (ed Oil Conservation Division) (New Mexico State Land Office, Santa Fe, NM, 2018).

3 Decker, D. & Jorgensen, G. L. *Environmental Karst Surveys White Paper* (Southwest Geophysical Consulting, LLC, 2024).

4 Goodbar, J. R. Vol. BLM Management Handbook H-8380-1 (ed Carlsbad Field Office) 59 (Bureau of Land Management, Denver, CO, 2015).

5 Decker, D., Trautner, E. & Palmer, R. (Bureau of Land Management - Carlsbad Field Office, 2025).

6 Earthpoint. *Earthpoint Tools for Google Earth*, <https://www.earthpoint.us/Townships.aspx> (2022).

7 Decker, D. D., Land, L. & Luke, B. Characterization of Playa Lakes in the Gypsum Karst of Southeastern New Mexico and West Texas, USA. *Oklahoma Geological Survey Circular 113* **113** (2021).

8 W.R.C.C. *National Climate Data Center 1991-2020 Normal Climate Summary for Carlsbad, New Mexico (291469)*, 2021).

9 Whitehead, W. & Flynn, C. *Plant Utilization in Southeastern New Mexico: Botany, Ethnobotany, and Archaeology*. (Bureau of Land Management, Carlsbad Field Office, 2017).

10 NMSLO. Digital overlay (KML) of the surface land ownership in New Mexico (New Mexico State Land Office, Santa Fe, NM, 2024).

11 Green, G. N. & Jones, G. E. *The Digital Geologic Map of New Mexico in ARC/INFO Format*, <https://mrdata.usgs.gov/geology/state/state.php?state=NM> (1997).

12 Austin, G. S. *Geology and mineral deposits of Ochoan rocks in Delaware Basin and adjacent areas*. Vol. Circular 159 (New Mexico Bureau of Mines and Mineral Resources, 1978).

13 Powers, D. W., Lambert, S. J., Shaffer, S.-E., Hill, L. R. & Weart, W. D. Geological Characterization Report, Waste Isolation Pilot Plant (WIPP) Site, Southeastern New Mexico. 726 (Sandia Laboratories, Albuquerque, NM, 1978).

14 Scholle, P. A. Geologic Map of New Mexico. (2003).

15 Decker, D. D., Jorgensen, G. L. & Palmer, R. in *Southwest Geophysical Cave and Karst Database* (ed LLC Southwest Geophysical Consulting) (Albuquerque, NM, 2025).

16 Whitehead, W., Bandy, M. & Decker, D. Protocol for Using UAV Photography for Rapid Assessment of Karst Features in Southeast New Mexico. *Proceedings of the 2022 Cave and Karst Management Symposium* (2022).

17 Hill, C. A. *Geology of the Delaware Basin, Guadalupe, Apache and Glass Mountains, New Mexico and West Texas*. Vol. 96-39 (Permian Basin Section - SEPM, 1996).

8.0 GLOSSARY OF TERMS

AGI	Advanced Geosciences Inc.
BLM-CFO	Bureau of Land Management - Carlsbad Field Office
brecciated	Fractured rock caused by faulting or collapse.
caprock-collapse sinkhole	Collapse of roof-spanning rock into a cave or void.
cave	Natural opening at the surface large enough for a person to enter.
cover-collapse sinkhole	Collapse of roof-spanning soil or clay ground cover into a subsurface void.
ERI	Electrical Resistivity Imaging
GPS	Global Positioning System
grike	A solutionally enlarged, vertical, or sub-vertical joint or fracture.
(H)	High confidence modifier for a PKF. This is typically reserved for a feature that is definitely karst but has not been confirmed in the field.
HKOZ	High Karst Occurrence Zone
karst	A landscape containing solutional features such as caves, sinkholes, swallets, and springs.
(L)	Low confidence modifier for a PKF. This is typically a feature that cannot be ruled out as karst but is most likely NOT karst related. This modifier may also be used for pseudokarst features.
(M)	Medium confidence modifier for PKF. This is an ambiguous feature that can't be positively identified as karst without a field visit (e.g., burrows, abandoned unlined wells, solution tubes, pseudokarst).
MKOZ	Medium Karst Occurrence Zone
NCRC	National Cave Rescue Commission
NKF	Non-karst feature. Used for features originally identified as PKF that have been subsequently identified in the field as non-karst related. This term may also be used for pseudokarst features.
NMSLO	New Mexico State Land Office
Ohm-m	Ohm-meter, a unit of measurement for resistivity. Sometimes abbreviated Ω-m.
paleokarst	Previously formed karst features that have been filled in by erosion and/or deposition of minerals.
Pat	Permian Artesia Group
Pc	Permian Capitan Formation
Pcs	Permian Castile Formation
Pdl	Permian Dewey Lake Formation
PKF	Possible karst feature. This term is reserved for features identified in satellite or aerial imagery that have NOT been visited in the

	field. Further modifiers include (H) for high confidence, (M) for medium confidence, and (L) for low confidence. These confidence levels are based on field experience.
PLSS	Public Land Survey System
Pqg	Permian Queen/Greyburg Formation
Pru	Permian Rustler Formation
pseudokarst	Karst-like features (sinkholes, conduits, voids etc.) that are not formed by dissolution. These types of features include soil piping, lava tubes, and some cover-collapse and suffosion sinkholes.
Psl	Permian Salado Formation
Psr	Permian Seven Rivers Formation
Pt	Permian Tansill Formation
Py	Permian Yates Formation
Qal	Quaternary alluvium
Qe	Quaternary eolian deposits
Qp	Quaternary piedmont deposits
Qpl	Quaternary playa lake deposits
RKF	Recognized karst feature. This term is reserved for karst features that have been physically verified in the field.
SPAR	Small Party Assisted Rescue
sUAS	Small, uncrewed aerial system
suffosion sinkhole	Raveling of soil into a pre-existing void or fracture.
swallet	A natural opening in the surface, too small for a person, that drains water to an aquifer. Some are "open," meaning a void can be seen below; some are "closed, "meaning they are full of sediment.
SWG	Southwest Geophysical Consulting, LLC
UTM	Universal Transverse Mercator (projected coordinates)
(V)	Field verified modifier for a RKF. This indicates that the feature has been visited by a qualified karst professional in the field and fully identified
WGS	World Geodetic System (geographic coordinates)

9.0 ATTESTATION

David D. Decker, PhD, PG, CPG
Chief Executive Officer, Principal Geologist
Southwest Geophysical Consulting, LLC
5117 Fairfax Dr. NW
Albuquerque, NM 87114
dave@swgeophys.com
(505) 585-2550

CERTIFICATE OF AUTHOR

I, David D. Decker, a Licensed Professional Geologist and a Certified Professional Geologist, do certify that:

- I am currently employed as a consulting geologist in the specialty of caves and karst with an office address of 5117 Fairfax Dr. NW, Albuquerque, NM, USA, 87114.
- I graduated with a Master of Science in Applied Physics with a specialization in Sensor Systems from the Naval Post Graduate School in Monterey, California, in 2003, and a Doctor of Philosophy in Earth and Planetary Sciences from the University of New Mexico, Albuquerque, New Mexico, in 2018.
- I am a Licensed Professional Geologist in the State of Texas, USA (PG-15242) and have been since 2021. I am a Certified Professional Geologist through the American Institute of Professional Geologists (CPG-12123) and have been since 2021.
- I have been employed as a geologist continuously since 2016. I was previously employed as a Fire Controlman, Naval Flight Officer, and Aerospace Engineering Duty Officer in the U.S. Navy and operated, maintained, and installed various sensor systems including magnetic, electromagnetic, radar, communications, and acoustic systems in various capacities from 1986 through 2010.
- I have been involved in various aspects of cave and karst studies continuously since 1985, including exploration, mapping, and scientific studies.
- I have read the definition of “qualified karst professional” set out in the ASTM Standard Practice for Preliminary Karst Terrain Assessment for Site Development (ASTM E-1527). I meet the definition of “qualified professional” for the purposes of this standard.
- I am responsible for the content, compilation, and editing of all sections of report number MBRN-001-20260211 entitled, “Environmental Karst Study Report, SLWMS Fuller SWD Line, Eddy County, New Mexico.” I or a duly authorized and qualified representative of Southwest Geophysical Consulting, LLC, have personally visited this site and/or reviewed the aerial imagery on the date or dates mentioned in section ***2.3 Description of Survey***.

- I have no prior involvement nor monetary interest in the described property or project, save for my fee for conducting this investigation and providing the report.

Dated in Albuquerque, New Mexico, March 26, 2026.

David D. Decker
PhD, CPG-12123

Appendix C
Soil Survey Information

Soil Map—Eddy Area, New Mexico
(SLWMS Fuller SWD Line)



Map Scale: 1:839 if printed on A portrait (8.5" x 11") sheet.

N

Meters
0 10 20 40 60

Feet
0 40 80 160 240

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 13N WGS84

Received by OCD: 6/11/2026 1:45:49 PM

Soil Map—Eddy Area, New Mexico
(SLWMS Fuller SWD Line)

MAP LEGEND

Area of Interest (AOI)
- Area of Interest (AOI)

Soils
- Soil Map Unit Polygons
- Soil Map Unit Lines
- Soil Map Unit Points

Special Point Features
- Blowout
- Borrow Pit
- Clay Spot
- Closed Depression
- Gravel Pit
- Gravelly Spot
- Landfill
- Lava Flow
- Marsh or swamp
- Mine or Quarry
- Miscellaneous Water
- Perennial Water
- Rock Outcrop
- Saline Spot
- Sandy Spot
- Severely Eroded Spot
- Sinkhole
- Slide or Slip
- Sodic Spot
- Spoil Area
- Stony Spot
- Very Stony Spot
- Wet Spot
- Other
- Special Line Features

Water Features
- Streams and Canals

Transportation
- Rails
- Interstate Highways
- US Routes
- Major Roads
- Local Roads

Background
- Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico
Survey Area Data: Version 21, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Released to Imaging: 6/22/2026 2:15:51 PM

Received by OCD: 6/11/2026 1:45:49 PM

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
PA	Pajarito loamy fine sand, 0 to 3 percent slopes, eroded	1.1	92.0%
US	Upton-Simona complex, 1 to 15 percent slopes, eroded	0.1	8.0%
Totals for Area of Interest		**1.1**	**100.0%**

Released to Imaging: 6/22/2026 2:15:51 PM

Received by OCD: 6/11/2026 1:45:49 PM

Eddy Area, New Mexico

PA—Pajarito loamy fine sand, 0 to 3 percent slopes, eroded

Map Unit Setting

National map unit symbol: 1w54
Landscape: Uplands
Elevation: 2,700 to 5,500 feet
Mean annual precipitation: 5 to 15 inches
Mean annual air temperature: 57 to 70 degrees F
Frost-free period: 180 to 250 days
Farmland classification: Not prime farmland

Map Unit Composition

Pajarito and similar soils: 98 percent
Minor components: 2 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pajarito

Setting

Landscape: Uplands
Landform: Sand dunes, Interdunes, Sandy plains
Landform position (three-dimensional): Side slope
Down-slope shape: Convex, linear
Across-slope shape: Convex, linear
Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 13 inches: loamy fine sand
H2 - 13 to 36 inches: fine sandy loam
H3 - 36 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Moderate (about 7.9 inches)

Released to Imaging: 6/22/2026 2:15:51 PM

Received by OCD: 6/11/2026 1:45:49 PM

Interpretive groups

Land capability classification (irrigated): 2e
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: A
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Minor Components

Wink

Percent of map unit: 1 percent
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Berino

Percent of map unit: 1 percent
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico
Survey Area Data: Version 21, Sep 9, 2025

Released to Imaging: 6/22/2026 2:15:51 PM

Received by OCD: 6/11/2026 1:45:49 PM

Eddy Area, New Mexico

US—Upton-Simona complex, 1 to 15 percent slopes, eroded

Map Unit Setting

National map unit symbol: 1w66
Landscape: Uplands
Elevation: 2,000 to 5,700 feet
Mean annual precipitation: 6 to 14 inches
Mean annual air temperature: 57 to 70 degrees F
Frost-free period: 180 to 260 days
Farmland classification: Not prime farmland

Map Unit Composition

Upton and similar soils: 40 percent
Simona and similar soils: 35 percent
Minor components: 25 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Upton

Setting

Landscape: Uplands
Landform: Fans, Ridges
Landform position (three-dimensional): Side slope, rise
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Residuum weathered from limestone

Typical profile

H1 - 0 to 9 inches: gravelly loam
H2 - 9 to 13 inches: gravelly loam
H3 - 13 to 21 inches: cemented
H4 - 21 to 60 inches: very gravelly loam

Properties and qualities

Slope: 1 to 15 percent
Depth to restrictive feature: 7 to 20 inches to petrocalcic
Drainage class: Well drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Low to moderately high (0.01 to 0.60 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 75 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Very low (about 1.4 inches)

Released to Imaging: 6/22/2026 2:15:51 PM

Received by OCD: 6/11/2026 1:45:49 PM

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: D
Ecological site: R070BC025NM - Shallow
Hydric soil rating: No

Description of Simona

Setting

Landscape: Uplands
Landform: Alluvial fans, Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 6 inches: gravelly fine sandy loam
H2 - 6 to 20 inches: gravelly fine sandy loam
H3 - 20 to 24 inches: indurated

Properties and qualities

Slope: 1 to 5 percent
Depth to restrictive feature: 7 to 20 inches to petrocalcic
Drainage class: Well drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Very low (about 2.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: D
Ecological site: R070BD002NM - Shallow Sandy
Hydric soil rating: No

Minor Components

Rock outcrop

Percent of map unit: 9 percent
Hydric soil rating: No

Pajarito

Percent of map unit: 8 percent
Ecological site: R070BD003NM - Loamy Sand

Released to Imaging: 6/22/2026 2:15:51 PM

Received by OCD: 6/11/2026 1:45:49 PM

Hydric soil rating: No

Dune land

Percent of map unit: 8 percent
Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico
Survey Area Data: Version 21, Sep 9, 2025

Released to Imaging: 6/22/2026 2:15:51 PM

Appendix D
Protected Species & Habitats

SLWMS Fuller SWD Line - Plant and Wildlife Habitat

3/2/2026, 1:19:04 PM

1:50,000

0 0.35 0.7 1.4 mi

0 0.5 1 2 km

ArcGIS World Geocoding Service

Potential Habitat (Planning Area Only)

Scheer's beehive cactus

Tharp's blue-star

Bureau of Land Management - New Mexico State Office, Vantor

Legend

- Site Location
- Priority Level 1
- Priority Level 2
- Priority Level 3
- Priority Level 4
- Priority Level 5
- Priority Level 6

New Mexico Crucial Habitat Assessment Tool
Mewbourne Oil Company
SLWMS Fuller SWD Line
GPS: 32.043933, -103.94987
Eddy County, New Mexico

eTECH Environmental & Safety Solutions, Inc.

Drafted: mag Checked: rlc Date: 2026-03-05

IPaC resource list

This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the project area, but that could potentially be directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.

Location

Eddy County, New Mexico

Local office

New Mexico Ecological Services Field Office

(505) 346-2525
(505) 346-2542

2105 Osuna Road Ne
Albuquerque, NM 87113-1001

NOT FOR CONSULTATION

Endangered species

This resource list is for informational purposes only and does not constitute an analysis of project level impacts.

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

1. Draw the project location and click CONTINUE.
2. Click DEFINE PROJECT.
3. Log in (if directed to do so).
4. Provide a name and description for your project.
5. Click REQUEST SPECIES LIST.

Listed species[1] and their critical habitats are managed by the Ecological Services Program of the U.S. Fish and Wildlife Service (USFWS) and the fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries[2]).

Species and critical habitats under the sole responsibility of NOAA Fisheries are **not** shown on this list. Please contact NOAA Fisheries for species under their jurisdiction.

1. Species listed under the Endangered Species Act are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the listing status page for more information. IPaC only shows species that are regulated by USFWS (see FAQ).
2. NOAA Fisheries, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

The following species are potentially affected by activities in this location:

Birds

NAME	STATUS
Northern Aplomado Falcon Falco femoralis septentrionalis No critical habitat has been designated for this species. https://ecos.fws.gov/ecp/species/1923	EXPN
Piping Plover Charadrius melodus There is **final** critical habitat for this species. Your location does not overlap the critical habitat. https://ecos.fws.gov/ecp/species/6039	Threatened
Southwestern Willow Flycatcher Empidonax traillii extimus Wherever found There is **final** critical habitat for this species. Your location does not overlap the critical habitat. https://ecos.fws.gov/ecp/species/6749	Endangered

Insects

NAME	STATUS
Monarch Butterfly Danaus plexippus Wherever found There is **proposed** critical habitat for this species. Your location does not overlap the critical habitat. https://ecos.fws.gov/ecp/species/9743	Proposed Threatened

NOT FOR CONSULTATION

Critical habitats

Potential effects to critical habitat(s) in this location must be analyzed along with the endangered species themselves.

There are no critical habitats at this location.

You are still required to determine if your project(s) may have effects on all above listed species.

Bald & Golden Eagles

Bald and Golden Eagles are protected under the Bald and Golden Eagle Protection Act [2] and the Migratory Bird Treaty Act (MBTA) [1]. Any person or organization who plans or conducts activities that may result in impacts to Bald or Golden Eagles, or their nests, should follow appropriate regulations and implement required avoidance and minimization measures, as described in the various links on this page.

The data in this location indicates that no eagles have been observed in this area. This does not mean eagles are not present in your project area, especially if the area is difficult to survey. Please review the 'Steps to Take When No Results Are Returned' section of the Supplemental Information on Migratory Birds and Eagles document to determine if your project is in a poorly surveyed area. If it is, you may need to rely on other resources to determine if eagles may be present (e.g. your local FWS field office, state surveys, your own surveys).

Additional information can be found using the following links:

- Eagle Management https://www.fws.gov/program/eagle-management
- Measures for avoiding and minimizing impacts to birds https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds
- Nationwide avoidance and minimization measures for birds https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf
- Supplemental Information for Migratory Birds and Eagles in IPaC https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action

Bald & Golden Eagles FAQs

What does IPaC use to generate the potential presence of bald and golden eagles in my specified location?

The potential for eagle presence is derived from data provided by the Avian Knowledge Network (AKN). The AKN data is based on a growing collection of survey, banding, and citizen science datasets and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are an eagle (Bald and Golden Eagle Protection Act requirements may apply).

Proper interpretation and use of your eagle report

On the graphs provided, please look carefully at the survey effort (indicated by the black vertical line) and for the existence of the "no data" indicator (a red horizontal line). A high survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort line or no data line (red horizontal) means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list and associated information help you know what to look for to confirm presence and helps guide you in knowing when to implement avoidance and minimization measures to eliminate or reduce potential impacts from your project activities or get the appropriate permits should presence be confirmed.

How do I know if eagles are breeding, wintering, or migrating in my area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating, or resident), you may query your location using the RAIL Tool and view the range maps provided for birds in your area at the bottom of the profiles provided for each bird in your results. If an eagle on your IPaC migratory bird species list has a breeding season associated with it (indicated by yellow vertical bars on the phenology graph in your “IPaC PROBABILITY OF PRESENCE SUMMARY” at the top of your results list), there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

Interpreting the Probability of Presence Graphs

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. A taller bar indicates a higher probability of species presence. The survey effort can be used to establish a level of confidence in the presence score.

How is the probability of presence score calculated? The calculation is done in three steps:

The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.

To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1;

NOT FOR CONSULTATION

at week 20 it is 0.05/0.25 = 0.2.

The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

Breeding Season ()
Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort ()
Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.

No Data ()
A week is marked as having no data if there were no survey events for that week.

Survey Timeframe
Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

Migratory birds

The Migratory Bird Treaty Act (MBTA) [1] prohibits the take (including killing, capturing, selling, trading, and transport) of protected migratory bird species without prior authorization by the Department of Interior U.S. Fish and Wildlife Service (Service).

1. The Migratory Birds Treaty Act of 1918.
2. The Bald and Golden Eagle Protection Act of 1940.

Additional information can be found using the following links:

- Eagle Management https://www.fws.gov/program/eagle-management
- Measures for avoiding and minimizing impacts to birds https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds
- Nationwide avoidance and minimization measures for birds
- Supplemental Information for Migratory Birds and Eagles in IPaC https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action

Measures for Proactively Minimizing Migratory Bird Impacts

Your IPaC Migratory Bird list showcases birds of concern, including Birds of Conservation Concern (BCC), in your project location. This is not a comprehensive list of all birds found in your project area. However, you can help proactively minimize significant impacts to all birds at your project location by implementing the measures in the Nationwide avoidance and minimization measures for birds document, and any other project-specific avoidance and minimization measures suggested at the link Measures for avoiding and minimizing impacts to birds for the birds of concern on your list below.

Ensure Your Migratory Bird List is Accurate and Complete

If your project area is in a poorly surveyed area, your list may not be complete and you may need to rely on other resources to determine what species may be present (e.g. your local FWS field office, state surveys, your own surveys). Please review the Supplemental Information on Migratory Birds and Eagles document, to help you properly interpret the report for your specified location, including determining if there is sufficient data to ensure your list is accurate.

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the "Probability of Presence Summary" below to see when these birds are most likely to be present and breeding in your project area.

Review the FAQs
The FAQs below provide important additional information and resources.

NAME	BREEDING SEASON
Clark's Grebe Aechmophorus clarkii This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds Jun 1 to Aug 31
Henry's Common Nighthawk Chordeiles minor henryi This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA	Breeds May 21 to Aug 25

NOT FOR CONSULTATION

Probability of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read "Supplemental Information on Migratory Birds and Eagles", specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

Probability of Presence (■)

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.
3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

Breeding Season (■)
Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort (|)
Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.

To see a bar's survey effort range, simply hover your mouse cursor over the bar.

No Data (–)
A week is marked as having no data if there were no survey events for that week.

Survey Timeframe
Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.



Migratory Bird FAQs

Tell me more about avoidance and minimization measures I can implement to avoid or minimize impacts to migratory birds.

Nationwide Avoidance & Minimization Measures for Birds describes measures that can help avoid and minimize impacts to all birds at any location year-round. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is one of the most effective ways to minimize impacts. To see when birds are most likely to occur and breed in your project area, view the Probability of Presence Summary. Additional measures or permits may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

What does IPaC use to generate the list of migratory birds that potentially occur in my specified location?

The Migratory Bird Resource List is comprised of Birds of Conservation Concern (BCC) and other species that may warrant special attention in your project location, such as those listed under the Endangered Species Act or the Bald and Golden Eagle Protection Act and those species marked as “Vulnerable”. See the FAQ “What are the levels of concern for migratory birds?” for more information on the levels of concern covered in the IPaC migratory bird species list.

The migratory bird list generated for your project is derived from data provided by the Avian Knowledge Network (AKN). The AKN data is based on a growing collection of survey, banding, and citizen science datasets and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) with which your project intersects. These species have been identified as warranting special attention because they are BCC species in that

NOT FOR CONSULTATION

area, an eagle (Bald and Golden Eagle Protection Act requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, and to verify survey effort when no results present, please visit the Rapid Avian Information Locator (RAIL) Tool.

Why are subspecies showing up on my list?

Subspecies profiles are included on the list of species present in your project area because observations in the AKN for **the species** are being detected. If the species are present, that means that the subspecies may also be present. If a subspecies shows up on your list, you may need to rely on other resources to determine if that subspecies may be present (e.g. your local FWS field office, state surveys, your own surveys).

What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the Avian Knowledge Network (AKN). This data is derived from a growing collection of survey, banding, and citizen science datasets.

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go to the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

How do I know if a bird is breeding, wintering, or migrating in my area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating, or resident), you may query your location using the RAIL Tool and view the range maps provided for birds in your area at the bottom of the profiles provided for each bird in your results. If a bird on your IPaC migratory bird species list has a breeding season associated with it (indicated by yellow vertical bars on the phenology graph in your “IPaC PROBABILITY OF PRESENCE SUMMARY” at the top of your results list), there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

1. "BCC Rangewide" birds are Birds of Conservation Concern (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
2. "BCC - BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
3. "Non-BCC - Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the Bald and Golden Eagle Protection Act requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially BCC species. For more information on avoidance and minimization measures you can implement to help avoid and minimize migratory bird impacts, please see the FAQ “Tell me more about avoidance and minimization measures I can implement to avoid or minimize impacts to migratory birds”.

Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the Northeast Ocean Data Portal. The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird Distributions and Abundance on the Atlantic Outer Continental Shelf project webpage.

Proper interpretation and use of your migratory bird report

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please look carefully at the survey effort (indicated by the black vertical line) and for the existence of the "no data" indicator (a red horizontal line). A high survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list does not represent all birds present in your project area. It is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list and associated information help you know what to look for to confirm presence and helps guide implementation of avoidance and minimization measures to eliminate or reduce potential impacts from your project activities, should presence be confirmed. To learn more about avoidance and minimization measures, visit the FAQ "Tell me about avoidance and minimization measures I can implement to avoid or minimize impacts to migratory birds".

Interpreting the Probability of Presence Graphs

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. A taller bar indicates a higher probability of species presence. The survey effort can be used to establish a level of confidence in the presence score.

How is the probability of presence score calculated? The calculation is done in three steps:

The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.

To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.

NOT FOR CONSULTATION

The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

Breeding Season ()
Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort ()
Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.

No Data ()
A week is marked as having no data if there were no survey events for that week.

Survey Timeframe
Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

Facilities

National Wildlife Refuge lands

Any activity proposed on lands managed by the National Wildlife Refuge system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

There are no refuge lands at this location.

Fish hatcheries

There are no fish hatcheries at this location.

Wetlands in the National Wetlands Inventory (NWI)

Impacts to NWI wetlands and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local U.S. Army Corps of Engineers District.

Wetland information is not available at this time

This can happen when the National Wetlands Inventory (NWI) map service is unavailable, or for very large projects that intersect many wetland areas. Try again, or visit the NWI map to view wetlands at this location.

Data limitations

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

Data exclusions

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tuberficid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

Data precautions

NOT FOR CONSULTATION

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate Federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.

NOT FOR CONSULTATION

Appendix E
Photographic Log

Photographic Log

Photo Number: 1	
Photo Direction: West-Northwest	
Photo Description: Release Point	

Photo Number: 2	
Photo Direction: North-Northeast	
Photo Description: View of the affected area.	

Photographic Log

Photo Number: 3 **Photo Direction:** West-Southwest **Photo Description:** View of the affected area.	
Photo Number: 4 **Photo Direction:** South-Southwest **Photo Description:** View of the affected area.	

Photographic Log

Photo Number: 5 **Photo Direction:** Northeast **Photo Description:** View of the affected area.	

Photo Number: 6 **Photo Direction:** South-Southeast **Photo Description:** View of the affected area.	

Photographic Log

Photo Number: 7	
Photo Direction: East-Southeast	
Photo Description: View of the affected area.	

Photo Number: 8	
Photo Direction: South-Southeast	
Photo Description: View of the affected area.	

Photographic Log

Photo Number: 9 **Photo Direction:** South-Southeast **Photo Description:** View of the excavated area.	

Photo Number: 10 **Photo Direction:** South-Southeast **Photo Description:** View of the excavated area.	

Photographic Log

Photo Number: 11 **Photo Direction:** Northeast **Photo Description:** View of the excavated area.	

Photo Number: 12 **Photo Direction:** North-Northeast **Photo Description:** View of the excavated area.	

Photographic Log

Photo Number: 13 **Photo Direction:** West-Northwest **Photo Description:** View of the excavated area.	

Photo Number: 14 **Photo Direction:** North-Northeast **Photo Description:** View of the excavated area.	

Photographic Log

Photo Number: 15 **Photo Direction:** Southeast **Photo Description:** View of the excavated area.	

Photo Number: 16 **Photo Direction:** South-Southwest **Photo Description:** View of the excavated area.	

Photographic Log

Photo Number: 17	
Photo Direction: Northeast	
Photo Description: View of the excavated area.	

Photo Number: 18	
Photo Direction: Northwest	
Photo Description: View of the excavated area.	

Appendix F
Field Data

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date:

Project: SLWMS Fuller SWD Release

Project Number: 23707 Latitude: 32.043933 Longitude: -103.94987

Sample ID		PID/Odor	Chloride Conc.	GPS
NH1 @Sur	2.8	—	320	
NH1 @1'	3.0	—	360	
NH2 @Sur	1.6		126	
NH2 @1'	3.0		360	
EH1 @Sur	1.0		<126	
EH1 @1'	3.0		360	
SH1 @Sur	1.0		<126	
SH1 @1'	1.0		<126	
SH2 @Sur	1.6		126	
SH2 @1'	2.0		188	
WH1 @Sur	2.0		188	
WH1 @1'	1.2		<126	
WH2 @Sur	3.0		360	
WH2 @1'	3.0		360	
SH3 @Sur	2.2		216	
SH3 @1'	2.0		188	
EH2 @Sur			524	
EH2 @1'			126	
SP1 @Sur			>2,565	
SP1 @4'			>2,565	
SP1 @6'			>2,565	
SP1 @7'	6.0		1,272	
SP2 @ Sur			>2,565	
SP2 @ 4'			>2,565	
SP1 @8'	4.6		768	
SP1 @9'	3.0		360	
SP2 @5'	6.6		1552	
SP2 @6'	4.2			
SP2 @7'	5.8			
SP2 @8'	2.0		188	
SP3 @Sur			>2,565	
SP3 @4'	6.8			
SP3 @5'	6.0		1272	
SP3 @6'	6.0		1,272	
SP3 @7'	3.4			

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc

Sample Log

Date:

Project: SLWMS Fuller SWD Release

Project Number: 23707 Latitude: 32.043933 Longitude: -103.94987

Sample ID		PID/Odor	Chloride Conc.	GPS
SP4@ Surface	8.4	/		
SP4@ 4'	8.0	/		
SP4@ 5'	7.8	/		
SP4@ 6'	4.0	/		
SP5@ Surface	8.4	/		
SP5@ 1'	8.0	/		
SP5@ 2'	7.6	/		
SP5@ 3'	5.2	/	960	
SP5@ 4'	4.4	/	708	
	2.8	/		
W. Wall #1	3.0	/		
#2	3.0	/		
#3	3.0	/		
E wall #1	3.2	/		
E wall #2	3.0	/		
E wall #3	2.8	/		
NW-1	2.0	—	196	
NW-2	2.0	—	196	
NW-3	2.6	—	300	
NW-4	2.6	—	300	
NW-5	1.8	—	140	
NW-6	2.0	—	172	
FW-1		—	200	
FW-2		—	234	
SW-1		—	272	
NW-7		—	208	
FW-3		—	236	
SW-2		—	200	

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date: _____

Project:

Project Number: _____ Latitude: _____ Longitude: _____

Sample ID	PID/Odor	Chloride Conc.	GPS
FL-1@4' 2.2	—	2.2	
FL-2@4' H 4.8	—		
FL-3@4' 3.8	—		
FL-4@4' 5.2	—		
FL-5@4' H 5.2	—		
FL-6@4' 2.0	—		
FL-7@4' H 6.4	—		
FL-8@4' H 3.6	—		
FL-9@4' H 6.8	—		
FL-10@4' H 6.4	—		
FL-11@4' H 1.8	—		
FL-12@4' H 5.0	—		
FL-13@4' H 3.8			
FL-14@4' H 5.6			
FL-15@4' H 6.4			
FL-16@4' 5.2			
FL-17@4' H 5.2			
FL-18@4' H 3.0			
FL-19@4' H 6.6			
FL-20@4' H 6.2			
FL-21@4' H 5.6			
FL-22@4' H 5.4			
FL-23@4' H 6.6			
FL-24@4' H 7.2			
FL-25@4' H 5.4			
FL-26@4' H 4.0			
FL-27@4' H 2.0			
FL-28@4' H 5.0			
FL-29@4' H 5.0			
FL-30@4' H 5.6			
FL-31@4' H 2.0			
FL-32@4' H 4.0			
FL-33@4' H 1.8			
FL-34@4' H 2.0			

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ Sb or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date: _____

Project:

Project Number: _____ Latitude: _____ Longitude: _____

Sample ID	PID/Odor	Chloride Conc.	GPS
FL-35@4' H 6.0	–		
FL-36@4' H 1.0	–		
FL-37@4' H 1.0	–		
FL-38@4' H 1.0	–		
FL-39@4' H 6.2	–		
FL-40@4' H 5.4	–		
FL-41@4' 3.0	–		
FL-42@4' 2.6	–		
FL-43@4' H 6.0	–		
FL-44@4' 2.0	–		
FL-45@4' 5.8	–		
FL-46@4' 4.0	–		
FL-47@4' H 5.0	–		
FL-48@4' H 6.8	–		
FL-49@4' 4.0	–		
FL-50@4' 3.0	–		
FL-51@4' 6.0	–		
FL-52@4' 6.4	–		
FL-53@4' 4.0	–		
FL-54@4' H 3.0	–		
FL-55@4' 2.0	–		
FL-56@4' 2.6	–		
FL-57@4' H 6.2	–		
FL-58@4' H 6.0	–		
FL-59@4' H 6.2	–		
FL-60@4' H 2.0	–		
FL-61@4' H 2.4	–		
FL-62@4' H 3.0	–		
FL-63@4' 2.0	–		
FL-64@4' 2.0	–		
FL-65@4' 2.4	–		
FL-66@4' H 4.6	–		
FL-67@4' H 2.0	–		
FL-68@4' H 4.0	–		
FL-69@4' 2.6	–		
FL-70@4' H 3.8	–		
FL-71@4' 2.4	–		

Sample Point = SP #1 @ ## etc
Floor = FL #1 etc
Sidewall = SW #1 etc

Test Trench = TT #1 @ ##
Refusal = SP #1 @ 4'-R
Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b
Stockpile = Stockpile #1
GPS Sample Points, Center of Comp Areas

eTECH Environmental & Safety Solutions, Inc.

Sample Log

Date: _____

Project:

Project Number: _____ Latitude: _____ Longitude: _____

Sample ID	PID/Odor	Chloride Conc.	GPS
FL-72 @4' H 3.4	—		
FL-73 @4' H 4.0	—		
FL-74 @4' H 3.0	—		
FL-75 @4' H 5.0	—		
FL-76 @4' H 6.0	—		
FL-77 @4' H 5.0	—		
FL-78 @4' 4.2	—		
FL-79 @4' 3.0	—		
FL-80 @4' 5.0	—		
FL-81 @4' 5.6	—		
FL-82 @4' 5.6	—		
FL-83 @4' 4.4	—		
FL-84 @4' 2.0	—		
FL-85 @4' 3.6	—		
FL-86 @4' 4.8	—		
FL-87 @4' 4.6	—		
FL-88 @4' 4.0	—		
FL-89 @4' 2.0	—		
FL-90 @4' 3.6	—		
FL-91 @4' 5.0	—		
FL-92 @4' 4.8	—		
FL-93 @4' 3.6	—		
FL-94 @4' 4.0	—		
FL-95 @4' 4.0	—		
FL-96 @4' 5.4	—		
FL-97 @4' 5.0	—		
FL-98 @4' 3.6	—		
FL-99 @4' 4.2	—		
FL-100 @4' 3.8	—		
FL-101 @4' 4.0	—		
FL-102 @4' 3.2	—		
FL-103 @4' 5.8	—		
FL-104 @4' 5.0	—		
FL-105 @4' 3.6	—		
FL-106 @4' 4.0	—		

Sample Point = SP #1 @ ## etc
Floor = FL #1 etc
Sidewall = SW #1 etc

Test Trench = TT #1 @ ##
Refusal = SP #1 @ 4'-R
Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b
Stockpile = Stockpile #1
GPS Sample Points, Center of Comp Areas

ETECH Environmental & Safety Solutions, Inc.

Sample Log

Date: _____

Project:

Project Number: _____ Latitude: _____ Longitude: _____

Sample ID	PID/Odor	Chloride Conc.	GPS
FL-107 @4' 4.4			
FL-108 @4' 4.0	–		
FL-109 @4' H 4.0	–		
FL-110 @4' H 2.0	–		
FL-111 @4' H 4.0	–		
FL-112 @4' H 5.4	–		
FL-113 @4' 5.0	–		
FL-114 @4' H 4.8	–		
FL-115 @4' H 4.8	–		
FL-116 @4' H 5.4	–		
FL-117 @4' H 4.4	–		
FL-118 @4' 4.0	–		
FL-119 @4' 4.8	–		
FL-120 @4' H 4.8	–		
FL-121 @4' H 4.2	–		
FL-122 @4' H 4.4			
FL-123 @4' H 5.0	–		
FL-124 @4' H 5.8	–		
FL-125 @4' H 3.6			
FL-126 @4' H 4.0	–		
FL-127 @4' H 4.8			
FL-128 @4' H 3.4	–		
FL-129 @4' H 3.4	–		
FL-130 @4' 3.4	–		
FL-131 @4' H 4.2	–		
FL-132 @4' 4.8	–		
FL-133 @4' H 5.0	–		
FL-134 @4' 5.6	–		
FL-135 @4' 3.8	–		
FL-136 @4' H 4.6	–		
FL-137 @4' 5.0	–		
FL-138 @4' H 5.2	–		
FL-139 @4'	–		
FL-140 @4' H 5.4	–		
FL-141 @4' 4.8	–		
FL-142 @4' 5.6	–		

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

TECH Environmental & Safety Solutions, Inc

Sample Log

Date:

Project:

Project Number: Latitude: Longitude:

Sample ID	PID/Odor	Chloride Conc.	GPS
FL-1 @1' 3.8	—		
FL-144@1' H 1.8	—		
FL-145@1' H 5.6	—		
FL-146@1' H 5.2	—		
FL-147@1' H 4.4	—		
FL-148@1' 4.5	—		
FL-149@1' 5.2	—		
FL-150@1' H 2.0	—		
FL-151@1' H 4.0	—		
FL-152@1' H 4.2	—		
FL-153@1' 6.2	—		
FL-154@1' H 4.6	—		
FL-155@1' 5.1	—		
FL-156@1' H 5.8	—		
FL-157@1' H 5.2	—		
FL-158@1' H 3.2	—		
FL-159@1' H 1.8	—		
FL-160@1' H 1.0	—		
FL-161@1' 2.0	—		
FL-162@1' H 2.8	—		
FL-163@1' 6.0	—		
FL-162@1' 6.2	—		
FL-163@1' 4.8	—		
FL-164@1' H 5.2	—		
FL-165@1' H 3.8	—		
FL-166@1' H 4.2	—		
FL-167@1' H 4.0	—		
FL-168@1' H 4.0	—		
FL-169@1' H 3.8	—		
FL-170@1' 6.0	—		
FL-171@1' H 4.6	—		
FL-172@1' H 3.2	—		
FL-173@1' H 5.4	—		
FL-174@1' H 6.2	—		
FL-175@1' 4.8	—		
FL-176@1' 4.6	—		

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

TECH Environmental & Safety Solutions, Inc.

Sample Log

Date: _____

Project: _____

Project Number: _____ Latitude: _____ Longitude: _____

Sample ID	PID/Odor	Chloride Conc.	GPS
FL-177@4' 4.8	—		
FL-178@4' 5.5	—		
FL-179@4' 1.8	—		
FL-180@4' 3.0	—		
FL-181@4' 3.1	—		
FL-182@4' H 4.0	—		
FL-183@4' 4.7	—		
FL-184@4' 5.2	—		
FL-185@4' 3.0	—		
FL-186@4' 3.6	—		
FL-187@4' H 4.5	—		
FL-188@4' 4.2	—		
FL-189@4' 5.6	—		
FL-190@4' 4.3	—		
FL-191@4' 4.2	—		
FL-192@4' H 3.1	—		
FL-193@4' H 4.8	—		
FL-194@4' H 5.0	—		
FL-195@4' 2.5	—		
FL-196@4' 3.1	—		
FL-197@4' 3.6	—		
FL-198@4' H 3.0	—		
FL-199@4' 4.0	—		
FL-200@4' 4.3	—		
FL-201@4' H 4.8	—		
FL-202@4' H 4.0	—		
FL-203@4' 5.0	—		
FL-204@4' 4.8	—		
FL-205@4' 4.0	—		
FL-206@4' H 3.3	—		
FL-207@4' 4.0	—		
FL-208@4' H 4.8	—		
FL-209@4' 4.2	—		
FL-210@4' H 4.8	—		
FL-211@4' H 3.0	—		
FL-212@4' 3.6	—		

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

ETECH Environmental & Safety Solutions, Inc

Sample Log

Date: _____

Project: _____

Project Number: _____ Latitude: _____ Longitude: _____

Sample ID	PID/Odor	Chloride Conc.	GPS
FL-213@4' 4.0	—		
FL-214@4' 4.8	—		
FL-215@4' 3.6	—		
FL-216@4' 3.2	—		
FL-217@4' 5.6	—		
FL-218@4' 4.8	—		
FL-219@4' 4.6	—		
FL-220@4' 3.8	—		
FL-221@4' 4.0	—		
FL-222@4' 3.6	—		
FL-223@4' 3.4	—		
FL-224@4' 3.6	—		
FL-225@4' 3.4	—		
FL-226@4' 4.8	—		
FL-227@4' 5.0	—		
FL-228@4' 4.0	—		
FL-229@4' 3.6	—		
FL-230@4' 2.8	—		
FL-231@4' 3.6	—		
FL-232@4' 3.8	—		
FL-233@4' 4.0	—		
FL-234@4' 3.8	—		
FL-235@4' 3.0	—		
FL-236@4' 4.0	—		
FL-237@4' 4.8	—		
FL-238@4' 3.8	—		
FL-239@4' 3.0	—		
FL-240@4' 2.0	—		
FL-241@4' 4.6	—		
FL-242@4' 3.4	—		
FL-243@4' 4.0	—		
FL-244@4' 3.6	—		
FL-245@4' 3.0	—		
FL-246@4' 3.8	—		
FL-247@4' 4.4	—		
FL-248@4' 3.4	—		

Sample Point = SP #1 @ ## etc

Floor = FL #1 etc

Sidewall = SW #1 etc

Test Trench = TT #1 @ ##

Refusal = SP #1 @ 4'-R

Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples= SP #1 @ 5b or SW #1b

Stockpile = Stockpile #1

GPS Sample Points, Center of Comp Areas

Appendix G
Laboratory Analytical Reports

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 06, 2026

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SLWMS FULLER SWD RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/02/26 15:03.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NH 1 @ SUR (H261150-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/02/2026	ND	2.17	108	2.00	4.85	
Toluene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	3.14	
Ethylbenzene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	2.07	
Total Xylenes*	<0.150	0.150	03/02/2026	ND	6.22	104	6.00	1.73	
Total BTEX	<0.300	0.300	03/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *76.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NH 2 @ SUR (H261150-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/02/2026	ND	2.17	108	2.00	4.85	
Toluene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	3.14	
Ethylbenzene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	2.07	
Total Xylenes*	<0.150	0.150	03/02/2026	ND	6.22	104	6.00	1.73	
Total BTEX	<0.300	0.300	03/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *73.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EH 1 @ SUR (H261150-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/02/2026	ND	2.17	108	2.00	4.85	
Toluene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	3.14	
Ethylbenzene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	2.07	
Total Xylenes*	<0.150	0.150	03/02/2026	ND	6.22	104	6.00	1.73	
Total BTEX	<0.300	0.300	03/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *68.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EH 2 @ SUR (H261150-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/02/2026	ND	2.17	108	2.00	4.85	
Toluene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	3.14	
Ethylbenzene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	2.07	
Total Xylenes*	<0.150	0.150	03/02/2026	ND	6.22	104	6.00	1.73	
Total BTEX	<0.300	0.300	03/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *76.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SH 1 @ SUR (H261150-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/02/2026	ND	2.17	108	2.00	4.85	
Toluene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	3.14	
Ethylbenzene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	2.07	
Total Xylenes*	<0.150	0.150	03/02/2026	ND	6.22	104	6.00	1.73	
Total BTEX	<0.300	0.300	03/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *76.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SH 2 @ SUR (H261150-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/02/2026	ND	2.17	108	2.00	4.85	
Toluene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	3.14	
Ethylbenzene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	2.07	
Total Xylenes*	<0.150	0.150	03/02/2026	ND	6.22	104	6.00	1.73	
Total BTEX	<0.300	0.300	03/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *64.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SH 3 @ SUR (H261150-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/02/2026	ND	2.17	108	2.00	4.85	
Toluene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	3.14	
Ethylbenzene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	2.07	
Total Xylenes*	<0.150	0.150	03/02/2026	ND	6.22	104	6.00	1.73	
Total BTEX	<0.300	0.300	03/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *81.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: WH 1 @ SUR (H261150-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/02/2026	ND	2.17	108	2.00	4.85	
Toluene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	3.14	
Ethylbenzene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	2.07	
Total Xylenes*	<0.150	0.150	03/02/2026	ND	6.22	104	6.00	1.73	
Total BTEX	<0.300	0.300	03/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	**17.2**	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	**13.9**	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *77.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: WH 2 @ SUR (H261150-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/02/2026	ND	2.17	108	2.00	4.85	
Toluene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	3.14	
Ethylbenzene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	2.07	
Total Xylenes*	<0.150	0.150	03/02/2026	ND	6.22	104	6.00	1.73	
Total BTEX	<0.300	0.300	03/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *75.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NH 1 @ 1' (H261150-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/02/2026	ND	2.17	108	2.00	4.85	
Toluene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	3.14	
Ethylbenzene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	2.07	
Total Xylenes*	<0.150	0.150	03/02/2026	ND	6.22	104	6.00	1.73	
Total BTEX	<0.300	0.300	03/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *78.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NH 2 @ 1' (H261150-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/02/2026	ND	2.17	108	2.00	4.85	
Toluene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	3.14	
Ethylbenzene*	<0.050	0.050	03/02/2026	ND	2.08	104	2.00	2.07	
Total Xylenes*	<0.150	0.150	03/02/2026	ND	6.22	104	6.00	1.73	
Total BTEX	<0.300	0.300	03/02/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *73.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EH 1 @ 1' (H261150-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/03/2026	ND	2.25	112	2.00	14.3	
Toluene*	<0.050	0.050	03/03/2026	ND	2.12	106	2.00	16.7	
Ethylbenzene*	<0.050	0.050	03/03/2026	ND	2.11	105	2.00	18.2	
Total Xylenes*	<0.150	0.150	03/03/2026	ND	6.30	105	6.00	18.9	
Total BTEX	<0.300	0.300	03/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *79.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EH 2 @ 1' (H261150-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/03/2026	ND	2.25	112	2.00	14.3	
Toluene*	<0.050	0.050	03/03/2026	ND	2.12	106	2.00	16.7	
Ethylbenzene*	<0.050	0.050	03/03/2026	ND	2.11	105	2.00	18.2	
Total Xylenes*	<0.150	0.150	03/03/2026	ND	6.30	105	6.00	18.9	
Total BTEX	<0.300	0.300	03/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *74.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SH 1 @ 1' (H261150-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/03/2026	ND	2.25	112	2.00	14.3	
Toluene*	<0.050	0.050	03/03/2026	ND	2.12	106	2.00	16.7	
Ethylbenzene*	<0.050	0.050	03/03/2026	ND	2.11	105	2.00	18.2	
Total Xylenes*	<0.150	0.150	03/03/2026	ND	6.30	105	6.00	18.9	
Total BTEX	<0.300	0.300	03/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *77.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SH 2 @ 1' (H261150-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/03/2026	ND	2.25	112	2.00	14.3	
Toluene*	<0.050	0.050	03/03/2026	ND	2.12	106	2.00	16.7	
Ethylbenzene*	<0.050	0.050	03/03/2026	ND	2.11	105	2.00	18.2	
Total Xylenes*	<0.150	0.150	03/03/2026	ND	6.30	105	6.00	18.9	
Total BTEX	<0.300	0.300	03/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *77.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SH 3 @ 1' (H261150-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/03/2026	ND	2.25	112	2.00	14.3	
Toluene*	<0.050	0.050	03/03/2026	ND	2.12	106	2.00	16.7	
Ethylbenzene*	<0.050	0.050	03/03/2026	ND	2.11	105	2.00	18.2	
Total Xylenes*	<0.150	0.150	03/03/2026	ND	6.30	105	6.00	18.9	
Total BTEX	<0.300	0.300	03/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *78.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: WH 1 @ 1' (H261150-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/03/2026	ND	2.25	112	2.00	14.3	
Toluene*	<0.050	0.050	03/03/2026	ND	2.12	106	2.00	16.7	
Ethylbenzene*	<0.050	0.050	03/03/2026	ND	2.11	105	2.00	18.2	
Total Xylenes*	<0.150	0.150	03/03/2026	ND	6.30	105	6.00	18.9	
Total BTEX	<0.300	0.300	03/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *70.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/02/2026	Sampling Date:	02/27/2026
Reported:	03/06/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: WH 2 @ 1' (H261150-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/03/2026	ND	2.25	112	2.00	14.3	
Toluene*	<0.050	0.050	03/03/2026	ND	2.12	106	2.00	16.7	
Ethylbenzene*	<0.050	0.050	03/03/2026	ND	2.11	105	2.00	18.2	
Total Xylenes*	<0.150	0.150	03/03/2026	ND	6.30	105	6.00	18.9	
Total BTEX	<0.300	0.300	03/03/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/03/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/02/2026	ND	201	100	200	1.78	
DRO >C10-C28*	<10.0	10.0	03/02/2026	ND	188	93.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	03/02/2026	ND					

Surrogate: 1-Chlorooctane *78.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-04	The RPD for the BS/BSD was outside of historical limits.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 122 of 516

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Addison Elston	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H260150																									
1	NH 1 @ Sur	G	1			X					X		2/27/26		X	X	X								
2	NH 2 @ Sur	G	1			X					X		2/27/26		X	X	X								
3	EH 1 @ Sur	G	1			X					X		2/27/26		X	X	X								
4	EH 2 @ Sur	G	1			X					X		2/27/26		X	X	X								
5	SH 1 @ Sur	G	1			X					X		2/27/26		X	X	X								
6	SH 2 @ Sur	G	1			X					X		2/27/26		X	X	X								
7	SH 3 @ Sur	G	1			X					X		2/27/26		X	X	X								
8	WH 1 @ Sur	G	1			X					X		2/27/26		X	X	X								
9	WH 2 @ Sur	G	1			X					X		2/27/26		X	X	X								
10	NH 1 @ 1'	G	1			X					X		2/27/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CS 1040240 1K

Relinquished By:	**Date:** 3.2.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1503		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** 7.8	**Sample Condition** Cool Intact	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 7.7	☐ Yes ☐ Yes ☐ No ☐ No	SR	**Thermometer ID** #140 **Correction Factor** ~~0.6°C~~ +0.1

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 123 of 516

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Addison Elston	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	**Chloride**	**TPH (8015M)**	**BTEX (8021B)**									
H246150																									
11	NH 2 @ 1'	G	1			X					X		2/27/26		X	X	X								
12	EH 1 @ 1'	G	1			X					X		2/27/26		X	X	X								
13	EH 2 @ 1'	G	1			X					X		2/27/26		X	X	X								
14	SH 1 @ 1'	G	1			X					X		2/27/26		X	X	X								
15	SH 2 @ 1'	G	1			X					X		2/27/26		X	X	X								
16	SH 3 @ 1'	G	1			X					X		2/27/26		X	X	X								
17	WH 1 @ 1'	G	1			X					X		2/27/26		X	X	X								
18	WH 2 @ 1'	G	1			X					X		2/27/26		X	X	X								
18	SH 3/27/26																								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CS to 402401K

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1503		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** 7.8	**Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard ☒ Rush ☐
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 7.7			**Thermometer ID** #140 **Correction Factor** -0.5°C +0.1

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 09, 2026

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SLWMS FULLER SWD RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/03/26 14:42.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 1 @ SUR (H261187-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	1.93	96.5	2.00	0.637	
Toluene*	**0.147**	0.050	03/04/2026	ND	1.81	90.5	2.00	4.62	GC-NC1
Ethylbenzene*	**0.074**	0.050	03/04/2026	ND	1.88	93.8	2.00	3.09	GC-NC1
Total Xylenes*	**0.833**	0.150	03/04/2026	ND	5.41	90.2	6.00	4.66	
Total BTEX	**1.05**	0.300	03/04/2026	ND					GC-NC1

Surrogate: 4-Bromofluorobenzene (PID *98.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**17700**	16.0	03/04/2026	ND	464	116	400	7.14	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**18.3**	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	**73.0**	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *83.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 1 @ 4' (H261187-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	1.93	96.5	2.00	0.637	
Toluene*	<0.050	0.050	03/04/2026	ND	1.81	90.5	2.00	4.62	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	1.88	93.8	2.00	3.09	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	5.41	90.2	6.00	4.66	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4880**	16.0	03/04/2026	ND	464	116	400	7.14	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *84.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 1 @ 9' (H261187-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	1.93	96.5	2.00	0.637	
Toluene*	<0.050	0.050	03/04/2026	ND	1.81	90.5	2.00	4.62	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	1.88	93.8	2.00	3.09	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	5.41	90.2	6.00	4.66	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**592**	16.0	03/04/2026	ND	464	116	400	7.14	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *83.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 2 @ SUR (H261187-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	1.93	96.5	2.00	0.637	
Toluene*	<0.050	0.050	03/04/2026	ND	1.81	90.5	2.00	4.62	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	1.88	93.8	2.00	3.09	
Total Xylenes*	**0.214**	0.150	03/04/2026	ND	5.41	90.2	6.00	4.66	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**22400**	16.0	03/04/2026	ND	464	116	400	7.14	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *72.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 2 @ 4' (H261187-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	1.93	96.5	2.00	0.637	
Toluene*	<0.050	0.050	03/04/2026	ND	1.81	90.5	2.00	4.62	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	1.88	93.8	2.00	3.09	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	5.41	90.2	6.00	4.66	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3360**	16.0	03/04/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *85.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 2 @ 8' (H261187-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	1.93	96.5	2.00	0.637	
Toluene*	<0.050	0.050	03/04/2026	ND	1.81	90.5	2.00	4.62	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	1.88	93.8	2.00	3.09	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	5.41	90.2	6.00	4.66	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	03/04/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *74.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 3 @ SUR (H261187-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	1.93	96.5	2.00	0.637	
Toluene*	<0.050	0.050	03/04/2026	ND	1.81	90.5	2.00	4.62	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	1.88	93.8	2.00	3.09	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	5.41	90.2	6.00	4.66	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**9440**	16.0	03/04/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *74.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 3 @ 4' (H261187-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	2.13	106	2.00	1.14	
Toluene*	<0.050	0.050	03/04/2026	ND	2.12	106	2.00	4.64	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	2.03	102	2.00	6.19	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	6.27	104	6.00	6.33	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2440**	16.0	03/04/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *77.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 3 @ 7' (H261187-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	2.13	106	2.00	1.14	
Toluene*	<0.050	0.050	03/04/2026	ND	2.12	106	2.00	4.64	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	2.03	102	2.00	6.19	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	6.27	104	6.00	6.33	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	03/04/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *79.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 4 @ SUR (H261187-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	2.13	106	2.00	1.14	
Toluene*	<0.050	0.050	03/04/2026	ND	2.12	106	2.00	4.64	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	2.03	102	2.00	6.19	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	6.27	104	6.00	6.33	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**13300**	16.0	03/04/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *73.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 4 @ 4' (H261187-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	2.13	106	2.00	1.14	
Toluene*	<0.050	0.050	03/04/2026	ND	2.12	106	2.00	4.64	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	2.03	102	2.00	6.19	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	6.27	104	6.00	6.33	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3880**	16.0	03/04/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *84.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 4 @ 6' (H261187-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	2.13	106	2.00	1.14	
Toluene*	<0.050	0.050	03/04/2026	ND	2.12	106	2.00	4.64	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	2.03	102	2.00	6.19	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	6.27	104	6.00	6.33	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	03/04/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *88.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 5 @ SUR (H261187-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	2.13	106	2.00	1.14	
Toluene*	<0.050	0.050	03/04/2026	ND	2.12	106	2.00	4.64	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	2.03	102	2.00	6.19	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	6.27	104	6.00	6.33	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16100**	16.0	03/04/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *80.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/03/2026	Sampling Date:	03/02/2026
Reported:	03/09/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 5 @ 4' (H261187-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/04/2026	ND	2.13	106	2.00	1.14	
Toluene*	<0.050	0.050	03/04/2026	ND	2.12	106	2.00	4.64	
Ethylbenzene*	<0.050	0.050	03/04/2026	ND	2.03	102	2.00	6.19	
Total Xylenes*	<0.150	0.150	03/04/2026	ND	6.27	104	6.00	6.33	
Total BTEX	<0.300	0.300	03/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1260**	16.0	03/04/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/04/2026	ND	213	106	200	0.707	
DRO >C10-C28*	<10.0	10.0	03/04/2026	ND	198	99.2	200	1.79	
EXT DRO >C28-C36	<10.0	10.0	03/04/2026	ND					

Surrogate: 1-Chlorooctane *84.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
GC-NC1	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are biased high with interfering compounds.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 140 of 516

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
H26187																	
1	SP 1 @ Sur	G	1			X					X		3/2/26		X	X	X
2	SP 1 @ 4'	G	1			X					X		3/2/26		X	X	X
3	SP 1 @ 9'	G	1			X					X		3/2/26		X	X	X
4	SP 2 @ Sur	G	1			X					X		3/2/26		X	X	X
5	SP 2 @ 4'	G	1			X					X		3/2/26		X	X	X
6	SP 2 @ 8'	G	1			X					X		3/2/26		X	X	X
7	SP 3 @ Sur	G	1			X					X		3/2/26		X	X	X
8	SP 3 @ 4'	G	1			X					X		3/2/26		X	X	X
9	SP 3 @ 7'	G	1			X					X		3/2/26		X	X	X
10	SP 4 @ Sur	G	1			X					X		3/2/26		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 3.3.26	**Received By:**	
	Time: 1442		
Relinquished By:	**Date:**	**Received By:**	
	Time:		

Verbal Result: ☐ Yes ☐ No **Add'l Phone #:**

All Results are emailed. Please provide Email address: pm@etechenv.com

REMARKS: C/S 04038112

Delivered By: (Circle One)	**Observed Temp. °C** -13.0	**Sample Condition** Cool: ☑ Yes ☐ No	Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)**
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -12.9			

Turnaround Time: Standard [X] Rush [ ]

Thermometer ID #140
Correction Factor -0.6°C +0.1

Bacteria (only) Sample Condition
Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No
Observed Temp. °C
Corrected Temp. °C

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 141 of 516

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST		
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)
H241187																	
11	SP 4 @ 4'	G	1			X					X		3/2/26		X	X	X
12	SP 4 @ 6'	G	1			X					X		3/2/26		X	X	X
13	SP 5 @ Sur	G	1			X					X		3/2/26		X	X	X
14	SP 5 @ 4'	G	1			X					X		3/2/26		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 5.3.26	**Received By:**	
	Time: 1442		
Relinquished By:	**Date:**	**Received By:**	
	Time:		

Verbal Result: ☐ Yes ☐ No **Add'l Phone #:**
All Results are emailed. Please provide Email address: pm@etechenv.com
REMARKS:

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -13.0 **Corrected Temp. °C** -12.9	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** AP	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** -0.6°C +0.1

Bacteria (only) Sample Condition Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 12, 2026

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SLWMS FULLER SWD RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/06/26 14:42.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/06/2026	Sampling Date:	03/05/2026
Reported:	03/12/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: R360 RED BLUFF BACKFILL (H261293-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/09/2026	ND	2.05	102	2.00	6.66	
Toluene*	<0.050	0.050	03/09/2026	ND	2.03	101	2.00	4.63	
Ethylbenzene*	<0.050	0.050	03/09/2026	ND	1.93	96.7	2.00	4.49	
Total Xylenes*	<0.150	0.150	03/09/2026	ND	5.94	99.0	6.00	5.04	
Total BTEX	<0.300	0.300	03/09/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**448**	16.0	03/09/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/12/2026	ND	185	92.7	200	8.59	
DRO >C10-C28*	<10.0	10.0	03/12/2026	ND	195	97.4	200	8.17	
EXT DRO >C28-C36	<10.0	10.0	03/12/2026	ND					

Surrogate: 1-Chlorooctane *75.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 145 of 516

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 1 of 1

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Addison Elston	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST		
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
H261293 1	R360 Red Bluff Backfill	C	1			X					X		3/5/26		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

CS-04024015 - all

Relinquished By:	**Date:** 3/6/26 **Time:** 1442	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
Relinquished By:	**Date:** **Time:**	**Received By:**	**All Results are emailed. Please provide Email address:** pm@etechenv.com
			REMARKS:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -3.9 **Corrected Temp. °C** -3.8	**Sample Condition** Cool ☑ Yes ☐ No Intact ☑ Yes ☐ No	**CHECKED BY: (Initials)**
Turnaround Time: Standard X Rush ☐	**Thermometer ID** #140 **Correction Factor** ~~-0.6°C~~ +0.1°C	**Bacteria (only) Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No	**Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 16, 2026

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SLWMS FULLER SWD RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/10/26 11:12.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/10/2026	Sampling Date:	03/10/2026
Reported:	03/16/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SP 5 @ 5' (H261355-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/10/2026	ND	1.97	98.5	2.00	2.04	
Toluene*	<0.050	0.050	03/10/2026	ND	1.79	89.4	2.00	0.869	
Ethylbenzene*	<0.050	0.050	03/10/2026	ND	1.76	88.2	2.00	0.468	
Total Xylenes*	<0.150	0.150	03/10/2026	ND	5.21	86.9	6.00	0.363	
Total BTEX	<0.300	0.300	03/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/10/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/10/2026	ND	213	107	200	1.43	
DRO >C10-C28*	<10.0	10.0	03/10/2026	ND	206	103	200	2.74	
EXT DRO >C28-C36	<10.0	10.0	03/10/2026	ND					

Surrogate: 1-Chlorooctane *85.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 149 of 516

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	David Robinson	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)									
H261355																									
1	SP 5 @ 5'	G	1			X					X		3/10/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Q402401K

Relinquished By:	**Date:** 3-10-26	**Received By:**	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 1112		All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	REMARKS:
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -3.1	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -3.0			Thermometer ID #140 Correction Factor -0.6°C +0.1°

Bacteria (only) Sample Condition Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No Observed Temp. °C ____ Corrected Temp. °C ____

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 20, 2026

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SLWMS FULLER SWD RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/16/26 14:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW 1 (H261463-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/17/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *74.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW 2 (H261463-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/17/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *70.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW 3 (H261463-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/17/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *80.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW 4 (H261463-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	03/17/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *83.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW 5 (H261463-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	03/17/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *83.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW 6 (H261463-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	03/17/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *83.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW 7 (H261463-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/17/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *85.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EW 1 (H261463-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/17/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *81.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EW 2 (H261463-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/17/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *84.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EW 3 (H261463-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/17/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *81.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW 1 (H261463-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/17/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *85.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW 2 (H261463-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/17/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *82.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW 3 (H261463-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/17/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *79.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/16/2026	Sampling Date:	03/13/2026
Reported:	03/20/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW 4 (H261463-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/17/2026	ND	2.11	105	2.00	0.201	
Toluene*	<0.050	0.050	03/17/2026	ND	2.06	103	2.00	1.12	
Ethylbenzene*	<0.050	0.050	03/17/2026	ND	1.93	96.3	2.00	1.27	
Total Xylenes*	<0.150	0.150	03/17/2026	ND	5.80	96.7	6.00	2.31	
Total BTEX	<0.300	0.300	03/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/17/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/16/2026	ND	205	102	200	2.78	
DRO >C10-C28*	<10.0	10.0	03/16/2026	ND	189	94.5	200	4.32	
EXT DRO >C28-C36	<10.0	10.0	03/16/2026	ND					

Surrogate: 1-Chlorooctane *81.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 166 of 516

Page 17 of 18

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H04446 3																									
1	NW 1	G	1			X					X		3/13/26		X	X	X								
2	NW 2	G	1			X					X		3/13/26		X	X	X								
3	NW 3	G	1			X					X		3/13/26		X	X	X								
4	NW 4	G	1			X					X		3/13/26		X	X	X								
5	NW 5	G	1			X					X		3/13/26		X	X	X								
6	NW 6	G	1			X					X		3/13/26		X	X	X								
7	NW 7	G	1			X					X		3/13/26		X	X	X								
8	EW 1	G	1			X					X		3/13/26		X	X	X								
9	EW 2	G	1			X					X		3/13/26		X	X	X								
10	EW 3	G	1			X					X		3/13/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 3-16-26	**Received By:**	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 1450		All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -4.4	**Sample Condition** Cool Yes ☑ Intact Yes ☑	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -4.3	No ☐ No ☐	AT	Thermometer ID #140 Correction Factor -0.6°C +0.1

Bacteria (only) Sample Condition: Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C ____ Corrected Temp. °C ____

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 167 of 516

Received by OCD: 6/11/2026 1:45:49 PM

Page 18 of 18

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.
Project Manager:	Lance Crenshaw
Address:	2617 West Marland
City:	Hobbs **State:** NM **Zip:** 88240
Phone #:	(575) 264-9884 **Fax #:**
Project #:	23707 **Project Owner:** Mewbourne Oil Company
Project Name:	SLWMS Fuller SWD Release
Project Location:	32.043933, -103.94987
Sampler Name:	Martin Sepulveda

BILL TO

P.O. #:	
Company:	Mewbourne Oil Company
Attn:	Connor Walker
Address:	
City:	
State:	**Zip:**
Phone #:	
Fax #:	

ANALYSIS REQUEST

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
11426.14163																	
11	SW 1	G	1			X					X		3/13/26		X	X	X
12	SW 2	G	1			X					X		3/13/26		X	X	X
13	SW 3	G	1			X					X		3/13/26		X	X	X
14	SW 4	G	1			X					X		3/13/26		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 3.16.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1450		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -4.4 **Corrected Temp. °C** -4.3	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)** AD	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID** #140 **Correction Factor** -0.6°C +0.1 **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 25, 2026

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SLWMS FULLER SWD RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/20/26 14:56.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/20/2026	Sampling Date:	03/20/2026
Reported:	03/25/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW5 (H261585-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/23/2026	ND	2.26	113	2.00	4.85	
Toluene*	<0.050	0.050	03/23/2026	ND	2.02	101	2.00	3.59	
Ethylbenzene*	<0.050	0.050	03/23/2026	ND	1.98	98.8	2.00	2.19	
Total Xylenes*	<0.150	0.150	03/23/2026	ND	5.93	98.8	6.00	0.641	
Total BTEX	<0.300	0.300	03/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/23/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/23/2026	ND	214	107	200	2.06	
DRO >C10-C28*	<10.0	10.0	03/23/2026	ND	217	108	200	2.39	
EXT DRO >C28-C36	<10.0	10.0	03/23/2026	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/20/2026	Sampling Date:	03/20/2026
Reported:	03/25/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW6 (H261585-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/23/2026	ND	2.26	113	2.00	4.85	
Toluene*	<0.050	0.050	03/23/2026	ND	2.02	101	2.00	3.59	
Ethylbenzene*	<0.050	0.050	03/23/2026	ND	1.98	98.8	2.00	2.19	
Total Xylenes*	<0.150	0.150	03/23/2026	ND	5.93	98.8	6.00	0.641	
Total BTEX	<0.300	0.300	03/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	03/23/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/23/2026	ND	214	107	200	2.06	
DRO >C10-C28*	<10.0	10.0	03/23/2026	ND	217	108	200	2.39	
EXT DRO >C28-C36	<10.0	10.0	03/23/2026	ND					

Surrogate: 1-Chlorooctane *110 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *109 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/20/2026	Sampling Date:	03/20/2026
Reported:	03/25/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW7 (H261585-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/23/2026	ND	2.26	113	2.00	4.85	
Toluene*	<0.050	0.050	03/23/2026	ND	2.02	101	2.00	3.59	
Ethylbenzene*	<0.050	0.050	03/23/2026	ND	1.98	98.8	2.00	2.19	
Total Xylenes*	<0.150	0.150	03/23/2026	ND	5.93	98.8	6.00	0.641	
Total BTEX	<0.300	0.300	03/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/23/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/23/2026	ND	214	107	200	2.06	
DRO >C10-C28*	<10.0	10.0	03/23/2026	ND	217	108	200	2.39	
EXT DRO >C28-C36	<10.0	10.0	03/23/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/20/2026	Sampling Date:	03/20/2026
Reported:	03/25/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: WW1 (H261585-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/23/2026	ND	2.26	113	2.00	4.85	
Toluene*	<0.050	0.050	03/23/2026	ND	2.02	101	2.00	3.59	
Ethylbenzene*	<0.050	0.050	03/23/2026	ND	1.98	98.8	2.00	2.19	
Total Xylenes*	<0.150	0.150	03/23/2026	ND	5.93	98.8	6.00	0.641	
Total BTEX	<0.300	0.300	03/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/23/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/23/2026	ND	214	107	200	2.06	
DRO >C10-C28*	<10.0	10.0	03/23/2026	ND	217	108	200	2.39	
EXT DRO >C28-C36	<10.0	10.0	03/23/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/20/2026	Sampling Date:	03/20/2026
Reported:	03/25/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: WW2 (H261585-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/23/2026	ND	2.26	113	2.00	4.85	
Toluene*	<0.050	0.050	03/23/2026	ND	2.02	101	2.00	3.59	
Ethylbenzene*	<0.050	0.050	03/23/2026	ND	1.98	98.8	2.00	2.19	
Total Xylenes*	<0.150	0.150	03/23/2026	ND	5.93	98.8	6.00	0.641	
Total BTEX	<0.300	0.300	03/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/23/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/23/2026	ND	214	107	200	2.06	
DRO >C10-C28*	<10.0	10.0	03/23/2026	ND	217	108	200	2.39	
EXT DRO >C28-C36	<10.0	10.0	03/23/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/20/2026	Sampling Date:	03/20/2026
Reported:	03/25/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: WW3 (H261585-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/23/2026	ND	2.26	113	2.00	4.85	
Toluene*	<0.050	0.050	03/23/2026	ND	2.02	101	2.00	3.59	
Ethylbenzene*	<0.050	0.050	03/23/2026	ND	1.98	98.8	2.00	2.19	
Total Xylenes*	<0.150	0.150	03/23/2026	ND	5.93	98.8	6.00	0.641	
Total BTEX	<0.300	0.300	03/23/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/23/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/23/2026	ND	214	107	200	2.06	
DRO >C10-C28*	<10.0	10.0	03/23/2026	ND	217	108	200	2.39	
EXT DRO >C28-C36	<10.0	10.0	03/23/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 176 of 516

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 1 of 1

Company Name:	Etech Environmental & Safety Solutions, Inc.			**BILL TO**	
Project Manager:	Lance Crenshaw			**P.O. #:**	
Address:	2617 West Marland			**Company:**	Mewbourne Oil Company
City:	Hobbs	**State:** NM	**Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884	**Fax #:**		**Address:**	
Project #:	23707	**Project Owner:**	Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release			**State:**	**Zip:**
Project Location:	32.043933, -103.94987			**Phone #:**	
Sampler Name:	Martin Sepulveda			**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)								
H261585																								
1	SW 5	G	1			X					X		3/20/26		X	X	X							
2	SW 6	G	1			X					X		3/20/26		X	X	X							
3	SW 7	G	1			X					X		3/20/26		X	X	X							
4	WW 1	G	1			X					X		3/20/26		X	X	X							
5	WW 2	G	1			X					X		3/20/26		X	X	X							
6	WW 3	G	1			X					X		3/20/26		X	X	X							

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

P.O. 3/20/26 CS 0402401 Kaeo

Relinquished By:	Date: 3-20-26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**	
	Time: 1456		**All Results are emailed. Please provide Email address:** pm@etechenv.com		
Relinquished By:	Date:	**Received By:**	**REMARKS:**		
	Time:				
Delivered By: (Circle One)	**Observed Temp. °C** 1.8	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]	**Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 1.7			**Thermometer ID** #140 **Correction Factor** -0.6°C +0.1°C	**Observed Temp. °C** **Corrected Temp. °C**

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 30, 2026

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SLWMS FULLER SWD RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/25/26 14:41.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Mike Snyder For Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 1 @ 4' (H261665-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.08	104	2.00	0.413	
Toluene*	<0.050	0.050	03/26/2026	ND	1.86	92.9	2.00	0.211	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	1.78	89.1	2.00	0.273	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	5.28	88.0	6.00	0.0321	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *71.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 2 @ 4' (H261665-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.08	104	2.00	0.413	
Toluene*	<0.050	0.050	03/26/2026	ND	1.86	92.9	2.00	0.211	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	1.78	89.1	2.00	0.273	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	5.28	88.0	6.00	0.0321	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2920**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *76.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 3 @ 4' (H261665-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.08	104	2.00	0.413	
Toluene*	<0.050	0.050	03/26/2026	ND	1.86	92.9	2.00	0.211	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	1.78	89.1	2.00	0.273	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	5.28	88.0	6.00	0.0321	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *74.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 4 @ 4' (H261665-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.08	104	2.00	0.413	
Toluene*	<0.050	0.050	03/26/2026	ND	1.86	92.9	2.00	0.211	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	1.78	89.1	2.00	0.273	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	5.28	88.0	6.00	0.0321	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *91.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**768**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *79.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 5 @ 4' (H261665-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.08	104	2.00	0.413	
Toluene*	<0.050	0.050	03/26/2026	ND	1.86	92.9	2.00	0.211	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	1.78	89.1	2.00	0.273	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	5.28	88.0	6.00	0.0321	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4720**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *83.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 6 @ 4' (H261665-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *74.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 7 @ 4' (H261665-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**8640**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *67.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *61.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 8 @ 4' (H261665-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2220**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *80.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 9 @ 4' (H261665-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *80.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 10 @ 4' (H261665-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**7440**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *77.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 11 @ 4' (H261665-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *66.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *60.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 12 @ 4' (H261665-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**6080**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *76.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 13 @ 4' (H261665-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3920**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *70.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 14 @ 4' (H261665-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5840**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *71.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 15 @ 4' (H261665-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**6240**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *60.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *53.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 16 @ 4' (H261665-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *72.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 17 @ 4' (H261665-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5160**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *79.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 18 @ 4' (H261665-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2120**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *81.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 19 @ 4' (H261665-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5920**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *79.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 20 @ 4' (H261665-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4960**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	210	105	200	1.72	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	204	102	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *79.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 21 @ 4' (H261665-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**6000**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *62.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *58.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 22 @ 4' (H261665-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4960**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *59.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *55.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 23 @ 4' (H261665-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**7920**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *71.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 24 @ 4' (H261665-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**7520**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *59.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 25 @ 4' (H261665-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	1.31	
Toluene*	<0.050	0.050	03/26/2026	ND	2.06	103	2.00	3.96	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	5.14	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.39	106	6.00	4.94	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4720**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *69.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 26 @ 4' (H261665-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3280**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *70.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 27 @ 4' (H261665-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**816**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *71.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 28 @ 4' (H261665-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3360**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *70.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 29 @ 4' (H261665-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3080**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *70.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 30 @ 4' (H261665-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5760**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *64.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 31 @ 4' (H261665-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**368**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/27/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/27/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/27/2026	ND					

Surrogate: 1-Chlorooctane *76.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 32 @ 4' (H261665-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2200**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *58.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *52.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 33 @ 4' (H261665-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *67.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *61.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 34 @ 4' (H261665-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *70.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 35 @ 4' (H261665-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5120**	16.0	03/26/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *63.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *57.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 36 @ 4' (H261665-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5440**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *67.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 37 @ 4' (H261665-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *67.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 38 @ 4' (H261665-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2050**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *68.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *61.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 39 @ 4' (H261665-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5440**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *68.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *61.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 40 @ 4' (H261665-40)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5200**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	186	93.0	200	5.74	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	192	96.1	200	4.95	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *69.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 41 @ 4' (H261665-41)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *79.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 42 @ 4' (H261665-42)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *79.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 43 @ 4' (H261665-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**6880**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *86.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 44 @ 4' (H261665-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *90.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 45 @ 4' (H261665-45)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	2.25	113	2.00	7.62	
Toluene*	<0.050	0.050	03/26/2026	ND	2.09	104	2.00	6.78	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.02	101	2.00	5.94	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.14	102	6.00	6.15	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *90.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 46 @ 4' (H261665-46)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *89.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 47 @ 4' (H261665-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3440**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *83.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 48 @ 4' (H261665-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**7040**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *83.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 49 @ 4' (H261665-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *90.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 50 @ 4' (H261665-50)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *90.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 51 @ 4' (H261665-51)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1120**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *82.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 52 @ 4' (H261665-52)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *83.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 53 @ 4' (H261665-53)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *84.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 54 @ 4' (H261665-54)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1340**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *85.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 55 @ 4' (H261665-55)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	03/26/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *87.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 56 @ 4' (H261665-56)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**976**	16.0	03/26/2026	ND	448	112	400	0.00	QM-07

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *89.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 57 @ 4' (H261665-57)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5920**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *88.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 58 @ 4' (H261665-58)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5600**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *85.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 59 @ 4' (H261665-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5120**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *85.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 60 @ 4' (H261665-60)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**320**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	193	96.6	200	2.43	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	191	95.4	200	4.27	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *88.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 61 @ 4' (H261665-61)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1020**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *82.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 62 @ 4' (H261665-62)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1630**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *76.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 63 @ 4' (H261665-63)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *84.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 64 @ 4' (H261665-64)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *83.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 65 @ 4' (H261665-65)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2026	ND	1.94	96.9	2.00	5.22	
Toluene*	<0.050	0.050	03/26/2026	ND	2.03	102	2.00	5.79	
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.15	108	2.00	2.76	
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.60	110	6.00	1.91	
Total BTEX	<0.300	0.300	03/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *83.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 66 @ 4' (H261665-66)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/27/2026	ND	2.20	110	2.00	1.63	
Toluene*	<0.050	0.050	03/27/2026	ND	2.23	112	2.00	2.07	
Ethylbenzene*	<0.050	0.050	03/27/2026	ND	2.16	108	2.00	3.76	
Total Xylenes*	<0.150	0.150	03/27/2026	ND	6.54	109	6.00	3.32	
Total BTEX	<0.300	0.300	03/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3840**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *75.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 67 @ 4' (H261665-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/27/2026	ND	2.20	110	2.00	1.63	
Toluene*	<0.050	0.050	03/27/2026	ND	2.23	112	2.00	2.07	
Ethylbenzene*	<0.050	0.050	03/27/2026	ND	2.16	108	2.00	3.76	
Total Xylenes*	<0.150	0.150	03/27/2026	ND	6.54	109	6.00	3.32	
Total BTEX	<0.300	0.300	03/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *82.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 68 @ 4' (H261665-68)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/27/2026	ND	2.20	110	2.00	1.63	
Toluene*	<0.050	0.050	03/27/2026	ND	2.23	112	2.00	2.07	
Ethylbenzene*	<0.050	0.050	03/27/2026	ND	2.16	108	2.00	3.76	
Total Xylenes*	<0.150	0.150	03/27/2026	ND	6.54	109	6.00	3.32	
Total BTEX	<0.300	0.300	03/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1980**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *82.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 69 @ 4' (H261665-69)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/27/2026	ND	2.20	110	2.00	1.63	
Toluene*	<0.050	0.050	03/27/2026	ND	2.23	112	2.00	2.07	
Ethylbenzene*	<0.050	0.050	03/27/2026	ND	2.16	108	2.00	3.76	
Total Xylenes*	<0.150	0.150	03/27/2026	ND	6.54	109	6.00	3.32	
Total BTEX	<0.300	0.300	03/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *75.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 70 @ 4' (H261665-70)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/27/2026	ND	2.20	110	2.00	1.63	
Toluene*	<0.050	0.050	03/27/2026	ND	2.23	112	2.00	2.07	
Ethylbenzene*	<0.050	0.050	03/27/2026	ND	2.16	108	2.00	3.76	
Total Xylenes*	<0.150	0.150	03/27/2026	ND	6.54	109	6.00	3.32	
Total BTEX	<0.300	0.300	03/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1890**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *81.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 71 @ 4' (H261665-71)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/27/2026	ND	2.20	110	2.00	1.63	
Toluene*	<0.050	0.050	03/27/2026	ND	2.23	112	2.00	2.07	
Ethylbenzene*	<0.050	0.050	03/27/2026	ND	2.16	108	2.00	3.76	
Total Xylenes*	<0.150	0.150	03/27/2026	ND	6.54	109	6.00	3.32	
Total BTEX	<0.300	0.300	03/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *74.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/25/2026	Sampling Date:	03/24/2026
Reported:	03/30/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 72 @ 4' (H261665-72)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/27/2026	ND	2.20	110	2.00	1.63	
Toluene*	<0.050	0.050	03/27/2026	ND	2.23	112	2.00	2.07	
Ethylbenzene*	<0.050	0.050	03/27/2026	ND	2.16	108	2.00	3.76	
Total Xylenes*	<0.150	0.150	03/27/2026	ND	6.54	109	6.00	3.32	
Total BTEX	<0.300	0.300	03/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2960**	16.0	03/26/2026	ND	448	112	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	190	95.1	200	0.127	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	193	96.3	200	0.275	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane *71.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

Page 251 of 516

Page 75 of 82

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 1 of 8

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
H26 1665																	
1	FL 1 @ 4'	C	1			X					X		3/24/26		X	X	X
2	FL 2 @ 4'	C	1			X					X		3/24/26		X	X	X
3	FL 3 @ 4'	C	1			X					X		3/24/26		X	X	X
4	FL 4 @ 4'	C	1			X					X		3/24/26		X	X	X
5	FL 5 @ 4'	C	1			X					X		3/24/26		X	X	X
6	FL 6 @ 4'	C	1			X					X		3/24/26		X	X	X
7	FL 7 @ 4'	C	1			X					X		3/24/26		X	X	X
8	FL 8 @ 4'	C	1			X					X		3/24/26		X	X	X
9	FL 9 @ 4'	C	1			X					X		3/24/26		X	X	X
10	FL 10 @ 4'	C	1			X					X		3/24/26		X	X	X

ANALYSIS REQUEST

ASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the
ses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable
ce. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries,
ates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

0402401K - aeb

linquished By:	Date: 5-25-24	Received By:	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 1441		All Results are emailed. Please provide Email address: pm@etechenv.com
linquished By:	Date:	Received By:	REMARKS:
	Time:		

elivered By: (Circle One)	Observed Temp. °C 5.4	Sample Condition Cool / Intact	CHECKED BY: (Initials)	Turnaround Time: Standard [X] Rush [ ]
mpler - UPS - Bus - Other:	Corrected Temp. °C 5.3	☑ Yes ☑ Yes ☐ No ☐ No		Thermometer ID #140 Correction Factor +0.1°C

Bacteria (only) Sample Condition: Cool ☐ Yes ☐ No; Intact ☐ Yes ☐ No; Observed Temp. °C; Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 7:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 2 of 8

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

ANALYSIS REQUEST

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
H261665																	
11	FL 11 @ 4'	C	1			X					X		3/24/26		X	X	X
12	FL 12 @ 4'	C	1			X					X		3/24/26		X	X	X
13	FL 13 @ 4'	C	1			X					X		3/24/26		X	X	X
14	FL 14 @ 4'	C	1			X					X		3/24/26		X	X	X
15	FL 15 @ 4'	C	1			X					X		3/24/26		X	X	X
16	FL 16 @ 4'	C	1			X					X		3/24/26		X	X	X
17	FL 17 @ 4'	C	1			X					X		3/24/26		X	X	X
18	FL 18 @ 4'	C	1			X					X		3/24/26		X	X	X
19	FL 19 @ 4'	C	1			X					X		3/24/26		X	X	X
20	FL 20 @ 4'	C	1			X					X		3/24/26		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 5-25-26	**Received By:**	
	Time: 1441		
Relinquished By:	**Date:**	**Received By:**	
	Time:		

Verbal Result: ☐ Yes ☐ No **Add'l Phone #:**
All Results are emailed. Please provide Email address: pm@etechenv.com
REMARKS:

Delivered By: (Circle One)	**Observed Temp. °C** 5.4	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 5.3			Thermometer ID #140 Correction Factor +0.1°C

Bacteria (only) Sample Condition Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 7:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 3 of 8

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H261665																										
21	FL 21 @ 4'	C	1			X					X		3/24/26		X	X	X									
22	FL 22 @ 4'	C	1			X					X		3/24/26		X	X	X									
23	FL 23 @ 4'	C	1			X					X		3/24/26		X	X	X									
24	FL 24 @ 4'	C	1			X					X		3/24/26		X	X	X									
25	FL 25 @ 4'	C	1			X					X		3/24/26		X	X	X									
26	FL 26 @ 4'	C	1			X					X		3/24/26		X	X	X									
27	FL 27 @ 4'	C	1			X					X		3/24/26		X	X	X									
28	FL 28 @ 4'	C	1			X					X		3/24/26		X	X	X									
29	FL 29 @ 4'	C	1			X					X		3/24/26		X	X	X									
30	FL 30 @ 4'	C	1			X					X		3/24/26		X	X	X									

EASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the yses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable ice. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, ates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

linquished By:	**Date:** 3-25-26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1441		**All Results are emailed. Please provide Email address:** pm@etechenv.com
linquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

livered By: (Circle One)	**Observed Temp. °C** 5.4	**Sample Condition** Cool ☑ Yes ☐ No / Intact ☑ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard / Rush	**Bacteria (only) Sample Condition** Cool ☐ Yes ☐ No / Intact ☐ Yes ☐ No / Observed Temp. °C
mpler - UPS - Bus - Other:	**Corrected Temp. °C** 5.3			**Thermometer ID #140** **Correction Factor +0.1°C**	**Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 2:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 254 of 516

Page 78 of 82

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 4 of 8

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H261665																									
31	FL 31 @ 4'	C	1			X					X		3/24/26		X	X	X								
32	FL 32 @ 4'	C	1			X					X		3/24/26		X	X	X								
33	FL 33 @ 4'	C	1			X					X		3/24/26		X	X	X								
34	FL 34 @ 4'	C	1			X					X		3/24/26		X	X	X								
35	FL 35 @ 4'	C	1			X					X		3/24/26		X	X	X								
36	FL 36 @ 4'	C	1			X					X		3/24/26		X	X	X								
37	FL 37 @ 4'	C	1			X					X		3/24/26		X	X	X								
38	FL 38 @ 4'	C	1			X					X		3/24/26		X	X	X								
39	FL 39 @ 4'	C	1			X					X		3/24/26		X	X	X								
40	FL 40 @ 4'	C	1			X					X		3/24/26		X	X	X								

ASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the yses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable ice. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, ates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

linquished By:	**Date:** 3-25-26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1441		**All Results are emailed. Please provide Email address:** pm@etechenv.com
linquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		
livered By: (Circle One)	**Observed Temp. °C** 5.4	**Sample Condition** Cool ☑ Yes Intact ☑ Yes	**CHECKED BY: (Initials)**
mpler - UPS - Bus - Other:	**Corrected Temp. °C** 5.3	☐ No ☐ No	

Turnaround Time: Standard ☒ Rush ☐

Thermometer ID #140
Correction Factor +0.1°C

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 7:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 255 of 516

Page 79 of 82

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 5 of 8

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
H261665																	
41	FL 41 @ 4'	C	1			X					X		3/24/26		X	X	X
42	FL 42 @ 4'	C	1			X					X		3/24/26		X	X	X
43	FL 43 @ 4'	C	1			X					X		3/24/26		X	X	X
44	FL 44 @ 4'	C	1			X					X		3/24/26		X	X	X
45	FL 45 @ 4'	C	1			X					X		3/24/26		X	X	X
46	FL 46 @ 4'	C	1			X					X		3/24/26		X	X	X
47	FL 47 @ 4'	C	1			X					X		3/24/26		X	X	X
48	FL 48 @ 4'	C	1			X					X		3/24/26		X	X	X
49	FL 49 @ 4'	C	1			X					X		3/24/26		X	X	X
50	FL 50 @ 4'	C	1			X					X		3/24/26		X	X	X

ANALYSIS REQUEST

ASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the ses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable ce. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, tes or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

linquished By:	**Date:** 3-25-26	**Received By:**	
	Time: 7:41		
linquished By:	**Date:**	**Received By:**	
	Time:		

livered By: (Circle One)
npler - UPS - Bus - Other:

Observed Temp. °C 5.4
Corrected Temp. °C 5.3

Sample Condition Cool ☑ Yes ☐ No Intact ☐ Yes ☐ No

CHECKED BY: (Initials)

Verbal Result: ☐ Yes ☐ No **Add'l Phone #:**

All Results are emailed. Please provide Email address: pm@etechenv.com

REMARKS:

Turnaround Time: Standard ☒ Rush ☐

Thermometer ID #140
Correction Factor +0.1°C

Bacteria (only) Sample Condition
Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No
Observed Temp. °C
Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 7:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 256 of 516

Page 80 of 82

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.
Project Manager:	Lance Crenshaw
Address:	2617 West Marland
City:	Hobbs **State:** NM **Zip:** 88240
Phone #:	(575) 264-9884 **Fax #:**
Project #:	23707 **Project Owner:** Mewbourne Oil Company
Project Name:	SLWMS Fuller SWD Release
Project Location:	32.043933, -103.94987
Sampler Name:	Martin Sepulveda

BILL TO	
P.O. #:	
Company:	Mewbourne
Attn:	Connor Walker
Address:	
City:	
State:	**Zip:**
Phone #:	
Fax #:	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST												
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)										
H261665																										
51	FL 51 @ 4'	C	1			X					X		3/24/26		X	X	X									
52	FL 52 @ 4'	C	1			X					X		3/24/26		X	X	X									
53	FL 53 @ 4'	C	1			X					X		3/24/26		X	X	X									
54	FL 54 @ 4'	C	1			X					X		3/24/26		X	X	X									
55	FL 55 @ 4'	C	1			X					X		3/24/26		X	X	X									
56	FL 56 @ 4'	C	1			X					X		3/24/26		X	X	X									
57	FL 57 @ 4'	C	1			X					X		3/24/26		X	X	X									
58	FL 58 @ 4'	C	1			X					X		3/24/26		X	X	X									
59	FL 59 @ 4'	C	1			X					X		3/24/26		X	X	X									
60	FL 60 @ 4'	C	1			X					X		3/24/26		X	X	X									

CASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 3-25-26	**Received By:**	
	Time: 1441		
Relinquished By:	**Date:**	**Received By:**	
	Time:		

Verbal Result: ☐ Yes ☐ No **Add'l Phone #:**

All Results are emailed. Please provide Email address: pm@etechenv.com

REMARKS:

Delivered By: (Circle One) Sampler - UPS - Bus - Other:

Observed Temp. °C 5.4 **Corrected Temp. °C** 5.3

Sample Condition Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No

CHECKED BY: (Initials) T.O.

Turnaround Time: Standard [X] Rush [ ]

Thermometer ID #140
Correction Factor +0.1°C

Bacteria (only) Sample Condition Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 7:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 7 of 8

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST		
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
H36/1665																	
61	FL 61 @ 4'	C	1			X					X		3/24/26		X	X	X
62	FL 62 @ 4'	C	1			X					X		3/24/26		X	X	X
63	FL 63 @ 4'	C	1			X					X		3/24/26		X	X	X
64	FL 64 @ 4'	C	1			X					X		3/24/26		X	X	X
65	FL 65 @ 4'	C	1			X					X		3/24/26		X	X	X
66	FL 66 @ 4'	C	1			X					X		3/24/26		X	X	X
67	FL 67 @ 4'	C	1			X					X		3/24/26		X	X	X
68	FL 68 @ 4'	C	1			X					X		3/24/26		X	X	X
69	FL 69 @ 4'	C	1			X					X		3/24/26		X	X	X
70	FL 70 @ 4'	C	1			X					X		3/24/26		X	X	X

ASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the
ses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable
ce. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries,
ates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

linquished By:	Date: 3-25-26	Received By:	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 1441		All Results are emailed. Please provide Email address: pm@etechenv.com
linquished By:	Date:	Received By:	REMARKS:
	Time:		
livered By: (Circle One)	Observed Temp. °C -5.4	Sample Condition Cool Intact	CHECKED BY: (Initials)
mpler - UPS - Bus - Other:	Corrected Temp. °C -5.3	☑ Yes ☐ Yes ☐ No ☐ No	
		Turnaround Time: Standard [X] Rush [ ]	Bacteria (only) Sample Condition Cool Intact Observed Temp. °C ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C
		Thermometer ID #140 Correction Factor +0.1°C	

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 7:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 258 of 516

Page 82 of 82

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 8 of 8

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
H261665																	
71	FL 71 @ 4'	C	1			X					X		3/24/26		X	X	X
72	FL 72 @ 4'	C	1			X					X		3/24/26		X	X	X

ASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the ses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable ce. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, tes or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

linquished By:	**Date:** 3-25-26	**Received By:**	
	Time: 1441		
linquished By:	**Date:**	**Received By:**	
	Time:		

elivered By: (Circle One) — **mpler - UPS - Bus - Other:**

Observed Temp. °C 5.4
Corrected Temp. °C 5.3

Sample Condition — Cool: ☑ Yes ☐ No — Intact: ☑ Yes ☐ No

CHECKED BY: (Initials) TO

Verbal Result: ☐ Yes ☐ No **Add'l Phone #:**

All Results are emailed. Please provide Email address: pm@etechenv.com

REMARKS:

Turnaround Time: Standard [X] Rush [ ]

Thermometer ID #140
Correction Factor +0.1°C

Bacteria (only) Sample Condition — Cool: ☐ Yes ☐ No — Intact: ☐ Yes ☐ No — Observed Temp. °C — Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 7:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 02, 2026

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SLWMS FULLER SWD RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/27/26 14:47.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 73 @ 4' (H261740-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**6800**	16.0	03/30/2026	ND	416	104	400	3.77	QM-07

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *63.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *57.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 74 @ 4' (H261740-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**8240**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *65.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 75 @ 4' (H261740-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**7200**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *73.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 76 @ 4' (H261740-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5600**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *65.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 77 @ 4' (H261740-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4960**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *72.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 78 @ 4' (H261740-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**7920**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *73.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 79 @ 4' (H261740-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**9920**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *70.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 80 @ 4' (H261740-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**8560**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *79.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 81 @ 4' (H261740-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5520**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *70.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 82 @ 4' (H261740-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5360**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *60.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *55.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 83 @ 4' (H261740-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5680**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *63.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *57.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 84 @ 4' (H261740-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**336**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 85 @ 4' (H261740-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *64.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *58.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 86 @ 4' (H261740-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *71.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 87 @ 4' (H261740-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**560**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *66.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *58.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 88 @ 4' (H261740-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1660**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *65.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *58.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 89 @ 4' (H261740-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *66.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *60.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 90 @ 4' (H261740-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 91 @ 4' (H261740-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *70.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 92 @ 4' (H261740-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.461	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.2	2.00	0.436	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.794	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.9	6.00	0.929	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**352**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	205	102	200	2.99	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	1.89	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *77.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 93 @ 4' (H261740-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**624**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *68.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *61.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 94 @ 4' (H261740-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**976**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *74.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 95 @ 4' (H261740-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**736**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *77.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 96 @ 4' (H261740-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**864**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *79.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 97 @ 4' (H261740-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *78.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 98 @ 4' (H261740-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *72.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 99 @ 4' (H261740-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**384**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *74.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 100 @ 4' (H261740-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**432**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *70.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 101 @ 4' (H261740-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**592**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *72.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 102 @ 4' (H261740-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**896**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *72.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 103 @ 4' (H261740-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**992**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *70.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *61.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 104 @ 4' (H261740-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1470**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 105 @ 4' (H261740-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *73.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 106 @ 4' (H261740-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**560**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *72.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 107 @ 4' (H261740-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *74.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 108 @ 4' (H261740-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *74.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 109 @ 4' (H261740-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *74.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 110 @ 4' (H261740-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *70.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 111 @ 4' (H261740-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *70.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 112 @ 4' (H261740-40)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	3.96	
Toluene*	<0.050	0.050	03/30/2026	ND	2.02	101	2.00	3.80	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.08	104	2.00	4.75	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.26	104	6.00	3.89	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	464	116	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	223	111	200	0.494	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	212	106	200	0.172	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *73.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 113 @ 4' (H261740-41)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	QM-07
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *71.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 114 @ 4' (H261740-42)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *85.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 115 @ 4' (H261740-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *80.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 116 @ 4' (H261740-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *85.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 117 @ 4' (H261740-45)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *83.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 118 @ 4' (H261740-46)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *82.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 119 @ 4' (H261740-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *81.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 120 @ 4' (H261740-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *89.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 121 @ 4' (H261740-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *83.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 122 @ 4' (H261740-50)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *83.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 311 of 516

Page 53 of 57

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 1 of 10

Company Name:	Etech Environmental & Safety Solutions, Inc.			**BILL TO**	
Project Manager:	Lance Crenshaw			**P.O. #:**	
Address:	2617 West Marland			**Company:**	Mewbourne
City:	Hobbs	**State:** NM	**Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884	**Fax #:**		**Address:**	
Project #:	23707	**Project Owner:**	Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release			**State:**	**Zip:**
Project Location:	32.043933, -103.94987			**Phone #:**	
Sampler Name:	Martin Sepulveda			**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H26 7140																									
1	FL 73 @ 4'	C	1			X					X		3/25/26		X	X	X								
2	FL 74 @ 4'	C	1			X					X		3/25/26		X	X	X								
3	FL 75 @ 4'	C	1			X					X		3/25/26		X	X	X								
4	FL 76 @ 4'	C	1			X					X		3/25/26		X	X	X								
5	FL 77 @ 4'	C	1			X					X		3/25/26		X	X	X								
6	FL 78 @ 4'	C	1			X					X		3/25/26		X	X	X								
7	FL 79 @ 4'	C	1			X					X		3/25/26		X	X	X								
8	FL 80 @ 4'	C	1			X					X		3/25/26		X	X	X								
9	FL 81 @ 4'	C	1			X					X		3/25/26		X	X	X								
10	FL 82 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04022401K

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		
Delivered By: (Circle One)	**Observed Temp. °C** 13.0	**Sample Condition** Cool Intact	**CHECKED BY:** (Initials)
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 12.9	☐ Yes ☐ Yes ☐ No ☐ No	

Turnaround Time: Standard [X] Rush [ ]

Thermometer ID #140
Correction Factor +0.1°C

Bacteria (only) Sample Condition
Cool Intact Observed Temp. °C
☐ Yes ☐ Yes
☐ No ☐ No Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 2 of 10

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H246140																									
11	FL 83 @ 4'	C	1			X					X		3/25/26		X	X	X								
12	FL 84 @ 4'	C	1			X					X		3/25/26		X	X	X								
13	FL 85 @ 4'	C	1			X					X		3/25/26		X	X	X								
14	FL 86 @ 4'	C	1			X					X		3/25/26		X	X	X								
15	FL 87 @ 4'	C	1			X					X		3/25/26		X	X	X								
16	FL 88 @ 4'	C	1			X					X		3/25/26		X	X	X								
17	FL 89 @ 4'	C	1			X					X		3/25/26		X	X	X								
18	FL 90 @ 4'	C	1			X					X		3/25/26		X	X	X								
19	FL 91 @ 4'	C	1			X					X		3/25/26		X	X	X								
20	FL 92 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

040240IK

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** 13.0	**Sample Condition** Cool Yes ☐ Intact Yes ☐	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard X Rush ☐
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 12.9	No ☐ No ☐	SR	**Thermometer ID #140** **Correction Factor +0.1°C**

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 313 of 516

Page 55 of 57

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H241740																									
21	FL 93 @ 4'	C	1			X					X		3/25/26		X	X	X								
22	FL 94 @ 4'	C	1			X					X		3/25/26		X	X	X								
23	FL 95 @ 4'	C	1			X					X		3/25/26		X	X	X								
24	FL 96 @ 4'	C	1			X					X		3/25/26		X	X	X								
25	FL 97 @ 4'	C	1			X					X		3/25/26		X	X	X								
26	FL 98 @ 4'	C	1			X					X		3/25/26		X	X	X								
27	FL 99 @ 4'	C	1			X					X		3/25/26		X	X	X								
28	FL 100 @ 4'	C	1			X					X		3/25/26		X	X	X								
29	FL 101 @ 4'	C	1			X					X		3/25/26		X	X	X								
30	FL 102 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024O1K

Relinquished By:	**Date:** 3-27-26	**Received By:**	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 1447		All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	REMARKS:
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -13.0	**Sample Condition** Cool Intact	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -12.9	☐ Yes ☑ Yes ☐ No ☐ No	SR	Thermometer ID #140 Correction Factor +0.1°C

Bacteria (only) Sample Condition Cool Intact — ☐ Yes ☐ Yes ☐ No ☐ No — Observed Temp. °C — Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 4 of 10

Company Name:	Etech Environmental & Safety Solutions, Inc.			**BILL TO**	
Project Manager:	Lance Crenshaw			**P.O. #:**	
Address:	2617 West Marland			**Company:**	Mewbourne
City:	Hobbs	**State:** NM	**Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884	**Fax #:**		**Address:**	
Project #:	23707	**Project Owner:**	Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release			**State:**	**Zip:**
Project Location:	32.043933, -103.94987			**Phone #:**	
Sampler Name:	Martin Sepulveda			**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H201740																									
31	FL 103 @ 4'	C	1			X					X		3/25/26		X	X	X								
32	FL 104 @ 4'	C	1			X					X		3/25/26		X	X	X								
33	FL 105 @ 4'	C	1			X					X		3/25/26		X	X	X								
34	FL 106 @ 4'	C	1			X					X		3/25/26		X	X	X								
35	FL 107 @ 4'	C	1			X					X		3/25/26		X	X	X								
36	FL 108 @ 4'	C	1			X					X		3/25/26		X	X	X								
37	FL 109 @ 4'	C	1			X					X		3/25/26		X	X	X								
38	FL 110 @ 4'	C	1			X					X		3/25/26		X	X	X								
39	FL 111 @ 4'	C	1			X					X		3/25/26		X	X	X								
40	FL 112 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

040240116

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		
Delivered By: (Circle One)	**Observed Temp. °C** -13.0	**Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No	**CHECKED BY: (Initials)**
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -12.9		

Turnaround Time: Standard [X] Rush ☐
Thermometer ID #140
Correction Factor +0.1°C

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 5 of 10

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	ANALYSIS REQUEST: Chloride	TPH (8015M)	BTEX (8021B)
H201740																	
41	FL 113 @ 4'	C	1			X					X		3/25/26		X	X	X
42	FL 114 @ 4'	C	1			X					X		3/25/26		X	X	X
43	FL 115 @ 4'	C	1			X					X		3/25/26		X	X	X
44	FL 116 @ 4'	C	1			X					X		3/25/26		X	X	X
45	FL 117 @ 4'	C	1			X					X		3/25/26		X	X	X
46	FL 118 @ 4'	C	1			X					X		3/25/26		X	X	X
47	FL 119 @ 4'	C	1			X					X		3/25/26		X	X	X
48	FL 120 @ 4'	C	1			X					X		3/25/26		X	X	X
49	FL 121 @ 4'	C	1			X					X		3/25/26		X	X	X
50	FL 122 @ 4'	C	1			X					X		3/25/26		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

D402401K

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		
Delivered By: (Circle One)	**Observed Temp. °C** 13.0	**Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No	**CHECKED BY: (Initials)** SR
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 12.9		**Turnaround Time:** Standard [X] Rush [ ]
			Thermometer ID #140 **Correction Factor +0.1°C**
			Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 02, 2026

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SLWMS FULLER SWD RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/27/26 14:47.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 123 @ 4' (H261741-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *70.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 124 @ 4' (H261741-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *79.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 125 @ 4' (H261741-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *82.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 126 @ 4' (H261741-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *81.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 127 @ 4' (H261741-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *83.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 128 @ 4' (H261741-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *84.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 129 @ 4' (H261741-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *81.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 130 @ 4' (H261741-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *77.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 131 @ 4' (H261741-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *80.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 132 @ 4' (H261741-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.14	107	2.00	0.0238	
Toluene*	<0.050	0.050	03/30/2026	ND	2.11	106	2.00	1.42	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.03	102	2.00	0.458	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.02	100	6.00	2.29	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	209	104	200	2.41	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	231	116	200	4.18	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *81.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 133 @ 4' (H261741-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *69.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *60.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 134 @ 4' (H261741-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 135 @ 4' (H261741-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *90.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 136 @ 4' (H261741-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *80.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 137 @ 4' (H261741-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *82.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 138 @ 4' (H261741-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *90.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *84.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 139 @ 4' (H261741-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *80.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 140 @ 4' (H261741-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *80.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 141 @ 4' (H261741-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *88.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *82.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 142 @ 4' (H261741-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *81.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 143 @ 4' (H261741-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *70.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 144 @ 4' (H261741-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *75.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 145 @ 4' (H261741-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 146 @ 4' (H261741-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *79.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 147 @ 4' (H261741-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *89.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *82.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 148 @ 4' (H261741-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *78.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 149 @ 4' (H261741-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *66.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *58.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 150 @ 4' (H261741-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *91.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *77.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 151 @ 4' (H261741-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *81.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 152 @ 4' (H261741-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	1.97	98.7	2.00	0.625	
Toluene*	<0.050	0.050	03/30/2026	ND	2.13	107	2.00	3.23	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	2.22	111	2.00	1.89	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	6.69	111	6.00	0.924	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	212	106	200	0.200	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	106	200	0.127	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *75.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 153 @ 4' (H261741-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *79.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 154 @ 4' (H261741-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *79.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 155 @ 4' (H261741-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *77.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 156 @ 4' (H261741-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**432**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *80.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 157 @ 4' (H261741-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *78.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 158 @ 4' (H261741-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**512**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 159 @ 4' (H261741-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**464**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *70.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *57.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 160 @ 4' (H261741-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *81.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 161 @ 4' (H261741-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1390**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *72.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 162 @ 4' (H261741-40)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1150**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *73.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *60.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 163 @ 4' (H261741-41)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**480**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *73.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *60.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 164 @ 4' (H261741-42)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**448**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *75.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 165 @ 4' (H261741-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1380**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *79.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 166 @ 4' (H261741-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1630**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *81.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 167 @ 4' (H261741-45)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1260**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *80.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 168 @ 4' (H261741-46)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1070**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *78.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 169 @ 4' (H261741-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *81.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 170 @ 4' (H261741-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *79.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 171 @ 4' (H261741-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *78.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Shalyn Rodriguez
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 172 @ 4' (H261741-50)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.04	102	2.00	0.537	
Toluene*	<0.050	0.050	03/30/2026	ND	1.82	91.0	2.00	0.712	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.3	2.00	0.432	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.21	86.8	6.00	0.542	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	207	104	200	0.479	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	216	108	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 6 of 10

Company Name:	Etech Environmental & Safety Solutions, Inc.			**BILL TO**	
Project Manager:	Lance Crenshaw			**P.O. #:**	
Address:	2617 West Marland			**Company:**	Mewbourne
City:	Hobbs	**State:** NM	**Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884	**Fax #:**		**Address:**	
Project #:	23707	**Project Owner:**	Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release			**State:**	**Zip:**
Project Location:	32.043933, -103.94987			**Phone #:**	
Sampler Name:	Martin Sepulveda			**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)								
H201741																									
1	FL 123 @ 4'	C	1			X					X		3/25/26		X	X	X								
2	FL 124 @ 4'	C	1			X					X		3/25/26		X	X	X								
3	FL 125 @ 4'	C	1			X					X		3/25/26		X	X	X								
4	FL 126 @ 4'	C	1			X					X		3/25/26		X	X	X								
5	FL 127 @ 4'	C	1			X					X		3/25/26		X	X	X								
6	FL 128 @ 4'	C	1			X					X		3/25/26		X	X	X								
7	FL 129 @ 4'	C	1			X					X		3/25/26		X	X	X								
8	FL 130 @ 4'	C	1			X					X		3/25/26		X	X	X								
9	FL 131 @ 4'	C	1			X					X		3/25/26		X	X	X								
10	FL 132 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024401K

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com	
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**	
	Time:			

Delivered By: (Circle One)	**Observed Temp. °C** −13.0	**Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]	**Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** −12.9			**Thermometer ID** #140 **Correction Factor** +0.1°C	**Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 369 of 516

Page 54 of 57

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 7 of 10

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	ANALYSIS REQUEST: Chloride	TPH (8015M)	BTEX (8021B)
H240741																	
11	FL 133 @ 4'	C	1			X					X		3/25/26		X	X	X
12	FL 134 @ 4'	C	1			X					X		3/25/26		X	X	X
13	FL 135 @ 4'	C	1			X					X		3/25/26		X	X	X
14	FL 136 @ 4'	C	1			X					X		3/25/26		X	X	X
15	FL 137 @ 4'	C	1			X					X		3/25/26		X	X	X
16	FL 138 @ 4'	C	1			X					X		3/25/26		X	X	X
17	FL 139 @ 4'	C	1			X					X		3/25/26		X	X	X
18	FL 140 @ 4'	C	1			X					X		3/25/26		X	X	X
19	FL 141 @ 4'	C	1			X					X		3/25/26		X	X	X
20	FL 142 @ 4'	C	1			X					X		3/25/26		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04023401K

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 13.0 **Corrected Temp. °C** 12.9	**Sample Condition** Cool: ☒ Yes ☐ No Intact: ☒ Yes ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard ☒ Rush ☐ **Thermometer ID #140** **Correction Factor +0.1°C** **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 370 of 516

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 55 of 57

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H20[7411																									
21	FL 143 @ 4'	C	1			X					X		3/25/26		X	X	X								
22	FL 144 @ 4'	C	1			X					X		3/25/26		X	X	X								
23	FL 145 @ 4'	C	1			X					X		3/25/26		X	X	X								
24	FL 146 @ 4'	C	1			X					X		3/25/26		X	X	X								
25	FL 147 @ 4'	C	1			X					X		3/25/26		X	X	X								
26	FL 148 @ 4'	C	1			X					X		3/25/26		X	X	X								
27	FL 149 @ 4'	C	1			X					X		3/25/26		X	X	X								
28	FL 150 @ 4'	C	1			X					X		3/25/26		X	X	X								
29	FL 151 @ 4'	C	1			X					X		3/25/26		X	X	X								
30	FL 152 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024011K

Relinquished By:	**Date:** 3.27.26	**Received By:**	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 1447		All Results are emailed. Please provide Email address: pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	REMARKS:
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 13.0 **Corrected Temp. °C** 12.9	**Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID #140** **Correction Factor +0.1°C** **Bacteria (only) Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 371 of 516

Page 56 of 57

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 9 of 10

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST											
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H240141																									
31	FL 153 @ 4'	C	1			X					X		3/25/26		X	X	X								
32	FL 154 @ 4'	C	1			X					X		3/25/26		X	X	X								
33	FL 155 @ 4'	C	1			X					X		3/25/26		X	X	X								
34	FL 156 @ 4'	C	1			X					X		3/25/26		X	X	X								
35	FL 157 @ 4'	C	1			X					X		3/25/26		X	X	X								
36	FL 158 @ 4'	C	1			X					X		3/25/26		X	X	X								
37	FL 159 @ 4'	C	1			X					X		3/25/26		X	X	X								
38	FL 160 @ 4'	C	1			X					X		3/25/26		X	X	X								
39	FL 161 @ 4'	C	1			X					X		3/25/26		X	X	X								
40	FL 162 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

040240 1K

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -13.0 **Corrected Temp. °C** -12.9	**Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID #140** **Correction Factor +0.1°C** **Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 372 of 516

Page 57 of 57

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 10 of 10

Company Name:	Etech Environmental & Safety Solutions, Inc.			**BILL TO**	
Project Manager:	Lance Crenshaw			**P.O. #:**	
Address:	2617 West Marland			**Company:**	Mewbourne
City:	Hobbs	**State:** NM	**Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884	**Fax #:**		**Address:**	
Project #:	23707	**Project Owner:**	Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release			**State:**	**Zip:**
Project Location:	32.043933, -103.94987			**Phone #:**	
Sampler Name:	Martin Sepulveda			**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST		
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
H201741																	
41	FL 163 @ 4'	C	1			X					X		3/25/26		X	X	X
42	FL 164 @ 4'	C	1			X					X		3/25/26		X	X	X
43	FL 165 @ 4'	C	1			X					X		3/25/26		X	X	X
44	FL 166 @ 4'	C	1			X					X		3/25/26		X	X	X
45	FL 167 @ 4'	C	1			X					X		3/25/26		X	X	X
46	FL 168 @ 4'	C	1			X					X		3/25/26		X	X	X
47	FL 169 @ 4'	C	1			X					X		3/25/26		X	X	X
48	FL 170 @ 4'	C	1			X					X		3/25/26		X	X	X
49	FL 171 @ 4'	C	1			X					X		3/25/26		X	X	X
50	FL 172 @ 4'	C	1			X					X		3/25/26		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024401K

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 13.0 **Corrected Temp. °C** 12.9	**Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard [X] Rush [ ] Thermometer ID #140 Correction Factor +0.1°C

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 02, 2026

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SLWMS FULLER SWD RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/27/26 14:47.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 173 @ 4' (H261742-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *84.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 174 @ 4' (H261742-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *90.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 175 @ 4' (H261742-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *94.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 176 @ 4' (H261742-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *99.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 177 @ 4' (H261742-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**496**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *99.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 178 @ 4' (H261742-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**640**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *99.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 179 @ 4' (H261742-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**832**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *100 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 180 @ 4' (H261742-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *99.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 181 @ 4' (H261742-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *98.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 182 @ 4' (H261742-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *100 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 183 @ 4' (H261742-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *93.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 184 @ 4' (H261742-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *94.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 185 @ 4' (H261742-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *82.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 186 @ 4' (H261742-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *84.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 187 @ 4' (H261742-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *84.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 188 @ 4' (H261742-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *85.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 189 @ 4' (H261742-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *84.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 190 @ 4' (H261742-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *86.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 191 @ 4' (H261742-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *85.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 192 @ 4' (H261742-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	1.94	97.2	2.00	0.328	
Toluene*	<0.050	0.050	03/31/2026	ND	2.05	103	2.00	0.935	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.14	107	2.00	2.02	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.52	109	6.00	2.53	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/30/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	215	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	208	104	200	1.31	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *86.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 193 @ 4' (H261742-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *77.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 194 @ 4' (H261742-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *78.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 195 @ 4' (H261742-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *77.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 196 @ 4' (H261742-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *86.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 197 @ 4' (H261742-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *84.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 198 @ 4' (H261742-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *86.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 199 @ 4' (H261742-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *86.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 200 @ 4' (H261742-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *84.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 201 @ 4' (H261742-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *86.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 202 @ 4' (H261742-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**304**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *88.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 203 @ 4' (H261742-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**272**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 204 @ 4' (H261742-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**672**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *82.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 205 @ 4' (H261742-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**368**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *63.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 206 @ 4' (H261742-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**352**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *85.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 207 @ 4' (H261742-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**816**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *89.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 208 @ 4' (H261742-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**656**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *89.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 209 @ 4' (H261742-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *84.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 210 @ 4' (H261742-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *87.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 211 @ 4' (H261742-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**304**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *90.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 212 @ 4' (H261742-40)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.21	111	2.00	3.94	
Toluene*	<0.050	0.050	03/30/2026	ND	2.07	104	2.00	4.02	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.97	98.5	2.00	4.04	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.90	98.4	6.00	4.49	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**752**	16.0	03/30/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	210	105	200	0.920	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	213	107	200	1.93	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *87.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 213 @ 4' (H261742-41)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *82.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 214 @ 4' (H261742-42)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	QM-07
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *95.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 215 @ 4' (H261742-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *85.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 216 @ 4' (H261742-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *83.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 217 @ 4' (H261742-45)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *87.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 218 @ 4' (H261742-46)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *89.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 219 @ 4' (H261742-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *94.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 220 @ 4' (H261742-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *88.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 221 @ 4' (H261742-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 222 @ 4' (H261742-50)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 223 @ 4' (H261742-51)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *82.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 224 @ 4' (H261742-52)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *85.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 225 @ 4' (H261742-53)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *87.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 226 @ 4' (H261742-54)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *71.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 227 @ 4' (H261742-55)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**800**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *86.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 228 @ 4' (H261742-56)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**784**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *84.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 229 @ 4' (H261742-57)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *97.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 230 @ 4' (H261742-58)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *93.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 231 @ 4' (H261742-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *92.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 232 @ 4' (H261742-60)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.18	109	2.00	3.99	
Toluene*	<0.050	0.050	03/31/2026	ND	2.13	106	2.00	2.27	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	2.11	105	2.00	1.40	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	6.32	105	6.00	1.27	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	208	104	200	2.63	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	224	112	200	3.58	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *94.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 233 @ 4' (H261742-61)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/30/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	QM-07, QR-03
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *73.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 234 @ 4' (H261742-62)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/30/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 235 @ 4' (H261742-63)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/30/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *64.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 236 @ 4' (H261742-64)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/30/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *61.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *57.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 237 @ 4' (H261742-65)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/30/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *75.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 238 @ 4' (H261742-66)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/30/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *63.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 239 @ 4' (H261742-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/30/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *67.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 240 @ 4' (H261742-68)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/30/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *76.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 241 @ 4' (H261742-69)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/30/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *56.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *51.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 242 @ 4' (H261742-70)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/30/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *70.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 243 @ 4' (H261742-71)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/30/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/30/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/30/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/30/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *59.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *55.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 244 @ 4' (H261742-72)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/31/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *58.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *53.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 245 @ 4' (H261742-73)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/31/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *79.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 246 @ 4' (H261742-74)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/31/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/31/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/31/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/31/2026	ND					

Surrogate: 1-Chlorooctane *94.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 247 @ 4' (H261742-75)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/31/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *64.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 248 @ 4' (H261742-76)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/31/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *60.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *55.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 249 @ 4' (H261742-77)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/31/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *86.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 250 @ 4' (H261742-78)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/31/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/31/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/31/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/31/2026	ND					

Surrogate: 1-Chlorooctane *70.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 251 @ 4' (H261742-79)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/31/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *68.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	03/27/2026	Sampling Date:	03/25/2026
Reported:	04/02/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Alyssa Parras
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: FL 252 @ 4' (H261742-80)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/31/2026	ND	2.06	103	2.00	0.641	
Toluene*	<0.050	0.050	03/31/2026	ND	1.83	91.4	2.00	0.613	
Ethylbenzene*	<0.050	0.050	03/31/2026	ND	1.77	88.6	2.00	0.227	
Total Xylenes*	<0.150	0.150	03/31/2026	ND	5.23	87.1	6.00	0.250	
Total BTEX	<0.300	0.300	03/31/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/30/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/30/2026	ND	214	107	200	3.10	
DRO >C10-C28*	<10.0	10.0	03/30/2026	ND	230	115	200	2.12	
EXT DRO >C28-C36	<10.0	10.0	03/30/2026	ND					

Surrogate: 1-Chlorooctane *80.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 455 of 516

Page 83 of 90

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Pg 1 of 8

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)								
H209742																									
1	FL 173 @ 4'	C	1			X					X		3/25/26		X	X	X								
2	FL 174 @ 4'	C	1			X					X		3/25/26		X	X	X								
3	FL 175 @ 4'	C	1			X					X		3/25/26		X	X	X								
4	FL 176 @ 4'	C	1			X					X		3/25/26		X	X	X								
5	FL 177 @ 4'	C	1			X					X		3/25/26		X	X	X								
6	FL 178 @ 4'	C	1			X					X		3/25/26		X	X	X								
7	FL 179 @ 4'	C	1			X					X		3/25/26		X	X	X								
8	FL 180 @ 4'	C	1			X					X		3/25/26		X	X	X								
9	FL 181 @ 4'	C	1			X					X		3/25/26		X	X	X								
10	FL 182 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04084018 - AM1

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** 13.0	**Sample Condition** Cool ☑ Yes ☐ No Intact ☑ Yes ☐ No	**CHECKED BY: (Initials)** AD	**Turnaround Time:** Standard ☒ Rush ☐
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 12.9			**Thermometer ID** #140 **Correction Factor** +0.1°C

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 456 of 516

Page 84 of 90

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D. H206742	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
11	FL 183 @ 4'	C	1			X					X		3/25/26		X	X	X								
12	FL 184 @ 4'	C	1			X					X		3/25/26		X	X	X								
13	FL 185 @ 4'	C	1			X					X		3/25/26		X	X	X								
14	FL 186 @ 4'	C	1			X					X		3/25/26		X	X	X								
15	FL 187 @ 4'	C	1			X					X		3/25/26		X	X	X								
16	FL 188 @ 4'	C	1			X					X		3/25/26		X	X	X								
17	FL 189 @ 4'	C	1			X					X		3/25/26		X	X	X								
18	FL 190 @ 4'	C	1			X					X		3/25/26		X	X	X								
19	FL 191 @ 4'	C	1			X					X		3/25/26		X	X	X								
20	FL 192 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com	
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**	
	Time:			

Delivered By: (Circle One)	**Observed Temp. °C** 13.0	**Sample Condition**	**CHECKED BY: (Initials)**	**Turnaround Time:**	**Bacteria (only) Sample Condition**
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 12.9	Cool: ☐ Yes ☐ No Intact: ☑ Yes ☐ No	AD	Standard X Rush ☐ Thermometer ID #140 Correction Factor +0.1°C	Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 457 of 516

Page 85 of 90

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)								
HOLD																									
21	FL 193 @ 4'	C	1			X					X		3/25/26		X	X	X								
22	FL 194 @ 4'	C	1			X					X		3/25/26		X	X	X								
23	FL 195 @ 4'	C	1			X					X		3/25/26		X	X	X								
24	FL 196 @ 4'	C	1			X					X		3/25/26		X	X	X								
25	FL 197 @ 4'	C	1			X					X		3/25/26		X	X	X								
26	FL 198 @ 4'	C	1			X					X		3/25/26		X	X	X								
27	FL 199 @ 4'	C	1			X					X		3/25/26		X	X	X								
28	FL 200 @ 4'	C	1			X					X		3/25/26		X	X	X								
29	FL 201 @ 4'	C	1			X					X		3/25/26		X	X	X								
30	FL 202 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com	
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**	
	Time:			

Delivered By: (Circle One)	**Observed Temp. °C** -13.0	**Sample Condition**	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]	**Bacteria (only) Sample Condition**
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -12.9	**Cool** ☑ Yes ☐ No **Intact** ☑ Yes ☐ No	AR	**Thermometer ID** #140 **Correction Factor** +0.1°C	**Cool** ☐ Yes ☐ No **Intact** ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 4 of 8

Company Name:	Etech Environmental & Safety Solutions, Inc.			**BILL TO**	
Project Manager:	Lance Crenshaw			**P.O. #:**	
Address:	2617 West Marland			**Company:**	Mewbourne
City:	Hobbs	**State:** NM	**Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884	**Fax #:**		**Address:**	
Project #:	23707	**Project Owner:**	Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release			**State:**	**Zip:**
Project Location:	32.043933, -103.94987			**Phone #:**	
Sampler Name:	Martin Sepulveda			**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)									
H261742																									
31	FL 203 @ 4'	C	1			X					X		3/25/26		X	X	X								
32	FL 204 @ 4'	C	1			X					X		3/25/26		X	X	X								
33	FL 205 @ 4'	C	1			X					X		3/25/26		X	X	X								
34	FL 206 @ 4'	C	1			X					X		3/25/26		X	X	X								
35	FL 207 @ 4'	C	1			X					X		3/25/26		X	X	X								
36	FL 208 @ 4'	C	1			X					X		3/25/26		X	X	X								
37	FL 209 @ 4'	C	1			X					X		3/25/26		X	X	X								
38	FL 210 @ 4'	C	1			X					X		3/25/26		X	X	X								
39	FL 211 @ 4'	C	1			X					X		3/25/26		X	X	X								
40	FL 212 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1440		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** 13.0	**Sample Condition** Cool: ☑ Yes ☐ No; Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 12.9			Thermometer ID #140 Correction Factor +0.1°C

Bacteria (only) Sample Condition Cool: ☐ Yes ☐ No; Intact: ☐ Yes ☐ No; Observed Temp. °C; Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 459 of 516

Page 87 of 90

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)								
H241742																									
41	FL 213 @ 4'	C	1			X					X		3/25/26		X	X	X								
42	FL 214 @ 4'	C	1			X					X		3/25/26		X	X	X								
43	FL 215 @ 4'	C	1			X					X		3/25/26		X	X	X								
44	FL 216 @ 4'	C	1			X					X		3/25/26		X	X	X								
45	FL 217 @ 4'	C	1			X					X		3/25/26		X	X	X								
46	FL 218 @ 4'	C	1			X					X		3/25/26		X	X	X								
47	FL 219 @ 4'	C	1			X					X		3/25/26		X	X	X								
48	FL 220 @ 4'	C	1			X					X		3/25/26		X	X	X								
49	FL 221 @ 4'	C	1			X					X		3/25/26		X	X	X								
50	FL 222 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**	
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com		
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**		
	Time:				

Delivered By: (Circle One)	**Observed Temp. °C** 13.0	**Sample Condition** Cool ☑ Yes ☐ No Intact ☑ Yes ☐ No	**CHECKED BY: (Initials)** AR	**Turnaround Time:** Standard ☒ Rush ☐	**Bacteria (only) Sample Condition** Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 12.9			**Thermometer ID #140** **Correction Factor +0.1°C**	Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 6 of 8

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H261742																									
51	FL 223 @ 4'	C	1			X					X		3/25/26		X	X	X								
52	FL 224 @ 4'	C	1			X					X		3/25/26		X	X	X								
53	FL 225 @ 4'	C	1			X					X		3/25/26		X	X	X								
54	FL 226 @ 4'	C	1			X					X		3/25/26		X	X	X								
55	FL 227 @ 4'	C	1			X					X		3/25/26		X	X	X								
56	FL 228 @ 4'	C	1			X					X		3/25/26		X	X	X								
57	FL 229 @ 4'	C	1			X					X		3/25/26		X	X	X								
58	FL 230 @ 4'	C	1			X					X		3/25/26		X	X	X								
59	FL 231 @ 4'	C	1			X					X		3/25/26		X	X	X								
60	FL 232 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 5.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -13.0	**Sample Condition** Cool Intact	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -13.9	☑ Yes ☑ Yes ☐ No ☐ No		**Thermometer ID #140** **Correction Factor +0.1°C**

Bacteria (only) Sample Condition Cool Intact Observed Temp. °C ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 461 of 516

Page 89 of 99

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	**DATE**	**TIME**	Chloride	TPH (8015M)	BTEX (8021B)								
H241742																									
01	FL 233 @ 4'	C	1			X					X		3/25/26		X	X	X								
02	FL 234 @ 4'	C	1			X					X		3/25/26		X	X	X								
03	FL 235 @ 4'	C	1			X					X		3/25/26		X	X	X								
04	FL 236 @ 4'	C	1			X					X		3/25/26		X	X	X								
05	FL 237 @ 4'	C	1			X					X		3/25/26		X	X	X								
06	FL 238 @ 4'	C	1			X					X		3/25/26		X	X	X								
07	FL 239 @ 4'	C	1			X					X		3/25/26		X	X	X								
08	FL 240 @ 4'	C	1			X					X		3/25/26		X	X	X								
09	FL 241 @ 4'	C	1			X					X		3/25/26		X	X	X								
10	FL 242 @ 4'	C	1			X					X		3/25/26		X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**	
	Time: 1440		**All Results are emailed. Please provide Email address:** pm@etechenv.com		
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**		
	Time:				
Delivered By: (Circle One)	**Observed Temp. °C** 13.0	**Sample Condition** Cool ☑ Yes Intact ☑ Yes	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard ☒ Rush ☐	**Bacteria (only) Sample Condition** Cool ☐ Yes Intact ☐ Yes
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** 12.9	☐ No ☐ No	AP	Thermometer ID #140 Correction Factor +0.1°C	☐ No ☐ No Observed Temp. °C Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 462 of 516

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 90 of 99

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Release	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)								
H201742																								
71	FL 243 @ 4'	C	1			X					X		3/25/26		X	X	X							
72	FL 244 @ 4'	C	1			X					X		3/25/26		X	X	X							
73	FL 245 @ 4'	C	1			X					X		3/25/26		X	X	X							
74	FL 246 @ 4'	C	1			X					X		3/25/26		X	X	X							
75	FL 247 @ 4'	C	1			X					X		3/25/26		X	X	X							
76	FL 248 @ 4'	C	1			X					X		3/25/26		X	X	X							
77	FL 249 @ 4'	C	1			X					X		3/25/26		X	X	X							
78	FL 250 @ 4'	C	1			X					X		3/25/26		X	X	X							
79	FL 251 @ 4'	C	1			X					X		3/25/26		X	X	X							
80	FL 252 @ 4'	C	1			X					X		3/25/26		X	X	X							

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 3.27.26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No	**Add'l Phone #:**
	Time: 1447		**All Results are emailed. Please provide Email address:** pm@etechenv.com	
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**	
	Time:			

Delivered By: (Circle One)	**Observed Temp. °C** 13.0	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]	**Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -12.9			**Thermometer ID #140** **Correction Factor +0.1°C**	**Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 29, 2026

LANCE CRENSHAW

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: SLWMS FULLER SWD RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 05/22/26 15:08.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW1 (H262947-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: ED

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/26/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *72.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *58.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW2 (H262947-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: ED

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/26/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *77.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW3 (H262947-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: ED

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/26/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *74.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *60.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW4 (H262947-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: ED

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/26/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *79.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW5 (H262947-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *127 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: ED

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/26/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *76.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *61.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW6 (H262947-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: ED

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/26/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *69.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *56.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW7 (H262947-07)

BTEX 8021B mg/kg Analyzed By: JH S-04

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *144 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: ED

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/26/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *67.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *53.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: NW8 (H262947-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: ED

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/26/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *78.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EW1 (H262947-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *81.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EW2 (H262947-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *131 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *74.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *60.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EW3 (H262947-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *81.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EW4 (H262947-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *126 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *79.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EW5 (H262947-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *79.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: EW6 (H262947-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *122 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *84.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW1 (H262947-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *64.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *53.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW2 (H262947-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *128 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *76.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW3 (H262947-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *76.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *65.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW4 (H262947-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.24	112	2.00	2.15	
Toluene*	<0.050	0.050	05/26/2026	ND	1.97	98.3	2.00	2.76	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.07	103	2.00	5.79	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.13	102	6.00	5.77	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *80.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW8 (H262947-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.15	107	2.00	0.620	
Toluene*	<0.050	0.050	05/26/2026	ND	2.08	104	2.00	0.253	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.05	102	2.00	0.796	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.20	103	6.00	1.25	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	191	95.4	200	1.36	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	189	94.5	200	1.49	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *79.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: SW9 (H262947-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.15	107	2.00	0.620	
Toluene*	<0.050	0.050	05/26/2026	ND	2.08	104	2.00	0.253	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.05	102	2.00	0.796	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.20	103	6.00	1.25	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *91.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	185	92.6	200	1.68	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	203	102	200	5.08	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *67.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: WW4 (H262947-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.15	107	2.00	0.620	
Toluene*	<0.050	0.050	05/26/2026	ND	2.08	104	2.00	0.253	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.05	102	2.00	0.796	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.20	103	6.00	1.25	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	185	92.6	200	1.68	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	203	102	200	5.08	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *71.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
LANCE CRENSHAW
2617 W MARLAND
HOBBS NM, 88240
Fax To:

Received:	05/22/2026	Sampling Date:	05/21/2026
Reported:	05/29/2026	Sampling Type:	Soil
Project Name:	SLWMS FULLER SWD RELEASE	Sampling Condition:	Cool & Intact
Project Number:	23707	Sample Received By:	Tamara Oldaker
Project Location:	MEWBOURNE 32.043933, -103.94987		

Sample ID: WW5 (H262947-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/26/2026	ND	2.15	107	2.00	0.620	
Toluene*	<0.050	0.050	05/26/2026	ND	2.08	104	2.00	0.253	
Ethylbenzene*	<0.050	0.050	05/26/2026	ND	2.05	102	2.00	0.796	
Total Xylenes*	<0.150	0.150	05/26/2026	ND	6.20	103	6.00	1.25	
Total BTEX	<0.300	0.300	05/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *91.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/26/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/26/2026	ND	185	92.6	200	1.68	
DRO >C10-C28*	<10.0	10.0	05/26/2026	ND	203	102	200	5.08	
EXT DRO >C28-C36	<10.0	10.0	05/26/2026	ND					

Surrogate: 1-Chlorooctane *65.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 1 of 3

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Line	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H262947																									
1	NW 1	C	1			X					X		5/21/26	08:15	X	X	X								
2	NW 2	C	1			X					X		5/21/26	08:19	X	X	X								
3	NW 3	C	1			X					X		5/21/26	08:21	X	X	X								
4	NW 4	C	1			X					X		5/21/26	08:50	X	X	X								
5	NW 5	C	1			X					X		5/21/26	08:52	X	X	X								
6	NW 6	C	1			X					X		5/21/26	08:54	X	X	X								
7	NW 7	C	1			X					X		5/21/26	08:56	X	X	X								
8	NW 8	C	1			X					X		5/21/26	08:58	X	X	X								
9	EW 1	C	1			X					X		5/21/26	09:35	X	X	X								
10	EW 2	C	1			X					X		5/21/26	09:36	X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024014

Relinquished By:	**Date:** 5-22-26 **Time:** 1508	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:** **All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 8.5 **Corrected Temp. °C** 8.4	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ] **Thermometer ID #140** **Correction Factor +0.1°C**	**Bacteria (only) Sample Condition** Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Page 488 of 516

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 26 of 27

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Line	**State:**	**Zip:**
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	**Sample I.D.**	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)									
H262947																									
11	EW 3	C	1			X					X		5/21/26	09:38	X	X	X								
12	EW 4	C	1			X					X		5/21/26	09:40	X	X	X								
13	EW 5	C	1			X					X		5/21/26	10:00	X	X	X								
14	EW 6	C	1			X					X		5/21/26	10:02	X	X	X								
15	SW 1	C	1			X					X		5/21/26	10:31	X	X	X								
16	SW 2	C	1			X					X		5/21/26	10:33	X	X	X								
17	SW 3	C	1			X					X		5/21/26	10:35	X	X	X								
18	SW 4	C	1			X					X		5/21/26	10:38	X	X	X								
19	SW 8	C	1			X					X		5/21/26	10:42	X	X	X								
20	SW 9	C	1			X					X		5/21/26	10:56	X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 5-22-26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1508		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One)	**Observed Temp. °C** -8.5	**Sample Condition**	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard [X] Rush [ ]
Sampler - UPS - Bus - Other:	**Corrected Temp. °C** -8.4	**Cool** ☑ Yes ☐ No **Intact** ☑ Yes ☐ No		**Thermometer ID** #140 **Correction Factor** +0.1°C

Bacteria (only) Sample Condition Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Etech Environmental & Safety Solutions, Inc.	**BILL TO**	
Project Manager:	Lance Crenshaw	**P.O. #:**	
Address:	2617 West Marland	**Company:**	Mewbourne Oil Company
City:	Hobbs **State:** NM **Zip:** 88240	**Attn:**	Connor Walker
Phone #:	(575) 264-9884 **Fax #:**	**Address:**	
Project #:	23707 **Project Owner:** Mewbourne Oil Company	**City:**	
Project Name:	SLWMS Fuller SWD Line	**State:** **Zip:**	
Project Location:	32.043933, -103.94987	**Phone #:**	
Sampler Name:	Martin Sepulveda	**Fax #:**	

ANALYSIS REQUEST

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
H242947																	
21	WW 4	C	1			X					X		5/21/26	10:59	X	X	X
22	WW 5	C	1			X					X		5/21/26	11:02	X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 5-22-26	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
	Time: 1508		**All Results are emailed. Please provide Email address:** pm@etechenv.com
Relinquished By:	**Date:**	**Received By:**	**REMARKS:**
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 8.5 **Corrected Temp. °C** 8.4	**Sample Condition** Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	**CHECKED BY: (Initials)** TS	**Turnaround Time:** Standard ☒ Rush ☐ **Thermometer ID** #140 **Correction Factor** +0.1°C

Bacteria (only) Sample Condition Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No **Observed Temp. °C** **Corrected Temp. °C**

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 6/11/2026 1:45:49 PM

Released to Imaging: 6/22/2026 2:15:51 PM

Appendix H
Regulatory Correspondence

From: OCDOnline@emnrd.nm.gov
Sent: Wednesday, March 18, 2026 3:56 PM
To: Cesar Rosendo
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 564494

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2603741796.

The sampling event is expected to take place:

When: 03/20/2026 @ 07:00
Where: H-14-26S-29E 0 FNL 0 FEL (32.0443,-103.94972)

Additional Information: Martin Sepulveda 432-305-7322

Additional Instructions: Driving directions: From the intersection of Tarbrush Rd and Pipeline Rd (32.064232, -103.951762), head S on Tarbrush Rd for 1.80 mi, then E for 0.17 mi, then SE for 0.03 mi to arrive at the SLWMS Fuller SWD Release (32.043933, -103.949870).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@emnrd.nm.gov
Sent: Wednesday, March 18, 2026 4:00 PM
To: Cesar Rosendo
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 564500

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2603741796.

The sampling event is expected to take place:

When: 03/23/2026 @ 07:00
Where: H-14-26S-29E 0 FNL 0 FEL (32.0443,-103.94972)

Additional Information: Martin Sepulveda 432-305-7322

Additional Instructions: Driving directions: From the intersection of Tarbrush Rd and Pipeline Rd (32.064232, -103.951762), head S on Tarbrush Rd for 1.80 mi, then E for 0.17 mi, then SE for 0.03 mi to arrive at the SLWMS Fuller SWD Release (32.043933, -103.949870

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@emnrd.nm.gov
Sent: Wednesday, March 18, 2026 4:03 PM
To: Cesar Rosendo
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 564503

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2603741796.

The sampling event is expected to take place:

When: 03/24/2026 @ 07:00
Where: H-14-26S-29E 0 FNL 0 FEL (32.0443,-103.94972)

Additional Information: Martin Sepulveda 432-305-7322

Additional Instructions: Driving directions: From the intersection of Tarbrush Rd and Pipeline Rd (32.064232, -103.951762), head S on Tarbrush Rd for 1.80 mi, then E for 0.17 mi, then SE for 0.03 mi to arrive at the SLWMS Fuller SWD Release (32.043933, -103.949870

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@emnrd.nm.gov
Sent: Wednesday, March 18, 2026 4:05 PM
To: Cesar Rosendo
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 564504

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2603741796.

The sampling event is expected to take place:

When: 03/25/2026 @ 07:00
Where: H-14-26S-29E 0 FNL 0 FEL (32.0443,-103.94972)

Additional Information: Martin Sepulveda 432-305-7322

Additional Instructions: Driving directions: From the intersection of Tarbrush Rd and Pipeline Rd (32.064232, -103.951762), head S on Tarbrush Rd for 1.80 mi, then E for 0.17 mi, then SE for 0.03 mi to arrive at the SLWMS Fuller SWD Release (32.043933, -103.949870

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@emnrd.nm.gov
Sent: Wednesday, March 18, 2026 4:07 PM
To: Cesar Rosendo
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 564507

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2603741796.

The sampling event is expected to take place:

When: 03/26/2026 @ 07:00
Where: H-14-26S-29E 0 FNL 0 FEL (32.0443,-103.94972)

Additional Information: Martin Sepulveda 432-305-7322

Additional Instructions: Driving directions: From the intersection of Tarbrush Rd and Pipeline Rd (32.064232, -103.951762), head S on Tarbrush Rd for 1.80 mi, then E for 0.17 mi, then SE for 0.03 mi to arrive at the SLWMS Fuller SWD Release (32.043933, -103.949870

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@emnrd.nm.gov
Sent: Wednesday, March 18, 2026 4:09 PM
To: Cesar Rosendo
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 564509

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2603741796.

The sampling event is expected to take place:

When: 03/27/2026 @ 07:00
Where: H-14-26S-29E 0 FNL 0 FEL (32.0443,-103.94972)

Additional Information: Martin Sepulveda 432-305-7322

Additional Instructions: Driving directions: From the intersection of Tarbrush Rd and Pipeline Rd (32.064232, -103.951762), head S on Tarbrush Rd for 1.80 mi, then E for 0.17 mi, then SE for 0.03 mi to arrive at the SLWMS Fuller SWD Release (32.043933, -103.949870

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@emnrd.nm.gov
Sent: Wednesday, March 18, 2026 4:12 PM
To: Cesar Rosendo
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 564511

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2603741796.

The sampling event is expected to take place:

When: 03/30/2026 @ 07:00
Where: H-14-26S-29E 0 FNL 0 FEL (32.0443,-103.94972)

Additional Information: Martin Sepulveda 432-305-7322

Additional Instructions: Driving directions: From the intersection of Tarbrush Rd and Pipeline Rd (32.064232, -103.951762), head S on Tarbrush Rd for 1.80 mi, then E for 0.17 mi, then SE for 0.03 mi to arrive at the SLWMS Fuller SWD Release (32.043933, -103.949870

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@emnrd.nm.gov
Sent: Wednesday, March 18, 2026 4:14 PM
To: Cesar Rosendo
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 564515

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2603741796.

The sampling event is expected to take place:

When: 03/31/2026 @ 07:00
Where: H-14-26S-29E 0 FNL 0 FEL (32.0443,-103.94972)

Additional Information: Martin Sepulveda 432-305-7322

Additional Instructions: Driving directions: From the intersection of Tarbrush Rd and Pipeline Rd (32.064232, -103.951762), head S on Tarbrush Rd for 1.80 mi, then E for 0.17 mi, then SE for 0.03 mi to arrive at the SLWMS Fuller SWD Release (32.043933, -103.949870

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@emnrd.nm.gov <OCDOnline@emnrd.nm.gov>
Sent: Wednesday, May 13, 2026 11:52 AM
To: Jeff Broom <jbroom@mewbourne.com>
Subject: The Oil Conservation Division (OCD) has rejected the application, Application ID: 577807

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has rejected the submitted *Application for administrative approval of a release notification and corrective action* (C-141), for incident ID (n#) nAPP2603741796,
for the following reasons:

- **Remediation closure denied due to the following reasons:**
- **1) To the question, "What is the minimum distance, between the closest lateral extents of the release and the following surface areas: A continuously flowing watercourse or any other significant watercourse" and "A wetland" was answered, "Between 1000 (ft.) and ½ (mi.)." According to USGS topoview maps and the National Wetlands Inventory Mapper, the nearest wetland is a wetland riverine located between 300-500 feet north of the release area.**
- **2) To the question, "What is the minimum distance, between the closest lateral extents of the release and the following surface areas: A 100-year floodplain," was answered, "Between 1000 (ft.) and ½ (mi.)." According to the FEMA National Flood Hazard Layer, the nearest 100-year floodplain is located between 500 -1000 ft west. The distance to all of these site receptors must be updated during next report submission.**
- **3) Operator failed to provide proper Sampling Notification pursuant to 19.15.29.12.D.(1).(a) NMAC. Failure to provide proper sampling notice is a compliance issue and the OCD may pursue compliance actions pursuant to 19.15.5 NMAC. Operator shall ensure future compliance with 19.15.29.12.D.(1).(a) NMAC. Sidewall samples NW1 through SW4 were collected on 3/13/26 and no C-141N was submitted.**
- **4) Based on Figure 5, the excavation perimeter was 1372 linear feet. A total of 28 sidewall samples should have been collected and only 20 were collected.**
- **Submit a complete and accurate report to OCD no later than 7/13/26.**

The rejected C-141 can be found in the OCD Online: Permitting - Action Status, under the Application ID: 577807.
Please review and make the required correction(s) prior to resubmitting.
If you have any questions why this application was rejected or believe it was rejected in error, please contact me prior to submitting an additional C-141.

Thank you,
Shelly Wells
Environmental Specialist-A
505-469-7520
Shelly.Wells@emnrd.nm.gov

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@emnrd.nm.gov
Sent: Wednesday, May 13, 2026 3:07 PM
To: Jeff Broom
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 584929

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2603741796.

The sampling event is expected to take place:

When: 05/21/2026 @ 08:00
Where: H-14-26S-29E 0 FNL 0 FEL (32.044301,-103.94972)

Additional Information: Addison Elston, 432.236.1152

Additional Instructions: From the intersection of Tarbrush Rd and Pipeline Rd (32.064232, -103.951762), head S on Tarbrush Rd for 1.80 mi, then E for 0.17 mi, then SE for 0.03 mi to arrive at the SLWMS Fuller SWD Release (32.043933, -103.949870).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@emnrd.nm.gov
Sent: Wednesday, May 13, 2026 3:10 PM
To: Jeff Broom
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 584935

To whom it may concern (c/o Jeff Broom for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2603741796.

The sampling event is expected to take place:

When: 05/22/2026 @ 08:00
Where: H-14-26S-29E 0 FNL 0 FEL (32.044301,-103.94972)

Additional Information: Addison Elston, 432.236.1152

Additional Instructions: From the intersection of Tarbrush Rd and Pipeline Rd (32.064232, -103.951762), head S on Tarbrush Rd for 1.80 mi, then E for 0.17 mi, then SE for 0.03 mi to arrive at the SLWMS Fuller SWD Release (32.043933, -103.949870).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505



Legend

- Excavation Extent (~49,995 ft²)
- Composite Floor Sample
- Composite Wall Sample

Figure 5
Sample Location Map - Excavation
Mewbourne Oil Company
SLWMS Fuller SWD Line
GPS: 32.0443,-103.94972
Eddy County, New Mexico

eTECH Environmental & Safety Solutions, Inc.

Revised: bja | Checked: rlc | Date: 6/18/2026

From: Ben Arguijo
To: Wells, Shelly, EMNRD
Subject: [EXTERNAL] Re: nAPP2603741796 SLWMS FULLER SWD LINE
Date: Friday, June 12, 2026 1:40:18 PM

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Shelly,

I will try to explain. The sample locations didn't change. The issue boils down to me having a mental lapse while updating the map, making a series of labeling mistakes after deleting and recreating the wall sample layer in my GIS program, and not realizing what happened until you brought it to my attention.

I apologize for the confusion. I will correct the map and send you an updated version, if that is acceptable.

Thank you.

Ben

From: Ben Arguijo <bena@etechenv.com>
Sent: Friday, June 12, 2026 1:44 PM
To: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Subject: Re: nAPP2603741796 SLWMS FULLER SWD LINE

Shelly,

I've asked and been told that no photos were taken during the resampling event. I apologize.

I will call you shortly about the issue with the map. It's hard to explain via email.

Thanks

Ben

From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Friday, June 12, 2026 12:35 PM
To: Ben Arguijo <bena@etechenv.com>
Subject: nAPP2603741796 SLWMS FULLER SWD LINE

Hi Ben,

I am reviewing the remediation closure report submitted for nAPP2603741796 SLWMS FULLER SWD LINE and have questions for you. Referring to Figure 5, I am confused as to how the locations of SW 5, SW 6, SW 7 and WW 3 changed if these samples were not part of the resampling that occurred on 5/21/26. Can you explain this? In addition, as the excavation was backfilled how were these samples collected? Do you have any photo documentation of the sample collection that took place on 5/21/26?

I look forward to hearing back from you when you have the time,

Shelly

Shelly Wells * Senior Environmental Scientist
Environmental Bureau
EMNRD-Oil Conservation Division
1220 S. St. Francis Drive|Santa Fe, NM 87505
(505)469-7520 Shelly.Wells@emnrd.nm.gov
http://www.emnrd.state.nm.us/OCD/

From: Ben Arguijo
To: Wells, Shelly, EMNRD
Cc: Lance Crenshaw; Connor Walker; Jeff Broom
Subject: RE: [EXTERNAL] RE: nAPP2603741796 SLWMS FULLER SWD LINE
Date: Monday, June 22, 2026 12:04:40 PM
Attachments: image001.png

Shelly,

It is my understanding that the excavation has been left open to the same extent that it was open when the original wall samples were collected and that only select portions of the interior have been backfilled. I apologize, but I've never been to the site myself and don't have any more recent photographs than those included in the closure request; therefore, I don't know exactly which areas those are. I'll have to let Connor Walker, Jeff Broom, or Lance Crenshaw speak to that, if necessary.

In the footnotes for Table 1 in the Amended Closure Request, I indicated with asterisks that samples NW 1 through NW 7, EW 1, EW 2, EW 3, and SW 1 through SW 4 were "Replacement" samples (vs. resamples). Prior to the replacement sampling event, the excavation sidewalls were subdivided (on paper) into approximately 50-foot spans to ensure that the requisite total of 28 wall samples would be collected. Ultimately, that total included some of the original samples, the replacement samples, and a few additional sample points. The replacement and additional samples were standard 5-point composite samples collected along ~50-foot spans of the excavation sidewall (as illustrated in Figure 5), using standard confirmation sampling protocol, at depths ranging between 0 and 4 feet bgs (as shown in Table 1).

The numbering schema for the replacement and new samples started at 1 for each sidewall (i.e., NW 1, EW 1, and SW 1) and was incremented by 1 to *n* based on the length of the given sidewall. Since not all of the original wall samples were replaced, some of the labels on the updated map "moved" while others didn't, and some of the sample numbers jump around while others are in sequence.

If you need any additional information, please let me know.

Thanks.

Ben

Ben J. Arguijo
Project Manager

eTECH Environmental & Safety Solutions, Inc.
6309 Indiana Ave., Ste. D

Lubbock, TX 79413
(432) 813-1592

From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Monday, June 22, 2026 11:32 AM
To: Ben Arguijo <bena@etechenv.com>
Cc: Lance Crenshaw <lance@etechenv.com>; Connor Walker <cwalker@mewbourne.com>; Jeff Broom <jbroom@mewbourne.com>
Subject: RE: [EXTERNAL] RE: nAPP2603741796 SLWMS FULLER SWD LINE

Hi Ben,

To the question, “Did the release impact areas not on an exploration, development, production, or storage site,” was answered, “No.” Based on this, were any areas of the excavation backfilled prior to the sample recollection. OCD does need to know how the aliquots of the extra samples were collected to confirm that the release was remediated per 19.15.29 NMAC as an insufficient number of sidewall samples was collected originally. Were they collected from one location or along a span of the excavation? Were they collected from different depths? In addition, the Figure that is attached still has the following previous sampling locations moved to another location: NW6, NW5, NW4, NW3 and EW3.

Sincerely,

Shelly

Shelly Wells * Senior Environmental Scientist
Environmental Bureau
EMNRD-Oil Conservation Division
1220 S. St. Francis Drive|Santa Fe, NM 87505
(505)469-7520 Shelly.Wells@emnrd.nm.gov
http://www.emnrd.state.nm.us/OCD/

From: Ben Arguijo <bena@etechenv.com>
Sent: Thursday, June 18, 2026 1:21 PM
To: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Cc: Lance Crenshaw <lance@etechenv.com>; Connor Walker <cwalker@mewbourne.com>; Jeff Broom <jbroom@mewbourne.com>
Subject: RE: [EXTERNAL] RE: nAPP2603741796 SLWMS FULLER SWD LINE

Shelly,

I apologize for the delay in response. An updated “Sample Location Map” (Figure 5) is attached.

It is my understanding that the excavation has only been partially backfilled…i.e., only in areas reasonably needed for production. Due to the extent of the excavation, Mewbourne doesn’t want to risk spending any additional time or expenses for having to return to the Site to re-excavate for any reason. So, while *remediation* has been completed to the established Closure Criteria and/or Reclamation Standards (where applicable), *reclamation* and *restoration* are still pending. Backfill material (characterized by sample R360 Red Bluff Backfill) is stockpiled on-site, pending approval of remediation closure.

If you have any more questions or need any additional information, please let me know.

Thanks.

Ben

Ben J. Arguijo
Project Manager

eTECH Environmental & Safety Solutions, Inc.
6309 Indiana Ave., Ste. D
Lubbock, TX 79413
(432) 813-1592

From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Monday, June 15, 2026 12:55 PM
To: Ben Arguijo <bena@etechenv.com>
Subject: RE: [EXTERNAL] RE: nAPP2603741796 SLWMS FULLER SWD LINE

Sounds good Ben. I appreciate if you send me an updated map. In addition to the updated map can you explain how each of the five point composite samples were collected along the sidewalls in order to ensure the correct areas were sampled?

Sincerely,

Shelly

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 594774

QUESTIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 594774
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	**nAPP2603741796**
Incident Name	**NAPP2603741796 SLWMS FULLER SWD LINE @ H-14-26S-29E**
Incident Type	**Produced Water Release**
Incident Status	**Remediation Closure Report Received**

Location of Release Source *Please answer all the questions in this group.*	
Site Name	SLWMS FULLER SWD LINE
Date Release Discovered	02/01/2026
Surface Owner	Federal

Incident Details *Please answer all the questions in this group.*	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release *Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*	
Crude Oil Released (bbls) Details	*Not answered.*
Produced Water Released (bbls) Details	Cause: Equipment Failure | Pipeline (Any) | Produced Water | Released: 925 BBL | Recovered: 0 BBL | Lost: 925 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	*Not answered.*
Natural Gas Vented (Mcf) Details	*Not answered.*
Natural Gas Flared (Mcf) Details	*Not answered.*
Other Released Details	*Not answered.*
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	*Not answered.*

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 594774
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	**No, according to supplied volumes this does not appear to be a "gas only" report.**
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	**Yes**
Reasons why this would be considered a submission for a notification of a major release	**From paragraph A. "Major release" determine using:** **(1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.**

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response	
The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.	
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	n/a

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Jeff Broom Title: Environmental Rep Email: jbroom@mewbourne.com Date: 06/11/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 594774
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization	
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	Direct Measurement
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 300 and 500 (ft.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between ½ and 1 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 300 and 500 (ft.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Between 300 and 500 (ft.)
Categorize the risk of this well / site being in a karst geology	Medium
A 100-year floodplain	Between 500 and 1000 (ft.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
Requesting a remediation plan approval with this submission	Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	22400
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	91.3
GRO+DRO (EPA SW-846 Method 8015M)	91.3
BTEX (EPA SW-846 Method 8021B or 8260B)	1
Benzene (EPA SW-846 Method 8021B or 8260B)	0
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.	
On what estimated date will the remediation commence	02/26/2026
On what date will (or did) the final sampling or liner inspection occur	05/21/2026
On what date will (or was) the remediation complete(d)	05/21/2026
What is the estimated surface area (in square feet) that will be reclaimed	49995
What is the estimated volume (in cubic yards) that will be reclaimed	7407
What is the estimated surface area (in square feet) that will be remediated	49995
What is the estimated volume (in cubic yards) that will be remediated	8280
These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.	
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 594774
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
(Select all answers below that apply.)	
(Ex Situ) Excavation and **off-site** disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for **off-site** disposal	*Not answered.*
OR which OCD approved well (API) will be used for **off-site** disposal	*Not answered.*
OR is the **off-site** disposal site, to be used, out-of-state	Yes
In which state is the disposal taking place	Texas
What is the name of the out-of-state facility	R360 Red Bluff Facility
OR is the **off-site** disposal site, to be used, an NMED facility	*Not answered.*
(Ex Situ) Excavation and **on-site** remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Jeff Broom Title: Environmental Rep Email: jbroom@mewbourne.com Date: 06/11/2026
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 594774
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only *Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.*	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 594774
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	**584935**
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	**05/22/2026**
What was the (estimated) number of samples that were to be gathered	**28**
What was the sampling surface area in square feet	**5600**

Remediation Closure Request	
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	**Yes**
Was this release entirely contained within a lined containment area	**No**
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	49995
What was the total volume (cubic yards) remediated	8280
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	49995
What was the total volume (in cubic yards) reclaimed	7407
Summarize any additional remediation activities not included by answers (above)	NA

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Jeff Broom Title: Environmental Rep Email: jbroom@mewbourne.com Date: 06/11/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 594774
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 594774

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 594774
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
scwells	None	6/22/2026