



July 15, 2026

Shelly Wells
Senior Environmental Scientist
Environmental Bureau
EMNRD-Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, NM 87505

RE: Resubmission of Remediation Closure Report – nAPP2512737112 (Deep Ellum Frac Line)

Dear Ms. Wells,

Thank you for your guidance regarding the resubmission of the Remediation Closure Report for the Deep Ellum Frac Line (Incident ID: nAPP2512737112).

Please find the updated report attached for your review. In accordance with our recent communication, we have incorporated the requested clarifications into the report narrative. Detailed explanations regarding the sample collection methodology and the clarification concerning Figure 2 and the associated site photographs have been included in the email correspondence provided in Appendix I of this resubmitted document.

We appreciate your time and assistance in bringing this project to a close. Please do not hesitate to contact me at thecht@americansafety.net or (432) 552-7625 if you have any further questions or require additional information.

Kind regards,

Tracie Hecht

Environmental Manager
American Safety Services, Inc.



REMEDIATION CLOSURE REPORT

Property:

Deep Ellum Frac Line
32.7357479,-103.8189839
Unit S, Sec 24, T18S, R31E
Eddy County, New Mexico

Incident ID:

nAPP2512737112

Date:

August 29, 2025

Project No:

447

Prepared for:

Mewbourne Oil Company
4801 Business Park Blvd
Hobbs, NM 88240
Attn: Jeff Broom

Copy to:

Ana Gonzalez, HSE & DOT Director, Elevate Energy Services

Prepared by:

A handwritten signature in black ink that reads 'Tracie Hecht'. The signature is written in a cursive style with a large, looped 'T' and 'H'.

Tracie Hecht
Environmental Department
Manager

Contents

SITE INFORMATION & BACKGROUND	3
CHARACTERIZATION	3
Site Location.....	3
Site Characterization	4
Closure Criteria	4
DELINEATION AND REMEDATION ACTIVITIES.....	5
Initial Delineation	5
Remediation Activities	5
Confirmation Sampling.....	5
Backfill	6
CLOSURE REQUEST	6
Remediation Closure Summary.....	6
Conclusion	6

Figures

Figure 1- Topographic Map
Figure 2- Aerial Map
Figure 3 - OSE POD Locations / Watercourse Map
Figure 4 -Karst Map
Figure 5 -USGS Mines and Minerals Map
Figure 6 – FEME Flood Hazard Map
Figure 7 -U.S. Fish and Wildlife National Wetland Inventory Map

Tables

Table I – Summary of Soil Analytical Data

Appendices

Appendix A – C141 and Extension Documentation
Appendix B – Photographic Log
Appendix C – Water Determination Well Bore Log
Appendix D – Field Sample Log
Appendix E – NMOCD Sampling Notification
Appendix F – Laboratory Analytics
Appendix G – BLM Seed Mixture
Appendix H – USDA Soil Survey
Appendix I – Regulatory Correspondence



SITE INFORMATION & BACKGROUND

American Safety Services Inc. (ASSI), on behalf of Mewbourne Oil Co., has prepared this Remediation Closure Report for the release site known as Deep Ellum Frac Line (Site),

The release was discovered on April 22, 2015, as a result of an equipment failure on a frac line. A total of 41 barrels of produced water was released; none was recovered. A copy of the Release Notification (New Mexico Oil Conservation Division(NMOCD) Form C-141) is provided in Appendix A.

The initial due date for closure report submission was July 20, 2025. However, due to the scheduling and completion of the groundwater determination well, a 90-day extension was formally requested and subsequently granted by the NMOCD. The revised due date for report submission is October 20, 2025. See Appendix A for documentation of the extension.

Photographic documentation for the release is provided in Appendix B.

CHARACTERIZATION

The following sections address items as described in 19.15.29.11.A, paragraphs 1- 4. Please refer to the characterization table below for additional criteria and the Figures for verification.

Site Location

Figure 2 shows the Site map with the source of the release located at 32.7357479,-103.8189839 (Lat, Long; NAD83) in Unit Letter S, Section 24, Township 18 South, Range 31 East in Eddy County, New Mexico. The release extent covered an area of approximately 4,500 sq ft.

Site Characterization	
What is the shallowest depth to groundwater (ft bgs)	>105 ft bgs
Did this release impact ground or surface water?	No 10 miles
Are the lateral extents of the release within 200 ft of any lakebed, sinkhole, or playa lake?	No 10 miles
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	No 15 miles
Are the lateral extents of the release within 500 horizontal feet of a spring or private domestic fresh water well used by less than five households for domestic or stock water purposes?	No 1-5 miles



Site Characterization	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	No 5 miles
Are the lateral extents of the release incorporated within municipal boundaries or within a defined municipal freshwater well field?	No 15 miles
Are the lateral extents of the release within 300 feet of a wetland?	No 1-5 miles
Are the lateral extents of the release overlying a subsurface mine?	No 20 miles
Are the lateral extents of the release overlaying an unstable area, such as karst geology?	No 10 miles
Are the lateral extents of the release within a 100-year floodplain?	No 50 miles
Did the release impact areas not on an exploration, development, production, or storage site?	Yes

Site Characterization

The Site is located more than 200 feet from a lakebed, sinkhole, or playa lake, and over 300 feet from any occupied residence, school, hospital, institution, church, or wetland. Site is over 1,000 feet from a freshwater well or spring and is not within a 100-year floodplain or above a subsurface mine. The Site is located within a No Karst potential zone. The complete site characterization is shown in Figure 1 through Figure 7.

Initial review of the USGS and NMOSE groundwater databases indicated that there are no known groundwater sources within ½-mile of the Site. Subsequently, H&R Enterprises, LLC was retained for a groundwater determination well at GPS coordinates 32.7362012, -103.8194005. The well bore was drilled on August 5, 2025, to a total depth of 105 ft bgs. No water was encountered during the static water level measurement on August 11, 2025 and the well bore was classified as dry. Therefore, the depth to groundwater was established to be greater than 105 feet below ground surface (bgs). The Office of the State Engineer assigned File No. CP-2075 to the well bore (see Appendix C).

Closure Criteria

Closure Criteria as listed in Table 1 of 19.15.29 NMAC, where the depth-to-water is greater than 100 ft bgs is defined as:

DTW > 100 ft	Chloride (mg/kg)	GRO+DRO (mg/kg)	TPH Ext. (mg/kg)	Benzene (mg/kg)	BTEX (mg/kg)
0 - 4 feet & "not in-use"	600	--	100	10	50
> 100 ft	20,000	1,000	2,500	10	50



DELINEATION AND REMEDIATION ACTIVITIES

Initial Delineation

On May 14, 2025, ASSI conducted an initial site assessment to evaluate potential soil impacts associated with the release. To determine both vertical and horizontal extent of contamination, multiple auger holes were advanced to depths ranging from surface to four (4) feet below ground surface (bgs). Initial soil samples were field-screened for Chloride using Quantab test strips (see field log in Appendix D). As a groundwater determination borehole was scheduled for installation, delineation activities were temporarily suspended.

Remediation Activities

Excavation of the first four (4) feet of impacted soil within the release was conducted between June and July 2025. The impacted area, approximately 4,900 sq feet, was excavated to a depth of 4.25' bgs. On August 11, 2025, a groundwater determination borehole was completed, with the depth to water determined to be greater than 105 ft bgs, thus necessitating no further excavation. A total of 725 yards of material was transported to Lea Land Landfill in Carlsbad, NM for disposal.

Confirmation Sampling

Before collecting composite confirmation samples, the NMOCD division was notified via the NMOCD Portal on August 12, 2025, in accordance with Subsection D of 19.15.29.12 NMAC (see Appendix E). Between August 18 and August 22, 2025, a total of 24 bottom-hole (BH-1 through BH-24) and 10 sidewall (SW-1 through SW-10) confirmation soil samples (5-point composite) were collected from areas not greater than 200 square feet from the excavation bases and sidewalls. The excavation depths and confirmation sample locations are shown in Figure 2. All samples were analyzed for TPH, BTEX, and chloride by a certified laboratory (see Appendix F). Analytical results indicate that all confirmation samples met NMOCD closure criteria for concentrations listed in Table I (19.15.29 NMAC).

NMOCD subsequently required additional confirmation sampling. Notification for the additional sampling event was submitted on December 1, 2025, in accordance with NMOCD notification requirements. The additional samples were collected on December 8, 2025. The total excavated area measured approximately 14,117 square feet with a 787-foot perimeter, resulting in the collection of an additional 47 bottom-hole samples and 6 additional sidewall samples. The sidewall samples were collected at approximately 2 ft bgs



using a hand auger, with multiple borings utilized to complete each 5-point composite sample.

Backfill

Upon completion of remediation activities, the excavated areas were backfilled with clean, certified material and contoured to match the existing surface grade, in accordance with NMOCD closure requirements. On September 9, 2025, the backfilled areas were seeded via broadcast application using the Bureau of Land Management (BLM)-approved seed mixture at the prescribed rate per acre (see Appendix G).

CLOSURE REQUEST

Remediation Closure Summary

Closure Summary Table	
Requesting a remediation closure approval with this submission?	Yes
Have the lateral and vertical extents of contamination been fully delineated?	Yes DTW > 100 ft bgs
Was this release entirely contained within a lined containment area?	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized?	Yes
What was the total surface area (in sq ft) remediated?	14,117
What was the total volume (cubic yards) remediated?	2,114
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of 4 ft non-waste containing material with a concentration less than 600 mg/kg chlorides.	Yes
What was the total surface area (in sq ft) reclaimed?	14,117
What was the total volume (in cubic yards) reclaimed?	2,114
Summarize any additional remediation activities not included in the answers above	Dig and haul disposal

Conclusion

On behalf of Mewbourne Oil Co., we respectfully request a closure for the incident ID: nAPP2512737112 . Based on the installation of the groundwater determination well, remedial action activities and confirmation samples analytical results, the Site is compliant with applicable closure requirements set forth in rule 19.15.19.12 NMAC and no further actions are required at



Figures



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net



0.0 0.1 0.2 0.3 0.4
Miles

Figure 1 Topographic Map


Deep Ellum
103.8207027°W 32.735541°N
Eddy County, New Mexico

Project #: 447

Date: 8/29/2025

Legend

 Site Release



Microsoft, Vantor




Figure 2
Aerial- Confirmation Sample Map


Deep Ellum
103.8187365°W 32.7358713°N
Eddy County, New Mexico

Project #: 447

Date: 8/29/2025

Legend

-  Sidewall Confirmation Sample
-  Bottom Hole Confirmation Sample
-  ReleaseExcavation



00.00 0.15 0.3 0.45 0.6
Miles

Figure 3 OSE POD Location Map


Deep Ellum
103.8147744°W 32.7344234°N
Eddy County, New Mexico


Project #: 447

Date: 8/29/2025

Legend

- New Well 8/5/2025
- USGS_Wells
- OSE Points of Diversion
- Site Release
- Half Mile Buffer





National Flood Hazard Layer FIRMMette



103°49'27"W 32°44'24"N



0 250 500 1,000 1,500 2,000 Feet

1:6,000

103°48'50"W 32°43'54"N

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance
		17.5 Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped




The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 9/19/2025 at 3:12 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



Ellevate_Deep Ellum Frac Line Figure 7



September 19, 2025

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Tables



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

Table I
Summary of Soil Analytical Data
Deep Ellum Frac Line
Mewbourne Oil Co.
Eddy County, New Mexico

Sample ID	Sample Date	Depth (bgs)	Benzene	Toluene	Ethylbenzene	m-Xylene & p-Xylene	o-Xylene	Xylenes, Total	Total BTEX	TPH				Chloride
										GRO C6-C10	DRO Over C10-C28	MR0 C28-C36	Total GRO/DRO/MRO	
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
SW10-E	08/18/2025	0-4'	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<50.2	<50.2	<50.2	<50.2	<9.92
SW1-N	08/18/2025	0-4'	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00396	<0.00396	<49.8	<49.8	<49.8	<49.8	10.3
SW2-W	08/18/2025	0-4'	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<49.9	<49.9	50.9	50.9	63.9
SW3-W	08/18/2025	0-4'	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00404	<50.0	<50.0	<50.0	<50.0	181
SW4-W	08/18/2025	0-4'	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<49.8	<49.8	<49.8	<49.8	97.1
SW5-W	08/18/2025	0-4'	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00396	<0.00396	<50.0	<50.0	<50.0	<50.0	<10.1
SW6-S	08/18/2025	0-4'	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.00400	<0.00400	<49.9	<49.9	<49.9	<49.9	21.4
SW7-E	08/18/2025	0-4'	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<50.0	<50.0	<50.0	<50.0	33.4
SW8-E	08/18/2025	0-4'	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<50.0	<50.0	<50.0	<50.0	<10.0
SW9-E	08/18/2025	0-4'	<0.00198	<0.00198	<0.00198	<0.00397	<0.00198	<0.00397	<0.00397	<50.0	<50.0	<50.0	<50.0	<9.96
BH1	08/18/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<50.0	<50.0	<50.0	<50.0	<9.96
BH10	08/18/2025	48.5"	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<50.0	<50.0	<50.0	<50.0	289
BH11	08/18/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.00400	<0.00400	<49.8	<49.8	<49.8	<49.8	1400
BH12	08/18/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<49.8	<49.8	<49.8	<49.8	245
BH13	08/18/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	0.00782	0.00782	0.00782	<49.9	<49.9	<49.9	<49.9	1040
BH14	08/18/2025	48.5"	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00396	<0.00396	<49.9	<49.9	<49.9	<49.9	<9.96
BH15	08/18/2025	48.5"	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<50.0	<50.0	<50.0	<50.0	<9.94
BH16	08/18/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<50.0	<50.0	<50.0	<50.0	544
BH17	08/18/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<49.8	<49.8	<49.8	<49.8	45.0
BH18	08/18/2025	48.5"	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<49.8	<49.8	<49.8	<49.8	<10.0
BH19	08/18/2025	48.5"	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00396	<0.00396	<50.0	<50.0	<50.0	<50.0	34.4
BH2	08/18/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<49.8	<49.8	<49.8	<49.8	20.9
BH20	08/18/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.00400	<0.00400	<50.0	<50.0	<50.0	<50.0	406
BH3	08/18/2025	48.5"	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00404	<49.9	<49.9	<49.9	<49.9	16.9
BH4	08/18/2025	48.5"	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<50.0	<50.0	<50.0	<50.0	<9.90
BH5	08/18/2025	48.5"	<0.00198	<0.00198	<0.00198	<0.00397	<0.00198	<0.00397	<0.00397	<49.8	<49.8	<49.8	<49.8	20.2
BH6	08/18/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.00400	<0.00400	<49.9	<49.9	<49.9	<49.9	22.0
BH7	08/18/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<50.0	<50.0	<50.0	<50.0	31.1
BH8	08/18/2025	48.5"	<0.00202	<0.00202	0.00364	<0.00403	0.00368	<0.00403	0.00732	<50.1	<50.1	<50.1	<50.1	28.6
BH9	08/18/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<50.1	<50.1	<50.1	<50.1	884
BH21	08/22/2025	48.5"	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<50.1	<50.1	<50.1	<50.1	30.8
BH22	08/22/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.00400	<0.00400	<50.0	<50.0	<50.0	<50.0	618
BH23	08/22/2025	48.5"	<0.00198	<0.00198	<0.00198	<0.00397	<0.00198	<0.00397	<0.00397	<50.0	<50.0	<50.0	<50.0	303
BH24	08/22/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<50.1	<50.1	<50.1	<50.1	32
BH25	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<50.0	<50.0	<50.0	<50.0	70.9
BH26	12/8/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<49.9	<49.9	<49.9	<49.9	17.1
BH27	12/8/2025	48.5"	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00404	<50.0	<50.0	<50.0	<50.0	293
BH28	12/8/2025	48.5"	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<49.8	<49.8	<49.8	<49.8	161
BH29	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<50.0	<50.0	<50.0	<50.0	243
BH30	12/8/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<50.1	<50.1	<50.1	<50.1	18.4

Table I
Summary of Soil Analytical Data
Deep Ellum Frac Line
Mewbourne Oil Co.
Eddy County, New Mexico

Sample ID	Sample Date	Depth (bgs)	Benzene	Toluene	Ethylbenzene	m-Xylene & p-Xylene	o-Xylene	Xylenes, Total	Total BTEX	TPH				Chloride
										GRO C6-C10	DRO Over C10-C28	MRO C28-C36	Total GRO/DRO/MRO	
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
BH31	12/8/2025	48.5"	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00404	<49.6	<49.6	<49.6	<49.6	174
BH32	12/8/2025	48.5"	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00396	<0.00396	<49.9	<49.9	<49.9	<49.9	45.2
BH33	12/8/2025	48.5"	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<50.0	<50.0	<50.0	<50.0	210
BH34	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<49.9	<49.9	<49.9	<49.9	220
BH35	12/8/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<50.0	<50.0	<50.0	<50.0	141
BH36	12/8/2025	48.5"	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00404	<49.8	<49.8	<49.8	<49.8	73.1
BH37	12/8/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<49.9	<49.9	<49.9	<49.9	160
BH38	12/8/2025	48.5"	<0.00202	<0.00202	<0.00202	<0.00403	<0.00202	<0.00403	<0.00403	<49.8	<49.8	<49.8	<49.8	47.7
BH39	12/8/2025	48.5"	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00396	<0.00396	<49.8	<49.8	<49.8	<49.8	252
BH40	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.00400	<0.00400	<49.9	<49.9	<49.9	<49.9	49.0
BH41	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<49.9	<49.9	<49.9	<49.9	213
BH42	12/8/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<50.0	<50.0	<50.0	<50.0	200
BH43	12/8/2025	48.5"	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<49.8	<49.8	<49.8	<49.8	139
BH44	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.00400	<0.00400	<49.9	<49.9	<49.9	<49.9	188
BH45	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.00400	<0.00400	<50.0	<50.0	<50.0	<50.0	87.6
BH46	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<49.9	<49.9	<49.9	<49.9	108
BH47	12/8/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<50.0	<50.0	<50.0	<50.0	117
BH48	12/8/2025	48.5"	<0.00202	<0.00202	<0.00202	<0.00403	<0.00202	<0.00403	<0.00403	<49.8	<49.8	<49.8	<49.8	294
BH49	12/8/2025	48.5"	<0.00202	<0.00202	0.00285	<0.00404	0.00263	<0.00404	0.00548	<50.0	<50.0	<50.0	<50.0	95.1
BH50	12/8/2025	48.5"	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00396	<0.00396	<50.1	<50.1	<50.1	<50.1	51.6
BH51	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<49.9	<49.9	59.2	59.2	160
BH52	12/8/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<49.8	<49.8	<49.8	<49.8	102
BH53	12/8/2025	48.5"	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00404	<49.9	<49.9	<49.9	<49.9	50.0
BH54	12/8/2025	48.5"	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<50.0	<50.0	<50.0	<50.0	106
BH55	12/8/2025	48.5"	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00396	<0.00396	<49.8	<49.8	<49.8	<49.8	115
BH56	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.00400	<0.00400	<49.9	<49.9	<49.9	<49.9	180
BH57	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<50.0	<50.0	<50.0	<50.0	61.5
BH58	12/8/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<49.8	<49.8	<49.8	<49.8	35.6
BH59	12/8/2025	48.5"	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00404	<50.0	<50.0	<50.0	<50.0	250
BH60	12/8/2025	48.5"	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<49.8	<49.8	<49.8	<49.8	241

Table I
Summary of Soil Analytical Data
Deep Ellum Frac Line
Mewbourne Oil Co.
Eddy County, New Mexico

Sample ID	Sample Date	Depth (bgs)	Benzene	Toluene	Ethylbenzene	m-Xylene & p-Xylene	o-Xylene	Xylenes, Total	Total BTEX	TPH				Chloride
										GRO C6-C10	DRO Over C10-C28	MRO C28-C36	Total GRO/DRO/MRO	
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
BH61	12/8/2025	48.5"	<0.00198	<0.00198	0.00228	<0.00396	0.00277	<0.00396	0.00505	<49.9	<49.9	<49.9	<49.9	379
BH62	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<49.9	<49.9	<49.9	<49.9	116
BH63	12/8/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<49.8	<49.8	<49.8	<49.8	38.3
BH64	12/8/2025	48.5"	<0.00202	<0.00202	0.00218	<0.00404	<0.00202	<0.00404	<0.00404	<49.8	<49.8	<49.8	<49.8	143
BH65	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<49.9	<49.9	<49.9	<49.9	411
BH66	12/8/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<50.0	<50.0	<50.0	<50.0	123
BH67	12/8/2025	48.5"	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<50.0	<50.0	<50.0	<50.0	123
BH68	12/8/2025	48.5"	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00396	<0.00396	<49.8	<49.8	<49.8	<49.8	503
BH69	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<50.0	<50.0	<50.0	<50.0	167
BH70	12/8/2025	48.5"	<0.00201	<0.00201	<0.00201	<0.00402	0.00285	<0.00402	<0.00402	<50.1	<50.1	<50.1	<50.1	183
BH71	12/8/2025	48.5"	<0.00202	<0.00202	<0.00202	<0.00404	0.00208	<0.00404	<0.00404	<50.0	<50.0	55.1	55.1	223
SW11	12/8/2025	48.5"	<0.00198	<0.00198	<0.00198	0.00615	<0.00198	0.00615	0.00615	<50.0	<50.0	<50.0	<50.0	270
SW12	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<50.2	<50.2	<50.2	<50.2	261
SW13	12/8/2025	48.5"	<0.00201	<0.00201	0.00320	0.00571	0.00280	0.00851	0.0117	<49.8	<49.8	<49.8	<49.8	123
SW14	12/8/2025	48.5"	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00404	<49.9	<49.9	<49.9	<49.9	111
SW15	12/8/2025	48.5"	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00396	<0.00396	<49.9	<49.9	<49.9	<49.9	172
SW16	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00400	<0.00200	<0.00400	<0.00400	<50.0	<50.0	<50.0	<50.0	48.9
SW17	12/8/2025	48.5"	<0.00199	<0.00199	0.00227	<0.00398	<0.00199	<0.00398	<0.00398	<49.8	<49.8	<49.8	<49.8	117
SW18	12/8/2025	48.5"	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<49.9	<49.9	<49.9	<49.9	55.4

NOTES:

Values reported in mg/kg - milograms per kilogram
BTEX analyses by EPA Method SW8021B
TPH analyses by EPA Method 8015 Mod.
Chlorides analyes by EPA Method 300

GRO/DRO/MRO - Gasoline/Diesel/Motor Oil
(BH) Bottom Hole
(SW) Side wall



America Safety Services, Inc.
8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

Appendix A



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	Mewbourne Oil Company	OGRID	14744
Contact Name	Connor Walker	Contact Telephone	806-202-5281
Contact email	cwalker@mewbourne.com	Incident # (assigned by OCD)	nAPP2512737112
Contact mailing address	4801 Business Park Blvd, Hobbs, NM 88240		

Location of Release Source

Latitude 32.7358680 _____ Longitude -103.8190140 _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Elevate Deep Ellum Frac Line	Site Type Flow Line
Date Release Discovered 04/22/2025	API# (if applicable)

Unit Letter	Section	Township	Range	County
G	24	18S	31E	Eddy

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☐ Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
☒ Produced Water	Volume Released (bbls) 41	Volume Recovered (bbls) 0
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☒ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

Frac line fitting failure by 3rd Party Contractor

State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? ☒ Yes ☐ No	If YES, for what reason(s) does the responsible party consider this a major release? Release greater than 25 bbls.
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Notice was given by Jeff Broom to Enviro, OCD, EMNRD <ocd.enviro@emnrd.nm.gov>; Mike Bratcher < mike.bratcher@emnrd.nm.gov >; Robert Hamlet < Robert.Hamlet@emnrd.nm.gov >; Crisha Morgan camorgan@blm.gov ; BLM_NM_CFO_Spill@blm.gov @ 10:00 AM via email on 04/23/2025.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☒ The source of the release has been stopped.	
☒ The impacted area has been secured to protect human health and the environment.	
☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.	
☒ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Connor Walker</u>	Title: <u>Sr. Engineer</u>
Signature: 	Date: <u>04/23/2025</u>
email: <u>cwalker@mewbourne.com</u>	Telephone: <u>806-202-5281</u>
<u>OCD Only</u>	
Received by: _____	Date: _____


Appendix B



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

Photographic Log



Before



Before



Excavation in Progress



Excavation in Progress



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

Released to Imaging: 7/21/2026 2:58:42 PM

Deep Ellum Frac Line
Project No: 447

Photographic Log



Excavation in Progress



Excavation in Progress



Excavation in Progress



Excavation in Progress



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

Released to Imaging: 7/21/2026 2:58:42 PM

Deep Ellum Frac Line
Project No: 447

Photographic Log

North Elevation

☉ 190°S (T) ☉ 32°44'10"N, 103°49'7"W ±9ft ▲ 3720ft



Excavation in Progress

North East Elevation

☉ 243°SW (T) ☉ 32°44'9"N, 103°49'7"W ±13ft ▲ 3723ft



Excavation in Progress

West Elevation

☉ 77°E (T) ☉ 32°44'9"N, 103°49'6"W ±9ft ▲ 3713ft



Waste Transport In Progress

North East Elevation

☉ 241°SW (T) ☉ 32°44'9"N, 103°49'5"W ±9ft ▲ 3717ft



Waste Transport In Progress



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net


Released to Imaging: 7/21/2026 2:58:42 PM

Deep Ellum Frac Line
Project No: 447


Photographic Log




Backfill In Progress



Backfill In Progress



Backfill In Progress



Backfill In Progress



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

Released to Imaging: 7/21/2026 2:58:42 PM

Deep Ellum Frac Line
Project No: 447

Photographic Log

South West Elevation

☀ 51°NE (T) ● 32°44'9"N, 103°49'7"W ±13ft ▲ 3719ft

Elevate Energy
28 Aug 2025, 15:09:29

Backfill In Progress

North Elevation


☀ 183°S (T) ● 32°44'9"N, 103°49'7"W ±9ft ▲ 3725ft

Elevate Energy
28 Aug 2025, 15:12:50

Backfill In Progress

South West Elevation

☀ 61°NE (T) ● 32°44'8"N, 103°49'8"W ±13ft ▲ 3692ft

Elevate Energy
02 Sep 2025, 17:21:49

Backfill Complete

North East Elevation

☀ 204°SW (T) ● 32°44'9"N, 103°49'7"W ±13ft ▲ 3711ft

Elevate Energy
02 Sep 2025, 17:22:47

Backfill Complete



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

Released to Imaging: 7/21/2026 2:58:42 PM

Deep Ellum Frac Line
Project No: 447

Photographic Log

East Elevation

☉ 279°W (T) LAT: 32.736003 LON: -103.818447 ±13ft ▲ 3728ft



Elevate energy

Deep ellum
09 Sep 2025, 10:09:55 AM

Seeding in Progress

South East Elevation

☉ 318°NW (T) LAT: 32.735954 LON: -103.818574 ±13ft ▲ 3717ft



Elevate energy

Deep ellum
09 Sep 2025, 11:14:39 AM

Seeding in Progress

South Elevation

☉ 19°N (T) LAT: 32.735864 LON: -103.818813 ±22ft ▲ 3715ft



Elevate energy

Deep ellum
09 Sep 2025, 11:22:07 AM

Seeding In Progress

South East Elevation

☉ 335°NW (T) LAT: 32.736018 LON: -103.818656 ±9ft ▲ 3705ft



Elevate energy

Deep ellum
09 Sep 2025, 11:30:51 AM

Seeding In Progress



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

Released to Imaging: 7/21/2026 2:58:42 PM

Deep Ellum Frac Line
Project No: 447

Photographic Log



Sample Auger Hole from Additional Sampling 12/8/2025



Sample Auger Hole from Additional Sampling 12/8/2025



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

Released to Imaging: 7/21/2026 2:58:42 PM

Deep Ellum Frac Line
Project No: 447

Photographic Log



Sample Auger Hole from Additional Sampling 12/8/2025



Sample Auger Hole from Additional Sampling 12/8/2025



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

Released to Imaging: 7/21/2026 2:58:42 PM

Deep Ellum Frac Line
Project No: 447

Appendix C



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) Pod 1		WELL TAG ID NO.		OSE FILE NO(S). CP-2075			
	WELL OWNER NAME(S) Mewbourne Oil Co.				PHONE (OPTIONAL)			
	WELL OWNER MAILING ADDRESS 4801 Business Park Blvd				CITY Hobbs	STATE NM	ZIP 88240	
	WELL LOCATION (FROM GPS)	DEGREES 32	MINUTES 44	SECONDS 10.3	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
		LONGITUDE 103	49	09.9	W	* DATUM REQUIRED: WGS 84		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS – PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE S24 T18s R31e								
2. DRILLING & CASING INFORMATION	LICENSE NO. WD-1862		NAME OF LICENSED DRILLER James Hawley			NAME OF WELL DRILLING COMPANY H&R Enterprises, LLC		
	DRILLING STARTED 8-5-25	DRILLING ENDED 8-5-25	DEPTH OF COMPLETED WELL (FT) 105'	BORE HOLE DEPTH (FT) 105'	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: ☐ ARTESIAN *add Centralizer info below ☒ DRY HOLE ☐ SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A		DATE STATIC MEASURED 8-11-25	
	DRILLING FLUID: ☒ AIR ☐ MUD ADDITIVES – SPECIFY:							
	DRILLING METHOD: ☒ ROTARY ☐ HAMMER ☐ CABLE TOOL ☐ OTHER – SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED ☐		
	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	0' 105'		6'	No casing left in hole				
3. ANNULAR MATERIAL	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE- RANGE BY INTERVAL *(if using Centralizers for Artesian wells- indicate the spacing below)		AMOUNT (cubic feet)	METHOD OF PLACEMENT	
				N/A				

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
LOCATION	WELL TAG ID NO.	PAGE 1 OF 2

1. HYDROGEOLOGIC LOG OF WELL

5. TEST; RIG SUPERVISION

5. SIGNATURE

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 09/22/2022)	
FILE NO.	POD NO.	TRN NO.	
LOCATION		WELL TAG ID NO	PAGE 2 OF 2



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: CP-2075-POD1

Well owner: Mewbourne Oil Co.

Phone No.: _____

Mailing address: 4801 Business Park Blvd.

City: Hobbs State: NM Zip code: 88240

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: H&R Enterprises, LLC.
- 2) New Mexico Well Driller License No.: WD-1862 Expiration Date: 6-16-27
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
Nathan Smelcer
- 4) Date well plugging began: 8-11-25 Date well plugging concluded: 8-11-25
- 5) GPS Well Location: Latitude: 32 deg, 44 min, 10.3 sec
Longitude: 103 deg, 49 min, 09.9 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 105' ft below ground level (bgl),
by the following manner: well sounder
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 7-16-25
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- For each interval plugged, describe within the following columns:**

III. SIGNATURE:

Signature of Well Driller

Date _____

Appendix D




America Safety Services, Inc.



8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net



Site Name:	DEEP Ellum Place Line
Facility:	Elevate Energy
GPS:	32.7358 -103.8186
Date:	06-05-25
County:	EDDY TX




Sample ID	Depths								
	6"	1'	2'	3'	4'	5'	6'	7'	8'
AH7					5.29				
7WN					4.95				
7WS					4.59				
AH8					2.86				
8WN					4.18				
8WS					4.90				
AH9					4.63				
9WN					5.74				
9WS					4.96				
AH10					5.18				
10WN					5.97				
10WS					6.59				
AH11					5.59				
11WN					4.68				
11WS					6.59				
AH12					5.46				
12WN					4.17				
12WS					5.49				

[illegible]



Site Name:	DEEP Ellum Frac Line		
Facility:	Elevate Energy		
GPS:	32.7350	-103.8186	
Date:	06	02	25
County:	EDDY	TX	



Sample ID	Depths								4'	
	6"	1'	2'	3'	4'	5'	6'	7'	8'	
AH1					3.40	6.20	4.22	4.09	1.38	633
AH1WN					5.77					
AH1WS					1.48				2.11	1.48
AH2					4.86					
ZWN					1.68					
ZWS					4.59	3.87	3.07	2.24	1.35	751
AH3					4.87					
3WN					4.40					
3WS									3.07	1.93
AH4					5.22					
4WN					2.05					
4WS					5.25	4.72	3.18	2.89	2.35	
AH5					5.63					
5WN					4.71					
5WS					3.02					
AH6					4.12					
6WN					4.66					
6WS										

[illegible]

Appendix E



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net



[EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 495315

From OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Date Tue 8/12/2025 4:28 PM

To Cesar Rosendo <crosendo@mewbourne.com>

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2512737112.

The sampling event is expected to take place:

When: 08/18/2025 @ 09:00

Where: G-24-18S-31E 0 FNL 0 FEL (32.735868,-103.819014)

Additional Information: Tracie Hecht thecht@americansafety.net

Additional Instructions: 32.7358680,-103.8190140

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505



Outlook

[EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 495322

From OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Date Tue 8/12/2025 4:33 PM

To Cesar Rosendo <crosendo@mewbourne.com>

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2512737112.

The sampling event is expected to take place:

When: 08/19/2025 @ 09:00

Where: G-24-18S-31E 0 FNL 0 FEL (32.735868,-103.819014)

Additional Information: Tracie Hecht thecht@americansafety.net

Additional Instructions: 32.7358680,-103.8190140

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505



Outlook

[EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 495327

From OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Date Tue 8/12/2025 4:35 PM

To Cesar Rosendo <crosendo@mewbourne.com>

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2512737112.

The sampling event is expected to take place:

When: 08/20/2025 @ 09:00

Where: G-24-18S-31E 0 FNL 0 FEL (32.735868,-103.819014)

Additional Information: Tracie Hecht thecht@americansafety.net

Additional Instructions: 32.7358680,-103.8190140

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505



Outlook

[EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 495330

From OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Date Tue 8/12/2025 4:38 PM

To Cesar Rosendo <crosendo@mewbourne.com>

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2512737112.

The sampling event is expected to take place:

When: 08/21/2025 @ 09:00

Where: G-24-18S-31E 0 FNL 0 FEL (32.735868,-103.819014)

Additional Information: Tracie Hecht thecht@americansafety.net

Additional Instructions: 32.7358680,-103.8190140

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505



Outlook

[EXT] The Oil Conservation Division (OCD) has accepted the application, Application ID: 495332

From OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Date Tue 8/12/2025 4:41 PM

To Cesar Rosendo <crosendo@mewbourne.com>

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2512737112.

The sampling event is expected to take place:

When: 08/22/2025 @ 09:00

Where: G-24-18S-31E 0 FNL 0 FEL (32.735868,-103.819014)

Additional Information: Tracie Hecht thecht@americansafety.net

Additional Instructions: 32.7358680,-103.8190140

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505



The Oil Conservation Division (OCD) has accepted the application, Application ID: 530982

From OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Date Mon 12/1/2025 8:12 PM

To Cesar Rosendo <crosendo@mewbourne.com>

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2512737112.

The sampling event is expected to take place:

When: 12/09/2025 @ 07:00

Where: G-24-18S-31E 0 FNL 0 FEL (32.7357479,-103.8189839)

Additional Information: Tracie Hecht thecht@americansafety.net

Additional Instructions: 32.7358680,-103.8190140

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505



The Oil Conservation Division (OCD) has accepted the application, Application ID: 530981

From OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Date Mon 12/1/2025 8:09 PM

To Cesar Rosendo <crosendo@mewbourne.com>

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2512737112.

The sampling event is expected to take place:

When: 12/08/2025 @ 07:00

Where: G-24-18S-31E 0 FNL 0 FEL (32.7357479,-103.8189839)

Additional Information: Tracie Hecht thecht@americansafety.net

Additional Instructions: 32.7358680,-103.8190140

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505

Appendix F



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Tracie Hecht
American Safety Services Inc.
8715 Andrews Hwy
Odessa, Texas 79765

Generated 9/8/2025 1:12:22 PM Revision 1

JOB DESCRIPTION

Deep Ellum
447

JOB NUMBER

880-61698-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701



Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Generated
9/8/2025 1:12:22 PM
Revision 1

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Laboratory Job ID: 880-61698-1
SDG: 447

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	22
QC Sample Results	24
QC Association Summary	29
Lab Chronicle	34
Certification Summary	41
Method Summary	42
Sample Summary	43
Chain of Custody	44
Receipt Checklists	46

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: American Safety Services Inc.
Project: Deep Ellum

Job ID: 880-61698-1

Job ID: 880-61698-1**Eurofins Midland**

Job Narrative
880-61698-1

REVISION

The report being provided is a revision of the original report sent on 8/25/2025. The report (revision 1) is being revised due to Per client email, requesting sample depth correction.

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 8/19/2025 3:19 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.6°C.

GC VOA

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-117045 and 880-117153 and analytical batch 880-117338 was outside the upper control limits.

Method 8021B: Surrogate recovery for the following samples were outside control limits: BH3 (880-61698-3), BH4 (880-61698-4), BH5 (880-61698-5), BH6 (880-61698-6), BH7 (880-61698-7), BH8 (880-61698-8), BH10 (880-61698-10), BH12 (880-61698-12), BH13 (880-61698-13), BH16 (880-61698-16), BH17 (880-61698-17), BH18 (880-61698-18) and BH20 (880-61698-20). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-117153 and analytical batch 880-117338 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300_ORGFM_28D - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-117172 and analytical batch 880-117181 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH1

Lab Sample ID: 880-61698-1

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U F1 F2	0.00200		mg/Kg		08/20/25 11:22	08/23/25 00:28	1
Toluene	<0.00200	U F1 F2	0.00200		mg/Kg		08/20/25 11:22	08/23/25 00:28	1
Ethylbenzene	<0.00200	U F1	0.00200		mg/Kg		08/20/25 11:22	08/23/25 00:28	1
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.00399		mg/Kg		08/20/25 11:22	08/23/25 00:28	1
o-Xylene	<0.00200	U F1 F2	0.00200		mg/Kg		08/20/25 11:22	08/23/25 00:28	1
Xylenes, Total	<0.00399	U F1 F2	0.00399		mg/Kg		08/20/25 11:22	08/23/25 00:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130	08/20/25 11:22	08/23/25 00:28	1
1,4-Difluorobenzene (Surr)	113		70 - 130	08/20/25 11:22	08/23/25 00:28	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			08/23/25 00:28	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/23/25 13:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 13:24	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 13:24	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 13:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	84		70 - 130	08/20/25 10:14	08/23/25 13:24	1
o-Terphenyl	83		70 - 130	08/20/25 10:14	08/23/25 13:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.96	U	9.96		mg/Kg			08/21/25 12:08	1

Client Sample ID: BH2

Lab Sample ID: 880-61698-2

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 00:48	1
Toluene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 00:48	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 00:48	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		08/20/25 11:22	08/23/25 00:48	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 00:48	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		08/20/25 11:22	08/23/25 00:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	124		70 - 130	08/20/25 11:22	08/23/25 00:48	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH2

Lab Sample ID: 880-61698-2

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	115		70 - 130	08/20/25 11:22	08/23/25 00:48	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			08/23/25 00:48	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			08/23/25 14:11	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 14:11	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 14:11	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 14:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	84		70 - 130				08/20/25 10:14	08/23/25 14:11	1
o-Terphenyl	82		70 - 130				08/20/25 10:14	08/23/25 14:11	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	20.9		9.98		mg/Kg			08/21/25 12:25	1

Client Sample ID: BH3

Lab Sample ID: 880-61698-3

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		08/20/25 11:22	08/23/25 01:09	1
Toluene	<0.00202	U	0.00202		mg/Kg		08/20/25 11:22	08/23/25 01:09	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		08/20/25 11:22	08/23/25 01:09	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		08/20/25 11:22	08/23/25 01:09	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		08/20/25 11:22	08/23/25 01:09	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		08/20/25 11:22	08/23/25 01:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	272	S1+	70 - 130	08/20/25 11:22	08/23/25 01:09	1
1,4-Difluorobenzene (Surr)	76		70 - 130	08/20/25 11:22	08/23/25 01:09	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			08/23/25 01:09	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			08/23/25 14:27	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH3

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-3

Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 14:27	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 14:27	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 14:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130				08/20/25 10:14	08/23/25 14:27	1
o-Terphenyl	79		70 - 130				08/20/25 10:14	08/23/25 14:27	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16.9		9.92		mg/Kg			08/21/25 12:30	1

Client Sample ID: BH4

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-4

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 01:29	1
Toluene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 01:29	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 01:29	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		08/20/25 11:22	08/23/25 01:29	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 01:29	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		08/20/25 11:22	08/23/25 01:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	262	S1+	70 - 130				08/20/25 11:22	08/23/25 01:29	1
1,4-Difluorobenzene (Surr)	74		70 - 130				08/20/25 11:22	08/23/25 01:29	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			08/23/25 01:29	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/23/25 14:42	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 14:42	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 14:42	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 14:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				08/20/25 10:14	08/23/25 14:42	1
o-Terphenyl	81		70 - 130				08/20/25 10:14	08/23/25 14:42	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH4

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-4

Matrix: Solid

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.90	U	9.90		mg/Kg			08/21/25 12:36	1

Client Sample ID: BH5

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-5

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 01:50	1
Toluene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 01:50	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 01:50	1
m-Xylene & p-Xylene	<0.00397	U	0.00397		mg/Kg		08/20/25 11:22	08/23/25 01:50	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 01:50	1
Xylenes, Total	<0.00397	U	0.00397		mg/Kg		08/20/25 11:22	08/23/25 01:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	161	S1+	70 - 130				08/20/25 11:22	08/23/25 01:50	1
1,4-Difluorobenzene (Surr)	94		70 - 130				08/20/25 11:22	08/23/25 01:50	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00397	U	0.00397		mg/Kg			08/23/25 01:50	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			08/23/25 14:58	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 14:58	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 14:58	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 14:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	86		70 - 130				08/20/25 10:14	08/23/25 14:58	1
o-Terphenyl	85		70 - 130				08/20/25 10:14	08/23/25 14:58	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	20.2		9.98		mg/Kg			08/21/25 12:42	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH6

Lab Sample ID: 880-61698-6

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 02:10	1
Toluene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 02:10	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 02:10	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		08/20/25 11:22	08/23/25 02:10	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 02:10	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		08/20/25 11:22	08/23/25 02:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	131	S1+	70 - 130	08/20/25 11:22	08/23/25 02:10	1
1,4-Difluorobenzene (Surr)	119		70 - 130	08/20/25 11:22	08/23/25 02:10	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			08/23/25 02:10	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			08/23/25 15:13	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 15:13	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 15:13	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 15:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	85		70 - 130	08/20/25 10:14	08/23/25 15:13	1
o-Terphenyl	84		70 - 130	08/20/25 10:14	08/23/25 15:13	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.0		9.96		mg/Kg			08/21/25 12:59	1

Client Sample ID: BH7

Lab Sample ID: 880-61698-7

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 02:31	1
Toluene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 02:31	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 02:31	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		08/20/25 11:22	08/23/25 02:31	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 02:31	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		08/20/25 11:22	08/23/25 02:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	146	S1+	70 - 130	08/20/25 11:22	08/23/25 02:31	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH7

Lab Sample ID: 880-61698-7

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	120		70 - 130	08/20/25 11:22	08/23/25 02:31	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			08/23/25 02:31	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/23/25 15:29	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 15:29	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 15:29	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 15:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	90		70 - 130				08/20/25 10:14	08/23/25 15:29	1
o-Terphenyl	88		70 - 130				08/20/25 10:14	08/23/25 15:29	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	31.1		9.94		mg/Kg			08/21/25 13:04	1

Client Sample ID: BH8

Lab Sample ID: 880-61698-8

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		08/20/25 11:22	08/23/25 02:51	1
Toluene	<0.00202	U	0.00202		mg/Kg		08/20/25 11:22	08/23/25 02:51	1
Ethylbenzene	0.00364		0.00202		mg/Kg		08/20/25 11:22	08/23/25 02:51	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		08/20/25 11:22	08/23/25 02:51	1
o-Xylene	0.00368		0.00202		mg/Kg		08/20/25 11:22	08/23/25 02:51	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		08/20/25 11:22	08/23/25 02:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	297	S1+	70 - 130	08/20/25 11:22	08/23/25 02:51	1
1,4-Difluorobenzene (Surr)	75		70 - 130	08/20/25 11:22	08/23/25 02:51	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00732		0.00403		mg/Kg			08/23/25 02:51	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			08/23/25 15:45	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH8

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-8

Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		08/20/25 10:14	08/23/25 15:45	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		08/20/25 10:14	08/23/25 15:45	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		08/20/25 10:14	08/23/25 15:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130				08/20/25 10:14	08/23/25 15:45	1
o-Terphenyl	83		70 - 130				08/20/25 10:14	08/23/25 15:45	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	28.6		10.0		mg/Kg			08/21/25 13:10	1

Client Sample ID: BH9

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-9

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 03:12	1
Toluene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 03:12	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 03:12	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		08/20/25 11:22	08/23/25 03:12	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 03:12	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		08/20/25 11:22	08/23/25 03:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	130		70 - 130				08/20/25 11:22	08/23/25 03:12	1
1,4-Difluorobenzene (Surr)	115		70 - 130				08/20/25 11:22	08/23/25 03:12	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			08/23/25 03:12	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			08/23/25 16:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		08/20/25 10:14	08/23/25 16:01	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		08/20/25 10:14	08/23/25 16:01	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		08/20/25 10:14	08/23/25 16:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	86		70 - 130				08/20/25 10:14	08/23/25 16:01	1
o-Terphenyl	87		70 - 130				08/20/25 10:14	08/23/25 16:01	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH9

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-9

Matrix: Solid

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	884		10.0		mg/Kg			08/21/25 13:16	1

Client Sample ID: BH10

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-10

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 03:32	1
Toluene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 03:32	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 03:32	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		08/20/25 11:22	08/23/25 03:32	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 03:32	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		08/20/25 11:22	08/23/25 03:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	293	S1+	70 - 130				08/20/25 11:22	08/23/25 03:32	1
1,4-Difluorobenzene (Surr)	81		70 - 130				08/20/25 11:22	08/23/25 03:32	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			08/23/25 03:32	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/23/25 16:16	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 16:16	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 16:16	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 16:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				08/20/25 10:14	08/23/25 16:16	1
o-Terphenyl	83		70 - 130				08/20/25 10:14	08/23/25 16:16	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	289		9.96		mg/Kg			08/21/25 13:21	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH11

Lab Sample ID: 880-61698-11

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 05:22	1
Toluene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 05:22	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 05:22	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		08/20/25 11:22	08/23/25 05:22	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 05:22	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		08/20/25 11:22	08/23/25 05:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	08/20/25 11:22	08/23/25 05:22	1
1,4-Difluorobenzene (Surr)	108		70 - 130	08/20/25 11:22	08/23/25 05:22	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			08/23/25 05:22	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			08/23/25 16:47	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 16:47	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 16:47	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 16:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130	08/20/25 10:14	08/23/25 16:47	1
o-Terphenyl	83		70 - 130	08/20/25 10:14	08/23/25 16:47	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1400	F1	49.6		mg/Kg			08/21/25 13:27	5

Client Sample ID: BH12

Lab Sample ID: 880-61698-12

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 05:43	1
Toluene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 05:43	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 05:43	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		08/20/25 11:22	08/23/25 05:43	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 05:43	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		08/20/25 11:22	08/23/25 05:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	148	S1+	70 - 130	08/20/25 11:22	08/23/25 05:43	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH12

Lab Sample ID: 880-61698-12

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	114		70 - 130	08/20/25 11:22	08/23/25 05:43	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			08/23/25 05:43	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			08/23/25 17:02	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 17:02	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 17:02	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 17:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	90		70 - 130				08/20/25 10:14	08/23/25 17:02	1
o-Terphenyl	88		70 - 130				08/20/25 10:14	08/23/25 17:02	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	245		9.92		mg/Kg			08/21/25 13:44	1

Client Sample ID: BH13

Lab Sample ID: 880-61698-13

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 06:03	1
Toluene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 06:03	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 06:03	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		08/20/25 11:22	08/23/25 06:03	1
o-Xylene	0.00782		0.00201		mg/Kg		08/20/25 11:22	08/23/25 06:03	1
Xylenes, Total	0.00782		0.00402		mg/Kg		08/20/25 11:22	08/23/25 06:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	200	S1+	70 - 130	08/20/25 11:22	08/23/25 06:03	1
1,4-Difluorobenzene (Surr)	81		70 - 130	08/20/25 11:22	08/23/25 06:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00782		0.00402		mg/Kg			08/23/25 06:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			08/23/25 17:17	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH13

Lab Sample ID: 880-61698-13

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 17:17	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 17:17	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 17:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				08/20/25 10:14	08/23/25 17:17	1
o-Terphenyl	82		70 - 130				08/20/25 10:14	08/23/25 17:17	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1040		9.92		mg/Kg			08/21/25 13:50	1

Client Sample ID: BH14

Lab Sample ID: 880-61698-14

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 06:24	1
Toluene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 06:24	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 06:24	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		08/20/25 11:22	08/23/25 06:24	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 06:24	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		08/20/25 11:22	08/23/25 06:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	129		70 - 130				08/20/25 11:22	08/23/25 06:24	1
1,4-Difluorobenzene (Surr)	128		70 - 130				08/20/25 11:22	08/23/25 06:24	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			08/23/25 06:24	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			08/23/25 17:33	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 17:33	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 17:33	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		08/20/25 10:14	08/23/25 17:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	84		70 - 130				08/20/25 10:14	08/23/25 17:33	1
o-Terphenyl	80		70 - 130				08/20/25 10:14	08/23/25 17:33	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH14

Lab Sample ID: 880-61698-14

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.96	U	9.96		mg/Kg			08/21/25 14:24	1

Client Sample ID: BH15

Lab Sample ID: 880-61698-15

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 06:44	1
Toluene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 06:44	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 06:44	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		08/20/25 11:22	08/23/25 06:44	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 06:44	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		08/20/25 11:22	08/23/25 06:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130				08/20/25 11:22	08/23/25 06:44	1
1,4-Difluorobenzene (Surr)	110		70 - 130				08/20/25 11:22	08/23/25 06:44	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			08/23/25 06:44	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/23/25 17:48	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 17:48	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 17:48	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 17:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	98		70 - 130				08/20/25 10:14	08/23/25 17:48	1
o-Terphenyl	94		70 - 130				08/20/25 10:14	08/23/25 17:48	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			08/21/25 14:30	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH16

Lab Sample ID: 880-61698-16

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 07:05	1
Toluene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 07:05	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 07:05	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		08/20/25 11:22	08/23/25 07:05	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 07:05	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		08/20/25 11:22	08/23/25 07:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	131	S1+	70 - 130	08/20/25 11:22	08/23/25 07:05	1
1,4-Difluorobenzene (Surr)	115		70 - 130	08/20/25 11:22	08/23/25 07:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			08/23/25 07:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/23/25 18:05	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 18:05	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 18:05	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 18:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	85		70 - 130	08/20/25 10:14	08/23/25 18:05	1
o-Terphenyl	84		70 - 130	08/20/25 10:14	08/23/25 18:05	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	544		9.90		mg/Kg			08/21/25 14:35	1

Client Sample ID: BH17

Lab Sample ID: 880-61698-17

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 07:25	1
Toluene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 07:25	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 07:25	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		08/20/25 11:22	08/23/25 07:25	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		08/20/25 11:22	08/23/25 07:25	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		08/20/25 11:22	08/23/25 07:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	274	S1+	70 - 130	08/20/25 11:22	08/23/25 07:25	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH17

Lab Sample ID: 880-61698-17

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	89		70 - 130	08/20/25 11:22	08/23/25 07:25	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			08/23/25 07:25	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			08/23/25 18:20	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 18:20	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 18:20	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 18:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				08/20/25 10:14	08/23/25 18:20	1
o-Terphenyl	81		70 - 130				08/20/25 10:14	08/23/25 18:20	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	45.0		9.92		mg/Kg			08/21/25 14:41	1

Client Sample ID: BH18

Lab Sample ID: 880-61698-18

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 07:45	1
Toluene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 07:45	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 07:45	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		08/20/25 11:22	08/23/25 07:45	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		08/20/25 11:22	08/23/25 07:45	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		08/20/25 11:22	08/23/25 07:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	316	S1+	70 - 130	08/20/25 11:22	08/23/25 07:45	1
1,4-Difluorobenzene (Surr)	97		70 - 130	08/20/25 11:22	08/23/25 07:45	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			08/23/25 07:45	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			08/23/25 18:35	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH18

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-18

Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 18:35	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 18:35	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		08/20/25 10:14	08/23/25 18:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				08/20/25 10:14	08/23/25 18:35	1
o-Terphenyl	81		70 - 130				08/20/25 10:14	08/23/25 18:35	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			08/21/25 14:47	1

Client Sample ID: BH19

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-19

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 08:06	1
Toluene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 08:06	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 08:06	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		08/20/25 11:22	08/23/25 08:06	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		08/20/25 11:22	08/23/25 08:06	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		08/20/25 11:22	08/23/25 08:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130				08/20/25 11:22	08/23/25 08:06	1
1,4-Difluorobenzene (Surr)	109		70 - 130				08/20/25 11:22	08/23/25 08:06	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			08/23/25 08:06	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/23/25 18:51	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 18:51	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 18:51	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 18:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	81		70 - 130				08/20/25 10:14	08/23/25 18:51	1
o-Terphenyl	80		70 - 130				08/20/25 10:14	08/23/25 18:51	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH19

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-19

Matrix: Solid

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	34.4		9.94		mg/Kg			08/21/25 14:52	1

Client Sample ID: BH20

Date Collected: 08/18/25 10:00

Date Received: 08/19/25 15:19

Sample Depth: 48.5"

Lab Sample ID: 880-61698-20

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 08:26	1
Toluene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 08:26	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 08:26	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		08/20/25 11:22	08/23/25 08:26	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/23/25 08:26	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		08/20/25 11:22	08/23/25 08:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	156	S1+	70 - 130				08/20/25 11:22	08/23/25 08:26	1
1,4-Difluorobenzene (Surr)	106		70 - 130				08/20/25 11:22	08/23/25 08:26	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			08/23/25 08:26	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/23/25 19:07	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 19:07	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 19:07	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/20/25 10:14	08/23/25 19:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	94		70 - 130				08/20/25 10:14	08/23/25 19:07	1
o-Terphenyl	92		70 - 130				08/20/25 10:14	08/23/25 19:07	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	406		9.98		mg/Kg			08/21/25 14:58	1

Eurofins Midland

Surrogate Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
880-61698-1	BH1	118	113
880-61698-1 MS	BH1	112	101
880-61698-1 MSD	BH1	317 S1+	83
880-61698-2	BH2	124	115
880-61698-3	BH3	272 S1+	76
880-61698-4	BH4	262 S1+	74
880-61698-5	BH5	161 S1+	94
880-61698-6	BH6	131 S1+	119
880-61698-7	BH7	146 S1+	120
880-61698-8	BH8	297 S1+	75
880-61698-9	BH9	130	115
880-61698-10	BH10	293 S1+	81
880-61698-11	BH11	115	108
880-61698-12	BH12	148 S1+	114
880-61698-13	BH13	200 S1+	81
880-61698-14	BH14	129	128
880-61698-15	BH15	120	110
880-61698-16	BH16	131 S1+	115
880-61698-17	BH17	274 S1+	89
880-61698-18	BH18	316 S1+	97
880-61698-19	BH19	120	109
880-61698-20	BH20	156 S1+	106
LCS 880-117153/1-A	Lab Control Sample	102	95
LCSD 880-117153/2-A	Lab Control Sample Dup	109	97
MB 880-117045/5-A	Method Blank	180 S1+	100
MB 880-117153/5-A	Method Blank	157 S1+	84

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
880-61698-1	BH1	84	83
880-61698-1 MS	BH1	96	85
880-61698-1 MSD	BH1	95	84
880-61698-2	BH2	84	82
880-61698-3	BH3	82	79
880-61698-4	BH4	83	81
880-61698-5	BH5	86	85
880-61698-6	BH6	85	84
880-61698-7	BH7	90	88
880-61698-8	BH8	82	83
880-61698-9	BH9	86	87
880-61698-10	BH10	83	83
880-61698-11	BH11	83	83

Eurofins Midland

Surrogate Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)
Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-61698-12	BH12	90	88
880-61698-13	BH13	83	82
880-61698-14	BH14	84	80
880-61698-15	BH15	98	94
880-61698-16	BH16	85	84
880-61698-17	BH17	83	81
880-61698-18	BH18	83	81
880-61698-19	BH19	81	80
880-61698-20	BH20	94	92
LCS 880-117131/2-A	Lab Control Sample	105	99
LCSD 880-117131/3-A	Lab Control Sample Dup	86	98
MB 880-117131/1-A	Method Blank	86	88

Surrogate Legend
1CO = 1-Chlorooctane
OTPH = o-Terphenyl

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-117045/5-A

Matrix: Solid

Analysis Batch: 117338

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 117045

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		08/19/25 11:34	08/22/25 12:21	1
Toluene	<0.00200	U	0.00200		mg/Kg		08/19/25 11:34	08/22/25 12:21	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		08/19/25 11:34	08/22/25 12:21	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		08/19/25 11:34	08/22/25 12:21	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		08/19/25 11:34	08/22/25 12:21	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		08/19/25 11:34	08/22/25 12:21	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	180	S1+	70 - 130	08/19/25 11:34	08/22/25 12:21	1
1,4-Difluorobenzene (Surr)	100		70 - 130	08/19/25 11:34	08/22/25 12:21	1

Lab Sample ID: MB 880-117153/5-A

Matrix: Solid

Analysis Batch: 117338

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 117153

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/22/25 23:59	1
Toluene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/22/25 23:59	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/22/25 23:59	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		08/20/25 11:22	08/22/25 23:59	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		08/20/25 11:22	08/22/25 23:59	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		08/20/25 11:22	08/22/25 23:59	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	157	S1+	70 - 130	08/20/25 11:22	08/22/25 23:59	1
1,4-Difluorobenzene (Surr)	84		70 - 130	08/20/25 11:22	08/22/25 23:59	1

Lab Sample ID: LCS 880-117153/1-A

Matrix: Solid

Analysis Batch: 117338

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 117153

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09179		mg/Kg		92	70 - 130
Toluene	0.100	0.08051		mg/Kg		81	70 - 130
Ethylbenzene	0.100	0.07530		mg/Kg		75	70 - 130
m-Xylene & p-Xylene	0.200	0.1781		mg/Kg		89	70 - 130
o-Xylene	0.100	0.1033		mg/Kg		103	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	95		70 - 130

Lab Sample ID: LCSD 880-117153/2-A

Matrix: Solid

Analysis Batch: 117338

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 117153

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09493		mg/Kg		95	70 - 130	3	35

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-117153/2-A

Matrix: Solid

Analysis Batch: 117338

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 117153

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Toluene	0.100	0.08675		mg/Kg		87	70 - 130	7	35
Ethylbenzene	0.100	0.08108		mg/Kg		81	70 - 130	7	35
m-Xylene & p-Xylene	0.200	0.1896		mg/Kg		95	70 - 130	6	35
o-Xylene	0.100	0.1089		mg/Kg		109	70 - 130	5	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	109		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: 880-61698-1 MS

Matrix: Solid

Analysis Batch: 117338

Client Sample ID: BH1

Prep Type: Total/NA

Prep Batch: 117153

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U F1 F2	0.100	0.08751		mg/Kg		88	70 - 130
Toluene	<0.00200	U F1 F2	0.100	0.07213		mg/Kg		72	70 - 130
Ethylbenzene	<0.00200	U F1	0.100	0.06821	F1	mg/Kg		68	70 - 130
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.200	0.1665		mg/Kg		83	70 - 130
o-Xylene	<0.00200	U F1 F2	0.100	0.1016		mg/Kg		102	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	112		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: 880-61698-1 MSD

Matrix: Solid

Analysis Batch: 117338

Client Sample ID: BH1

Prep Type: Total/NA

Prep Batch: 117153

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U F1 F2	0.100	0.04697	F1 F2	mg/Kg		47	70 - 130	60	35
Toluene	<0.00200	U F1 F2	0.100	0.04616	F1 F2	mg/Kg		46	70 - 130	44	35
Ethylbenzene	<0.00200	U F1	0.100	0.06882	F1	mg/Kg		69	70 - 130	1	35
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.200	0.2669	F1 F2	mg/Kg		133	70 - 130	46	35
o-Xylene	<0.00200	U F1 F2	0.100	0.1783	F1 F2	mg/Kg		178	70 - 130	55	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	317	S1+	70 - 130
1,4-Difluorobenzene (Surr)	83		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-117131/1-A

Matrix: Solid

Analysis Batch: 117411

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 117131

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/20/25 10:13	08/23/25 10:08	1

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-117131/1-A

Matrix: Solid

Analysis Batch: 117411

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 117131

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/20/25 10:13	08/23/25 10:08	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/20/25 10:13	08/23/25 10:08	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	86		70 - 130				08/20/25 10:13	08/23/25 10:08	1
o-Terphenyl	88		70 - 130				08/20/25 10:13	08/23/25 10:08	1

Lab Sample ID: LCS 880-117131/2-A

Matrix: Solid

Analysis Batch: 117411

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 117131

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Gasoline Range Organics (GRO)-C6-C10	1000	975.1		mg/Kg		98	70 - 130	
Diesel Range Organics (Over C10-C28)	1000	963.0		mg/Kg		96	70 - 130	
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
1-Chlorooctane	105		70 - 130					
o-Terphenyl	99		70 - 130					

Lab Sample ID: LCSD 880-117131/3-A

Matrix: Solid

Analysis Batch: 117411

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 117131

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1021		mg/Kg		102	70 - 130	5	20
Diesel Range Organics (Over C10-C28)	1000	1035		mg/Kg		104	70 - 130	7	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	86		70 - 130						
o-Terphenyl	98		70 - 130						

Lab Sample ID: 880-61698-1 MS

Matrix: Solid

Analysis Batch: 117411

Client Sample ID: BH1

Prep Type: Total/NA

Prep Batch: 117131

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	997	870.5		mg/Kg		87	70 - 130	
Diesel Range Organics (Over C10-C28)	<50.0	U	997	859.9		mg/Kg		86	70 - 130	
Surrogate	MS %Recovery	MS Qualifier	Limits							
1-Chlorooctane	96		70 - 130							
o-Terphenyl	85		70 - 130							

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-61698-1 MSD

Matrix: Solid

Analysis Batch: 117411

Client Sample ID: BH1

Prep Type: Total/NA

Prep Batch: 117131

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	997	873.1		mg/Kg		88	70 - 130	0	20
Diesel Range Organics (Over C10-C28)	<50.0	U	997	863.0		mg/Kg		87	70 - 130	0	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	95		70 - 130								
o-Terphenyl	84		70 - 130								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-117172/1-A

Matrix: Solid

Analysis Batch: 117181

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			08/21/25 11:51	1

Lab Sample ID: LCS 880-117172/2-A

Matrix: Solid

Analysis Batch: 117181

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	235.3		mg/Kg		94	90 - 110

Lab Sample ID: LCSD 880-117172/3-A

Matrix: Solid

Analysis Batch: 117181

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	236.5		mg/Kg		95	90 - 110	1	20

Lab Sample ID: 880-61698-1 MS

Matrix: Solid

Analysis Batch: 117181

Client Sample ID: BH1

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	<9.96	U	249	249.8		mg/Kg		97	90 - 110

Lab Sample ID: 880-61698-1 MSD

Matrix: Solid

Analysis Batch: 117181

Client Sample ID: BH1

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<9.96	U	249	250.1		mg/Kg		97	90 - 110	0	20

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 880-61698-11 MS										Client Sample ID: BH11				
Matrix: Solid										Prep Type: Soluble				
Analysis Batch: 117181														
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits					
Chloride	1400	F1	1240	3140	F1	mg/Kg		141	90 - 110					

Lab Sample ID: 880-61698-11 MSD										Client Sample ID: BH11				
Matrix: Solid										Prep Type: Soluble				
Analysis Batch: 117181														
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit			
Chloride	1400	F1	1240	3149	F1	mg/Kg		141	90 - 110	0	20			

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

GC VOA

Prep Batch: 117045

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-117045/5-A	Method Blank	Total/NA	Solid	5035	

Prep Batch: 117153

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-1	BH1	Total/NA	Solid	5035	
880-61698-2	BH2	Total/NA	Solid	5035	
880-61698-3	BH3	Total/NA	Solid	5035	
880-61698-4	BH4	Total/NA	Solid	5035	
880-61698-5	BH5	Total/NA	Solid	5035	
880-61698-6	BH6	Total/NA	Solid	5035	
880-61698-7	BH7	Total/NA	Solid	5035	
880-61698-8	BH8	Total/NA	Solid	5035	
880-61698-9	BH9	Total/NA	Solid	5035	
880-61698-10	BH10	Total/NA	Solid	5035	
880-61698-11	BH11	Total/NA	Solid	5035	
880-61698-12	BH12	Total/NA	Solid	5035	
880-61698-13	BH13	Total/NA	Solid	5035	
880-61698-14	BH14	Total/NA	Solid	5035	
880-61698-15	BH15	Total/NA	Solid	5035	
880-61698-16	BH16	Total/NA	Solid	5035	
880-61698-17	BH17	Total/NA	Solid	5035	
880-61698-18	BH18	Total/NA	Solid	5035	
880-61698-19	BH19	Total/NA	Solid	5035	
880-61698-20	BH20	Total/NA	Solid	5035	
MB 880-117153/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-117153/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-117153/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-61698-1 MS	BH1	Total/NA	Solid	5035	
880-61698-1 MSD	BH1	Total/NA	Solid	5035	

Analysis Batch: 117338

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-1	BH1	Total/NA	Solid	8021B	117153
880-61698-2	BH2	Total/NA	Solid	8021B	117153
880-61698-3	BH3	Total/NA	Solid	8021B	117153
880-61698-4	BH4	Total/NA	Solid	8021B	117153
880-61698-5	BH5	Total/NA	Solid	8021B	117153
880-61698-6	BH6	Total/NA	Solid	8021B	117153
880-61698-7	BH7	Total/NA	Solid	8021B	117153
880-61698-8	BH8	Total/NA	Solid	8021B	117153
880-61698-9	BH9	Total/NA	Solid	8021B	117153
880-61698-10	BH10	Total/NA	Solid	8021B	117153
880-61698-11	BH11	Total/NA	Solid	8021B	117153
880-61698-12	BH12	Total/NA	Solid	8021B	117153
880-61698-13	BH13	Total/NA	Solid	8021B	117153
880-61698-14	BH14	Total/NA	Solid	8021B	117153
880-61698-15	BH15	Total/NA	Solid	8021B	117153
880-61698-16	BH16	Total/NA	Solid	8021B	117153
880-61698-17	BH17	Total/NA	Solid	8021B	117153
880-61698-18	BH18	Total/NA	Solid	8021B	117153
880-61698-19	BH19	Total/NA	Solid	8021B	117153

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

GC VOA (Continued)

Analysis Batch: 117338 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-20	BH20	Total/NA	Solid	8021B	117153
MB 880-117045/5-A	Method Blank	Total/NA	Solid	8021B	117045
MB 880-117153/5-A	Method Blank	Total/NA	Solid	8021B	117153
LCS 880-117153/1-A	Lab Control Sample	Total/NA	Solid	8021B	117153
LCSD 880-117153/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	117153
880-61698-1 MS	BH1	Total/NA	Solid	8021B	117153
880-61698-1 MSD	BH1	Total/NA	Solid	8021B	117153

Analysis Batch: 117519

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-1	BH1	Total/NA	Solid	Total BTEX	
880-61698-2	BH2	Total/NA	Solid	Total BTEX	
880-61698-3	BH3	Total/NA	Solid	Total BTEX	
880-61698-4	BH4	Total/NA	Solid	Total BTEX	
880-61698-5	BH5	Total/NA	Solid	Total BTEX	
880-61698-6	BH6	Total/NA	Solid	Total BTEX	
880-61698-7	BH7	Total/NA	Solid	Total BTEX	
880-61698-8	BH8	Total/NA	Solid	Total BTEX	
880-61698-9	BH9	Total/NA	Solid	Total BTEX	
880-61698-10	BH10	Total/NA	Solid	Total BTEX	
880-61698-11	BH11	Total/NA	Solid	Total BTEX	
880-61698-12	BH12	Total/NA	Solid	Total BTEX	
880-61698-13	BH13	Total/NA	Solid	Total BTEX	
880-61698-14	BH14	Total/NA	Solid	Total BTEX	
880-61698-15	BH15	Total/NA	Solid	Total BTEX	
880-61698-16	BH16	Total/NA	Solid	Total BTEX	
880-61698-17	BH17	Total/NA	Solid	Total BTEX	
880-61698-18	BH18	Total/NA	Solid	Total BTEX	
880-61698-19	BH19	Total/NA	Solid	Total BTEX	
880-61698-20	BH20	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 117131

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-1	BH1	Total/NA	Solid	8015NM Prep	
880-61698-2	BH2	Total/NA	Solid	8015NM Prep	
880-61698-3	BH3	Total/NA	Solid	8015NM Prep	
880-61698-4	BH4	Total/NA	Solid	8015NM Prep	
880-61698-5	BH5	Total/NA	Solid	8015NM Prep	
880-61698-6	BH6	Total/NA	Solid	8015NM Prep	
880-61698-7	BH7	Total/NA	Solid	8015NM Prep	
880-61698-8	BH8	Total/NA	Solid	8015NM Prep	
880-61698-9	BH9	Total/NA	Solid	8015NM Prep	
880-61698-10	BH10	Total/NA	Solid	8015NM Prep	
880-61698-11	BH11	Total/NA	Solid	8015NM Prep	
880-61698-12	BH12	Total/NA	Solid	8015NM Prep	
880-61698-13	BH13	Total/NA	Solid	8015NM Prep	
880-61698-14	BH14	Total/NA	Solid	8015NM Prep	
880-61698-15	BH15	Total/NA	Solid	8015NM Prep	
880-61698-16	BH16	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

GC Semi VOA (Continued)

Prep Batch: 117131 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-17	BH17	Total/NA	Solid	8015NM Prep	
880-61698-18	BH18	Total/NA	Solid	8015NM Prep	
880-61698-19	BH19	Total/NA	Solid	8015NM Prep	
880-61698-20	BH20	Total/NA	Solid	8015NM Prep	
MB 880-117131/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-117131/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-117131/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-61698-1 MS	BH1	Total/NA	Solid	8015NM Prep	
880-61698-1 MSD	BH1	Total/NA	Solid	8015NM Prep	

Analysis Batch: 117411

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-1	BH1	Total/NA	Solid	8015B NM	117131
880-61698-2	BH2	Total/NA	Solid	8015B NM	117131
880-61698-3	BH3	Total/NA	Solid	8015B NM	117131
880-61698-4	BH4	Total/NA	Solid	8015B NM	117131
880-61698-5	BH5	Total/NA	Solid	8015B NM	117131
880-61698-6	BH6	Total/NA	Solid	8015B NM	117131
880-61698-7	BH7	Total/NA	Solid	8015B NM	117131
880-61698-8	BH8	Total/NA	Solid	8015B NM	117131
880-61698-9	BH9	Total/NA	Solid	8015B NM	117131
880-61698-10	BH10	Total/NA	Solid	8015B NM	117131
880-61698-11	BH11	Total/NA	Solid	8015B NM	117131
880-61698-12	BH12	Total/NA	Solid	8015B NM	117131
880-61698-13	BH13	Total/NA	Solid	8015B NM	117131
880-61698-14	BH14	Total/NA	Solid	8015B NM	117131
880-61698-15	BH15	Total/NA	Solid	8015B NM	117131
880-61698-16	BH16	Total/NA	Solid	8015B NM	117131
880-61698-17	BH17	Total/NA	Solid	8015B NM	117131
880-61698-18	BH18	Total/NA	Solid	8015B NM	117131
880-61698-19	BH19	Total/NA	Solid	8015B NM	117131
880-61698-20	BH20	Total/NA	Solid	8015B NM	117131
MB 880-117131/1-A	Method Blank	Total/NA	Solid	8015B NM	117131
LCS 880-117131/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	117131
LCSD 880-117131/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	117131
880-61698-1 MS	BH1	Total/NA	Solid	8015B NM	117131
880-61698-1 MSD	BH1	Total/NA	Solid	8015B NM	117131

Analysis Batch: 117464

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-1	BH1	Total/NA	Solid	8015 NM	
880-61698-2	BH2	Total/NA	Solid	8015 NM	
880-61698-3	BH3	Total/NA	Solid	8015 NM	
880-61698-4	BH4	Total/NA	Solid	8015 NM	
880-61698-5	BH5	Total/NA	Solid	8015 NM	
880-61698-6	BH6	Total/NA	Solid	8015 NM	
880-61698-7	BH7	Total/NA	Solid	8015 NM	
880-61698-8	BH8	Total/NA	Solid	8015 NM	
880-61698-9	BH9	Total/NA	Solid	8015 NM	
880-61698-10	BH10	Total/NA	Solid	8015 NM	
880-61698-11	BH11	Total/NA	Solid	8015 NM	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

GC Semi VOA (Continued)

Analysis Batch: 117464 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-12	BH12	Total/NA	Solid	8015 NM	
880-61698-13	BH13	Total/NA	Solid	8015 NM	
880-61698-14	BH14	Total/NA	Solid	8015 NM	
880-61698-15	BH15	Total/NA	Solid	8015 NM	
880-61698-16	BH16	Total/NA	Solid	8015 NM	
880-61698-17	BH17	Total/NA	Solid	8015 NM	
880-61698-18	BH18	Total/NA	Solid	8015 NM	
880-61698-19	BH19	Total/NA	Solid	8015 NM	
880-61698-20	BH20	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 117172

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-1	BH1	Soluble	Solid	DI Leach	
880-61698-2	BH2	Soluble	Solid	DI Leach	
880-61698-3	BH3	Soluble	Solid	DI Leach	
880-61698-4	BH4	Soluble	Solid	DI Leach	
880-61698-5	BH5	Soluble	Solid	DI Leach	
880-61698-6	BH6	Soluble	Solid	DI Leach	
880-61698-7	BH7	Soluble	Solid	DI Leach	
880-61698-8	BH8	Soluble	Solid	DI Leach	
880-61698-9	BH9	Soluble	Solid	DI Leach	
880-61698-10	BH10	Soluble	Solid	DI Leach	
880-61698-11	BH11	Soluble	Solid	DI Leach	
880-61698-12	BH12	Soluble	Solid	DI Leach	
880-61698-13	BH13	Soluble	Solid	DI Leach	
880-61698-14	BH14	Soluble	Solid	DI Leach	
880-61698-15	BH15	Soluble	Solid	DI Leach	
880-61698-16	BH16	Soluble	Solid	DI Leach	
880-61698-17	BH17	Soluble	Solid	DI Leach	
880-61698-18	BH18	Soluble	Solid	DI Leach	
880-61698-19	BH19	Soluble	Solid	DI Leach	
880-61698-20	BH20	Soluble	Solid	DI Leach	
MB 880-117172/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-117172/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-117172/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-61698-1 MS	BH1	Soluble	Solid	DI Leach	
880-61698-1 MSD	BH1	Soluble	Solid	DI Leach	
880-61698-11 MS	BH11	Soluble	Solid	DI Leach	
880-61698-11 MSD	BH11	Soluble	Solid	DI Leach	

Analysis Batch: 117181

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-1	BH1	Soluble	Solid	300.0	117172
880-61698-2	BH2	Soluble	Solid	300.0	117172
880-61698-3	BH3	Soluble	Solid	300.0	117172
880-61698-4	BH4	Soluble	Solid	300.0	117172
880-61698-5	BH5	Soluble	Solid	300.0	117172
880-61698-6	BH6	Soluble	Solid	300.0	117172
880-61698-7	BH7	Soluble	Solid	300.0	117172

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

HPLC/IC (Continued)

Analysis Batch: 117181 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61698-8	BH8	Soluble	Solid	300.0	117172
880-61698-9	BH9	Soluble	Solid	300.0	117172
880-61698-10	BH10	Soluble	Solid	300.0	117172
880-61698-11	BH11	Soluble	Solid	300.0	117172
880-61698-12	BH12	Soluble	Solid	300.0	117172
880-61698-13	BH13	Soluble	Solid	300.0	117172
880-61698-14	BH14	Soluble	Solid	300.0	117172
880-61698-15	BH15	Soluble	Solid	300.0	117172
880-61698-16	BH16	Soluble	Solid	300.0	117172
880-61698-17	BH17	Soluble	Solid	300.0	117172
880-61698-18	BH18	Soluble	Solid	300.0	117172
880-61698-19	BH19	Soluble	Solid	300.0	117172
880-61698-20	BH20	Soluble	Solid	300.0	117172
MB 880-117172/1-A	Method Blank	Soluble	Solid	300.0	117172
LCS 880-117172/2-A	Lab Control Sample	Soluble	Solid	300.0	117172
LCSD 880-117172/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	117172
880-61698-1 MS	BH1	Soluble	Solid	300.0	117172
880-61698-1 MSD	BH1	Soluble	Solid	300.0	117172
880-61698-11 MS	BH11	Soluble	Solid	300.0	117172
880-61698-11 MSD	BH11	Soluble	Solid	300.0	117172

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH1
Date Collected: 08/18/25 10:00
Date Received: 08/19/25 15:19

Lab Sample ID: 880-61698-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 00:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 00:28	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 13:24	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 13:24	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 12:08	CS	EET MID

Client Sample ID: BH2
Date Collected: 08/18/25 10:00
Date Received: 08/19/25 15:19

Lab Sample ID: 880-61698-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 00:48	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 00:48	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 14:11	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 14:11	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 12:25	CS	EET MID

Client Sample ID: BH3
Date Collected: 08/18/25 10:00
Date Received: 08/19/25 15:19

Lab Sample ID: 880-61698-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 01:09	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 01:09	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 14:27	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 14:27	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 12:30	CS	EET MID

Client Sample ID: BH4
Date Collected: 08/18/25 10:00
Date Received: 08/19/25 15:19

Lab Sample ID: 880-61698-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 01:29	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 01:29	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH4

Lab Sample ID: 880-61698-4

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			117464	08/23/25 14:42	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 14:42	TKC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 12:36	CS	EET MID

Client Sample ID: BH5

Lab Sample ID: 880-61698-5

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 01:50	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 01:50	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 14:58	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 14:58	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 12:42	CS	EET MID

Client Sample ID: BH6

Lab Sample ID: 880-61698-6

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 02:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 02:10	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 15:13	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 15:13	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 12:59	CS	EET MID

Client Sample ID: BH7

Lab Sample ID: 880-61698-7

Date Collected: 08/18/25 10:00

Matrix: Solid

Date Received: 08/19/25 15:19

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 02:31	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 02:31	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 15:29	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 15:29	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH7**Lab Sample ID: 880-61698-7****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.03 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 13:04	CS	EET MID

Client Sample ID: BH8**Lab Sample ID: 880-61698-8****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 02:51	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 02:51	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 15:45	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 15:45	TKC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 13:10	CS	EET MID

Client Sample ID: BH9**Lab Sample ID: 880-61698-9****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 03:12	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 03:12	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 16:01	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 16:01	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 13:16	CS	EET MID

Client Sample ID: BH10**Lab Sample ID: 880-61698-10****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 03:32	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 03:32	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 16:16	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 16:16	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 13:21	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH11
Date Collected: 08/18/25 10:00
Date Received: 08/19/25 15:19

Lab Sample ID: 880-61698-11
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 05:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 05:22	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 16:47	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 16:47	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		5			117181	08/21/25 13:27	CS	EET MID

Client Sample ID: BH12
Date Collected: 08/18/25 10:00
Date Received: 08/19/25 15:19

Lab Sample ID: 880-61698-12
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 05:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 05:43	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 17:02	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 17:02	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 13:44	CS	EET MID

Client Sample ID: BH13
Date Collected: 08/18/25 10:00
Date Received: 08/19/25 15:19

Lab Sample ID: 880-61698-13
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 06:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 06:03	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 17:17	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 17:17	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 13:50	CS	EET MID

Client Sample ID: BH14
Date Collected: 08/18/25 10:00
Date Received: 08/19/25 15:19

Lab Sample ID: 880-61698-14
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 06:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 06:24	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH14**Lab Sample ID: 880-61698-14****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			117464	08/23/25 17:33	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 17:33	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 14:24	CS	EET MID

Client Sample ID: BH15**Lab Sample ID: 880-61698-15****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 06:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 06:44	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 17:48	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 17:48	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 14:30	CS	EET MID

Client Sample ID: BH16**Lab Sample ID: 880-61698-16****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 07:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 07:05	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 18:05	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 18:05	TKC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 14:35	CS	EET MID

Client Sample ID: BH17**Lab Sample ID: 880-61698-17****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 07:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 07:25	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 18:20	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 18:20	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Client Sample ID: BH17**Lab Sample ID: 880-61698-17****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.04 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 14:41	CS	EET MID

Client Sample ID: BH18**Lab Sample ID: 880-61698-18****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 07:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 07:45	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 18:35	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 18:35	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 14:47	CS	EET MID

Client Sample ID: BH19**Lab Sample ID: 880-61698-19****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 08:06	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 08:06	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 18:51	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 18:51	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 14:52	CS	EET MID

Client Sample ID: BH20**Lab Sample ID: 880-61698-20****Date Collected: 08/18/25 10:00****Matrix: Solid****Date Received: 08/19/25 15:19**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	117153	08/20/25 11:22	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117338	08/23/25 08:26	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117519	08/23/25 08:26	SA	EET MID
Total/NA	Analysis	8015 NM		1			117464	08/23/25 19:07	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	117131	08/20/25 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117411	08/23/25 19:07	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	117172	08/20/25 15:09	SA	EET MID
Soluble	Analysis	300.0		1			117181	08/21/25 14:58	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61698-1
SDG: 447

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-61698-1	BH1	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-2	BH2	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-3	BH3	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-4	BH4	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-5	BH5	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-6	BH6	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-7	BH7	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-8	BH8	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-9	BH9	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-10	BH10	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-11	BH11	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-12	BH12	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-13	BH13	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-14	BH14	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-15	BH15	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-16	BH16	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-17	BH17	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-18	BH18	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-19	BH19	Solid	08/18/25 10:00	08/19/25 15:19	48.5"
880-61698-20	BH20	Solid	08/18/25 10:00	08/19/25 15:19	48.5"

Eurofins Midland

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
 Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
 El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
 Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199



Environment Testing
Xenco



880-61698 Chain of Custody

www.xenco.com Page 1 of 1

Work Order Comments

Program: ☐ UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐

State of Project: ☐ Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐

Reporting: ☐ Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐

Deliverables: ☐ EDD ☐ ADaPT ☐ Other:

Project Manager: TRAVIS HECHT

Company Name: American Safety

Address: 8715 PARKVIEW HWY

City, State ZIP: OGLETHORPE TX 79105

Phone: 409-888-5354

Bill to: (if different)

Company Name:

Address:

City, State ZIP:

Email: TRAVIS@AMERICANSAFETY.COM

Project Name: DEEP ELLUM

Project Number: 447

Project Location: NEW MEXICO

Sampler's Name: TRAVIS HECHT

P O #: 447

Turn Around: ☒ Routine ☐ Rush

Due Date:

TAT starts the day received by the lab, if received by 4:30pm

Temp Blank: Yes ☒ No ☐

Wet Ice: Yes ☒ No ☐

Thermometer ID: 111

Correction Factor: N/A

Temperature Reading: 5.7

Corrected Temperature: 5.7

SAMPLE RECEIPT		Parameters		ANALYSIS REQUEST		Preservative Codes	
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	Sample Comments	
BH1		8-18	10 AM	48.5	C		
BH2							
BH3							
BH4							
BH5							
BH6							
BH7							
BH8							
BH9							
BH10							

Total 2007 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO₂ Na Sr Ti Sn U V Zn

Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		8/19/25 13:19			
3					
5					

Revised Date: 08/25/2020 Rev. 2002.2

Chain of Custody



Environment Testing
Xenco

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Work Order No: _____

www.xenco.com

Page 2 of 2

Project Manager:	Tracie Hecht	Bill to: (if different)	
Company Name:	American Safety	Company Name:	
Address:	8115 Andrews Hwy	Address:	
City, State ZIP:	Odessa, TX 79705	City, State ZIP:	
Phone:	432-888-5345	Email:	tracie@american.safety

Project Name:	Deep Ellum	Turn Around	☒ Routine ☐ Rush	Pres. Code	
Project Number:	444	Due Date:		Parameters	
Project Location:	New Mexico	TAT starts the day received by the lab, if received by 4:30pm		# of Cont	
Sampler's Name:	Tracie Hecht	Temp Blank:	Yes No	Wet Ice:	Yes No
PO #:		Temp Blank:	Yes No	Thermometer ID:	
SAMPLE RECEIPT		Temp Blank:	Yes No	Correction Factor:	
Samples Received Intact:		Temp Blank:	Yes No	Temperature Reading:	
Cooler Custody Seals:		Temp Blank:	Yes No	Corrected Temperature:	
Sample Custody Seals:		Temp Blank:	Yes No		
Total Containers:		Temp Blank:	Yes No		

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	Parameters	# of Cont
BH 11		8-18	10 AM	48.5"	C		
BH 12							
BH 13							
BH 14							
BH 15							
BH 16							
BH 17							
BH 18							
BH 19							
BH 20							

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed	TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U	Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		8/19/25 1519			
3					
5					

Revised Date: 08/25/2020 Rev. 2020.2

Login Sample Receipt Checklist

Client: American Safety Services Inc.

Job Number: 880-61698-1

SDG Number: 447

Login Number: 61698

List Number: 1

Creator: Kramer, Jessica

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Tracie Hecht
American Safety Services Inc.
8715 Andrews Hwy
Odessa, Texas 79765

Generated 8/27/2025 9:43:42 AM

JOB DESCRIPTION

Deep Ellum
New Mexico

JOB NUMBER

880-61923-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
8/27/2025 9:43:42 AM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Laboratory Job ID: 880-61923-1
SDG: New Mexico

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	10
QC Sample Results	11
QC Association Summary	15
Lab Chronicle	17
Certification Summary	19
Method Summary	20
Sample Summary	21
Chain of Custody	22
Receipt Checklists	23

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Definitions/Glossary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Qualifiers

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: American Safety Services Inc.
Project: Deep Ellum

Job ID: 880-61923-1

Job ID: 880-61923-1

Eurofins Midland

Job Narrative 880-61923-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 8/26/2025 8:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.8°C.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300_ORGFM_28D - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-117540 and analytical batch 880-117548 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Client Sample ID: BH 21

Lab Sample ID: 880-61923-1

Date Collected: 08/22/25 10:00

Matrix: Solid

Date Received: 08/26/25 08:30

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		08/26/25 09:34	08/26/25 13:49	1
Toluene	<0.00199	U	0.00199		mg/Kg		08/26/25 09:34	08/26/25 13:49	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		08/26/25 09:34	08/26/25 13:49	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		08/26/25 09:34	08/26/25 13:49	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		08/26/25 09:34	08/26/25 13:49	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		08/26/25 09:34	08/26/25 13:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130				08/26/25 09:34	08/26/25 13:49	1
1,4-Difluorobenzene (Surr)	92		70 - 130				08/26/25 09:34	08/26/25 13:49	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			08/26/25 13:49	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			08/26/25 22:20	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		08/22/25 09:30	08/26/25 22:20	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		08/22/25 09:30	08/26/25 22:20	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		08/22/25 09:30	08/26/25 22:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130				08/22/25 09:30	08/26/25 22:20	1
o-Terphenyl	82		70 - 130				08/22/25 09:30	08/26/25 22:20	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	30.8		9.96		mg/Kg			08/26/25 15:05	1

Client Sample ID: BH 22

Lab Sample ID: 880-61923-2

Date Collected: 08/22/25 10:00

Matrix: Solid

Date Received: 08/26/25 08:30

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		08/26/25 09:34	08/26/25 14:10	1
Toluene	<0.00200	U	0.00200		mg/Kg		08/26/25 09:34	08/26/25 14:10	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		08/26/25 09:34	08/26/25 14:10	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		08/26/25 09:34	08/26/25 14:10	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		08/26/25 09:34	08/26/25 14:10	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		08/26/25 09:34	08/26/25 14:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	82		70 - 130				08/26/25 09:34	08/26/25 14:10	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Client Sample ID: BH 22

Lab Sample ID: 880-61923-2

Date Collected: 08/22/25 10:00

Matrix: Solid

Date Received: 08/26/25 08:30

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	102		70 - 130	08/26/25 09:34	08/26/25 14:10	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			08/26/25 14:10	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/26/25 22:35	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/22/25 09:30	08/26/25 22:35	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/22/25 09:30	08/26/25 22:35	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/22/25 09:30	08/26/25 22:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130				08/22/25 09:30	08/26/25 22:35	1
o-Terphenyl	82		70 - 130				08/22/25 09:30	08/26/25 22:35	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	618		9.96		mg/Kg			08/26/25 15:22	1

Client Sample ID: BH 23

Lab Sample ID: 880-61923-3

Date Collected: 08/22/25 10:00

Matrix: Solid

Date Received: 08/26/25 08:30

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		08/26/25 09:34	08/26/25 14:30	1
Toluene	<0.00198	U	0.00198		mg/Kg		08/26/25 09:34	08/26/25 14:30	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		08/26/25 09:34	08/26/25 14:30	1
m-Xylene & p-Xylene	<0.00397	U	0.00397		mg/Kg		08/26/25 09:34	08/26/25 14:30	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		08/26/25 09:34	08/26/25 14:30	1
Xylenes, Total	<0.00397	U	0.00397		mg/Kg		08/26/25 09:34	08/26/25 14:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	08/26/25 09:34	08/26/25 14:30	1
1,4-Difluorobenzene (Surr)	100		70 - 130	08/26/25 09:34	08/26/25 14:30	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00397	U	0.00397		mg/Kg			08/26/25 14:30	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/26/25 22:51	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Client Sample ID: BH 23

Lab Sample ID: 880-61923-3

Date Collected: 08/22/25 10:00

Matrix: Solid

Date Received: 08/26/25 08:30

Sample Depth: 48.5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/22/25 09:30	08/26/25 22:51	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/22/25 09:30	08/26/25 22:51	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/22/25 09:30	08/26/25 22:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				08/22/25 09:30	08/26/25 22:51	1
o-Terphenyl	83		70 - 130				08/22/25 09:30	08/26/25 22:51	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	303		10.0		mg/Kg			08/26/25 15:27	1

Client Sample ID: BH 24

Lab Sample ID: 880-61923-4

Date Collected: 08/22/25 10:00

Matrix: Solid

Date Received: 08/26/25 08:30

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		08/26/25 09:34	08/26/25 14:51	1
Toluene	<0.00201	U	0.00201		mg/Kg		08/26/25 09:34	08/26/25 14:51	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		08/26/25 09:34	08/26/25 14:51	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		08/26/25 09:34	08/26/25 14:51	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		08/26/25 09:34	08/26/25 14:51	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		08/26/25 09:34	08/26/25 14:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130				08/26/25 09:34	08/26/25 14:51	1
1,4-Difluorobenzene (Surr)	91		70 - 130				08/26/25 09:34	08/26/25 14:51	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			08/26/25 14:51	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			08/26/25 23:06	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		08/22/25 09:30	08/26/25 23:06	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		08/22/25 09:30	08/26/25 23:06	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		08/22/25 09:30	08/26/25 23:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				08/22/25 09:30	08/26/25 23:06	1
o-Terphenyl	84		70 - 130				08/22/25 09:30	08/26/25 23:06	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Client Sample ID: BH 24
Date Collected: 08/22/25 10:00
Date Received: 08/26/25 08:30
Sample Depth: 48.5"

Lab Sample ID: 880-61923-4
Matrix: Solid

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	32.0		10.1		mg/Kg			08/26/25 15:33	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Surrogate Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-61923-1	BH 21	103	92
880-61923-2	BH 22	82	102
880-61923-3	BH 23	109	100
880-61923-4	BH 24	101	91
890-8722-A-1-H MS	Matrix Spike	103	109
890-8722-A-1-I MSD	Matrix Spike Duplicate	103	102
LCS 880-117553/1-A	Lab Control Sample	110	100
LCSD 880-117553/2-A	Lab Control Sample Dup	105	100
MB 880-117553/5-A	Method Blank	101	91
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-61815-A-1-D MS	Matrix Spike	92	85
880-61815-A-1-E MSD	Matrix Spike Duplicate	75	83
880-61923-1	BH 21	82	82
880-61923-2	BH 22	82	82
880-61923-3	BH 23	83	83
880-61923-4	BH 24	83	84
LCS 880-117346/2-A	Lab Control Sample	111	105
LCSD 880-117346/3-A	Lab Control Sample Dup	89	101
MB 880-117346/1-A	Method Blank	91	94
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-117553/5-A

Matrix: Solid

Analysis Batch: 117543

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 117553

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		08/26/25 09:34	08/26/25 12:26	1
Toluene	<0.00200	U	0.00200		mg/Kg		08/26/25 09:34	08/26/25 12:26	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		08/26/25 09:34	08/26/25 12:26	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		08/26/25 09:34	08/26/25 12:26	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		08/26/25 09:34	08/26/25 12:26	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		08/26/25 09:34	08/26/25 12:26	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	08/26/25 09:34	08/26/25 12:26	1
1,4-Difluorobenzene (Surr)	91		70 - 130	08/26/25 09:34	08/26/25 12:26	1

Lab Sample ID: LCS 880-117553/1-A

Matrix: Solid

Analysis Batch: 117543

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 117553

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09197		mg/Kg		92	70 - 130
Toluene	0.100	0.08865		mg/Kg		89	70 - 130
Ethylbenzene	0.100	0.09902		mg/Kg		99	70 - 130
m-Xylene & p-Xylene	0.200	0.1972		mg/Kg		99	70 - 130
o-Xylene	0.100	0.09687		mg/Kg		97	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	110		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: LCSD 880-117553/2-A

Matrix: Solid

Analysis Batch: 117543

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 117553

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.08525		mg/Kg		85	70 - 130	8	35
Toluene	0.100	0.07626		mg/Kg		76	70 - 130	15	35
Ethylbenzene	0.100	0.08507		mg/Kg		85	70 - 130	15	35
m-Xylene & p-Xylene	0.200	0.1662		mg/Kg		83	70 - 130	17	35
o-Xylene	0.100	0.08483		mg/Kg		85	70 - 130	13	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	105		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: 890-8722-A-1-H MS

Matrix: Solid

Analysis Batch: 117543

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 117553

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.08334		mg/Kg		83	70 - 130
Toluene	<0.00200	U	0.100	0.07975		mg/Kg		80	70 - 130

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-8722-A-1-H MS

Matrix: Solid

Analysis Batch: 117543

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 117553

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	<0.00200	U	0.100	0.09374		mg/Kg		94	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1878		mg/Kg		94	70 - 130
o-Xylene	<0.00200	U	0.100	0.09122		mg/Kg		91	70 - 130
Surrogate	%Recovery	MS Qualifier	MS Limits						
4-Bromofluorobenzene (Surr)	103		70 - 130						
1,4-Difluorobenzene (Surr)	109		70 - 130						

Lab Sample ID: 890-8722-A-1-I MSD

Matrix: Solid

Analysis Batch: 117543

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 117553

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.100	0.09027		mg/Kg		90	70 - 130	8	35
Toluene	<0.00200	U	0.100	0.08060		mg/Kg		81	70 - 130	1	35
Ethylbenzene	<0.00200	U	0.100	0.09135		mg/Kg		91	70 - 130	3	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1814		mg/Kg		91	70 - 130	4	35
o-Xylene	<0.00200	U	0.100	0.08904		mg/Kg		89	70 - 130	2	35
Surrogate	%Recovery	MSD Qualifier	MSD Limits								
4-Bromofluorobenzene (Surr)	103		70 - 130								
1,4-Difluorobenzene (Surr)	102		70 - 130								

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-117346/1-A

Matrix: Solid

Analysis Batch: 117571

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 117346

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/22/25 09:30	08/26/25 11:20	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/22/25 09:30	08/26/25 11:20	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/22/25 09:30	08/26/25 11:20	1
Surrogate	%Recovery	MB Qualifier	MB Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	91		70 - 130				08/22/25 09:30	08/26/25 11:20	1
o-Terphenyl	94		70 - 130				08/22/25 09:30	08/26/25 11:20	1

Lab Sample ID: LCS 880-117346/2-A

Matrix: Solid

Analysis Batch: 117571

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 117346

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1047		mg/Kg		105	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1061		mg/Kg		106	70 - 130

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-117346/2-A

Matrix: Solid

Analysis Batch: 117571

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 117346

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	111		70 - 130
o-Terphenyl	105		70 - 130

Lab Sample ID: LCSD 880-117346/3-A

Matrix: Solid

Analysis Batch: 117571

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 117346

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1026		mg/Kg		103	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	1000	1055		mg/Kg		105	70 - 130	1	20

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	89		70 - 130
o-Terphenyl	101		70 - 130

Lab Sample ID: 880-61815-A-1-D MS

Matrix: Solid

Analysis Batch: 117571

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 117346

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	880.0		mg/Kg		88	70 - 130
Diesel Range Organics (Over C10-C28)	<49.9	U	999	862.0		mg/Kg		83	70 - 130

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	92		70 - 130
o-Terphenyl	85		70 - 130

Lab Sample ID: 880-61815-A-1-E MSD

Matrix: Solid

Analysis Batch: 117571

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 117346

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	861.1		mg/Kg		86	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	<49.9	U	999	893.5		mg/Kg		86	70 - 130	4	20

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	75		70 - 130
o-Terphenyl	83		70 - 130

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-117540/1-A
Matrix: Solid
Analysis Batch: 117548

Client Sample ID: Method Blank
Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			08/26/25 13:05	1

Lab Sample ID: LCS 880-117540/2-A
Matrix: Solid
Analysis Batch: 117548

Client Sample ID: Lab Control Sample
Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	232.0		mg/Kg		93	90 - 110

Lab Sample ID: LCSD 880-117540/3-A
Matrix: Solid
Analysis Batch: 117548

Client Sample ID: Lab Control Sample Dup
Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	229.7		mg/Kg		92	90 - 110	1	20

Lab Sample ID: 880-61751-A-7-D MS
Matrix: Solid
Analysis Batch: 117548

Client Sample ID: Matrix Spike
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	2440	F1	1240	4046	F1	mg/Kg		129	90 - 110

Lab Sample ID: 880-61751-A-7-E MSD
Matrix: Solid
Analysis Batch: 117548

Client Sample ID: Matrix Spike Duplicate
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	2440	F1	1240	4021	F1	mg/Kg		127	90 - 110	1	20

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

GC VOA

Analysis Batch: 117543

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61923-1	BH 21	Total/NA	Solid	8021B	117553
880-61923-2	BH 22	Total/NA	Solid	8021B	117553
880-61923-3	BH 23	Total/NA	Solid	8021B	117553
880-61923-4	BH 24	Total/NA	Solid	8021B	117553
MB 880-117553/5-A	Method Blank	Total/NA	Solid	8021B	117553
LCS 880-117553/1-A	Lab Control Sample	Total/NA	Solid	8021B	117553
LCSD 880-117553/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	117553
890-8722-A-1-H MS	Matrix Spike	Total/NA	Solid	8021B	117553
890-8722-A-1-I MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	117553

Prep Batch: 117553

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61923-1	BH 21	Total/NA	Solid	5035	
880-61923-2	BH 22	Total/NA	Solid	5035	
880-61923-3	BH 23	Total/NA	Solid	5035	
880-61923-4	BH 24	Total/NA	Solid	5035	
MB 880-117553/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-117553/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-117553/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-8722-A-1-H MS	Matrix Spike	Total/NA	Solid	5035	
890-8722-A-1-I MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 117624

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61923-1	BH 21	Total/NA	Solid	Total BTEX	
880-61923-2	BH 22	Total/NA	Solid	Total BTEX	
880-61923-3	BH 23	Total/NA	Solid	Total BTEX	
880-61923-4	BH 24	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 117346

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61923-1	BH 21	Total/NA	Solid	8015NM Prep	
880-61923-2	BH 22	Total/NA	Solid	8015NM Prep	
880-61923-3	BH 23	Total/NA	Solid	8015NM Prep	
880-61923-4	BH 24	Total/NA	Solid	8015NM Prep	
MB 880-117346/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-117346/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-117346/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-61815-A-1-D MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
880-61815-A-1-E MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Analysis Batch: 117571

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61923-1	BH 21	Total/NA	Solid	8015B NM	117346
880-61923-2	BH 22	Total/NA	Solid	8015B NM	117346
880-61923-3	BH 23	Total/NA	Solid	8015B NM	117346
880-61923-4	BH 24	Total/NA	Solid	8015B NM	117346
MB 880-117346/1-A	Method Blank	Total/NA	Solid	8015B NM	117346
LCS 880-117346/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	117346

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

GC Semi VOA (Continued)

Analysis Batch: 117571 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 880-117346/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	117346
880-61815-A-1-D MS	Matrix Spike	Total/NA	Solid	8015B NM	117346
880-61815-A-1-E MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	117346

Analysis Batch: 117674

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61923-1	BH 21	Total/NA	Solid	8015 NM	
880-61923-2	BH 22	Total/NA	Solid	8015 NM	
880-61923-3	BH 23	Total/NA	Solid	8015 NM	
880-61923-4	BH 24	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 117540

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61923-1	BH 21	Soluble	Solid	DI Leach	
880-61923-2	BH 22	Soluble	Solid	DI Leach	
880-61923-3	BH 23	Soluble	Solid	DI Leach	
880-61923-4	BH 24	Soluble	Solid	DI Leach	
MB 880-117540/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-117540/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-117540/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-61751-A-7-D MS	Matrix Spike	Soluble	Solid	DI Leach	
880-61751-A-7-E MSD	Matrix Spike Duplicate	Soluble	Solid	DI Leach	

Analysis Batch: 117548

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61923-1	BH 21	Soluble	Solid	300.0	117540
880-61923-2	BH 22	Soluble	Solid	300.0	117540
880-61923-3	BH 23	Soluble	Solid	300.0	117540
880-61923-4	BH 24	Soluble	Solid	300.0	117540
MB 880-117540/1-A	Method Blank	Soluble	Solid	300.0	117540
LCS 880-117540/2-A	Lab Control Sample	Soluble	Solid	300.0	117540
LCSD 880-117540/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	117540
880-61751-A-7-D MS	Matrix Spike	Soluble	Solid	300.0	117540
880-61751-A-7-E MSD	Matrix Spike Duplicate	Soluble	Solid	300.0	117540

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Client Sample ID: BH 21**Lab Sample ID: 880-61923-1****Date Collected: 08/22/25 10:00****Matrix: Solid****Date Received: 08/26/25 08:30**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	117553	08/26/25 09:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117543	08/26/25 13:49	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117624	08/26/25 13:49	SA	EET MID
Total/NA	Analysis	8015 NM		1			117674	08/26/25 22:20	SA	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10 mL	117346	08/22/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117571	08/26/25 22:20	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	117540	08/26/25 08:54	SA	EET MID
Soluble	Analysis	300.0		1			117548	08/26/25 15:05	CS	EET MID

Client Sample ID: BH 22**Lab Sample ID: 880-61923-2****Date Collected: 08/22/25 10:00****Matrix: Solid****Date Received: 08/26/25 08:30**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	117553	08/26/25 09:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117543	08/26/25 14:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117624	08/26/25 14:10	SA	EET MID
Total/NA	Analysis	8015 NM		1			117674	08/26/25 22:35	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	117346	08/22/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117571	08/26/25 22:35	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	117540	08/26/25 08:54	SA	EET MID
Soluble	Analysis	300.0		1			117548	08/26/25 15:22	CS	EET MID

Client Sample ID: BH 23**Lab Sample ID: 880-61923-3****Date Collected: 08/22/25 10:00****Matrix: Solid****Date Received: 08/26/25 08:30**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	117553	08/26/25 09:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117543	08/26/25 14:30	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117624	08/26/25 14:30	SA	EET MID
Total/NA	Analysis	8015 NM		1			117674	08/26/25 22:51	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	117346	08/22/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117571	08/26/25 22:51	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	117540	08/26/25 08:54	SA	EET MID
Soluble	Analysis	300.0		1			117548	08/26/25 15:27	CS	EET MID

Client Sample ID: BH 24**Lab Sample ID: 880-61923-4****Date Collected: 08/22/25 10:00****Matrix: Solid****Date Received: 08/26/25 08:30**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	117553	08/26/25 09:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117543	08/26/25 14:51	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117624	08/26/25 14:51	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Client Sample ID: BH 24
Date Collected: 08/22/25 10:00
Date Received: 08/26/25 08:30

Lab Sample ID: 880-61923-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			117674	08/26/25 23:06	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	117346	08/22/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117571	08/26/25 23:06	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	117540	08/26/25 08:54	SA	EET MID
Soluble	Analysis	300.0		1			117548	08/26/25 15:33	CS	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61923-1
SDG: New Mexico

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-61923-1	BH 21	Solid	08/22/25 10:00	08/26/25 08:30	48.5"
880-61923-2	BH 22	Solid	08/22/25 10:00	08/26/25 08:30	48.5"
880-61923-3	BH 23	Solid	08/22/25 10:00	08/26/25 08:30	48.5"
880-61923-4	BH 24	Solid	08/22/25 10:00	08/26/25 08:30	48.5"

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199



Environment Testing
Xenco



880-61923 Chain of Custody

www.xenco.com Page 1 of 1

Work Order Comments

Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐
State of Project: Reporting: Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐
Deliverables: EDD ☐ ADaPT ☐ Other:

Project Manager: **TRACIO HUENT**
Company Name: **AMERICAN SAFETY**
Address: **815 Anguiano**
City, State ZIP: **OCKSIA TX**
Phone: **432 888 5351** Email:

Project Name: **DEEP ELIUM**
Project Number: **441**
Project Location: **ALUMINUM**
Sampler's Name: **DANIELA CALONI**
PO #: **432 888 5351**

SAMPLE RECEIPT
Samples Received Intact: Yes ☒ No ☐
Cooler Custody Seals: Yes ☒ No ☐
Sample Custody Seals: Yes ☒ No ☐
Total Containers: **5**

Turn Around: Routine ☐ Rush ☒
Due Date: **8/4/18**
TAT starts the day received by the lab, if received by 4:30pm

Wet Ice: Yes ☒ No ☐
Thermometer ID: **1-5**
Correction Factor: **0.9**
Temperature Reading: **5.8**
Corrected Temperature: **5.8**

ANALYSIS REQUEST

Parameters	Pres. Code
None: NO	
DI Water: H ₂ O	
Cool: Cool	
HCL: HC	
H ₂ SO ₄ : H ₂	
H ₃ PO ₄ : HP	
NaHSO ₄ : NABIS	
Na ₂ S ₂ O ₃ : NaSO ₃	
Zn Acetate+NaOH: Zn	
NaOH+Ascorbic Acid: SAPC	

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont	Parameters	Pres. Code	ANALYSIS REQUEST	Preservative Codes	Sample Comments
BH 21		8/28	10 am	48.5'	↓	1	X TPH 6W8015 medium				
BH 22		8/28	10 am	48.5'	↓	1	X TPH 701 nm				
BH 23		8/28	10 am	48.5'	↓	1	X BTEX TPH 6021B nm				
BH 24		8/28	10 am	48.5'	↓	1					

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco. Its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		8/28/18 8:30			
3					
5					

Revised Date: 08/15/2020 Rev. 2020.2

Login Sample Receipt Checklist

Client: American Safety Services Inc.

Job Number: 880-61923-1

SDG Number: New Mexico

Login Number: 61923

List Number: 1

Creator: Vasquez, Julisa

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Tracie Hecht
American Safety Services Inc.
8715 Andrews Hwy
Odessa, Texas 79765

Generated 8/21/2025 10:33:44 AM

JOB DESCRIPTION

Deep Ellum
Elevate NM

JOB NUMBER

880-61632-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
8/21/2025 10:33:44 AM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Laboratory Job ID: 880-61632-1
SDG: Elevate NM

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	19
Lab Chronicle	22
Certification Summary	26
Method Summary	27
Sample Summary	28
Chain of Custody	29
Receipt Checklists	30

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*1	LCS/LCSD RPD exceeds control limits.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: American Safety Services Inc.
Project: Deep Ellum

Job ID: 880-61632-1

Job ID: 880-61632-1

Eurofins Midland

Job Narrative
880-61632-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 8/19/2025 8:50 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.8°C.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015MOD_NM: Surrogate recovery for the following sample was outside control limits: (LCS 880-117024/2-A). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD_NM: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 880-117024 and analytical batch 880-117136 recovered outside control limits for the following analytes: Gasoline Range Organics (GRO)-C6-C10.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Client Sample ID: SW1-N

Lab Sample ID: 880-61632-1

Date Collected: 08/18/25 13:04

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/19/25 22:28	1
Toluene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/19/25 22:28	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/19/25 22:28	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		08/19/25 09:48	08/19/25 22:28	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/19/25 22:28	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		08/19/25 09:48	08/19/25 22:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	08/19/25 09:48	08/19/25 22:28	1
1,4-Difluorobenzene (Surr)	86		70 - 130	08/19/25 09:48	08/19/25 22:28	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			08/19/25 22:28	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			08/20/25 13:16	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U *1	49.8		mg/Kg		08/19/25 09:06	08/20/25 13:16	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		08/19/25 09:06	08/20/25 13:16	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		08/19/25 09:06	08/20/25 13:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130	08/19/25 09:06	08/20/25 13:16	1
o-Terphenyl	124		70 - 130	08/19/25 09:06	08/20/25 13:16	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.3		10.0		mg/Kg			08/19/25 16:34	1

Client Sample ID: SW2-W

Lab Sample ID: 880-61632-2

Date Collected: 08/18/25 13:08

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/19/25 22:49	1
Toluene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/19/25 22:49	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/19/25 22:49	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		08/19/25 09:48	08/19/25 22:49	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/19/25 22:49	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		08/19/25 09:48	08/19/25 22:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	08/19/25 09:48	08/19/25 22:49	1
1,4-Difluorobenzene (Surr)	87		70 - 130	08/19/25 09:48	08/19/25 22:49	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Client Sample ID: SW2-W

Lab Sample ID: 880-61632-2

Date Collected: 08/18/25 13:08

Matrix: Solid

Date Received: 08/19/25 08:50

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			08/19/25 22:49	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	50.9		49.9		mg/Kg			08/20/25 13:36	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		08/19/25 09:06	08/20/25 13:36	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		08/19/25 09:06	08/20/25 13:36	1
Oil Range Organics (Over C28-C36)	50.9		49.9		mg/Kg		08/19/25 09:06	08/20/25 13:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130				08/19/25 09:06	08/20/25 13:36	1
o-Terphenyl	124		70 - 130				08/19/25 09:06	08/20/25 13:36	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	63.9		10.0		mg/Kg			08/19/25 16:57	1

Client Sample ID: SW3-W

Lab Sample ID: 880-61632-3

Date Collected: 08/18/25 13:13

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		08/19/25 09:48	08/19/25 23:09	1
Toluene	<0.00202	U	0.00202		mg/Kg		08/19/25 09:48	08/19/25 23:09	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		08/19/25 09:48	08/19/25 23:09	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		08/19/25 09:48	08/19/25 23:09	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		08/19/25 09:48	08/19/25 23:09	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		08/19/25 09:48	08/19/25 23:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	123		70 - 130				08/19/25 09:48	08/19/25 23:09	1
1,4-Difluorobenzene (Surr)	89		70 - 130				08/19/25 09:48	08/19/25 23:09	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			08/19/25 23:09	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/20/25 13:51	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		08/19/25 09:06	08/20/25 13:51	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Client Sample ID: SW3-W

Lab Sample ID: 880-61632-3

Date Collected: 08/18/25 13:13

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 13:51	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 13:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130				08/19/25 09:06	08/20/25 13:51	1
o-Terphenyl	122		70 - 130				08/19/25 09:06	08/20/25 13:51	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	181		9.98		mg/Kg			08/19/25 17:04	1

Client Sample ID: SW4-W

Lab Sample ID: 880-61632-4

Date Collected: 08/18/25 13:25

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		08/19/25 09:48	08/19/25 23:29	1
Toluene	<0.00199	U	0.00199		mg/Kg		08/19/25 09:48	08/19/25 23:29	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		08/19/25 09:48	08/19/25 23:29	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		08/19/25 09:48	08/19/25 23:29	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		08/19/25 09:48	08/19/25 23:29	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		08/19/25 09:48	08/19/25 23:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130				08/19/25 09:48	08/19/25 23:29	1
1,4-Difluorobenzene (Surr)	91		70 - 130				08/19/25 09:48	08/19/25 23:29	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			08/19/25 23:29	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			08/20/25 14:06	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U *1	49.8		mg/Kg		08/19/25 09:06	08/20/25 14:06	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		08/19/25 09:06	08/20/25 14:06	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		08/19/25 09:06	08/20/25 14:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				08/19/25 09:06	08/20/25 14:06	1
o-Terphenyl	124		70 - 130				08/19/25 09:06	08/20/25 14:06	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	97.1		9.96		mg/Kg			08/19/25 17:12	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Client Sample ID: SW5-W

Lab Sample ID: 880-61632-5

Date Collected: 08/18/25 13:27

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/19/25 23:50	1
Toluene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/19/25 23:50	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/19/25 23:50	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		08/19/25 09:48	08/19/25 23:50	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/19/25 23:50	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		08/19/25 09:48	08/19/25 23:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130	08/19/25 09:48	08/19/25 23:50	1
1,4-Difluorobenzene (Surr)	87		70 - 130	08/19/25 09:48	08/19/25 23:50	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			08/19/25 23:50	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/20/25 14:22	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		08/19/25 09:06	08/20/25 14:22	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 14:22	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 14:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130	08/19/25 09:06	08/20/25 14:22	1
o-Terphenyl	120		70 - 130	08/19/25 09:06	08/20/25 14:22	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			08/19/25 17:19	1

Client Sample ID: SW6-S

Lab Sample ID: 880-61632-6

Date Collected: 08/18/25 13:30

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		08/19/25 09:48	08/20/25 00:10	1
Toluene	<0.00200	U	0.00200		mg/Kg		08/19/25 09:48	08/20/25 00:10	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		08/19/25 09:48	08/20/25 00:10	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		08/19/25 09:48	08/20/25 00:10	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		08/19/25 09:48	08/20/25 00:10	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		08/19/25 09:48	08/20/25 00:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130	08/19/25 09:48	08/20/25 00:10	1
1,4-Difluorobenzene (Surr)	86		70 - 130	08/19/25 09:48	08/20/25 00:10	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Client Sample ID: SW6-S

Lab Sample ID: 880-61632-6

Date Collected: 08/18/25 13:30

Matrix: Solid

Date Received: 08/19/25 08:50

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			08/20/25 00:10	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			08/20/25 14:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		08/19/25 09:06	08/20/25 14:38	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		08/19/25 09:06	08/20/25 14:38	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		08/19/25 09:06	08/20/25 14:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	110		70 - 130				08/19/25 09:06	08/20/25 14:38	1
o-Terphenyl	121		70 - 130				08/19/25 09:06	08/20/25 14:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21.4		10.1		mg/Kg			08/19/25 17:42	1

Client Sample ID: SW7-E

Lab Sample ID: 880-61632-7

Date Collected: 08/18/25 13:34

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/20/25 01:44	1
Toluene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/20/25 01:44	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/20/25 01:44	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		08/19/25 09:48	08/20/25 01:44	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/20/25 01:44	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		08/19/25 09:48	08/20/25 01:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130				08/19/25 09:48	08/20/25 01:44	1
1,4-Difluorobenzene (Surr)	87		70 - 130				08/19/25 09:48	08/20/25 01:44	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			08/20/25 01:44	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/20/25 14:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		08/19/25 09:06	08/20/25 14:53	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 14:53	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Client Sample ID: SW7-E

Lab Sample ID: 880-61632-7

Date Collected: 08/18/25 13:34

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 14:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	110		70 - 130				08/19/25 09:06	08/20/25 14:53	1
o-Terphenyl	126		70 - 130				08/19/25 09:06	08/20/25 14:53	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	33.4		10.1		mg/Kg			08/19/25 17:50	1

Client Sample ID: SW8-E

Lab Sample ID: 880-61632-8

Date Collected: 08/18/25 13:30

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		08/19/25 09:48	08/20/25 02:04	1
Toluene	<0.00199	U	0.00199		mg/Kg		08/19/25 09:48	08/20/25 02:04	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		08/19/25 09:48	08/20/25 02:04	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		08/19/25 09:48	08/20/25 02:04	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		08/19/25 09:48	08/20/25 02:04	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		08/19/25 09:48	08/20/25 02:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130				08/19/25 09:48	08/20/25 02:04	1
1,4-Difluorobenzene (Surr)	90		70 - 130				08/19/25 09:48	08/20/25 02:04	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			08/20/25 02:04	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/20/25 15:09	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		08/19/25 09:06	08/20/25 15:09	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 15:09	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 15:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130				08/19/25 09:06	08/20/25 15:09	1
o-Terphenyl	120		70 - 130				08/19/25 09:06	08/20/25 15:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			08/19/25 17:57	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Client Sample ID: SW9-E

Lab Sample ID: 880-61632-9

Date Collected: 08/18/25 13:38

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/20/25 02:25	1
Toluene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/20/25 02:25	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/20/25 02:25	1
m-Xylene & p-Xylene	<0.00397	U	0.00397		mg/Kg		08/19/25 09:48	08/20/25 02:25	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		08/19/25 09:48	08/20/25 02:25	1
Xylenes, Total	<0.00397	U	0.00397		mg/Kg		08/19/25 09:48	08/20/25 02:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130				08/19/25 09:48	08/20/25 02:25	1
1,4-Difluorobenzene (Surr)	93		70 - 130				08/19/25 09:48	08/20/25 02:25	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00397	U	0.00397		mg/Kg			08/20/25 02:25	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			08/20/25 15:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		08/19/25 09:06	08/20/25 15:24	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 15:24	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 15:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130				08/19/25 09:06	08/20/25 15:24	1
o-Terphenyl	127		70 - 130				08/19/25 09:06	08/20/25 15:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.96	U	9.96		mg/Kg			08/19/25 18:05	1

Client Sample ID: SW10-E

Lab Sample ID: 880-61632-10

Date Collected: 08/18/25 13:46

Matrix: Solid

Date Received: 08/19/25 08:50

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/20/25 02:45	1
Toluene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/20/25 02:45	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/20/25 02:45	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		08/19/25 09:48	08/20/25 02:45	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		08/19/25 09:48	08/20/25 02:45	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		08/19/25 09:48	08/20/25 02:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130				08/19/25 09:48	08/20/25 02:45	1
1,4-Difluorobenzene (Surr)	87		70 - 130				08/19/25 09:48	08/20/25 02:45	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Client Sample ID: SW10-E

Lab Sample ID: 880-61632-10

Date Collected: 08/18/25 13:46

Matrix: Solid

Date Received: 08/19/25 08:50

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			08/20/25 02:45	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.2	U	50.2		mg/Kg			08/20/25 15:40	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U *1	50.2		mg/Kg		08/19/25 09:06	08/20/25 15:40	1
Diesel Range Organics (Over C10-C28)	<50.2	U	50.2		mg/Kg		08/19/25 09:06	08/20/25 15:40	1
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		08/19/25 09:06	08/20/25 15:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130				08/19/25 09:06	08/20/25 15:40	1
o-Terphenyl	127		70 - 130				08/19/25 09:06	08/20/25 15:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			08/19/25 18:12	1

Surrogate Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	BFB1	DFBZ1				
		(70-130)	(70-130)				
880-61594-A-1-C MS	Matrix Spike	125	91				
880-61594-A-1-D MSD	Matrix Spike Duplicate	118	93				
880-61632-1	SW1-N	113	86				
880-61632-2	SW2-W	115	87				
880-61632-3	SW3-W	123	89				
880-61632-4	SW4-W	109	91				
880-61632-5	SW5-W	118	87				
880-61632-6	SW6-S	120	86				
880-61632-7	SW7-E	110	87				
880-61632-8	SW8-E	120	90				
880-61632-9	SW9-E	105	93				
880-61632-10	SW10-E	117	87				
LCS 880-116965/1-A	Lab Control Sample	118	94				
LCSD 880-116965/2-A	Lab Control Sample Dup	124	89				
MB 880-116965/5-A	Method Blank	109	82				
Surrogate Legend							
BFB = 4-Bromofluorobenzene (Surr)							
DFBZ = 1,4-Difluorobenzene (Surr)							

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	1CO1	OTPH1				
		(70-130)	(70-130)				
880-61632-1	SW1-N	111	124				
880-61632-2	SW2-W	111	124				
880-61632-3	SW3-W	108	122				
880-61632-4	SW4-W	112	124				
880-61632-5	SW5-W	108	120				
880-61632-6	SW6-S	110	121				
880-61632-7	SW7-E	110	126				
880-61632-8	SW8-E	107	120				
880-61632-9	SW9-E	108	127				
880-61632-10	SW10-E	113	127				
890-8638-A-1-C MS	Matrix Spike	114	116				
890-8638-A-1-D MSD	Matrix Spike Duplicate	114	117				
LCS 880-117024/2-A	Lab Control Sample	126	131 S1+				
LCSD 880-117024/3-A	Lab Control Sample Dup	105	109				
MB 880-117024/1-A	Method Blank	101	114				
Surrogate Legend							
1CO = 1-Chlorooctane							
OTPH = o-Terphenyl							

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-116965/5-A

Matrix: Solid

Analysis Batch: 117012

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 116965

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		08/18/25 14:17	08/19/25 20:45	1
Toluene	<0.00200	U	0.00200		mg/Kg		08/18/25 14:17	08/19/25 20:45	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		08/18/25 14:17	08/19/25 20:45	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		08/18/25 14:17	08/19/25 20:45	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		08/18/25 14:17	08/19/25 20:45	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		08/18/25 14:17	08/19/25 20:45	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	08/18/25 14:17	08/19/25 20:45	1
1,4-Difluorobenzene (Surr)	82		70 - 130	08/18/25 14:17	08/19/25 20:45	1

Lab Sample ID: LCS 880-116965/1-A

Matrix: Solid

Analysis Batch: 117012

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 116965

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1059		mg/Kg		106	70 - 130
Toluene	0.100	0.09867		mg/Kg		99	70 - 130
Ethylbenzene	0.100	0.1108		mg/Kg		111	70 - 130
m-Xylene & p-Xylene	0.200	0.2163		mg/Kg		108	70 - 130
o-Xylene	0.100	0.1093		mg/Kg		109	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	118		70 - 130
1,4-Difluorobenzene (Surr)	94		70 - 130

Lab Sample ID: LCSD 880-116965/2-A

Matrix: Solid

Analysis Batch: 117012

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 116965

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1015		mg/Kg		101	70 - 130	4	35
Toluene	0.100	0.09997		mg/Kg		100	70 - 130	1	35
Ethylbenzene	0.100	0.1134		mg/Kg		113	70 - 130	2	35
m-Xylene & p-Xylene	0.200	0.2238		mg/Kg		112	70 - 130	3	35
o-Xylene	0.100	0.1133		mg/Kg		113	70 - 130	4	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	124		70 - 130
1,4-Difluorobenzene (Surr)	89		70 - 130

Lab Sample ID: 880-61594-A-1-C MS

Matrix: Solid

Analysis Batch: 117012

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 116965

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.09454		mg/Kg		95	70 - 130
Toluene	<0.00200	U	0.100	0.09342		mg/Kg		93	70 - 130

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-61594-A-1-C MS

Matrix: Solid

Analysis Batch: 117012

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 116965

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	<0.00200	U	0.100	0.1063		mg/Kg		106	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2092		mg/Kg		105	70 - 130
o-Xylene	<0.00200	U	0.100	0.1048		mg/Kg		105	70 - 130
Surrogate	MS %Recovery	MS Qualifier	MS Limits						
4-Bromofluorobenzene (Surr)	125		70 - 130						
1,4-Difluorobenzene (Surr)	91		70 - 130						

Lab Sample ID: 880-61594-A-1-D MSD

Matrix: Solid

Analysis Batch: 117012

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 116965

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.100	0.09437		mg/Kg		94	70 - 130	0	35
Toluene	<0.00200	U	0.100	0.08830		mg/Kg		88	70 - 130	6	35
Ethylbenzene	<0.00200	U	0.100	0.09913		mg/Kg		99	70 - 130	7	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1921		mg/Kg		96	70 - 130	9	35
o-Xylene	<0.00200	U	0.100	0.09514		mg/Kg		95	70 - 130	10	35
Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits								
4-Bromofluorobenzene (Surr)	118		70 - 130								
1,4-Difluorobenzene (Surr)	93		70 - 130								

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-117024/1-A

Matrix: Solid

Analysis Batch: 117136

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 117024

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 06:58	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 06:58	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		08/19/25 09:06	08/20/25 06:58	1
Surrogate	MB %Recovery	MB Qualifier	MB Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				08/19/25 09:06	08/20/25 06:58	1
o-Terphenyl	114		70 - 130				08/19/25 09:06	08/20/25 06:58	1

Lab Sample ID: LCS 880-117024/2-A

Matrix: Solid

Analysis Batch: 117136

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 117024

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1247		mg/Kg		125	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1115		mg/Kg		112	70 - 130

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-117024/2-A

Matrix: Solid

Analysis Batch: 117136

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 117024

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	126		70 - 130
o-Terphenyl	131	S1+	70 - 130

Lab Sample ID: LCSD 880-117024/3-A

Matrix: Solid

Analysis Batch: 117136

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 117024

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1010	*1	mg/Kg		101	70 - 130	21	20
Diesel Range Organics (Over C10-C28)	1000	908.2		mg/Kg		91	70 - 130	20	20

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	105		70 - 130
o-Terphenyl	109		70 - 130

Lab Sample ID: 890-8638-A-1-C MS

Matrix: Solid

Analysis Batch: 117136

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 117024

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	999	997.9		mg/Kg		100	70 - 130
Diesel Range Organics (Over C10-C28)	<49.9	U	999	922.8		mg/Kg		92	70 - 130

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	114		70 - 130
o-Terphenyl	116		70 - 130

Lab Sample ID: 890-8638-A-1-D MSD

Matrix: Solid

Analysis Batch: 117136

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 117024

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	999	1001		mg/Kg		100	70 - 130	0	20
Diesel Range Organics (Over C10-C28)	<49.9	U	999	915.9		mg/Kg		92	70 - 130	1	20

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	114		70 - 130
o-Terphenyl	117		70 - 130

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-117037/1-A
Matrix: Solid
Analysis Batch: 117070

Client Sample ID: Method Blank
Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			08/19/25 16:11	1

Lab Sample ID: LCS 880-117037/2-A
Matrix: Solid
Analysis Batch: 117070

Client Sample ID: Lab Control Sample
Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	243.1		mg/Kg		97	90 - 110

Lab Sample ID: LCSD 880-117037/3-A
Matrix: Solid
Analysis Batch: 117070

Client Sample ID: Lab Control Sample Dup
Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	232.0		mg/Kg		93	90 - 110	5	20

Lab Sample ID: 880-61632-1 MS
Matrix: Solid
Analysis Batch: 117070

Client Sample ID: SW1-N
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.3		251	265.1		mg/Kg		102	90 - 110

Lab Sample ID: 880-61632-1 MSD
Matrix: Solid
Analysis Batch: 117070

Client Sample ID: SW1-N
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.3		251	254.9		mg/Kg		97	90 - 110	4	20

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

GC VOA

Prep Batch: 116965

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61632-1	SW1-N	Total/NA	Solid	5035	
880-61632-2	SW2-W	Total/NA	Solid	5035	
880-61632-3	SW3-W	Total/NA	Solid	5035	
880-61632-4	SW4-W	Total/NA	Solid	5035	
880-61632-5	SW5-W	Total/NA	Solid	5035	
880-61632-6	SW6-S	Total/NA	Solid	5035	
880-61632-7	SW7-E	Total/NA	Solid	5035	
880-61632-8	SW8-E	Total/NA	Solid	5035	
880-61632-9	SW9-E	Total/NA	Solid	5035	
880-61632-10	SW10-E	Total/NA	Solid	5035	
MB 880-116965/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-116965/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-116965/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-61594-A-1-C MS	Matrix Spike	Total/NA	Solid	5035	
880-61594-A-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 117012

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61632-1	SW1-N	Total/NA	Solid	8021B	116965
880-61632-2	SW2-W	Total/NA	Solid	8021B	116965
880-61632-3	SW3-W	Total/NA	Solid	8021B	116965
880-61632-4	SW4-W	Total/NA	Solid	8021B	116965
880-61632-5	SW5-W	Total/NA	Solid	8021B	116965
880-61632-6	SW6-S	Total/NA	Solid	8021B	116965
880-61632-7	SW7-E	Total/NA	Solid	8021B	116965
880-61632-8	SW8-E	Total/NA	Solid	8021B	116965
880-61632-9	SW9-E	Total/NA	Solid	8021B	116965
880-61632-10	SW10-E	Total/NA	Solid	8021B	116965
MB 880-116965/5-A	Method Blank	Total/NA	Solid	8021B	116965
LCS 880-116965/1-A	Lab Control Sample	Total/NA	Solid	8021B	116965
LCSD 880-116965/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	116965
880-61594-A-1-C MS	Matrix Spike	Total/NA	Solid	8021B	116965
880-61594-A-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	116965

Analysis Batch: 117127

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61632-1	SW1-N	Total/NA	Solid	Total BTEX	
880-61632-2	SW2-W	Total/NA	Solid	Total BTEX	
880-61632-3	SW3-W	Total/NA	Solid	Total BTEX	
880-61632-4	SW4-W	Total/NA	Solid	Total BTEX	
880-61632-5	SW5-W	Total/NA	Solid	Total BTEX	
880-61632-6	SW6-S	Total/NA	Solid	Total BTEX	
880-61632-7	SW7-E	Total/NA	Solid	Total BTEX	
880-61632-8	SW8-E	Total/NA	Solid	Total BTEX	
880-61632-9	SW9-E	Total/NA	Solid	Total BTEX	
880-61632-10	SW10-E	Total/NA	Solid	Total BTEX	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

GC Semi VOA

Prep Batch: 117024

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61632-1	SW1-N	Total/NA	Solid	8015NM Prep	
880-61632-2	SW2-W	Total/NA	Solid	8015NM Prep	
880-61632-3	SW3-W	Total/NA	Solid	8015NM Prep	
880-61632-4	SW4-W	Total/NA	Solid	8015NM Prep	
880-61632-5	SW5-W	Total/NA	Solid	8015NM Prep	
880-61632-6	SW6-S	Total/NA	Solid	8015NM Prep	
880-61632-7	SW7-E	Total/NA	Solid	8015NM Prep	
880-61632-8	SW8-E	Total/NA	Solid	8015NM Prep	
880-61632-9	SW9-E	Total/NA	Solid	8015NM Prep	
880-61632-10	SW10-E	Total/NA	Solid	8015NM Prep	
MB 880-117024/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-117024/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-117024/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-8638-A-1-C MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
890-8638-A-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Analysis Batch: 117136

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61632-1	SW1-N	Total/NA	Solid	8015B NM	117024
880-61632-2	SW2-W	Total/NA	Solid	8015B NM	117024
880-61632-3	SW3-W	Total/NA	Solid	8015B NM	117024
880-61632-4	SW4-W	Total/NA	Solid	8015B NM	117024
880-61632-5	SW5-W	Total/NA	Solid	8015B NM	117024
880-61632-6	SW6-S	Total/NA	Solid	8015B NM	117024
880-61632-7	SW7-E	Total/NA	Solid	8015B NM	117024
880-61632-8	SW8-E	Total/NA	Solid	8015B NM	117024
880-61632-9	SW9-E	Total/NA	Solid	8015B NM	117024
880-61632-10	SW10-E	Total/NA	Solid	8015B NM	117024
MB 880-117024/1-A	Method Blank	Total/NA	Solid	8015B NM	117024
LCS 880-117024/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	117024
LCSD 880-117024/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	117024
890-8638-A-1-C MS	Matrix Spike	Total/NA	Solid	8015B NM	117024
890-8638-A-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	117024

Analysis Batch: 117192

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61632-1	SW1-N	Total/NA	Solid	8015 NM	
880-61632-2	SW2-W	Total/NA	Solid	8015 NM	
880-61632-3	SW3-W	Total/NA	Solid	8015 NM	
880-61632-4	SW4-W	Total/NA	Solid	8015 NM	
880-61632-5	SW5-W	Total/NA	Solid	8015 NM	
880-61632-6	SW6-S	Total/NA	Solid	8015 NM	
880-61632-7	SW7-E	Total/NA	Solid	8015 NM	
880-61632-8	SW8-E	Total/NA	Solid	8015 NM	
880-61632-9	SW9-E	Total/NA	Solid	8015 NM	
880-61632-10	SW10-E	Total/NA	Solid	8015 NM	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

HPLC/IC

Leach Batch: 117037

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61632-1	SW1-N	Soluble	Solid	DI Leach	
880-61632-2	SW2-W	Soluble	Solid	DI Leach	
880-61632-3	SW3-W	Soluble	Solid	DI Leach	
880-61632-4	SW4-W	Soluble	Solid	DI Leach	
880-61632-5	SW5-W	Soluble	Solid	DI Leach	
880-61632-6	SW6-S	Soluble	Solid	DI Leach	
880-61632-7	SW7-E	Soluble	Solid	DI Leach	
880-61632-8	SW8-E	Soluble	Solid	DI Leach	
880-61632-9	SW9-E	Soluble	Solid	DI Leach	
880-61632-10	SW10-E	Soluble	Solid	DI Leach	
MB 880-117037/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-117037/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-117037/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-61632-1 MS	SW1-N	Soluble	Solid	DI Leach	
880-61632-1 MSD	SW1-N	Soluble	Solid	DI Leach	

Analysis Batch: 117070

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-61632-1	SW1-N	Soluble	Solid	300.0	117037
880-61632-2	SW2-W	Soluble	Solid	300.0	117037
880-61632-3	SW3-W	Soluble	Solid	300.0	117037
880-61632-4	SW4-W	Soluble	Solid	300.0	117037
880-61632-5	SW5-W	Soluble	Solid	300.0	117037
880-61632-6	SW6-S	Soluble	Solid	300.0	117037
880-61632-7	SW7-E	Soluble	Solid	300.0	117037
880-61632-8	SW8-E	Soluble	Solid	300.0	117037
880-61632-9	SW9-E	Soluble	Solid	300.0	117037
880-61632-10	SW10-E	Soluble	Solid	300.0	117037
MB 880-117037/1-A	Method Blank	Soluble	Solid	300.0	117037
LCS 880-117037/2-A	Lab Control Sample	Soluble	Solid	300.0	117037
LCSD 880-117037/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	117037
880-61632-1 MS	SW1-N	Soluble	Solid	300.0	117037
880-61632-1 MSD	SW1-N	Soluble	Solid	300.0	117037

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Client Sample ID: SW1-N

Lab Sample ID: 880-61632-1

Date Collected: 08/18/25 13:04

Matrix: Solid

Date Received: 08/19/25 08:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	116965	08/19/25 09:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117012	08/19/25 22:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117127	08/19/25 22:28	SA	EET MID
Total/NA	Analysis	8015 NM		1			117192	08/20/25 13:16	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	117024	08/19/25 09:06	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117136	08/20/25 13:16	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	117037	08/19/25 10:04	SMC	EET MID
Soluble	Analysis	300.0		1			117070	08/19/25 16:34	SMC	EET MID

Client Sample ID: SW2-W

Lab Sample ID: 880-61632-2

Date Collected: 08/18/25 13:08

Matrix: Solid

Date Received: 08/19/25 08:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	116965	08/19/25 09:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117012	08/19/25 22:49	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117127	08/19/25 22:49	SA	EET MID
Total/NA	Analysis	8015 NM		1			117192	08/20/25 13:36	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	117024	08/19/25 09:06	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117136	08/20/25 13:36	TKC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	117037	08/19/25 10:04	SMC	EET MID
Soluble	Analysis	300.0		1			117070	08/19/25 16:57	SMC	EET MID

Client Sample ID: SW3-W

Lab Sample ID: 880-61632-3

Date Collected: 08/18/25 13:13

Matrix: Solid

Date Received: 08/19/25 08:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	116965	08/19/25 09:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117012	08/19/25 23:09	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117127	08/19/25 23:09	SA	EET MID
Total/NA	Analysis	8015 NM		1			117192	08/20/25 13:51	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	117024	08/19/25 09:06	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117136	08/20/25 13:51	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	117037	08/19/25 10:04	SMC	EET MID
Soluble	Analysis	300.0		1			117070	08/19/25 17:04	SMC	EET MID

Client Sample ID: SW4-W

Lab Sample ID: 880-61632-4

Date Collected: 08/18/25 13:25

Matrix: Solid

Date Received: 08/19/25 08:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	116965	08/19/25 09:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117012	08/19/25 23:29	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117127	08/19/25 23:29	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Client Sample ID: SW4-W**Lab Sample ID: 880-61632-4****Date Collected: 08/18/25 13:25****Matrix: Solid****Date Received: 08/19/25 08:50**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			117192	08/20/25 14:06	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	117024	08/19/25 09:06	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117136	08/20/25 14:06	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	117037	08/19/25 10:04	SMC	EET MID
Soluble	Analysis	300.0		1			117070	08/19/25 17:12	SMC	EET MID

Client Sample ID: SW5-W**Lab Sample ID: 880-61632-5****Date Collected: 08/18/25 13:27****Matrix: Solid****Date Received: 08/19/25 08:50**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	116965	08/19/25 09:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117012	08/19/25 23:50	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117127	08/19/25 23:50	SA	EET MID
Total/NA	Analysis	8015 NM		1			117192	08/20/25 14:22	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	117024	08/19/25 09:06	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117136	08/20/25 14:22	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	117037	08/19/25 10:04	SMC	EET MID
Soluble	Analysis	300.0		1			117070	08/19/25 17:19	SMC	EET MID

Client Sample ID: SW6-S**Lab Sample ID: 880-61632-6****Date Collected: 08/18/25 13:30****Matrix: Solid****Date Received: 08/19/25 08:50**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	116965	08/19/25 09:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117012	08/20/25 00:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117127	08/20/25 00:10	SA	EET MID
Total/NA	Analysis	8015 NM		1			117192	08/20/25 14:38	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	117024	08/19/25 09:06	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117136	08/20/25 14:38	TKC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	117037	08/19/25 10:04	SMC	EET MID
Soluble	Analysis	300.0		1			117070	08/19/25 17:42	SMC	EET MID

Client Sample ID: SW7-E**Lab Sample ID: 880-61632-7****Date Collected: 08/18/25 13:34****Matrix: Solid****Date Received: 08/19/25 08:50**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	116965	08/19/25 09:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117012	08/20/25 01:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117127	08/20/25 01:44	SA	EET MID
Total/NA	Analysis	8015 NM		1			117192	08/20/25 14:53	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	117024	08/19/25 09:06	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117136	08/20/25 14:53	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Client Sample ID: SW7-E**Lab Sample ID: 880-61632-7****Date Collected: 08/18/25 13:34****Matrix: Solid****Date Received: 08/19/25 08:50**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.97 g	50 mL	117037	08/19/25 10:04	SMC	EET MID
Soluble	Analysis	300.0		1			117070	08/19/25 17:50	SMC	EET MID

Client Sample ID: SW8-E**Lab Sample ID: 880-61632-8****Date Collected: 08/18/25 13:30****Matrix: Solid****Date Received: 08/19/25 08:50**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	116965	08/19/25 09:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117012	08/20/25 02:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117127	08/20/25 02:04	SA	EET MID
Total/NA	Analysis	8015 NM		1			117192	08/20/25 15:09	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	117024	08/19/25 09:06	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117136	08/20/25 15:09	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	117037	08/19/25 10:04	SMC	EET MID
Soluble	Analysis	300.0		1			117070	08/19/25 17:57	SMC	EET MID

Client Sample ID: SW9-E**Lab Sample ID: 880-61632-9****Date Collected: 08/18/25 13:38****Matrix: Solid****Date Received: 08/19/25 08:50**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	116965	08/19/25 09:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117012	08/20/25 02:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117127	08/20/25 02:25	SA	EET MID
Total/NA	Analysis	8015 NM		1			117192	08/20/25 15:24	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	117024	08/19/25 09:06	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117136	08/20/25 15:24	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	117037	08/19/25 10:04	SMC	EET MID
Soluble	Analysis	300.0		1			117070	08/19/25 18:05	SMC	EET MID

Client Sample ID: SW10-E**Lab Sample ID: 880-61632-10****Date Collected: 08/18/25 13:46****Matrix: Solid****Date Received: 08/19/25 08:50**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	116965	08/19/25 09:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	117012	08/20/25 02:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			117127	08/20/25 02:45	SA	EET MID
Total/NA	Analysis	8015 NM		1			117192	08/20/25 15:40	SA	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10 mL	117024	08/19/25 09:06	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	117136	08/20/25 15:40	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	117037	08/19/25 10:04	SMC	EET MID
Soluble	Analysis	300.0		1			117070	08/19/25 18:12	SMC	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-61632-1
SDG: Elevate NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
880-61632-1	SW1-N	Solid	08/18/25 13:04	08/19/25 08:50	Texas
880-61632-2	SW2-W	Solid	08/18/25 13:08	08/19/25 08:50	Texas
880-61632-3	SW3-W	Solid	08/18/25 13:13	08/19/25 08:50	Texas
880-61632-4	SW4-W	Solid	08/18/25 13:25	08/19/25 08:50	Texas
880-61632-5	SW5-W	Solid	08/18/25 13:27	08/19/25 08:50	Texas
880-61632-6	SW6-S	Solid	08/18/25 13:30	08/19/25 08:50	Texas
880-61632-7	SW7-E	Solid	08/18/25 13:34	08/19/25 08:50	Texas
880-61632-8	SW8-E	Solid	08/18/25 13:30	08/19/25 08:50	Texas
880-61632-9	SW9-E	Solid	08/18/25 13:38	08/19/25 08:50	Texas
880-61632-10	SW10-E	Solid	08/18/25 13:46	08/19/25 08:50	Texas



Environment Testing
Xenco

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199



880-61632 Chain of Custody

Project Manager: Tracie Hecht		Bill to: (if different)		Work Order Comments	
Company Name: American Safety		Company Name:		Program: ☐ UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐	
Address: 8715 Andrews Hwy		Address:		State of Project:	
City, State ZIP: Odessa TX		City, State ZIP:		Reporting: Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐	
Phone: 409-888-5345		Email: thecht@americansafety.net		Deliverables: EDD ☐ ADAPT ☐ Other:	

SAMPLE RECEIPT				ANALYSIS REQUEST				PRESERVATIVE CODES				
Project Name:	Project Number:	Project Location:	Sampler's Name:	Temp Blank:	Temp No:	Wet Ice:	Thermometer ID:	Pres. Code				
Doop Ellum	447	Fluor NM	Tracie Hecht	☒ Yes	☐ No	☒ Yes	2.8					None: NO
Samples Received Intact:				Cooler Custody Seals:				Cooler: Cool				DI Water: H ₂ O
Sample Custody Seals:				Temperature Reading:				HCL: HC				MeOH: Me
Total Containers:				Corrected Temperature:				H ₂ SO ₄ : H ₂				HNO ₃ : HN
								H ₃ PO ₄ : HP				NaOH: Na
								NaHSO ₄ : NABIS				
								Na ₂ S ₂ O ₃ : NaSO ₃				
								Zn Acetate+NaOH: Zn				
								NaOH+Ascorbic Acid: SAPC				

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont	Sample Comments
SW1-N	S	8-18-25	13:04		C	1	From Field
SW2-W	S	8-18-25	13:09		C	1	
SW3-W	S	8-18-25	13:13		C	1	
SW4-W	S	8-18-25	13:25		C	1	
SW5-W	S	8-18-25	13:27		C	1	
SW6-S	S	8-18-25	13:30		C	1	
SW7-F	S	8-18-25	13:34		C	1	
SW8-F	S	8-18-25	13:30		C	1	
SW9-F	S	8-18-25	13:35		C	1	
SW10-F	S	8-18-25	13:44		C	1	

Total 2007 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		8/18/25			

Revised Date: 08/25/2010 Rev. 2020.2

Login Sample Receipt Checklist

Client: American Safety Services Inc.

Job Number: 880-61632-1

SDG Number: Elevate NM

Login Number: 61632

List Number: 1

Creator: Kramer, Jessica

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Tracie Hecht
American Safety Services Inc.
8715 Andrews Hwy
Odessa, Texas 79765

Generated 12/19/2025 1:23:58 PM

JOB DESCRIPTION

Deep Ellum
447

JOB NUMBER

880-65981-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
12/19/2025 1:23:58 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Laboratory Job ID: 880-65981-1
SDG: 447

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	7
Surrogate Summary	51
QC Sample Results	55
QC Association Summary	71
Lab Chronicle	84
Certification Summary	101
Method Summary	102
Sample Summary	103
Chain of Custody	105
Receipt Checklists	111

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Qualifiers

GC VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: American Safety Services Inc.
Project: Deep Ellum

Job ID: 880-65981-1

Job ID: 880-65981-1

Eurofins Midland

Job Narrative
880-65981-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 12/10/2025 3:20 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -0.4°C.

GC VOA

Method 8021B: Surrogate recovery for the following samples were outside the upper control limit: BH37 (880-65981-13), BH38 (880-65981-14), BH41 (880-65981-17) and BH44 (880-65981-20). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-126832 and analytical batch 880-126792 was outside the upper control limits.

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-126355 and 880-126360 and analytical batch 880-126619 was outside the upper control limits.

Method 8021B: Surrogate recovery for the following samples were outside control limits: BH47 (880-65981-23), BH49 (880-65981-25), BH51 (880-65981-27), BH52 (880-65981-28), BH54 (880-65981-30), BH56 (880-65981-32), BH57 (880-65981-33), BH60 (880-65981-36), BH61 (880-65981-37), BH62 (880-65981-38), BH63 (880-65981-39), BH64 (880-65981-40), BH66 (880-65981-42), BH69 (880-65981-45), BH70 (880-65981-46), BH71 (880-65981-47), SW11 (880-65981-48), SW12 (880-65981-49), SW13 (880-65981-50) and SW17 (880-65981-54). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: (LCS 880-126620/2-A) and (LCSD 880-126620/3-A). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: BH25 (880-65981-1), BH27 (880-65981-3), BH28 (880-65981-4), BH29 (880-65981-5), BH30 (880-65981-6) and (890-9220-A-14-B). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: (LCS 880-126620/2-A) and (LCSD 880-126620/3-A). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD_NM: The laboratory control sample (LCS) associated with preparation batch 880-126620 and analytical batch 880-126715 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: BH33 (880-65981-9), BH39 (880-65981-15) and BH41 (880-65981-17). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: Surrogate recovery for the following sample was outside control limits: (MB 880-127041/1-A). Evidence of

Eurofins Midland

Case Narrative

Client: American Safety Services Inc.
Project: Deep Ellum

Job ID: 880-65981-1

Job ID: 880-65981-1 (Continued) **Eurofins Midland**

matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH25

Lab Sample ID: 880-65981-1

Date Collected: 12/08/25 12:00

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 13:08	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 13:08	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 13:08	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 12:37	12/15/25 13:08	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 13:08	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 12:37	12/15/25 13:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130				12/11/25 12:37	12/15/25 13:08	1
1,4-Difluorobenzene (Surr)	100		70 - 130				12/11/25 12:37	12/15/25 13:08	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/15/25 13:08	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/16/25 04:52	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U **	50.0		mg/Kg		12/15/25 08:54	12/16/25 04:52	1
Diesel Range Organics (Over C10-C28)	<50.0	U **	50.0		mg/Kg		12/15/25 08:54	12/16/25 04:52	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 08:54	12/16/25 04:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	136	S1+	70 - 130				12/15/25 08:54	12/16/25 04:52	1
o-Terphenyl	138	S1+	70 - 130				12/15/25 08:54	12/16/25 04:52	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	70.9		10.1		mg/Kg			12/12/25 18:24	1

Client Sample ID: BH26

Lab Sample ID: 880-65981-2

Date Collected: 12/08/25 12:02

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 13:28	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 13:28	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 13:28	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/11/25 12:37	12/15/25 13:28	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 13:28	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/11/25 12:37	12/15/25 13:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130				12/11/25 12:37	12/15/25 13:28	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH26

Lab Sample ID: 880-65981-2

Date Collected: 12/08/25 12:02

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	99		70 - 130	12/11/25 12:37	12/15/25 13:28	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/15/25 13:28	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/16/25 05:07	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *	49.9		mg/Kg		12/15/25 08:54	12/16/25 05:07	1
Diesel Range Organics (Over C10-C28)	<49.9	U *	49.9		mg/Kg		12/15/25 08:54	12/16/25 05:07	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 08:54	12/16/25 05:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130				12/15/25 08:54	12/16/25 05:07	1
o-Terphenyl	121		70 - 130				12/15/25 08:54	12/16/25 05:07	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	17.1		10.1		mg/Kg			12/12/25 18:29	1

Client Sample ID: BH27

Lab Sample ID: 880-65981-3

Date Collected: 12/08/25 12:05

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 13:49	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 13:49	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 13:49	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		12/11/25 12:37	12/15/25 13:49	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 13:49	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		12/11/25 12:37	12/15/25 13:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130				12/11/25 12:37	12/15/25 13:49	1
1,4-Difluorobenzene (Surr)	100		70 - 130				12/11/25 12:37	12/15/25 13:49	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			12/15/25 13:49	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/16/25 05:22	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH27

Lab Sample ID: 880-65981-3

Date Collected: 12/08/25 12:05

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U **	50.0		mg/Kg		12/15/25 08:54	12/16/25 05:22	1
Diesel Range Organics (Over C10-C28)	<50.0	U **	50.0		mg/Kg		12/15/25 08:54	12/16/25 05:22	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 08:54	12/16/25 05:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	143	S1+	70 - 130				12/15/25 08:54	12/16/25 05:22	1
o-Terphenyl	144	S1+	70 - 130				12/15/25 08:54	12/16/25 05:22	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	293		9.92		mg/Kg			12/12/25 18:34	1

Client Sample ID: BH28

Lab Sample ID: 880-65981-4

Date Collected: 12/08/25 12:06

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:37	12/15/25 14:09	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:37	12/15/25 14:09	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:37	12/15/25 14:09	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/11/25 12:37	12/15/25 14:09	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:37	12/15/25 14:09	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/11/25 12:37	12/15/25 14:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130				12/11/25 12:37	12/15/25 14:09	1
1,4-Difluorobenzene (Surr)	100		70 - 130				12/11/25 12:37	12/15/25 14:09	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/15/25 14:09	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/16/25 05:37	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U **	49.8		mg/Kg		12/15/25 08:54	12/16/25 05:37	1
Diesel Range Organics (Over C10-C28)	<49.8	U **	49.8		mg/Kg		12/15/25 08:54	12/16/25 05:37	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 08:54	12/16/25 05:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	147	S1+	70 - 130				12/15/25 08:54	12/16/25 05:37	1
o-Terphenyl	146	S1+	70 - 130				12/15/25 08:54	12/16/25 05:37	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH28

Lab Sample ID: 880-65981-4

Date Collected: 12/08/25 12:06

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	161		9.94		mg/Kg			12/12/25 18:39	1

Client Sample ID: BH29

Lab Sample ID: 880-65981-5

Date Collected: 12/08/25 12:09

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 14:30	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 14:30	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 14:30	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 12:37	12/15/25 14:30	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 14:30	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 12:37	12/15/25 14:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130				12/11/25 12:37	12/15/25 14:30	1
1,4-Difluorobenzene (Surr)	101		70 - 130				12/11/25 12:37	12/15/25 14:30	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/15/25 14:30	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/16/25 05:52	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U **	50.0		mg/Kg		12/15/25 08:54	12/16/25 05:52	1
Diesel Range Organics (Over C10-C28)	<50.0	U **	50.0		mg/Kg		12/15/25 08:54	12/16/25 05:52	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 08:54	12/16/25 05:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	146	S1+	70 - 130				12/15/25 08:54	12/16/25 05:52	1
o-Terphenyl	151	S1+	70 - 130				12/15/25 08:54	12/16/25 05:52	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	243		10.0		mg/Kg			12/12/25 18:44	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH30

Lab Sample ID: 880-65981-6

Date Collected: 12/08/25 12:12

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 14:53	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 14:53	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 14:53	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/11/25 12:37	12/15/25 14:53	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 14:53	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/11/25 12:37	12/15/25 14:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	12/11/25 12:37	12/15/25 14:53	1
1,4-Difluorobenzene (Surr)	94		70 - 130	12/11/25 12:37	12/15/25 14:53	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/15/25 14:53	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			12/16/25 06:06	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U **	50.1		mg/Kg		12/15/25 08:54	12/16/25 06:06	1
Diesel Range Organics (Over C10-C28)	<50.1	U **	50.1		mg/Kg		12/15/25 08:54	12/16/25 06:06	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		12/15/25 08:54	12/16/25 06:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	133	S1+	70 - 130	12/15/25 08:54	12/16/25 06:06	1
o-Terphenyl	134	S1+	70 - 130	12/15/25 08:54	12/16/25 06:06	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18.4		10.1		mg/Kg			12/12/25 18:58	1

Client Sample ID: BH31

Lab Sample ID: 880-65981-7

Date Collected: 12/08/25 12:16

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 15:13	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 15:13	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 15:13	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		12/11/25 12:37	12/15/25 15:13	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 15:13	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		12/11/25 12:37	12/15/25 15:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130	12/11/25 12:37	12/15/25 15:13	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH31

Lab Sample ID: 880-65981-7

Date Collected: 12/08/25 12:16

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	98		70 - 130	12/11/25 12:37	12/15/25 15:13	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			12/15/25 15:13	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.6	U	49.6		mg/Kg			12/16/25 19:52	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.6	U	49.6		mg/Kg		12/15/25 09:10	12/16/25 19:52	1
Diesel Range Organics (Over C10-C28)	<49.6	U	49.6		mg/Kg		12/15/25 09:10	12/16/25 19:52	1
Oil Range Organics (Over C28-C36)	<49.6	U	49.6		mg/Kg		12/15/25 09:10	12/16/25 19:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130				12/15/25 09:10	12/16/25 19:52	1
o-Terphenyl	108		70 - 130				12/15/25 09:10	12/16/25 19:52	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	174		9.92		mg/Kg			12/12/25 19:03	1

Client Sample ID: BH32

Lab Sample ID: 880-65981-8

Date Collected: 12/08/25 12:20

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:37	12/15/25 15:33	1
Toluene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:37	12/15/25 15:33	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:37	12/15/25 15:33	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		12/11/25 12:37	12/15/25 15:33	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:37	12/15/25 15:33	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		12/11/25 12:37	12/15/25 15:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	12/11/25 12:37	12/15/25 15:33	1
1,4-Difluorobenzene (Surr)	100		70 - 130	12/11/25 12:37	12/15/25 15:33	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			12/15/25 15:33	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/16/25 20:36	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH32

Lab Sample ID: 880-65981-8

Date Collected: 12/08/25 12:20

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 20:36	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 20:36	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 20:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130				12/15/25 09:10	12/16/25 20:36	1
o-Terphenyl	117		70 - 130				12/15/25 09:10	12/16/25 20:36	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	45.2		9.92		mg/Kg			12/12/25 19:18	1

Client Sample ID: BH33

Lab Sample ID: 880-65981-9

Date Collected: 12/08/25 12:22

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:37	12/15/25 15:54	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:37	12/15/25 15:54	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:37	12/15/25 15:54	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/11/25 12:37	12/15/25 15:54	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:37	12/15/25 15:54	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/11/25 12:37	12/15/25 15:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130				12/11/25 12:37	12/15/25 15:54	1
1,4-Difluorobenzene (Surr)	99		70 - 130				12/11/25 12:37	12/15/25 15:54	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/15/25 15:54	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/16/25 20:52	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 20:52	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 20:52	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 20:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	132	S1+	70 - 130				12/15/25 09:10	12/16/25 20:52	1
o-Terphenyl	119		70 - 130				12/15/25 09:10	12/16/25 20:52	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH33

Lab Sample ID: 880-65981-9

Date Collected: 12/08/25 12:22

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	210		10.1		mg/Kg			12/12/25 19:23	1

Client Sample ID: BH34

Lab Sample ID: 880-65981-10

Date Collected: 12/08/25 12:24

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 16:14	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 16:14	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 16:14	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 12:37	12/15/25 16:14	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 16:14	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 12:37	12/15/25 16:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130				12/11/25 12:37	12/15/25 16:14	1
1,4-Difluorobenzene (Surr)	96		70 - 130				12/11/25 12:37	12/15/25 16:14	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/15/25 16:14	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/16/25 21:06	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 21:06	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 21:06	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 21:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	119		70 - 130				12/15/25 09:10	12/16/25 21:06	1
o-Terphenyl	109		70 - 130				12/15/25 09:10	12/16/25 21:06	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	220		9.94		mg/Kg			12/12/25 19:28	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH35

Lab Sample ID: 880-65981-11

Date Collected: 12/08/25 12:27

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 21:45	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 21:45	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 21:45	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/11/25 12:37	12/15/25 21:45	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:37	12/15/25 21:45	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/11/25 12:37	12/15/25 21:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	12/11/25 12:37	12/15/25 21:45	1
1,4-Difluorobenzene (Surr)	96		70 - 130	12/11/25 12:37	12/15/25 21:45	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/15/25 21:45	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/16/25 21:22	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 21:22	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 21:22	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 21:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	124		70 - 130	12/15/25 09:10	12/16/25 21:22	1
o-Terphenyl	113		70 - 130	12/15/25 09:10	12/16/25 21:22	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	141		9.96		mg/Kg			12/12/25 19:33	1

Client Sample ID: BH36

Lab Sample ID: 880-65981-12

Date Collected: 12/08/25 12:29

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 22:05	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 22:05	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 22:05	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		12/11/25 12:37	12/15/25 22:05	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:37	12/15/25 22:05	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		12/11/25 12:37	12/15/25 22:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	12/11/25 12:37	12/15/25 22:05	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH36

Lab Sample ID: 880-65981-12

Date Collected: 12/08/25 12:29

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	99		70 - 130	12/11/25 12:37	12/15/25 22:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			12/15/25 22:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/16/25 21:36	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/16/25 21:36	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/16/25 21:36	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/16/25 21:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	127		70 - 130				12/15/25 09:10	12/16/25 21:36	1
o-Terphenyl	114		70 - 130				12/15/25 09:10	12/16/25 21:36	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	73.1		9.98		mg/Kg			12/12/25 19:38	1

Client Sample ID: BH37

Lab Sample ID: 880-65981-13

Date Collected: 12/08/25 12:32

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/16/25 11:06	12/16/25 14:51	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/16/25 11:06	12/16/25 14:51	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/16/25 11:06	12/16/25 14:51	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/16/25 11:06	12/16/25 14:51	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/16/25 11:06	12/16/25 14:51	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/16/25 11:06	12/16/25 14:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	146	S1+	70 - 130	12/16/25 11:06	12/16/25 14:51	1
1,4-Difluorobenzene (Surr)	126		70 - 130	12/16/25 11:06	12/16/25 14:51	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/16/25 14:51	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/16/25 21:51	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH37

Lab Sample ID: 880-65981-13

Date Collected: 12/08/25 12:32

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 21:51	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 21:51	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 21:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	128		70 - 130				12/15/25 09:10	12/16/25 21:51	1
o-Terphenyl	116		70 - 130				12/15/25 09:10	12/16/25 21:51	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	160		9.96		mg/Kg			12/12/25 19:43	1

Client Sample ID: BH38

Lab Sample ID: 880-65981-14

Date Collected: 12/08/25 12:35

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/16/25 11:06	12/16/25 15:12	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/16/25 11:06	12/16/25 15:12	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/16/25 11:06	12/16/25 15:12	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		12/16/25 11:06	12/16/25 15:12	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/16/25 11:06	12/16/25 15:12	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		12/16/25 11:06	12/16/25 15:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	169	S1+	70 - 130				12/16/25 11:06	12/16/25 15:12	1
1,4-Difluorobenzene (Surr)	120		70 - 130				12/16/25 11:06	12/16/25 15:12	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			12/16/25 15:12	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/17/25 13:12	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/17/25 08:08	12/17/25 13:12	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/17/25 08:08	12/17/25 13:12	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/17/25 08:08	12/17/25 13:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	109		70 - 130				12/17/25 08:08	12/17/25 13:12	1
o-Terphenyl	99		70 - 130				12/17/25 08:08	12/17/25 13:12	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH38

Lab Sample ID: 880-65981-14

Date Collected: 12/08/25 12:35

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	47.7		9.92		mg/Kg			12/12/25 17:03	1

Client Sample ID: BH39

Lab Sample ID: 880-65981-15

Date Collected: 12/08/25 12:36

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		12/16/25 11:06	12/16/25 17:02	1
Toluene	<0.00198	U	0.00198		mg/Kg		12/16/25 11:06	12/16/25 17:02	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		12/16/25 11:06	12/16/25 17:02	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		12/16/25 11:06	12/16/25 17:02	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		12/16/25 11:06	12/16/25 17:02	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		12/16/25 11:06	12/16/25 17:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130				12/16/25 11:06	12/16/25 17:02	1
1,4-Difluorobenzene (Surr)	110		70 - 130				12/16/25 11:06	12/16/25 17:02	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			12/16/25 17:02	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/16/25 22:21	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/16/25 22:21	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/16/25 22:21	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/16/25 22:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	161	S1+	70 - 130				12/15/25 09:10	12/16/25 22:21	1
o-Terphenyl	141	S1+	70 - 130				12/15/25 09:10	12/16/25 22:21	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	252		9.92		mg/Kg			12/12/25 17:22	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH40

Lab Sample ID: 880-65981-16

Date Collected: 12/08/25 12:41

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 17:22	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 17:22	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 17:22	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/16/25 11:06	12/16/25 17:22	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 17:22	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/16/25 11:06	12/16/25 17:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	126		70 - 130				12/16/25 11:06	12/16/25 17:22	1
1,4-Difluorobenzene (Surr)	109		70 - 130				12/16/25 11:06	12/16/25 17:22	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			12/16/25 17:22	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/16/25 22:36	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 22:36	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 22:36	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 22:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	122		70 - 130				12/15/25 09:10	12/16/25 22:36	1
o-Terphenyl	116		70 - 130				12/15/25 09:10	12/16/25 22:36	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	49.0		9.98		mg/Kg			12/12/25 17:27	1

Client Sample ID: BH41

Lab Sample ID: 880-65981-17

Date Collected: 12/08/25 12:44

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 17:43	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 17:43	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 17:43	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/16/25 11:06	12/16/25 17:43	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 17:43	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/16/25 11:06	12/16/25 17:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	141	S1+	70 - 130				12/16/25 11:06	12/16/25 17:43	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH41

Lab Sample ID: 880-65981-17

Date Collected: 12/08/25 12:44

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	132	S1+	70 - 130	12/16/25 11:06	12/16/25 17:43	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/16/25 17:43	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/16/25 23:06	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 23:06	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 23:06	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 23:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	137	S1+	70 - 130				12/15/25 09:10	12/16/25 23:06	1
o-Terphenyl	123		70 - 130				12/15/25 09:10	12/16/25 23:06	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	213		10.0		mg/Kg			12/12/25 17:33	1

Client Sample ID: BH42

Lab Sample ID: 880-65981-18

Date Collected: 12/08/25 12:45

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/16/25 11:06	12/16/25 18:03	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/16/25 11:06	12/16/25 18:03	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/16/25 11:06	12/16/25 18:03	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/16/25 11:06	12/16/25 18:03	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/16/25 11:06	12/16/25 18:03	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/16/25 11:06	12/16/25 18:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	125		70 - 130	12/16/25 11:06	12/16/25 18:03	1
1,4-Difluorobenzene (Surr)	124		70 - 130	12/16/25 11:06	12/16/25 18:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/16/25 18:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/16/25 23:21	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH42

Lab Sample ID: 880-65981-18

Date Collected: 12/08/25 12:45

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 23:21	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 23:21	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 23:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	118		70 - 130				12/15/25 09:10	12/16/25 23:21	1
o-Terphenyl	108		70 - 130				12/15/25 09:10	12/16/25 23:21	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	200		10.1		mg/Kg			12/12/25 17:38	1

Client Sample ID: BH43

Lab Sample ID: 880-65981-19

Date Collected: 12/08/25 12:50

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/16/25 11:06	12/16/25 18:24	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/16/25 11:06	12/16/25 18:24	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/16/25 11:06	12/16/25 18:24	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/16/25 11:06	12/16/25 18:24	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/16/25 11:06	12/16/25 18:24	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/16/25 11:06	12/16/25 18:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				12/16/25 11:06	12/16/25 18:24	1
1,4-Difluorobenzene (Surr)	109		70 - 130				12/16/25 11:06	12/16/25 18:24	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/16/25 18:24	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/16/25 23:36	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/16/25 23:36	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/16/25 23:36	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/16/25 23:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130				12/15/25 09:10	12/16/25 23:36	1
o-Terphenyl	105		70 - 130				12/15/25 09:10	12/16/25 23:36	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH43

Lab Sample ID: 880-65981-19

Date Collected: 12/08/25 12:50

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	139		9.94		mg/Kg			12/12/25 21:34	1

Client Sample ID: BH44

Lab Sample ID: 880-65981-20

Date Collected: 12/08/25 12:52

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 18:44	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 18:44	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 18:44	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/16/25 11:06	12/16/25 18:44	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/16/25 11:06	12/16/25 18:44	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/16/25 11:06	12/16/25 18:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	148	S1+	70 - 130				12/16/25 11:06	12/16/25 18:44	1
1,4-Difluorobenzene (Surr)	120		70 - 130				12/16/25 11:06	12/16/25 18:44	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			12/16/25 18:44	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/16/25 23:50	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 23:50	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 23:50	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/16/25 23:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	129		70 - 130				12/15/25 09:10	12/16/25 23:50	1
o-Terphenyl	115		70 - 130				12/15/25 09:10	12/16/25 23:50	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	188		9.92		mg/Kg			12/12/25 21:39	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH45

Lab Sample ID: 880-65981-21

Date Collected: 12/08/25 12:53

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 12:46	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 12:46	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 12:46	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/11/25 12:43	12/15/25 12:46	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 12:46	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/11/25 12:43	12/15/25 12:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130	12/11/25 12:43	12/15/25 12:46	1
1,4-Difluorobenzene (Surr)	104		70 - 130	12/11/25 12:43	12/15/25 12:46	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			12/15/25 12:46	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 00:05	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/17/25 00:05	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/17/25 00:05	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/17/25 00:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	119		70 - 130	12/15/25 09:10	12/17/25 00:05	1
o-Terphenyl	107		70 - 130	12/15/25 09:10	12/17/25 00:05	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	87.6		10.1		mg/Kg			12/12/25 21:45	1

Client Sample ID: BH46

Lab Sample ID: 880-65981-22

Date Collected: 12/08/25 12:57

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 13:06	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 13:06	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 13:06	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 12:43	12/15/25 13:06	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 13:06	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 12:43	12/15/25 13:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	12/11/25 12:43	12/15/25 13:06	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH46

Lab Sample ID: 880-65981-22

Date Collected: 12/08/25 12:57

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	109		70 - 130	12/11/25 12:43	12/15/25 13:06	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/15/25 13:06	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/17/25 00:20	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/17/25 00:20	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/17/25 00:20	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:10	12/17/25 00:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130				12/15/25 09:10	12/17/25 00:20	1
o-Terphenyl	113		70 - 130				12/15/25 09:10	12/17/25 00:20	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	108		9.94		mg/Kg			12/12/25 21:50	1

Client Sample ID: BH47

Lab Sample ID: 880-65981-23

Date Collected: 12/08/25 12:59

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 13:26	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 13:26	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 13:26	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/11/25 12:43	12/15/25 13:26	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 13:26	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/11/25 12:43	12/15/25 13:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	302	S1+	70 - 130				12/11/25 12:43	12/15/25 13:26	1
1,4-Difluorobenzene (Surr)	119		70 - 130				12/11/25 12:43	12/15/25 13:26	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/15/25 13:26	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 00:34	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH47

Lab Sample ID: 880-65981-23

Date Collected: 12/08/25 12:59

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/17/25 00:34	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/17/25 00:34	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/17/25 00:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130				12/15/25 09:10	12/17/25 00:34	1
o-Terphenyl	111		70 - 130				12/15/25 09:10	12/17/25 00:34	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	117		9.96		mg/Kg			12/12/25 21:55	1

Client Sample ID: BH48

Lab Sample ID: 880-65981-24

Date Collected: 12/08/25 13:01

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 13:47	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 13:47	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 13:47	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		12/11/25 12:43	12/15/25 13:47	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 13:47	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		12/11/25 12:43	12/15/25 13:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130				12/11/25 12:43	12/15/25 13:47	1
1,4-Difluorobenzene (Surr)	113		70 - 130				12/11/25 12:43	12/15/25 13:47	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			12/15/25 13:47	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/17/25 00:49	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/17/25 00:49	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/17/25 00:49	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:10	12/17/25 00:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	122		70 - 130				12/15/25 09:10	12/17/25 00:49	1
o-Terphenyl	115		70 - 130				12/15/25 09:10	12/17/25 00:49	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH48

Lab Sample ID: 880-65981-24

Date Collected: 12/08/25 13:01

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	294		9.98		mg/Kg			12/12/25 22:01	1

Client Sample ID: BH49

Lab Sample ID: 880-65981-25

Date Collected: 12/08/25 13:02

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 14:07	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 14:07	1
Ethylbenzene	0.00285		0.00202		mg/Kg		12/11/25 12:43	12/15/25 14:07	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		12/11/25 12:43	12/15/25 14:07	1
o-Xylene	0.00263		0.00202		mg/Kg		12/11/25 12:43	12/15/25 14:07	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		12/11/25 12:43	12/15/25 14:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	166	S1+	70 - 130				12/11/25 12:43	12/15/25 14:07	1
1,4-Difluorobenzene (Surr)	133	S1+	70 - 130				12/11/25 12:43	12/15/25 14:07	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00548		0.00404		mg/Kg			12/15/25 14:07	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 01:04	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/17/25 01:04	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/17/25 01:04	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/17/25 01:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	128		70 - 130				12/15/25 09:10	12/17/25 01:04	1
o-Terphenyl	114		70 - 130				12/15/25 09:10	12/17/25 01:04	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	95.1		10.0		mg/Kg			12/12/25 22:17	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH50

Lab Sample ID: 880-65981-26

Date Collected: 12/08/25 13:05

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:43	12/15/25 14:28	1
Toluene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:43	12/15/25 14:28	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:43	12/15/25 14:28	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		12/11/25 12:43	12/15/25 14:28	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:43	12/15/25 14:28	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		12/11/25 12:43	12/15/25 14:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130				12/11/25 12:43	12/15/25 14:28	1
1,4-Difluorobenzene (Surr)	106		70 - 130				12/11/25 12:43	12/15/25 14:28	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			12/15/25 14:28	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			12/17/25 01:18	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		12/15/25 09:10	12/17/25 01:18	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		12/15/25 09:10	12/17/25 01:18	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		12/15/25 09:10	12/17/25 01:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	121		70 - 130				12/15/25 09:10	12/17/25 01:18	1
o-Terphenyl	109		70 - 130				12/15/25 09:10	12/17/25 01:18	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	51.6		10.0		mg/Kg			12/12/25 22:22	1

Client Sample ID: BH51

Lab Sample ID: 880-65981-27

Date Collected: 12/08/25 13:07

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 14:48	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 14:48	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 14:48	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 12:43	12/15/25 14:48	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 14:48	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 12:43	12/15/25 14:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	135	S1+	70 - 130				12/11/25 12:43	12/15/25 14:48	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH51

Lab Sample ID: 880-65981-27

Date Collected: 12/08/25 13:07

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	108		70 - 130	12/11/25 12:43	12/15/25 14:48	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/15/25 14:48	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	59.2		49.9		mg/Kg			12/17/25 16:45	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 16:45	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 16:45	1
Oil Range Organics (Over C28-C36)	59.2		49.9		mg/Kg		12/15/25 09:30	12/17/25 16:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130	12/15/25 09:30	12/17/25 16:45	1
o-Terphenyl	112		70 - 130	12/15/25 09:30	12/17/25 16:45	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	160		9.92		mg/Kg			12/12/25 22:38	1

Client Sample ID: BH52

Lab Sample ID: 880-65981-28

Date Collected: 12/08/25 13:09

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 15:08	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 15:08	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 15:08	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/11/25 12:43	12/15/25 15:08	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 15:08	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/11/25 12:43	12/15/25 15:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	135	S1+	70 - 130	12/11/25 12:43	12/15/25 15:08	1
1,4-Difluorobenzene (Surr)	111		70 - 130	12/11/25 12:43	12/15/25 15:08	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/15/25 15:08	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH52

Lab Sample ID: 880-65981-28

Date Collected: 12/08/25 13:09

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/17/25 17:26	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 17:26	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 17:26	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 17:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130				12/15/25 09:30	12/17/25 17:26	1
o-Terphenyl	114		70 - 130				12/15/25 09:30	12/17/25 17:26	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	102		10.1		mg/Kg			12/12/25 22:43	1

Client Sample ID: BH53

Lab Sample ID: 880-65981-29

Date Collected: 12/08/25 13:11

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 15:29	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 15:29	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 15:29	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		12/11/25 12:43	12/15/25 15:29	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 15:29	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		12/11/25 12:43	12/15/25 15:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	130		70 - 130				12/11/25 12:43	12/15/25 15:29	1
1,4-Difluorobenzene (Surr)	111		70 - 130				12/11/25 12:43	12/15/25 15:29	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			12/15/25 15:29	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/17/25 17:41	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 17:41	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 17:41	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 17:41	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH53

Lab Sample ID: 880-65981-29

Date Collected: 12/08/25 13:11

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130	12/15/25 09:30	12/17/25 17:41	1
o-Terphenyl	120		70 - 130	12/15/25 09:30	12/17/25 17:41	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	50.0		10.0		mg/Kg			12/12/25 22:49	1

Client Sample ID: BH54

Lab Sample ID: 880-65981-30

Date Collected: 12/08/25 13:13

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:43	12/15/25 15:49	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:43	12/15/25 15:49	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:43	12/15/25 15:49	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/11/25 12:43	12/15/25 15:49	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:43	12/15/25 15:49	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/11/25 12:43	12/15/25 15:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	138	S1+	70 - 130	12/11/25 12:43	12/15/25 15:49	1
1,4-Difluorobenzene (Surr)	95		70 - 130	12/11/25 12:43	12/15/25 15:49	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/15/25 15:49	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 18:17	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 18:17	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 18:17	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 18:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130	12/15/25 09:30	12/17/25 18:17	1
o-Terphenyl	120		70 - 130	12/15/25 09:30	12/17/25 18:17	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	106		9.96		mg/Kg			12/12/25 22:54	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH55

Lab Sample ID: 880-65981-31

Date Collected: 12/08/25 13:14

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:43	12/15/25 17:40	1
Toluene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:43	12/15/25 17:40	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:43	12/15/25 17:40	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		12/11/25 12:43	12/15/25 17:40	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:43	12/15/25 17:40	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		12/11/25 12:43	12/15/25 17:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	128		70 - 130				12/11/25 12:43	12/15/25 17:40	1
1,4-Difluorobenzene (Surr)	93		70 - 130				12/11/25 12:43	12/15/25 17:40	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			12/15/25 17:40	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/17/25 18:32	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 18:32	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 18:32	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 18:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				12/15/25 09:30	12/17/25 18:32	1
o-Terphenyl	111		70 - 130				12/15/25 09:30	12/17/25 18:32	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	115		9.92		mg/Kg			12/12/25 22:59	1

Client Sample ID: BH56

Lab Sample ID: 880-65981-32

Date Collected: 12/08/25 13:15

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 18:00	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 18:00	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 18:00	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/11/25 12:43	12/15/25 18:00	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 18:00	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/11/25 12:43	12/15/25 18:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	129		70 - 130				12/11/25 12:43	12/15/25 18:00	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH56

Lab Sample ID: 880-65981-32

Date Collected: 12/08/25 13:15

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	133	S1+	70 - 130	12/11/25 12:43	12/15/25 18:00	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			12/15/25 18:00	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/17/25 18:46	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 18:46	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 18:46	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 18:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130				12/15/25 09:30	12/17/25 18:46	1
o-Terphenyl	112		70 - 130				12/15/25 09:30	12/17/25 18:46	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	180		10.1		mg/Kg			12/12/25 23:05	1

Client Sample ID: BH57

Lab Sample ID: 880-65981-33

Date Collected: 12/08/25 13:18

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 18:20	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 18:20	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 18:20	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 12:43	12/15/25 18:20	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 18:20	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 12:43	12/15/25 18:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	132	S1+	70 - 130	12/11/25 12:43	12/15/25 18:20	1
1,4-Difluorobenzene (Surr)	118		70 - 130	12/11/25 12:43	12/15/25 18:20	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/15/25 18:20	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 19:01	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH57

Lab Sample ID: 880-65981-33

Date Collected: 12/08/25 13:18

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 19:01	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 19:01	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 19:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				12/15/25 09:30	12/17/25 19:01	1
o-Terphenyl	110		70 - 130				12/15/25 09:30	12/17/25 19:01	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	61.5		9.94		mg/Kg			12/12/25 23:10	1

Client Sample ID: BH58

Lab Sample ID: 880-65981-34

Date Collected: 12/08/25 13:20

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 18:41	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 18:41	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 18:41	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/11/25 12:43	12/15/25 18:41	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 18:41	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/11/25 12:43	12/15/25 18:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130				12/11/25 12:43	12/15/25 18:41	1
1,4-Difluorobenzene (Surr)	115		70 - 130				12/11/25 12:43	12/15/25 18:41	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/15/25 18:41	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/17/25 19:15	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 19:15	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 19:15	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 19:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130				12/15/25 09:30	12/17/25 19:15	1
o-Terphenyl	117		70 - 130				12/15/25 09:30	12/17/25 19:15	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH58

Lab Sample ID: 880-65981-34

Date Collected: 12/08/25 13:20

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	35.6		9.96		mg/Kg			12/12/25 13:24	1

Client Sample ID: BH59

Lab Sample ID: 880-65981-35

Date Collected: 12/08/25 13:22

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 19:01	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 19:01	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 19:01	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		12/11/25 12:43	12/15/25 19:01	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 19:01	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		12/11/25 12:43	12/15/25 19:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130				12/11/25 12:43	12/15/25 19:01	1
1,4-Difluorobenzene (Surr)	107		70 - 130				12/11/25 12:43	12/15/25 19:01	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			12/15/25 19:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 19:30	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 19:30	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 19:30	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 19:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	79		70 - 130				12/15/25 09:30	12/17/25 19:30	1
o-Terphenyl	86		70 - 130				12/15/25 09:30	12/17/25 19:30	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	250		9.92		mg/Kg			12/12/25 13:40	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH60

Lab Sample ID: 880-65981-36

Date Collected: 12/08/25 13:23

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:43	12/15/25 19:22	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:43	12/15/25 19:22	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:43	12/15/25 19:22	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/11/25 12:43	12/15/25 19:22	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:43	12/15/25 19:22	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/11/25 12:43	12/15/25 19:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	135	S1+	70 - 130				12/11/25 12:43	12/15/25 19:22	1
1,4-Difluorobenzene (Surr)	114		70 - 130				12/11/25 12:43	12/15/25 19:22	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/15/25 19:22	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/17/25 19:44	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 19:44	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 19:44	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 19:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	100		70 - 130				12/15/25 09:30	12/17/25 19:44	1
o-Terphenyl	113		70 - 130				12/15/25 09:30	12/17/25 19:44	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	241		9.90		mg/Kg			12/12/25 13:46	1

Client Sample ID: BH61

Lab Sample ID: 880-65981-37

Date Collected: 12/08/25 13:24

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:43	12/15/25 19:42	1
Toluene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:43	12/15/25 19:42	1
Ethylbenzene	0.00228		0.00198		mg/Kg		12/11/25 12:43	12/15/25 19:42	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		12/11/25 12:43	12/15/25 19:42	1
o-Xylene	0.00277		0.00198		mg/Kg		12/11/25 12:43	12/15/25 19:42	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		12/11/25 12:43	12/15/25 19:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	139	S1+	70 - 130				12/11/25 12:43	12/15/25 19:42	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH61

Lab Sample ID: 880-65981-37

Date Collected: 12/08/25 13:24

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	106		70 - 130	12/11/25 12:43	12/15/25 19:42	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00505		0.00396		mg/Kg			12/15/25 19:42	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/17/25 20:14	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 20:14	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 20:14	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 20:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	104		70 - 130				12/15/25 09:30	12/17/25 20:14	1
o-Terphenyl	111		70 - 130				12/15/25 09:30	12/17/25 20:14	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	379		10.1		mg/Kg			12/12/25 13:51	1

Client Sample ID: BH62

Lab Sample ID: 880-65981-38

Date Collected: 12/08/25 13:25

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 20:03	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 20:03	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 20:03	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 12:43	12/15/25 20:03	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 20:03	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 12:43	12/15/25 20:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	148	S1+	70 - 130				12/11/25 12:43	12/15/25 20:03	1
1,4-Difluorobenzene (Surr)	114		70 - 130				12/11/25 12:43	12/15/25 20:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/15/25 20:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/17/25 20:29	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH62

Lab Sample ID: 880-65981-38

Date Collected: 12/08/25 13:25

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 20:29	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 20:29	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 20:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				12/15/25 09:30	12/17/25 20:29	1
o-Terphenyl	111		70 - 130				12/15/25 09:30	12/17/25 20:29	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	116		10.0		mg/Kg			12/12/25 13:56	1

Client Sample ID: BH63

Lab Sample ID: 880-65981-39

Date Collected: 12/08/25 13:50

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 20:23	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 20:23	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 20:23	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/11/25 12:43	12/15/25 20:23	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:43	12/15/25 20:23	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/11/25 12:43	12/15/25 20:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	153	S1+	70 - 130				12/11/25 12:43	12/15/25 20:23	1
1,4-Difluorobenzene (Surr)	117		70 - 130				12/11/25 12:43	12/15/25 20:23	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/15/25 20:23	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/18/25 21:57	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/18/25 07:41	12/18/25 21:57	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/18/25 07:41	12/18/25 21:57	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/18/25 07:41	12/18/25 21:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	129		70 - 130				12/18/25 07:41	12/18/25 21:57	1
o-Terphenyl	121		70 - 130				12/18/25 07:41	12/18/25 21:57	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH63

Lab Sample ID: 880-65981-39

Date Collected: 12/08/25 13:50

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	38.3		10.1		mg/Kg			12/12/25 14:44	1

Client Sample ID: BH64

Lab Sample ID: 880-65981-40

Date Collected: 12/08/25 13:54

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 20:44	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 20:44	1
Ethylbenzene	0.00218		0.00202		mg/Kg		12/11/25 12:43	12/15/25 20:44	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		12/11/25 12:43	12/15/25 20:44	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:43	12/15/25 20:44	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		12/11/25 12:43	12/15/25 20:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	137	S1+	70 - 130				12/11/25 12:43	12/15/25 20:44	1
1,4-Difluorobenzene (Surr)	112		70 - 130				12/11/25 12:43	12/15/25 20:44	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			12/15/25 20:44	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/17/25 20:57	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 20:57	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 20:57	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 20:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				12/15/25 09:30	12/17/25 20:57	1
o-Terphenyl	104		70 - 130				12/15/25 09:30	12/17/25 20:57	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	143		9.96		mg/Kg			12/12/25 14:49	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH65

Lab Sample ID: 880-65981-41

Date Collected: 12/08/25 13:56

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 00:22	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 00:22	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 00:22	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 12:48	12/16/25 00:22	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 00:22	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 12:48	12/16/25 00:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	12/11/25 12:48	12/16/25 00:22	1
1,4-Difluorobenzene (Surr)	107		70 - 130	12/11/25 12:48	12/16/25 00:22	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/16/25 00:22	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/17/25 21:11	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 21:11	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 21:11	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:30	12/17/25 21:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130	12/15/25 09:30	12/17/25 21:11	1
o-Terphenyl	115		70 - 130	12/15/25 09:30	12/17/25 21:11	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	411		9.92		mg/Kg			12/12/25 14:55	1

Client Sample ID: BH66

Lab Sample ID: 880-65981-42

Date Collected: 12/08/25 13:58

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:48	12/16/25 00:42	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:48	12/16/25 00:42	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:48	12/16/25 00:42	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/11/25 12:48	12/16/25 00:42	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:48	12/16/25 00:42	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/11/25 12:48	12/16/25 00:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	135	S1+	70 - 130	12/11/25 12:48	12/16/25 00:42	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH66

Lab Sample ID: 880-65981-42

Date Collected: 12/08/25 13:58

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	117		70 - 130	12/11/25 12:48	12/16/25 00:42	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/16/25 00:42	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 21:26	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 21:26	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 21:26	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 21:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				12/15/25 09:30	12/17/25 21:26	1
o-Terphenyl	110		70 - 130				12/15/25 09:30	12/17/25 21:26	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	123		9.98		mg/Kg			12/12/25 15:00	1

Client Sample ID: BH67

Lab Sample ID: 880-65981-43

Date Collected: 12/08/25 14:01

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:48	12/16/25 01:03	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:48	12/16/25 01:03	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:48	12/16/25 01:03	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/11/25 12:48	12/16/25 01:03	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:48	12/16/25 01:03	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/11/25 12:48	12/16/25 01:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	128		70 - 130				12/11/25 12:48	12/16/25 01:03	1
1,4-Difluorobenzene (Surr)	112		70 - 130				12/11/25 12:48	12/16/25 01:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/16/25 01:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 21:40	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH67

Lab Sample ID: 880-65981-43

Date Collected: 12/08/25 14:01

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 21:40	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 21:40	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 21:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130				12/15/25 09:30	12/17/25 21:40	1
o-Terphenyl	106		70 - 130				12/15/25 09:30	12/17/25 21:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	123		10.0		mg/Kg			12/12/25 15:05	1

Client Sample ID: BH68

Lab Sample ID: 880-65981-44

Date Collected: 12/08/25 14:04

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 01:23	1
Toluene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 01:23	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 01:23	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		12/11/25 12:48	12/16/25 01:23	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 01:23	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		12/11/25 12:48	12/16/25 01:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	127		70 - 130				12/11/25 12:48	12/16/25 01:23	1
1,4-Difluorobenzene (Surr)	115		70 - 130				12/11/25 12:48	12/16/25 01:23	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			12/16/25 01:23	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/17/25 21:54	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 21:54	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 21:54	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:30	12/17/25 21:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				12/15/25 09:30	12/17/25 21:54	1
o-Terphenyl	110		70 - 130				12/15/25 09:30	12/17/25 21:54	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH68

Lab Sample ID: 880-65981-44

Date Collected: 12/08/25 14:04

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	503		9.90		mg/Kg			12/12/25 15:11	1

Client Sample ID: BH69

Lab Sample ID: 880-65981-45

Date Collected: 12/08/25 14:05

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 01:43	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 01:43	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 01:43	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 12:48	12/16/25 01:43	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 01:43	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 12:48	12/16/25 01:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	141	S1+	70 - 130				12/11/25 12:48	12/16/25 01:43	1
1,4-Difluorobenzene (Surr)	121		70 - 130				12/11/25 12:48	12/16/25 01:43	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/16/25 01:43	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 22:08	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 22:08	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 22:08	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 22:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130				12/15/25 09:30	12/17/25 22:08	1
o-Terphenyl	113		70 - 130				12/15/25 09:30	12/17/25 22:08	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	167		9.92		mg/Kg			12/12/25 15:27	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH70

Lab Sample ID: 880-65981-46

Date Collected: 12/08/25 14:07

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:48	12/16/25 02:04	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:48	12/16/25 02:04	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:48	12/16/25 02:04	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/11/25 12:48	12/16/25 02:04	1
o-Xylene	0.00285		0.00201		mg/Kg		12/11/25 12:48	12/16/25 02:04	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/11/25 12:48	12/16/25 02:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	159	S1+	70 - 130				12/11/25 12:48	12/16/25 02:04	1
1,4-Difluorobenzene (Surr)	122		70 - 130				12/11/25 12:48	12/16/25 02:04	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/16/25 02:04	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			12/17/25 22:22	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		12/15/25 09:30	12/17/25 22:22	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		12/15/25 09:30	12/17/25 22:22	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		12/15/25 09:30	12/17/25 22:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130				12/15/25 09:30	12/17/25 22:22	1
o-Terphenyl	120		70 - 130				12/15/25 09:30	12/17/25 22:22	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	183		9.98		mg/Kg			12/12/25 15:32	1

Client Sample ID: BH71

Lab Sample ID: 880-65981-47

Date Collected: 12/08/25 14:08

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:48	12/16/25 02:24	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:48	12/16/25 02:24	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:48	12/16/25 02:24	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		12/11/25 12:48	12/16/25 02:24	1
o-Xylene	0.00208		0.00202		mg/Kg		12/11/25 12:48	12/16/25 02:24	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		12/11/25 12:48	12/16/25 02:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	134	S1+	70 - 130				12/11/25 12:48	12/16/25 02:24	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH71

Lab Sample ID: 880-65981-47

Date Collected: 12/08/25 14:08

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	118		70 - 130	12/11/25 12:48	12/16/25 02:24	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			12/16/25 02:24	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	55.1		50.0		mg/Kg			12/17/25 16:45	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:35	12/17/25 16:45	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:35	12/17/25 16:45	1
Oil Range Organics (Over C28-C36)	55.1		50.0		mg/Kg		12/15/25 09:35	12/17/25 16:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130	12/15/25 09:35	12/17/25 16:45	1
o-Terphenyl	104		70 - 130	12/15/25 09:35	12/17/25 16:45	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	223		9.94		mg/Kg			12/12/25 15:48	1

Client Sample ID: SW11

Lab Sample ID: 880-65981-48

Date Collected: 12/08/25 14:10

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 02:45	1
Toluene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 02:45	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 02:45	1
m-Xylene & p-Xylene	0.00615		0.00396		mg/Kg		12/11/25 12:48	12/16/25 02:45	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 02:45	1
Xylenes, Total	0.00615		0.00396		mg/Kg		12/11/25 12:48	12/16/25 02:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	182	S1+	70 - 130	12/11/25 12:48	12/16/25 02:45	1
1,4-Difluorobenzene (Surr)	128		70 - 130	12/11/25 12:48	12/16/25 02:45	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00615		0.00396		mg/Kg			12/16/25 02:45	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: SW11

Lab Sample ID: 880-65981-48

Date Collected: 12/08/25 14:10

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 17:26	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:35	12/17/25 17:26	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:35	12/17/25 17:26	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:35	12/17/25 17:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	98		70 - 130				12/15/25 09:35	12/17/25 17:26	1
o-Terphenyl	103		70 - 130				12/15/25 09:35	12/17/25 17:26	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	270		9.96		mg/Kg			12/12/25 15:53	1

Client Sample ID: SW12

Lab Sample ID: 880-65981-49

Date Collected: 12/08/25 14:12

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 03:05	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 03:05	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 03:05	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 12:48	12/16/25 03:05	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 03:05	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 12:48	12/16/25 03:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	136	S1+	70 - 130				12/11/25 12:48	12/16/25 03:05	1
1,4-Difluorobenzene (Surr)	110		70 - 130				12/11/25 12:48	12/16/25 03:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/16/25 03:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.2	U	50.2		mg/Kg			12/17/25 18:03	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U	50.2		mg/Kg		12/15/25 09:35	12/17/25 18:03	1
Diesel Range Organics (Over C10-C28)	<50.2	U	50.2		mg/Kg		12/15/25 09:35	12/17/25 18:03	1
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		12/15/25 09:35	12/17/25 18:03	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: SW12

Lab Sample ID: 880-65981-49

Date Collected: 12/08/25 14:12

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130	12/15/25 09:35	12/17/25 18:03	1
o-Terphenyl	101		70 - 130	12/15/25 09:35	12/17/25 18:03	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	261		10.0		mg/Kg			12/12/25 15:59	1

Client Sample ID: SW13

Lab Sample ID: 880-65981-50

Date Collected: 12/08/25 14:13

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:48	12/16/25 03:26	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/11/25 12:48	12/16/25 03:26	1
Ethylbenzene	0.00320		0.00201		mg/Kg		12/11/25 12:48	12/16/25 03:26	1
m-Xylene & p-Xylene	0.00571		0.00402		mg/Kg		12/11/25 12:48	12/16/25 03:26	1
o-Xylene	0.00280		0.00201		mg/Kg		12/11/25 12:48	12/16/25 03:26	1
Xylenes, Total	0.00851		0.00402		mg/Kg		12/11/25 12:48	12/16/25 03:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	435	S1+	70 - 130	12/11/25 12:48	12/16/25 03:26	1
1,4-Difluorobenzene (Surr)	275	S1+	70 - 130	12/11/25 12:48	12/16/25 03:26	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0117		0.00402		mg/Kg			12/16/25 03:26	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/17/25 18:17	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:35	12/17/25 18:17	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:35	12/17/25 18:17	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:35	12/17/25 18:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	100		70 - 130	12/15/25 09:35	12/17/25 18:17	1
o-Terphenyl	101		70 - 130	12/15/25 09:35	12/17/25 18:17	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	123		10.1		mg/Kg			12/12/25 16:04	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: SW14

Lab Sample ID: 880-65981-51

Date Collected: 12/08/25 14:14

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:48	12/16/25 05:16	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:48	12/16/25 05:16	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:48	12/16/25 05:16	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		12/11/25 12:48	12/16/25 05:16	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/11/25 12:48	12/16/25 05:16	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		12/11/25 12:48	12/16/25 05:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	12/11/25 12:48	12/16/25 05:16	1
1,4-Difluorobenzene (Surr)	104		70 - 130	12/11/25 12:48	12/16/25 05:16	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			12/16/25 05:16	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/17/25 18:32	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:35	12/17/25 18:32	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:35	12/17/25 18:32	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:35	12/17/25 18:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130	12/15/25 09:35	12/17/25 18:32	1
o-Terphenyl	97		70 - 130	12/15/25 09:35	12/17/25 18:32	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	111		10.1		mg/Kg			12/12/25 16:09	1

Client Sample ID: SW15

Lab Sample ID: 880-65981-52

Date Collected: 12/08/25 14:17

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 05:37	1
Toluene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 05:37	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 05:37	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		12/11/25 12:48	12/16/25 05:37	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		12/11/25 12:48	12/16/25 05:37	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		12/11/25 12:48	12/16/25 05:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130	12/11/25 12:48	12/16/25 05:37	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: SW15

Lab Sample ID: 880-65981-52

Date Collected: 12/08/25 14:17

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	115		70 - 130	12/11/25 12:48	12/16/25 05:37	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			12/16/25 05:37	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/17/25 18:46	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:35	12/17/25 18:46	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:35	12/17/25 18:46	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:35	12/17/25 18:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	102		70 - 130				12/15/25 09:35	12/17/25 18:46	1
o-Terphenyl	106		70 - 130				12/15/25 09:35	12/17/25 18:46	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	172		10.1		mg/Kg			12/12/25 16:15	1

Client Sample ID: SW16

Lab Sample ID: 880-65981-53

Date Collected: 12/08/25 14:19

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 05:57	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 05:57	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 05:57	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/11/25 12:48	12/16/25 05:57	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 05:57	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/11/25 12:48	12/16/25 05:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	124		70 - 130	12/11/25 12:48	12/16/25 05:57	1
1,4-Difluorobenzene (Surr)	117		70 - 130	12/11/25 12:48	12/16/25 05:57	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			12/16/25 05:57	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 19:01	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: SW16**Lab Sample ID: 880-65981-53****Date Collected: 12/08/25 14:19****Matrix: Solid****Date Received: 12/10/25 15:20****Sample Depth: 48.5"****Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:35	12/17/25 19:01	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:35	12/17/25 19:01	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:35	12/17/25 19:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				12/15/25 09:35	12/17/25 19:01	1
o-Terphenyl	100		70 - 130				12/15/25 09:35	12/17/25 19:01	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	48.9		10.0		mg/Kg			12/12/25 16:20	1

Client Sample ID: SW17**Lab Sample ID: 880-65981-54****Date Collected: 12/08/25 14:18****Matrix: Solid****Date Received: 12/10/25 15:20****Sample Depth: 48.5"****Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:48	12/16/25 06:18	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:48	12/16/25 06:18	1
Ethylbenzene	0.00227		0.00199		mg/Kg		12/11/25 12:48	12/16/25 06:18	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/11/25 12:48	12/16/25 06:18	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/11/25 12:48	12/16/25 06:18	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/11/25 12:48	12/16/25 06:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	142	S1+	70 - 130				12/11/25 12:48	12/16/25 06:18	1
1,4-Difluorobenzene (Surr)	107		70 - 130				12/11/25 12:48	12/16/25 06:18	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/16/25 06:18	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/17/25 19:15	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/15/25 09:35	12/17/25 19:15	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/15/25 09:35	12/17/25 19:15	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/15/25 09:35	12/17/25 19:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	100		70 - 130				12/15/25 09:35	12/17/25 19:15	1
o-Terphenyl	101		70 - 130				12/15/25 09:35	12/17/25 19:15	1

Eurofins Midland

Client Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: SW17

Lab Sample ID: 880-65981-54

Date Collected: 12/08/25 14:18

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	117		10.0		mg/Kg			12/15/25 19:24	1

Client Sample ID: SW18

Lab Sample ID: 880-65981-55

Date Collected: 12/08/25 14:22

Matrix: Solid

Date Received: 12/10/25 15:20

Sample Depth: 48.5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 06:38	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 06:38	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 06:38	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 12:48	12/16/25 06:38	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/16/25 06:38	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 12:48	12/16/25 06:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				12/11/25 12:48	12/16/25 06:38	1
1,4-Difluorobenzene (Surr)	119		70 - 130				12/11/25 12:48	12/16/25 06:38	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/16/25 06:38	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/17/25 19:30	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/15/25 09:35	12/17/25 19:30	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/15/25 09:35	12/17/25 19:30	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/15/25 09:35	12/17/25 19:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				12/15/25 09:35	12/17/25 19:30	1
o-Terphenyl	102		70 - 130				12/15/25 09:35	12/17/25 19:30	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	55.4		10.1		mg/Kg			12/15/25 19:39	1

Eurofins Midland

Surrogate Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1	DFBZ1
		(70-130)	(70-130)
880-65981-1	BH25	110	100
880-65981-1 MS	BH25	94	94
880-65981-1 MSD	BH25	103	96
880-65981-2	BH26	102	99
880-65981-3	BH27	103	100
880-65981-4	BH28	107	100
880-65981-5	BH29	107	101
880-65981-6	BH30	101	94
880-65981-7	BH31	110	98
880-65981-8	BH32	103	100
880-65981-9	BH33	107	99
880-65981-10	BH34	103	96
880-65981-11	BH35	94	96
880-65981-12	BH36	102	99
880-65981-13	BH37	146 S1+	126
880-65981-14	BH38	169 S1+	120
880-65981-15	BH39	101	110
880-65981-16	BH40	126	109
880-65981-17	BH41	141 S1+	132 S1+
880-65981-18	BH42	125	124
880-65981-19	BH43	116	109
880-65981-20	BH44	148 S1+	120
880-65981-21	BH45	110	104
880-65981-21 MS	BH45	97	91
880-65981-21 MSD	BH45	114	110
880-65981-22	BH46	112	109
880-65981-23	BH47	302 S1+	119
880-65981-24	BH48	121	113
880-65981-25	BH49	166 S1+	133 S1+
880-65981-26	BH50	120	106
880-65981-27	BH51	135 S1+	108
880-65981-28	BH52	135 S1+	111
880-65981-29	BH53	130	111
880-65981-30	BH54	138 S1+	95
880-65981-31	BH55	128	93
880-65981-32	BH56	129	133 S1+
880-65981-33	BH57	132 S1+	118
880-65981-34	BH58	119	115
880-65981-35	BH59	119	107
880-65981-36	BH60	135 S1+	114
880-65981-37	BH61	139 S1+	106
880-65981-38	BH62	148 S1+	114
880-65981-39	BH63	153 S1+	117
880-65981-40	BH64	137 S1+	112
880-65981-41	BH65	102	107
880-65981-41 MS	BH65	99	101
880-65981-41 MSD	BH65	113	109
880-65981-42	BH66	135 S1+	117
880-65981-43	BH67	128	112

Eurofins Midland

Surrogate Summary

Client: American Safety Services Inc.

Job ID: 880-65981-1

Project/Site: Deep Ellum

SDG: 447

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-65981-44	BH68	127	115
880-65981-45	BH69	141 S1+	121
880-65981-46	BH70	159 S1+	122
880-65981-47	BH71	134 S1+	118
880-65981-48	SW11	182 S1+	128
880-65981-49	SW12	136 S1+	110
880-65981-50	SW13	435 S1+	275 S1+
880-65981-51	SW14	108	104
880-65981-52	SW15	122	115
880-65981-53	SW16	124	117
880-65981-54	SW17	142 S1+	107
880-65981-55	SW18	116	119
LCS 880-126352/1-A	Lab Control Sample	99	96
LCS 880-126355/1-A	Lab Control Sample	109	99
LCS 880-126360/1-A	Lab Control Sample	103	102
LCS 880-126832/1-A	Lab Control Sample	110	97
LCSD 880-126352/2-A	Lab Control Sample Dup	101	95
LCSD 880-126355/2-A	Lab Control Sample Dup	107	98
LCSD 880-126360/2-A	Lab Control Sample Dup	107	95
LCSD 880-126832/2-A	Lab Control Sample Dup	101	95
MB 880-126352/5-A	Method Blank	94	92
MB 880-126355/5-A	Method Blank	194 S1+	99
MB 880-126360/5-A	Method Blank	183 S1+	109
MB 880-126832/5-A	Method Blank	206 S1+	115

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-65981-1	BH25	136 S1+	138 S1+
880-65981-2	BH26	125	121
880-65981-3	BH27	143 S1+	144 S1+
880-65981-4	BH28	147 S1+	146 S1+
880-65981-5	BH29	146 S1+	151 S1+
880-65981-6	BH30	133 S1+	134 S1+
880-65981-7	BH31	116	108
880-65981-7 MS	BH31	129	132 S1+
880-65981-7 MSD	BH31	123	122
880-65981-8	BH32	125	117
880-65981-9	BH33	132 S1+	119
880-65981-10	BH34	119	109
880-65981-11	BH35	124	113
880-65981-12	BH36	127	114
880-65981-13	BH37	128	116
880-65981-14	BH38	109	99

Eurofins Midland

Surrogate Summary

Client: American Safety Services Inc.

Job ID: 880-65981-1

Project/Site: Deep Ellum

SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-65981-15	BH39	161 S1+	141 S1+
880-65981-16	BH40	122	116
880-65981-17	BH41	137 S1+	123
880-65981-18	BH42	118	108
880-65981-19	BH43	115	105
880-65981-20	BH44	129	115
880-65981-21	BH45	119	107
880-65981-22	BH46	125	113
880-65981-23	BH47	120	111
880-65981-24	BH48	122	115
880-65981-25	BH49	128	114
880-65981-26	BH50	121	109
880-65981-27	BH51	105	112
880-65981-27 MS	BH51	120	117
880-65981-27 MSD	BH51	122	116
880-65981-28	BH52	107	114
880-65981-29	BH53	112	120
880-65981-30	BH54	112	120
880-65981-31	BH55	101	111
880-65981-32	BH56	103	112
880-65981-33	BH57	95	110
880-65981-34	BH58	105	117
880-65981-35	BH59	79	86
880-65981-36	BH60	100	113
880-65981-37	BH61	104	111
880-65981-38	BH62	99	111
880-65981-39	BH63	129	121
880-65981-40	BH64	95	104
880-65981-41	BH65	108	115
880-65981-42	BH66	101	110
880-65981-43	BH67	103	106
880-65981-44	BH68	99	110
880-65981-45	BH69	103	113
880-65981-46	BH70	106	120
880-65981-47	BH71	99	104
880-65981-47 MS	BH71	119	105
880-65981-47 MSD	BH71	123	105
880-65981-48	SW11	98	103
880-65981-49	SW12	95	101
880-65981-50	SW13	100	101
880-65981-51	SW14	95	97
880-65981-52	SW15	102	106
880-65981-53	SW16	99	100
880-65981-54	SW17	100	101
880-65981-55	SW18	99	102
LCS 880-126620/2-A	Lab Control Sample	263 S1+	265 S1+
LCS 880-126630/2-A	Lab Control Sample	113	114
LCS 880-126635/2-A	Lab Control Sample	115	110
LCS 880-126637/2-A	Lab Control Sample	108	98
LCS 880-126915/2-A	Lab Control Sample	120	114

Eurofins Midland

Surrogate Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
LCS 880-127041/2-A	Lab Control Sample	123	123
LCSD 880-126620/3-A	Lab Control Sample Dup	248 S1+	252 S1+
LCSD 880-126630/3-A	Lab Control Sample Dup	115	120
LCSD 880-126635/3-A	Lab Control Sample Dup	114	109
LCSD 880-126637/3-A	Lab Control Sample Dup	105	95
LCSD 880-126915/3-A	Lab Control Sample Dup	116	114
LCSD 880-127041/3-A	Lab Control Sample Dup	122	119
MB 880-126620/1-A	Method Blank	439 S1+	421 S1+
MB 880-126630/1-A	Method Blank	124	116
MB 880-126635/1-A	Method Blank	111	112
MB 880-126637/1-A	Method Blank	103	103
MB 880-126915/1-A	Method Blank	117	110
MB 880-127041/1-A	Method Blank	137 S1+	135 S1+
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-126352/5-A

Matrix: Solid

Analysis Batch: 126625

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126352

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 12:46	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 12:46	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 12:46	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/11/25 12:37	12/15/25 12:46	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:37	12/15/25 12:46	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/11/25 12:37	12/15/25 12:46	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	12/11/25 12:37	12/15/25 12:46	1
1,4-Difluorobenzene (Surr)	92		70 - 130	12/11/25 12:37	12/15/25 12:46	1

Lab Sample ID: LCS 880-126352/1-A

Matrix: Solid

Analysis Batch: 126625

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126352

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09955		mg/Kg		100	70 - 130
Toluene	0.100	0.09631		mg/Kg		96	70 - 130
Ethylbenzene	0.100	0.1014		mg/Kg		101	70 - 130
m-Xylene & p-Xylene	0.200	0.2017		mg/Kg		101	70 - 130
o-Xylene	0.100	0.1021		mg/Kg		102	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: LCSD 880-126352/2-A

Matrix: Solid

Analysis Batch: 126625

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126352

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1009		mg/Kg		101	70 - 130	1	35
Toluene	0.100	0.09824		mg/Kg		98	70 - 130	2	35
Ethylbenzene	0.100	0.1042		mg/Kg		104	70 - 130	3	35
m-Xylene & p-Xylene	0.200	0.2082		mg/Kg		104	70 - 130	3	35
o-Xylene	0.100	0.1045		mg/Kg		105	70 - 130	2	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	101		70 - 130
1,4-Difluorobenzene (Surr)	95		70 - 130

Lab Sample ID: 880-65981-1 MS

Matrix: Solid

Analysis Batch: 126625

Client Sample ID: BH25

Prep Type: Total/NA

Prep Batch: 126352

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.07572		mg/Kg		76	70 - 130
Toluene	<0.00200	U	0.100	0.07325		mg/Kg		73	70 - 130

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-65981-1 MS

Matrix: Solid

Analysis Batch: 126625

Client Sample ID: BH25

Prep Type: Total/NA

Prep Batch: 126352

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	<0.00200	U	0.100	0.07748		mg/Kg		77	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1556		mg/Kg		78	70 - 130
o-Xylene	<0.00200	U	0.100	0.07902		mg/Kg		79	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	94		70 - 130
1,4-Difluorobenzene (Surr)	94		70 - 130

Lab Sample ID: 880-65981-1 MSD

Matrix: Solid

Analysis Batch: 126625

Client Sample ID: BH25

Prep Type: Total/NA

Prep Batch: 126352

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.100	0.08877		mg/Kg		89	70 - 130	16	35
Toluene	<0.00200	U	0.100	0.08807		mg/Kg		88	70 - 130	18	35
Ethylbenzene	<0.00200	U	0.100	0.09710		mg/Kg		97	70 - 130	22	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1946		mg/Kg		97	70 - 130	22	35
o-Xylene	<0.00200	U	0.100	0.09847		mg/Kg		98	70 - 130	22	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	103		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: MB 880-126355/5-A

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126355

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 12:17	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 12:17	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 12:17	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/11/25 12:43	12/15/25 12:17	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:43	12/15/25 12:17	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/11/25 12:43	12/15/25 12:17	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	194	S1+	70 - 130	12/11/25 12:43	12/15/25 12:17	1
1,4-Difluorobenzene (Surr)	99		70 - 130	12/11/25 12:43	12/15/25 12:17	1

Lab Sample ID: LCS 880-126355/1-A

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126355

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1021		mg/Kg		102	70 - 130
Toluene	0.100	0.1043		mg/Kg		104	70 - 130
Ethylbenzene	0.100	0.1137		mg/Kg		114	70 - 130
m-Xylene & p-Xylene	0.200	0.2275		mg/Kg		114	70 - 130

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-126355/1-A

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126355

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
o-Xylene	0.100	0.1144		mg/Kg		114	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	109		70 - 130				
1,4-Difluorobenzene (Surr)	99		70 - 130				

Lab Sample ID: LCSD 880-126355/2-A

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126355

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	0.100	0.1047		mg/Kg		105	70 - 130	3	35
Toluene	0.100	0.1066		mg/Kg		107	70 - 130	2	35
Ethylbenzene	0.100	0.1071		mg/Kg		107	70 - 130	6	35
m-Xylene & p-Xylene	0.200	0.2051		mg/Kg		103	70 - 130	10	35
o-Xylene	0.100	0.1164		mg/Kg		116	70 - 130	2	35
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene (Surr)	107		70 - 130						
1,4-Difluorobenzene (Surr)	98		70 - 130						

Lab Sample ID: 880-65981-21 MS

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: BH45

Prep Type: Total/NA

Prep Batch: 126355

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.07363		mg/Kg		74	70 - 130
Toluene	<0.00200	U	0.100	0.08068		mg/Kg		81	70 - 130
Ethylbenzene	<0.00200	U	0.100	0.08366		mg/Kg		84	70 - 130
m-Xylene & p-Xylene	<0.00400	U	0.200	0.1685		mg/Kg		84	70 - 130
o-Xylene	<0.00200	U	0.100	0.08299		mg/Kg		83	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	97		70 - 130						
1,4-Difluorobenzene (Surr)	91		70 - 130						

Lab Sample ID: 880-65981-21 MSD

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: BH45

Prep Type: Total/NA

Prep Batch: 126355

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	<0.00200	U	0.100	0.09402		mg/Kg		94	70 - 130	24	35
Toluene	<0.00200	U	0.100	0.08374		mg/Kg		84	70 - 130	4	35
Ethylbenzene	<0.00200	U	0.100	0.08088		mg/Kg		81	70 - 130	3	35
m-Xylene & p-Xylene	<0.00400	U	0.200	0.1701		mg/Kg		85	70 - 130	1	35
o-Xylene	<0.00200	U	0.100	0.09780		mg/Kg		98	70 - 130	16	35

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-65981-21 MSD

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: BH45

Prep Type: Total/NA

Prep Batch: 126355

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	114		70 - 130
1,4-Difluorobenzene (Surr)	110		70 - 130

Lab Sample ID: MB 880-126360/5-A

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126360

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil	Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/15/25 23:53	1	
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/15/25 23:53	1	
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/15/25 23:53	1	
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/11/25 12:48	12/15/25 23:53	1	
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 12:48	12/15/25 23:53	1	
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/11/25 12:48	12/15/25 23:53	1	

	MB	MB								
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil	Fac
4-Bromofluorobenzene (Surr)	183	S1+	70 - 130				12/11/25 12:48	12/15/25 23:53	1	
1,4-Difluorobenzene (Surr)	109		70 - 130				12/11/25 12:48	12/15/25 23:53	1	

Lab Sample ID: LCS 880-126360/1-A

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126360

	Spike	LCS	LCS					%Rec		
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits			
Benzene	0.100	0.1018		mg/Kg		102	70 - 130			
Toluene	0.100	0.09680		mg/Kg		97	70 - 130			
Ethylbenzene	0.100	0.1077		mg/Kg		108	70 - 130			
m-Xylene & p-Xylene	0.200	0.2137		mg/Kg		107	70 - 130			
o-Xylene	0.100	0.1049		mg/Kg		105	70 - 130			

	LCS	LCS								
Surrogate	%Recovery	Qualifier	Limits							
4-Bromofluorobenzene (Surr)	103		70 - 130							
1,4-Difluorobenzene (Surr)	102		70 - 130							

Lab Sample ID: LCSD 880-126360/2-A

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126360

			Spike	LCSD	LCSD						RPD
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene			0.100	0.08871		mg/Kg		89	70 - 130	14	35
Toluene			0.100	0.09777		mg/Kg		98	70 - 130	1	35
Ethylbenzene			0.100	0.1019		mg/Kg		102	70 - 130	6	35
m-Xylene & p-Xylene			0.200	0.1943		mg/Kg		97	70 - 130	9	35
o-Xylene			0.100	0.1043		mg/Kg		104	70 - 130	1	35
			LCSD	LCSD							
Surrogate	%Recovery	Qualifier	Limits								
4-Bromofluorobenzene (Surr)	107		70 - 130								

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-126360/2-A

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126360

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1,4-Difluorobenzene (Surr)	95		70 - 130

Lab Sample ID: 880-65981-41 MS

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: BH65

Prep Type: Total/NA

Prep Batch: 126360

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	<0.00200	U	0.100	0.08857		mg/Kg		89	70 - 130	
Toluene	<0.00200	U	0.100	0.08582		mg/Kg		86	70 - 130	
Ethylbenzene	<0.00200	U	0.100	0.08284		mg/Kg		82	70 - 130	
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1534		mg/Kg		77	70 - 130	
o-Xylene	<0.00200	U	0.100	0.08067		mg/Kg		81	70 - 130	

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: 880-65981-41 MSD

Matrix: Solid

Analysis Batch: 126619

Client Sample ID: BH65

Prep Type: Total/NA

Prep Batch: 126360

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	<0.00200	U	0.100	0.1012		mg/Kg		101	70 - 130	13	35	
Toluene	<0.00200	U	0.100	0.08998		mg/Kg		90	70 - 130	5	35	
Ethylbenzene	<0.00200	U	0.100	0.09270		mg/Kg		92	70 - 130	11	35	
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1876		mg/Kg		94	70 - 130	20	35	
o-Xylene	<0.00200	U	0.100	0.1047		mg/Kg		105	70 - 130	26	35	

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	113		70 - 130
1,4-Difluorobenzene (Surr)	109		70 - 130

Lab Sample ID: MB 880-126832/5-A

Matrix: Solid

Analysis Batch: 126792

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126832

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	<0.00200	U	0.00200		mg/Kg		12/16/25 08:00	12/16/25 11:39	1	
Toluene	<0.00200	U	0.00200		mg/Kg		12/16/25 08:00	12/16/25 11:39	1	
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/16/25 08:00	12/16/25 11:39	1	
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/16/25 08:00	12/16/25 11:39	1	
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/16/25 08:00	12/16/25 11:39	1	
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/16/25 08:00	12/16/25 11:39	1	

	MB	MB								
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac				
4-Bromofluorobenzene (Surr)	206	S1+	70 - 130	12/16/25 08:00	12/16/25 11:39	1				
1,4-Difluorobenzene (Surr)	115		70 - 130	12/16/25 08:00	12/16/25 11:39	1				

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-126832/1-A

Matrix: Solid

Analysis Batch: 126792

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126832

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09619		mg/Kg		96	70 - 130
Toluene	0.100	0.09392		mg/Kg		94	70 - 130
Ethylbenzene	0.100	0.1185		mg/Kg		119	70 - 130
m-Xylene & p-Xylene	0.200	0.2135		mg/Kg		107	70 - 130
o-Xylene	0.100	0.1017		mg/Kg		102	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	110		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: LCSD 880-126832/2-A

Matrix: Solid

Analysis Batch: 126792

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126832

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09405		mg/Kg		94	70 - 130	2	35
Toluene	0.100	0.09976		mg/Kg		100	70 - 130	6	35
Ethylbenzene	0.100	0.1045		mg/Kg		104	70 - 130	13	35
m-Xylene & p-Xylene	0.200	0.1747		mg/Kg		87	70 - 130	20	35
o-Xylene	0.100	0.08820		mg/Kg		88	70 - 130	14	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	101		70 - 130
1,4-Difluorobenzene (Surr)	95		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-126620/1-A

Matrix: Solid

Analysis Batch: 126715

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126620

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 08:54	12/15/25 23:55	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 08:54	12/15/25 23:55	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 08:54	12/15/25 23:55	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	439	S1+	70 - 130	12/15/25 08:54	12/15/25 23:55	1
o-Terphenyl	421	S1+	70 - 130	12/15/25 08:54	12/15/25 23:55	1

Lab Sample ID: LCS 880-126620/2-A

Matrix: Solid

Analysis Batch: 126715

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126620

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1824	*+	mg/Kg		182	70 - 130

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-126620/2-A

Matrix: Solid

Analysis Batch: 126715

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126620

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (Over C10-C28)	1000	2326	*+	mg/Kg		233	70 - 130
	LCS		LCS				
Surrogate	%Recovery	Qualifier	Limits				
1-Chlorooctane	263	S1+	70 - 130				
o-Terphenyl	265	S1+	70 - 130				

Lab Sample ID: LCSD 880-126620/3-A

Matrix: Solid

Analysis Batch: 126715

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126620

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1748	*+	mg/Kg		175	70 - 130	4	20
Diesel Range Organics (Over C10-C28)	1000	2230	*+	mg/Kg		223	70 - 130	4	20
	LCSD		LCSD						
Surrogate	%Recovery	Qualifier	Limits						
1-Chlorooctane	248	S1+	70 - 130						
o-Terphenyl	252	S1+	70 - 130						

Lab Sample ID: MB 880-126630/1-A

Matrix: Solid

Analysis Batch: 126803

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126630

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 19:07	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 19:07	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:10	12/16/25 19:07	1
	MB		MB						
Surrogate	%Recovery	Qualifier	Limits	Prepared		Analyzed		Dil Fac	
1-Chlorooctane	124		70 - 130	12/15/25 09:10		12/16/25 19:07		1	
o-Terphenyl	116		70 - 130	12/15/25 09:10		12/16/25 19:07		1	

Lab Sample ID: LCS 880-126630/2-A

Matrix: Solid

Analysis Batch: 126803

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126630

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1058		mg/Kg		106	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1167		mg/Kg		117	70 - 130
	LCS		LCS				
Surrogate	%Recovery	Qualifier	Limits				
1-Chlorooctane	113		70 - 130				
o-Terphenyl	114		70 - 130				

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-126630/3-A

Matrix: Solid

Analysis Batch: 126803

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126630

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1090		mg/Kg		109	70 - 130	3	20
Diesel Range Organics (Over C10-C28)	1000	1200		mg/Kg		120	70 - 130	3	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	115		70 - 130						
o-Terphenyl	120		70 - 130						

Lab Sample ID: 880-65981-7 MS

Matrix: Solid

Analysis Batch: 126803

Client Sample ID: BH31

Prep Type: Total/NA

Prep Batch: 126630

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.6	U	1000	845.1		mg/Kg		85	70 - 130		
Diesel Range Organics (Over C10-C28)	<49.6	U	1000	928.1		mg/Kg		93	70 - 130		
Surrogate	MS %Recovery	MS Qualifier	Limits								
1-Chlorooctane	129		70 - 130								
o-Terphenyl	132	S1+	70 - 130								

Lab Sample ID: 880-65981-7 MSD

Matrix: Solid

Analysis Batch: 126803

Client Sample ID: BH31

Prep Type: Total/NA

Prep Batch: 126630

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.6	U	1000	770.2		mg/Kg		77	70 - 130	9	20
Diesel Range Organics (Over C10-C28)	<49.6	U	1000	876.0		mg/Kg		88	70 - 130	6	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	123		70 - 130								
o-Terphenyl	122		70 - 130								

Lab Sample ID: MB 880-126635/1-A

Matrix: Solid

Analysis Batch: 126919

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126635

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 16:02	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 16:02	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:30	12/17/25 16:02	1

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-126635/1-A
Matrix: Solid
Analysis Batch: 126919

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 126635

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130	12/15/25 09:30	12/17/25 16:02	1
o-Terphenyl	112		70 - 130	12/15/25 09:30	12/17/25 16:02	1

Lab Sample ID: LCS 880-126635/2-A
Matrix: Solid
Analysis Batch: 126919

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 126635

			Spike	LCS	LCS				%Rec	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics (GRO)-C6-C10			1000	1034		mg/Kg		103	70 - 130	
Diesel Range Organics (Over C10-C28)			1000	987.3		mg/Kg		99	70 - 130	
Surrogate	LCS	LCS								
	%Recovery	Qualifier	Limits							
1-Chlorooctane	115		70 - 130							
o-Terphenyl	110		70 - 130							

Lab Sample ID: LCSD 880-126635/3-A
Matrix: Solid
Analysis Batch: 126919

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 126635

			Spike	LCSD	LCSD				%Rec		RPD
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10			1000	1017		mg/Kg		102	70 - 130	2	20
Diesel Range Organics (Over C10-C28)			1000	985.2		mg/Kg		99	70 - 130	0	20
Surrogate	LCSD	LCSD									
	%Recovery	Qualifier	Limits								
1-Chlorooctane	114		70 - 130								
o-Terphenyl	109		70 - 130								

Lab Sample ID: 880-65981-27 MS
Matrix: Solid
Analysis Batch: 126919

Client Sample ID: BH51
Prep Type: Total/NA
Prep Batch: 126635

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	827.4		mg/Kg		83	70 - 130	
Diesel Range Organics (Over C10-C28)	<49.9	U	999	782.7		mg/Kg		78	70 - 130	
Surrogate	MS	MS								
	%Recovery	Qualifier	Limits							
1-Chlorooctane	120		70 - 130							
o-Terphenyl	117		70 - 130							

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-65981-27 MSD

Matrix: Solid

Analysis Batch: 126919

Client Sample ID: BH51

Prep Type: Total/NA

Prep Batch: 126635

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	808.9		mg/Kg		81	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	<49.9	U	999	791.0		mg/Kg		79	70 - 130	1	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	122		70 - 130								
o-Terphenyl	116		70 - 130								

Lab Sample ID: MB 880-126637/1-A

Matrix: Solid

Analysis Batch: 126921

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126637

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/15/25 09:35	12/17/25 15:47	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/15/25 09:35	12/17/25 15:47	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/15/25 09:35	12/17/25 15:47	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130				12/15/25 09:35	12/17/25 15:47	1
o-Terphenyl	103		70 - 130				12/15/25 09:35	12/17/25 15:47	1

Lab Sample ID: LCS 880-126637/2-A

Matrix: Solid

Analysis Batch: 126921

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126637

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (GRO)-C6-C10	1000	835.6		mg/Kg		84	70 - 130		
Diesel Range Organics (Over C10-C28)	1000	1040		mg/Kg		104	70 - 130		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
1-Chlorooctane	108		70 - 130						
o-Terphenyl	98		70 - 130						

Lab Sample ID: LCSD 880-126637/3-A

Matrix: Solid

Analysis Batch: 126921

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126637

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	837.1		mg/Kg		84	70 - 130	0	20
Diesel Range Organics (Over C10-C28)	1000	1019		mg/Kg		102	70 - 130	2	20

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-126637/3-A

Matrix: Solid

Analysis Batch: 126921

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126637

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	105		70 - 130
o-Terphenyl	95		70 - 130

Lab Sample ID: 880-65981-47 MS

Matrix: Solid

Analysis Batch: 126921

Client Sample ID: BH71

Prep Type: Total/NA

Prep Batch: 126637

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	999	713.5		mg/Kg		71	70 - 130	
Diesel Range Organics (Over C10-C28)	<50.0	U	999	875.4		mg/Kg		88	70 - 130	
Surrogate	%Recovery	Qualifier	Limits							
1-Chlorooctane	119		70 - 130							
o-Terphenyl	105		70 - 130							

Lab Sample ID: 880-65981-47 MSD

Matrix: Solid

Analysis Batch: 126921

Client Sample ID: BH71

Prep Type: Total/NA

Prep Batch: 126637

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	999	743.1		mg/Kg		74	70 - 130	4	20	
Diesel Range Organics (Over C10-C28)	<50.0	U	999	896.7		mg/Kg		90	70 - 130	2	20	
Surrogate	%Recovery	Qualifier	Limits									
1-Chlorooctane	123		70 - 130									
o-Terphenyl	105		70 - 130									

Lab Sample ID: MB 880-126915/1-A

Matrix: Solid

Analysis Batch: 126936

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126915

	MB	MB									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/17/25 08:08	12/17/25 08:29	1		
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/17/25 08:08	12/17/25 08:29	1		
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/17/25 08:08	12/17/25 08:29	1		
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac		
1-Chlorooctane	117		70 - 130				12/17/25 08:08	12/17/25 08:29	1		
o-Terphenyl	110		70 - 130				12/17/25 08:08	12/17/25 08:29	1		

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-126915/2-A

Matrix: Solid

Analysis Batch: 126936

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126915

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1108		mg/Kg		111	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1144		mg/Kg		114	70 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
1-Chlorooctane	120		70 - 130				
o-Terphenyl	114		70 - 130				

Lab Sample ID: LCSD 880-126915/3-A

Matrix: Solid

Analysis Batch: 126936

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126915

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1118		mg/Kg		112	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	1000	1160		mg/Kg		116	70 - 130	1	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	116		70 - 130						
o-Terphenyl	114		70 - 130						

Lab Sample ID: MB 880-127041/1-A

Matrix: Solid

Analysis Batch: 127139

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 127041

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/18/25 07:40	12/18/25 14:02	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/18/25 07:40	12/18/25 14:02	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/18/25 07:40	12/18/25 14:02	1
Surrogate	%Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	137	S1+	70 - 130			12/18/25 07:40	12/18/25 14:02	1	
o-Terphenyl	135	S1+	70 - 130			12/18/25 07:40	12/18/25 14:02	1	

Lab Sample ID: LCS 880-127041/2-A

Matrix: Solid

Analysis Batch: 127139

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 127041

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	986.8		mg/Kg		99	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1106		mg/Kg		111	70 - 130

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-127041/2-A
Matrix: Solid
Analysis Batch: 127139

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 127041

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	123		70 - 130
o-Terphenyl	123		70 - 130

Lab Sample ID: LCSD 880-127041/3-A
Matrix: Solid
Analysis Batch: 127139

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 127041

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	994.5		mg/Kg		99	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	1000	1051		mg/Kg		105	70 - 130	5	20

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	122		70 - 130
o-Terphenyl	119		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-126402/1-A
Matrix: Solid
Analysis Batch: 126462

Client Sample ID: Method Blank
Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			12/12/25 17:20	1

Lab Sample ID: LCS 880-126402/2-A
Matrix: Solid
Analysis Batch: 126462

Client Sample ID: Lab Control Sample
Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	200	185.9		mg/Kg		93	90 - 110

Lab Sample ID: LCSD 880-126402/3-A
Matrix: Solid
Analysis Batch: 126462

Client Sample ID: Lab Control Sample Dup
Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	200	187.5		mg/Kg		94	90 - 110	1	20

Lab Sample ID: 880-65981-5 MS
Matrix: Solid
Analysis Batch: 126462

Client Sample ID: BH29
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	243		251	500.2		mg/Kg		103	90 - 110

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 880-65981-5 MSD

Matrix: Solid

Analysis Batch: 126462

Client Sample ID: BH29

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	243		251	501.6		mg/Kg		103	90 - 110	0	20

Lab Sample ID: MB 880-126403/1-A

Matrix: Solid

Analysis Batch: 126478

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			12/12/25 13:08	1

Lab Sample ID: LCS 880-126403/2-A

Matrix: Solid

Analysis Batch: 126478

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	229.4		mg/Kg		92	90 - 110

Lab Sample ID: LCSD 880-126403/3-A

Matrix: Solid

Analysis Batch: 126478

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	229.6		mg/Kg		92	90 - 110	0	20

Lab Sample ID: 880-65981-34 MS

Matrix: Solid

Analysis Batch: 126478

Client Sample ID: BH58

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	35.6		249	264.9		mg/Kg		92	90 - 110

Lab Sample ID: 880-65981-34 MSD

Matrix: Solid

Analysis Batch: 126478

Client Sample ID: BH58

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	35.6		249	265.2		mg/Kg		92	90 - 110	0	20

Lab Sample ID: 880-65981-44 MS

Matrix: Solid

Analysis Batch: 126478

Client Sample ID: BH68

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	503		248	751.9		mg/Kg		100	90 - 110

Lab Sample ID: 880-65981-44 MSD

Matrix: Solid

Analysis Batch: 126478

Client Sample ID: BH68

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	503		248	751.3		mg/Kg		100	90 - 110	0	20

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-126406/1-A
Matrix: Solid
Analysis Batch: 126479

Client Sample ID: Method Blank
Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			12/12/25 16:47	1

Lab Sample ID: LCS 880-126406/2-A
Matrix: Solid
Analysis Batch: 126479

Client Sample ID: Lab Control Sample
Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	230.1		mg/Kg		92	90 - 110

Lab Sample ID: LCSD 880-126406/3-A
Matrix: Solid
Analysis Batch: 126479

Client Sample ID: Lab Control Sample Dup
Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	229.9		mg/Kg		92	90 - 110	0	20

Lab Sample ID: 880-65981-14 MS
Matrix: Solid
Analysis Batch: 126479

Client Sample ID: BH38
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	47.7		248	278.7		mg/Kg		93	90 - 110

Lab Sample ID: 880-65981-14 MSD
Matrix: Solid
Analysis Batch: 126479

Client Sample ID: BH38
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	47.7		248	278.4		mg/Kg		93	90 - 110	0	20

Lab Sample ID: 880-65981-24 MS
Matrix: Solid
Analysis Batch: 126479

Client Sample ID: BH48
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	294		250	551.8		mg/Kg		103	90 - 110

Lab Sample ID: 880-65981-24 MSD
Matrix: Solid
Analysis Batch: 126479

Client Sample ID: BH48
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	294		250	551.4		mg/Kg		103	90 - 110	0	20

Lab Sample ID: MB 880-126404/1-A
Matrix: Solid
Analysis Batch: 126480

Client Sample ID: Method Blank
Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			12/15/25 19:09	1

Eurofins Midland

QC Sample Results

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: LCS 880-126404/2-A						Client Sample ID: Lab Control Sample					
Matrix: Solid						Prep Type: Soluble					
Analysis Batch: 126480											
Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride			250	241.6		mg/Kg		97	90 - 110		

Lab Sample ID: LCSD 880-126404/3-A						Client Sample ID: Lab Control Sample Dup					
Matrix: Solid						Prep Type: Soluble					
Analysis Batch: 126480											
Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride			250	241.3		mg/Kg		97	90 - 110	0	20

Lab Sample ID: 880-65981-54 MS						Client Sample ID: SW17					
Matrix: Solid						Prep Type: Soluble					
Analysis Batch: 126480											
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	117		251	370.5		mg/Kg		101	90 - 110		

Lab Sample ID: 880-65981-54 MSD						Client Sample ID: SW17					
Matrix: Solid						Prep Type: Soluble					
Analysis Batch: 126480											
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	117		251	371.3		mg/Kg		101	90 - 110	0	20

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

GC VOA

Prep Batch: 126352

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-1	BH25	Total/NA	Solid	5035	
880-65981-2	BH26	Total/NA	Solid	5035	
880-65981-3	BH27	Total/NA	Solid	5035	
880-65981-4	BH28	Total/NA	Solid	5035	
880-65981-5	BH29	Total/NA	Solid	5035	
880-65981-6	BH30	Total/NA	Solid	5035	
880-65981-7	BH31	Total/NA	Solid	5035	
880-65981-8	BH32	Total/NA	Solid	5035	
880-65981-9	BH33	Total/NA	Solid	5035	
880-65981-10	BH34	Total/NA	Solid	5035	
880-65981-11	BH35	Total/NA	Solid	5035	
880-65981-12	BH36	Total/NA	Solid	5035	
MB 880-126352/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-126352/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-126352/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-65981-1 MS	BH25	Total/NA	Solid	5035	
880-65981-1 MSD	BH25	Total/NA	Solid	5035	

Prep Batch: 126355

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-21	BH45	Total/NA	Solid	5035	
880-65981-22	BH46	Total/NA	Solid	5035	
880-65981-23	BH47	Total/NA	Solid	5035	
880-65981-24	BH48	Total/NA	Solid	5035	
880-65981-25	BH49	Total/NA	Solid	5035	
880-65981-26	BH50	Total/NA	Solid	5035	
880-65981-27	BH51	Total/NA	Solid	5035	
880-65981-28	BH52	Total/NA	Solid	5035	
880-65981-29	BH53	Total/NA	Solid	5035	
880-65981-30	BH54	Total/NA	Solid	5035	
880-65981-31	BH55	Total/NA	Solid	5035	
880-65981-32	BH56	Total/NA	Solid	5035	
880-65981-33	BH57	Total/NA	Solid	5035	
880-65981-34	BH58	Total/NA	Solid	5035	
880-65981-35	BH59	Total/NA	Solid	5035	
880-65981-36	BH60	Total/NA	Solid	5035	
880-65981-37	BH61	Total/NA	Solid	5035	
880-65981-38	BH62	Total/NA	Solid	5035	
880-65981-39	BH63	Total/NA	Solid	5035	
880-65981-40	BH64	Total/NA	Solid	5035	
MB 880-126355/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-126355/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-126355/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-65981-21 MS	BH45	Total/NA	Solid	5035	
880-65981-21 MSD	BH45	Total/NA	Solid	5035	

Prep Batch: 126360

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-41	BH65	Total/NA	Solid	5035	
880-65981-42	BH66	Total/NA	Solid	5035	
880-65981-43	BH67	Total/NA	Solid	5035	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

GC VOA (Continued)

Prep Batch: 126360 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-44	BH68	Total/NA	Solid	5035	
880-65981-45	BH69	Total/NA	Solid	5035	
880-65981-46	BH70	Total/NA	Solid	5035	
880-65981-47	BH71	Total/NA	Solid	5035	
880-65981-48	SW11	Total/NA	Solid	5035	
880-65981-49	SW12	Total/NA	Solid	5035	
880-65981-50	SW13	Total/NA	Solid	5035	
880-65981-51	SW14	Total/NA	Solid	5035	
880-65981-52	SW15	Total/NA	Solid	5035	
880-65981-53	SW16	Total/NA	Solid	5035	
880-65981-54	SW17	Total/NA	Solid	5035	
880-65981-55	SW18	Total/NA	Solid	5035	
MB 880-126360/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-126360/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-126360/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-65981-41 MS	BH65	Total/NA	Solid	5035	
880-65981-41 MSD	BH65	Total/NA	Solid	5035	

Analysis Batch: 126619

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-21	BH45	Total/NA	Solid	8021B	126355
880-65981-22	BH46	Total/NA	Solid	8021B	126355
880-65981-23	BH47	Total/NA	Solid	8021B	126355
880-65981-24	BH48	Total/NA	Solid	8021B	126355
880-65981-25	BH49	Total/NA	Solid	8021B	126355
880-65981-26	BH50	Total/NA	Solid	8021B	126355
880-65981-27	BH51	Total/NA	Solid	8021B	126355
880-65981-28	BH52	Total/NA	Solid	8021B	126355
880-65981-29	BH53	Total/NA	Solid	8021B	126355
880-65981-30	BH54	Total/NA	Solid	8021B	126355
880-65981-31	BH55	Total/NA	Solid	8021B	126355
880-65981-32	BH56	Total/NA	Solid	8021B	126355
880-65981-33	BH57	Total/NA	Solid	8021B	126355
880-65981-34	BH58	Total/NA	Solid	8021B	126355
880-65981-35	BH59	Total/NA	Solid	8021B	126355
880-65981-36	BH60	Total/NA	Solid	8021B	126355
880-65981-37	BH61	Total/NA	Solid	8021B	126355
880-65981-38	BH62	Total/NA	Solid	8021B	126355
880-65981-39	BH63	Total/NA	Solid	8021B	126355
880-65981-40	BH64	Total/NA	Solid	8021B	126355
880-65981-41	BH65	Total/NA	Solid	8021B	126360
880-65981-42	BH66	Total/NA	Solid	8021B	126360
880-65981-43	BH67	Total/NA	Solid	8021B	126360
880-65981-44	BH68	Total/NA	Solid	8021B	126360
880-65981-45	BH69	Total/NA	Solid	8021B	126360
880-65981-46	BH70	Total/NA	Solid	8021B	126360
880-65981-47	BH71	Total/NA	Solid	8021B	126360
880-65981-48	SW11	Total/NA	Solid	8021B	126360
880-65981-49	SW12	Total/NA	Solid	8021B	126360
880-65981-50	SW13	Total/NA	Solid	8021B	126360
880-65981-51	SW14	Total/NA	Solid	8021B	126360

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

GC VOA (Continued)

Analysis Batch: 126619 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-52	SW15	Total/NA	Solid	8021B	126360
880-65981-53	SW16	Total/NA	Solid	8021B	126360
880-65981-54	SW17	Total/NA	Solid	8021B	126360
880-65981-55	SW18	Total/NA	Solid	8021B	126360
MB 880-126355/5-A	Method Blank	Total/NA	Solid	8021B	126355
MB 880-126360/5-A	Method Blank	Total/NA	Solid	8021B	126360
LCS 880-126355/1-A	Lab Control Sample	Total/NA	Solid	8021B	126355
LCS 880-126360/1-A	Lab Control Sample	Total/NA	Solid	8021B	126360
LCSD 880-126355/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	126355
LCSD 880-126360/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	126360
880-65981-21 MS	BH45	Total/NA	Solid	8021B	126355
880-65981-21 MSD	BH45	Total/NA	Solid	8021B	126355
880-65981-41 MS	BH65	Total/NA	Solid	8021B	126360
880-65981-41 MSD	BH65	Total/NA	Solid	8021B	126360

Analysis Batch: 126625

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-1	BH25	Total/NA	Solid	8021B	126352
880-65981-2	BH26	Total/NA	Solid	8021B	126352
880-65981-3	BH27	Total/NA	Solid	8021B	126352
880-65981-4	BH28	Total/NA	Solid	8021B	126352
880-65981-5	BH29	Total/NA	Solid	8021B	126352
880-65981-6	BH30	Total/NA	Solid	8021B	126352
880-65981-7	BH31	Total/NA	Solid	8021B	126352
880-65981-8	BH32	Total/NA	Solid	8021B	126352
880-65981-9	BH33	Total/NA	Solid	8021B	126352
880-65981-10	BH34	Total/NA	Solid	8021B	126352
880-65981-11	BH35	Total/NA	Solid	8021B	126352
880-65981-12	BH36	Total/NA	Solid	8021B	126352
MB 880-126352/5-A	Method Blank	Total/NA	Solid	8021B	126352
LCS 880-126352/1-A	Lab Control Sample	Total/NA	Solid	8021B	126352
LCSD 880-126352/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	126352
880-65981-1 MS	BH25	Total/NA	Solid	8021B	126352
880-65981-1 MSD	BH25	Total/NA	Solid	8021B	126352

Analysis Batch: 126792

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-13	BH37	Total/NA	Solid	8021B	126832
880-65981-14	BH38	Total/NA	Solid	8021B	126832
880-65981-15	BH39	Total/NA	Solid	8021B	126832
880-65981-16	BH40	Total/NA	Solid	8021B	126832
880-65981-17	BH41	Total/NA	Solid	8021B	126832
880-65981-18	BH42	Total/NA	Solid	8021B	126832
880-65981-19	BH43	Total/NA	Solid	8021B	126832
880-65981-20	BH44	Total/NA	Solid	8021B	126832
MB 880-126832/5-A	Method Blank	Total/NA	Solid	8021B	126832
LCS 880-126832/1-A	Lab Control Sample	Total/NA	Solid	8021B	126832
LCSD 880-126832/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	126832

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

GC VOA

Prep Batch: 126832

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-13	BH37	Total/NA	Solid	5035	
880-65981-14	BH38	Total/NA	Solid	5035	
880-65981-15	BH39	Total/NA	Solid	5035	
880-65981-16	BH40	Total/NA	Solid	5035	
880-65981-17	BH41	Total/NA	Solid	5035	
880-65981-18	BH42	Total/NA	Solid	5035	
880-65981-19	BH43	Total/NA	Solid	5035	
880-65981-20	BH44	Total/NA	Solid	5035	
MB 880-126832/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-126832/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-126832/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 126840

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-1	BH25	Total/NA	Solid	Total BTEX	
880-65981-2	BH26	Total/NA	Solid	Total BTEX	
880-65981-3	BH27	Total/NA	Solid	Total BTEX	
880-65981-4	BH28	Total/NA	Solid	Total BTEX	
880-65981-5	BH29	Total/NA	Solid	Total BTEX	
880-65981-6	BH30	Total/NA	Solid	Total BTEX	
880-65981-7	BH31	Total/NA	Solid	Total BTEX	
880-65981-8	BH32	Total/NA	Solid	Total BTEX	
880-65981-9	BH33	Total/NA	Solid	Total BTEX	
880-65981-10	BH34	Total/NA	Solid	Total BTEX	
880-65981-11	BH35	Total/NA	Solid	Total BTEX	
880-65981-12	BH36	Total/NA	Solid	Total BTEX	
880-65981-13	BH37	Total/NA	Solid	Total BTEX	
880-65981-14	BH38	Total/NA	Solid	Total BTEX	
880-65981-15	BH39	Total/NA	Solid	Total BTEX	
880-65981-16	BH40	Total/NA	Solid	Total BTEX	
880-65981-17	BH41	Total/NA	Solid	Total BTEX	
880-65981-18	BH42	Total/NA	Solid	Total BTEX	
880-65981-19	BH43	Total/NA	Solid	Total BTEX	
880-65981-20	BH44	Total/NA	Solid	Total BTEX	
880-65981-21	BH45	Total/NA	Solid	Total BTEX	
880-65981-22	BH46	Total/NA	Solid	Total BTEX	
880-65981-23	BH47	Total/NA	Solid	Total BTEX	
880-65981-24	BH48	Total/NA	Solid	Total BTEX	
880-65981-25	BH49	Total/NA	Solid	Total BTEX	
880-65981-26	BH50	Total/NA	Solid	Total BTEX	
880-65981-27	BH51	Total/NA	Solid	Total BTEX	
880-65981-28	BH52	Total/NA	Solid	Total BTEX	
880-65981-29	BH53	Total/NA	Solid	Total BTEX	
880-65981-30	BH54	Total/NA	Solid	Total BTEX	
880-65981-31	BH55	Total/NA	Solid	Total BTEX	
880-65981-32	BH56	Total/NA	Solid	Total BTEX	
880-65981-33	BH57	Total/NA	Solid	Total BTEX	
880-65981-34	BH58	Total/NA	Solid	Total BTEX	
880-65981-35	BH59	Total/NA	Solid	Total BTEX	
880-65981-36	BH60	Total/NA	Solid	Total BTEX	
880-65981-37	BH61	Total/NA	Solid	Total BTEX	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

GC VOA (Continued)

Analysis Batch: 126840 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-38	BH62	Total/NA	Solid	Total BTEX	
880-65981-39	BH63	Total/NA	Solid	Total BTEX	
880-65981-40	BH64	Total/NA	Solid	Total BTEX	
880-65981-41	BH65	Total/NA	Solid	Total BTEX	
880-65981-42	BH66	Total/NA	Solid	Total BTEX	
880-65981-43	BH67	Total/NA	Solid	Total BTEX	
880-65981-44	BH68	Total/NA	Solid	Total BTEX	
880-65981-45	BH69	Total/NA	Solid	Total BTEX	
880-65981-46	BH70	Total/NA	Solid	Total BTEX	
880-65981-47	BH71	Total/NA	Solid	Total BTEX	
880-65981-48	SW11	Total/NA	Solid	Total BTEX	
880-65981-49	SW12	Total/NA	Solid	Total BTEX	
880-65981-50	SW13	Total/NA	Solid	Total BTEX	
880-65981-51	SW14	Total/NA	Solid	Total BTEX	
880-65981-52	SW15	Total/NA	Solid	Total BTEX	
880-65981-53	SW16	Total/NA	Solid	Total BTEX	
880-65981-54	SW17	Total/NA	Solid	Total BTEX	
880-65981-55	SW18	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 126620

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-1	BH25	Total/NA	Solid	8015NM Prep	
880-65981-2	BH26	Total/NA	Solid	8015NM Prep	
880-65981-3	BH27	Total/NA	Solid	8015NM Prep	
880-65981-4	BH28	Total/NA	Solid	8015NM Prep	
880-65981-5	BH29	Total/NA	Solid	8015NM Prep	
880-65981-6	BH30	Total/NA	Solid	8015NM Prep	
MB 880-126620/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-126620/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-126620/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Prep Batch: 126630

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-7	BH31	Total/NA	Solid	8015NM Prep	
880-65981-8	BH32	Total/NA	Solid	8015NM Prep	
880-65981-9	BH33	Total/NA	Solid	8015NM Prep	
880-65981-10	BH34	Total/NA	Solid	8015NM Prep	
880-65981-11	BH35	Total/NA	Solid	8015NM Prep	
880-65981-12	BH36	Total/NA	Solid	8015NM Prep	
880-65981-13	BH37	Total/NA	Solid	8015NM Prep	
880-65981-15	BH39	Total/NA	Solid	8015NM Prep	
880-65981-16	BH40	Total/NA	Solid	8015NM Prep	
880-65981-17	BH41	Total/NA	Solid	8015NM Prep	
880-65981-18	BH42	Total/NA	Solid	8015NM Prep	
880-65981-19	BH43	Total/NA	Solid	8015NM Prep	
880-65981-20	BH44	Total/NA	Solid	8015NM Prep	
880-65981-21	BH45	Total/NA	Solid	8015NM Prep	
880-65981-22	BH46	Total/NA	Solid	8015NM Prep	
880-65981-23	BH47	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

GC Semi VOA (Continued)

Prep Batch: 126630 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-24	BH48	Total/NA	Solid	8015NM Prep	
880-65981-25	BH49	Total/NA	Solid	8015NM Prep	
880-65981-26	BH50	Total/NA	Solid	8015NM Prep	
MB 880-126630/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-126630/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-126630/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-65981-7 MS	BH31	Total/NA	Solid	8015NM Prep	
880-65981-7 MSD	BH31	Total/NA	Solid	8015NM Prep	

Prep Batch: 126635

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-27	BH51	Total/NA	Solid	8015NM Prep	
880-65981-28	BH52	Total/NA	Solid	8015NM Prep	
880-65981-29	BH53	Total/NA	Solid	8015NM Prep	
880-65981-30	BH54	Total/NA	Solid	8015NM Prep	
880-65981-31	BH55	Total/NA	Solid	8015NM Prep	
880-65981-32	BH56	Total/NA	Solid	8015NM Prep	
880-65981-33	BH57	Total/NA	Solid	8015NM Prep	
880-65981-34	BH58	Total/NA	Solid	8015NM Prep	
880-65981-35	BH59	Total/NA	Solid	8015NM Prep	
880-65981-36	BH60	Total/NA	Solid	8015NM Prep	
880-65981-37	BH61	Total/NA	Solid	8015NM Prep	
880-65981-38	BH62	Total/NA	Solid	8015NM Prep	
880-65981-40	BH64	Total/NA	Solid	8015NM Prep	
880-65981-41	BH65	Total/NA	Solid	8015NM Prep	
880-65981-42	BH66	Total/NA	Solid	8015NM Prep	
880-65981-43	BH67	Total/NA	Solid	8015NM Prep	
880-65981-44	BH68	Total/NA	Solid	8015NM Prep	
880-65981-45	BH69	Total/NA	Solid	8015NM Prep	
880-65981-46	BH70	Total/NA	Solid	8015NM Prep	
MB 880-126635/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-126635/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-126635/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-65981-27 MS	BH51	Total/NA	Solid	8015NM Prep	
880-65981-27 MSD	BH51	Total/NA	Solid	8015NM Prep	

Prep Batch: 126637

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-47	BH71	Total/NA	Solid	8015NM Prep	
880-65981-48	SW11	Total/NA	Solid	8015NM Prep	
880-65981-49	SW12	Total/NA	Solid	8015NM Prep	
880-65981-50	SW13	Total/NA	Solid	8015NM Prep	
880-65981-51	SW14	Total/NA	Solid	8015NM Prep	
880-65981-52	SW15	Total/NA	Solid	8015NM Prep	
880-65981-53	SW16	Total/NA	Solid	8015NM Prep	
880-65981-54	SW17	Total/NA	Solid	8015NM Prep	
880-65981-55	SW18	Total/NA	Solid	8015NM Prep	
MB 880-126637/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-126637/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-126637/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-65981-47 MS	BH71	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

GC Semi VOA (Continued)

Prep Batch: 126637 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-47 MSD	BH71	Total/NA	Solid	8015NM Prep	

Analysis Batch: 126715

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-1	BH25	Total/NA	Solid	8015B NM	126620
880-65981-2	BH26	Total/NA	Solid	8015B NM	126620
880-65981-3	BH27	Total/NA	Solid	8015B NM	126620
880-65981-4	BH28	Total/NA	Solid	8015B NM	126620
880-65981-5	BH29	Total/NA	Solid	8015B NM	126620
880-65981-6	BH30	Total/NA	Solid	8015B NM	126620
MB 880-126620/1-A	Method Blank	Total/NA	Solid	8015B NM	126620
LCS 880-126620/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	126620
LCSD 880-126620/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	126620

Analysis Batch: 126803

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-7	BH31	Total/NA	Solid	8015B NM	126630
880-65981-8	BH32	Total/NA	Solid	8015B NM	126630
880-65981-9	BH33	Total/NA	Solid	8015B NM	126630
880-65981-10	BH34	Total/NA	Solid	8015B NM	126630
880-65981-11	BH35	Total/NA	Solid	8015B NM	126630
880-65981-12	BH36	Total/NA	Solid	8015B NM	126630
880-65981-13	BH37	Total/NA	Solid	8015B NM	126630
880-65981-15	BH39	Total/NA	Solid	8015B NM	126630
880-65981-16	BH40	Total/NA	Solid	8015B NM	126630
880-65981-17	BH41	Total/NA	Solid	8015B NM	126630
880-65981-18	BH42	Total/NA	Solid	8015B NM	126630
880-65981-19	BH43	Total/NA	Solid	8015B NM	126630
880-65981-20	BH44	Total/NA	Solid	8015B NM	126630
880-65981-21	BH45	Total/NA	Solid	8015B NM	126630
880-65981-22	BH46	Total/NA	Solid	8015B NM	126630
880-65981-23	BH47	Total/NA	Solid	8015B NM	126630
880-65981-24	BH48	Total/NA	Solid	8015B NM	126630
880-65981-25	BH49	Total/NA	Solid	8015B NM	126630
880-65981-26	BH50	Total/NA	Solid	8015B NM	126630
MB 880-126630/1-A	Method Blank	Total/NA	Solid	8015B NM	126630
LCS 880-126630/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	126630
LCSD 880-126630/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	126630
880-65981-7 MS	BH31	Total/NA	Solid	8015B NM	126630
880-65981-7 MSD	BH31	Total/NA	Solid	8015B NM	126630

Analysis Batch: 126897

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-1	BH25	Total/NA	Solid	8015 NM	
880-65981-2	BH26	Total/NA	Solid	8015 NM	
880-65981-3	BH27	Total/NA	Solid	8015 NM	
880-65981-4	BH28	Total/NA	Solid	8015 NM	
880-65981-5	BH29	Total/NA	Solid	8015 NM	
880-65981-6	BH30	Total/NA	Solid	8015 NM	
880-65981-7	BH31	Total/NA	Solid	8015 NM	
880-65981-8	BH32	Total/NA	Solid	8015 NM	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

GC Semi VOA (Continued)

Analysis Batch: 126897 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-9	BH33	Total/NA	Solid	8015 NM	
880-65981-10	BH34	Total/NA	Solid	8015 NM	
880-65981-11	BH35	Total/NA	Solid	8015 NM	
880-65981-12	BH36	Total/NA	Solid	8015 NM	
880-65981-13	BH37	Total/NA	Solid	8015 NM	
880-65981-14	BH38	Total/NA	Solid	8015 NM	
880-65981-15	BH39	Total/NA	Solid	8015 NM	
880-65981-16	BH40	Total/NA	Solid	8015 NM	
880-65981-17	BH41	Total/NA	Solid	8015 NM	
880-65981-18	BH42	Total/NA	Solid	8015 NM	
880-65981-19	BH43	Total/NA	Solid	8015 NM	
880-65981-20	BH44	Total/NA	Solid	8015 NM	
880-65981-21	BH45	Total/NA	Solid	8015 NM	
880-65981-22	BH46	Total/NA	Solid	8015 NM	
880-65981-23	BH47	Total/NA	Solid	8015 NM	
880-65981-24	BH48	Total/NA	Solid	8015 NM	
880-65981-25	BH49	Total/NA	Solid	8015 NM	
880-65981-26	BH50	Total/NA	Solid	8015 NM	
880-65981-27	BH51	Total/NA	Solid	8015 NM	
880-65981-28	BH52	Total/NA	Solid	8015 NM	
880-65981-29	BH53	Total/NA	Solid	8015 NM	
880-65981-30	BH54	Total/NA	Solid	8015 NM	
880-65981-31	BH55	Total/NA	Solid	8015 NM	
880-65981-32	BH56	Total/NA	Solid	8015 NM	
880-65981-33	BH57	Total/NA	Solid	8015 NM	
880-65981-34	BH58	Total/NA	Solid	8015 NM	
880-65981-35	BH59	Total/NA	Solid	8015 NM	
880-65981-36	BH60	Total/NA	Solid	8015 NM	
880-65981-37	BH61	Total/NA	Solid	8015 NM	
880-65981-38	BH62	Total/NA	Solid	8015 NM	
880-65981-39	BH63	Total/NA	Solid	8015 NM	
880-65981-40	BH64	Total/NA	Solid	8015 NM	
880-65981-41	BH65	Total/NA	Solid	8015 NM	
880-65981-42	BH66	Total/NA	Solid	8015 NM	
880-65981-43	BH67	Total/NA	Solid	8015 NM	
880-65981-44	BH68	Total/NA	Solid	8015 NM	
880-65981-45	BH69	Total/NA	Solid	8015 NM	
880-65981-46	BH70	Total/NA	Solid	8015 NM	
880-65981-47	BH71	Total/NA	Solid	8015 NM	
880-65981-48	SW11	Total/NA	Solid	8015 NM	
880-65981-49	SW12	Total/NA	Solid	8015 NM	
880-65981-50	SW13	Total/NA	Solid	8015 NM	
880-65981-51	SW14	Total/NA	Solid	8015 NM	
880-65981-52	SW15	Total/NA	Solid	8015 NM	
880-65981-53	SW16	Total/NA	Solid	8015 NM	
880-65981-54	SW17	Total/NA	Solid	8015 NM	
880-65981-55	SW18	Total/NA	Solid	8015 NM	

Prep Batch: 126915

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-14	BH38	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

GC Semi VOA (Continued)

Prep Batch: 126915 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-126915/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-126915/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-126915/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Analysis Batch: 126919

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-27	BH51	Total/NA	Solid	8015B NM	126635
880-65981-28	BH52	Total/NA	Solid	8015B NM	126635
880-65981-29	BH53	Total/NA	Solid	8015B NM	126635
880-65981-30	BH54	Total/NA	Solid	8015B NM	126635
880-65981-31	BH55	Total/NA	Solid	8015B NM	126635
880-65981-32	BH56	Total/NA	Solid	8015B NM	126635
880-65981-33	BH57	Total/NA	Solid	8015B NM	126635
880-65981-34	BH58	Total/NA	Solid	8015B NM	126635
880-65981-35	BH59	Total/NA	Solid	8015B NM	126635
880-65981-36	BH60	Total/NA	Solid	8015B NM	126635
880-65981-37	BH61	Total/NA	Solid	8015B NM	126635
880-65981-38	BH62	Total/NA	Solid	8015B NM	126635
880-65981-40	BH64	Total/NA	Solid	8015B NM	126635
880-65981-41	BH65	Total/NA	Solid	8015B NM	126635
880-65981-42	BH66	Total/NA	Solid	8015B NM	126635
880-65981-43	BH67	Total/NA	Solid	8015B NM	126635
880-65981-44	BH68	Total/NA	Solid	8015B NM	126635
880-65981-45	BH69	Total/NA	Solid	8015B NM	126635
880-65981-46	BH70	Total/NA	Solid	8015B NM	126635
MB 880-126635/1-A	Method Blank	Total/NA	Solid	8015B NM	126635
LCS 880-126635/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	126635
LCSD 880-126635/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	126635
880-65981-27 MS	BH51	Total/NA	Solid	8015B NM	126635
880-65981-27 MSD	BH51	Total/NA	Solid	8015B NM	126635

Analysis Batch: 126921

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-47	BH71	Total/NA	Solid	8015B NM	126637
880-65981-48	SW11	Total/NA	Solid	8015B NM	126637
880-65981-49	SW12	Total/NA	Solid	8015B NM	126637
880-65981-50	SW13	Total/NA	Solid	8015B NM	126637
880-65981-51	SW14	Total/NA	Solid	8015B NM	126637
880-65981-52	SW15	Total/NA	Solid	8015B NM	126637
880-65981-53	SW16	Total/NA	Solid	8015B NM	126637
880-65981-54	SW17	Total/NA	Solid	8015B NM	126637
880-65981-55	SW18	Total/NA	Solid	8015B NM	126637
MB 880-126637/1-A	Method Blank	Total/NA	Solid	8015B NM	126637
LCS 880-126637/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	126637
LCSD 880-126637/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	126637
880-65981-47 MS	BH71	Total/NA	Solid	8015B NM	126637
880-65981-47 MSD	BH71	Total/NA	Solid	8015B NM	126637

Analysis Batch: 126936

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-14	BH38	Total/NA	Solid	8015B NM	126915

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

GC Semi VOA (Continued)

Analysis Batch: 126936 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-126915/1-A	Method Blank	Total/NA	Solid	8015B NM	126915
LCS 880-126915/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	126915
LCSD 880-126915/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	126915

Prep Batch: 127041

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-39	BH63	Total/NA	Solid	8015NM Prep	
MB 880-127041/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-127041/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-127041/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Analysis Batch: 127139

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-39	BH63	Total/NA	Solid	8015B NM	127041
MB 880-127041/1-A	Method Blank	Total/NA	Solid	8015B NM	127041
LCS 880-127041/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	127041
LCSD 880-127041/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	127041

HPLC/IC

Leach Batch: 126402

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-1	BH25	Soluble	Solid	DI Leach	
880-65981-2	BH26	Soluble	Solid	DI Leach	
880-65981-3	BH27	Soluble	Solid	DI Leach	
880-65981-4	BH28	Soluble	Solid	DI Leach	
880-65981-5	BH29	Soluble	Solid	DI Leach	
880-65981-6	BH30	Soluble	Solid	DI Leach	
880-65981-7	BH31	Soluble	Solid	DI Leach	
880-65981-8	BH32	Soluble	Solid	DI Leach	
880-65981-9	BH33	Soluble	Solid	DI Leach	
880-65981-10	BH34	Soluble	Solid	DI Leach	
880-65981-11	BH35	Soluble	Solid	DI Leach	
880-65981-12	BH36	Soluble	Solid	DI Leach	
880-65981-13	BH37	Soluble	Solid	DI Leach	
MB 880-126402/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-126402/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-126402/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-65981-5 MS	BH29	Soluble	Solid	DI Leach	
880-65981-5 MSD	BH29	Soluble	Solid	DI Leach	

Leach Batch: 126403

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-34	BH58	Soluble	Solid	DI Leach	
880-65981-35	BH59	Soluble	Solid	DI Leach	
880-65981-36	BH60	Soluble	Solid	DI Leach	
880-65981-37	BH61	Soluble	Solid	DI Leach	
880-65981-38	BH62	Soluble	Solid	DI Leach	
880-65981-39	BH63	Soluble	Solid	DI Leach	
880-65981-40	BH64	Soluble	Solid	DI Leach	
880-65981-41	BH65	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

HPLC/IC (Continued)

Leach Batch: 126403 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-42	BH66	Soluble	Solid	DI Leach	
880-65981-43	BH67	Soluble	Solid	DI Leach	
880-65981-44	BH68	Soluble	Solid	DI Leach	
880-65981-45	BH69	Soluble	Solid	DI Leach	
880-65981-46	BH70	Soluble	Solid	DI Leach	
880-65981-47	BH71	Soluble	Solid	DI Leach	
880-65981-48	SW11	Soluble	Solid	DI Leach	
880-65981-49	SW12	Soluble	Solid	DI Leach	
880-65981-50	SW13	Soluble	Solid	DI Leach	
880-65981-51	SW14	Soluble	Solid	DI Leach	
880-65981-52	SW15	Soluble	Solid	DI Leach	
880-65981-53	SW16	Soluble	Solid	DI Leach	
MB 880-126403/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-126403/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-126403/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-65981-34 MS	BH58	Soluble	Solid	DI Leach	
880-65981-34 MSD	BH58	Soluble	Solid	DI Leach	
880-65981-44 MS	BH68	Soluble	Solid	DI Leach	
880-65981-44 MSD	BH68	Soluble	Solid	DI Leach	

Leach Batch: 126404

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-54	SW17	Soluble	Solid	DI Leach	
880-65981-55	SW18	Soluble	Solid	DI Leach	
MB 880-126404/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-126404/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-126404/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-65981-54 MS	SW17	Soluble	Solid	DI Leach	
880-65981-54 MSD	SW17	Soluble	Solid	DI Leach	

Leach Batch: 126406

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-14	BH38	Soluble	Solid	DI Leach	
880-65981-15	BH39	Soluble	Solid	DI Leach	
880-65981-16	BH40	Soluble	Solid	DI Leach	
880-65981-17	BH41	Soluble	Solid	DI Leach	
880-65981-18	BH42	Soluble	Solid	DI Leach	
880-65981-19	BH43	Soluble	Solid	DI Leach	
880-65981-20	BH44	Soluble	Solid	DI Leach	
880-65981-21	BH45	Soluble	Solid	DI Leach	
880-65981-22	BH46	Soluble	Solid	DI Leach	
880-65981-23	BH47	Soluble	Solid	DI Leach	
880-65981-24	BH48	Soluble	Solid	DI Leach	
880-65981-25	BH49	Soluble	Solid	DI Leach	
880-65981-26	BH50	Soluble	Solid	DI Leach	
880-65981-27	BH51	Soluble	Solid	DI Leach	
880-65981-28	BH52	Soluble	Solid	DI Leach	
880-65981-29	BH53	Soluble	Solid	DI Leach	
880-65981-30	BH54	Soluble	Solid	DI Leach	
880-65981-31	BH55	Soluble	Solid	DI Leach	
880-65981-32	BH56	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

HPLC/IC (Continued)

Leach Batch: 126406 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-33	BH57	Soluble	Solid	DI Leach	
MB 880-126406/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-126406/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-126406/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-65981-14 MS	BH38	Soluble	Solid	DI Leach	
880-65981-14 MSD	BH38	Soluble	Solid	DI Leach	
880-65981-24 MS	BH48	Soluble	Solid	DI Leach	
880-65981-24 MSD	BH48	Soluble	Solid	DI Leach	

Analysis Batch: 126462

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-1	BH25	Soluble	Solid	300.0	126402
880-65981-2	BH26	Soluble	Solid	300.0	126402
880-65981-3	BH27	Soluble	Solid	300.0	126402
880-65981-4	BH28	Soluble	Solid	300.0	126402
880-65981-5	BH29	Soluble	Solid	300.0	126402
880-65981-6	BH30	Soluble	Solid	300.0	126402
880-65981-7	BH31	Soluble	Solid	300.0	126402
880-65981-8	BH32	Soluble	Solid	300.0	126402
880-65981-9	BH33	Soluble	Solid	300.0	126402
880-65981-10	BH34	Soluble	Solid	300.0	126402
880-65981-11	BH35	Soluble	Solid	300.0	126402
880-65981-12	BH36	Soluble	Solid	300.0	126402
880-65981-13	BH37	Soluble	Solid	300.0	126402
MB 880-126402/1-A	Method Blank	Soluble	Solid	300.0	126402
LCS 880-126402/2-A	Lab Control Sample	Soluble	Solid	300.0	126402
LCSD 880-126402/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	126402
880-65981-5 MS	BH29	Soluble	Solid	300.0	126402
880-65981-5 MSD	BH29	Soluble	Solid	300.0	126402

Analysis Batch: 126478

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-34	BH58	Soluble	Solid	300.0	126403
880-65981-35	BH59	Soluble	Solid	300.0	126403
880-65981-36	BH60	Soluble	Solid	300.0	126403
880-65981-37	BH61	Soluble	Solid	300.0	126403
880-65981-38	BH62	Soluble	Solid	300.0	126403
880-65981-39	BH63	Soluble	Solid	300.0	126403
880-65981-40	BH64	Soluble	Solid	300.0	126403
880-65981-41	BH65	Soluble	Solid	300.0	126403
880-65981-42	BH66	Soluble	Solid	300.0	126403
880-65981-43	BH67	Soluble	Solid	300.0	126403
880-65981-44	BH68	Soluble	Solid	300.0	126403
880-65981-45	BH69	Soluble	Solid	300.0	126403
880-65981-46	BH70	Soluble	Solid	300.0	126403
880-65981-47	BH71	Soluble	Solid	300.0	126403
880-65981-48	SW11	Soluble	Solid	300.0	126403
880-65981-49	SW12	Soluble	Solid	300.0	126403
880-65981-50	SW13	Soluble	Solid	300.0	126403
880-65981-51	SW14	Soluble	Solid	300.0	126403
880-65981-52	SW15	Soluble	Solid	300.0	126403

Eurofins Midland

QC Association Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

HPLC/IC (Continued)

Analysis Batch: 126478 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-53	SW16	Soluble	Solid	300.0	126403
MB 880-126403/1-A	Method Blank	Soluble	Solid	300.0	126403
LCS 880-126403/2-A	Lab Control Sample	Soluble	Solid	300.0	126403
LCSD 880-126403/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	126403
880-65981-34 MS	BH58	Soluble	Solid	300.0	126403
880-65981-34 MSD	BH58	Soluble	Solid	300.0	126403
880-65981-44 MS	BH68	Soluble	Solid	300.0	126403
880-65981-44 MSD	BH68	Soluble	Solid	300.0	126403

Analysis Batch: 126479

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-14	BH38	Soluble	Solid	300.0	126406
880-65981-15	BH39	Soluble	Solid	300.0	126406
880-65981-16	BH40	Soluble	Solid	300.0	126406
880-65981-17	BH41	Soluble	Solid	300.0	126406
880-65981-18	BH42	Soluble	Solid	300.0	126406
880-65981-19	BH43	Soluble	Solid	300.0	126406
880-65981-20	BH44	Soluble	Solid	300.0	126406
880-65981-21	BH45	Soluble	Solid	300.0	126406
880-65981-22	BH46	Soluble	Solid	300.0	126406
880-65981-23	BH47	Soluble	Solid	300.0	126406
880-65981-24	BH48	Soluble	Solid	300.0	126406
880-65981-25	BH49	Soluble	Solid	300.0	126406
880-65981-26	BH50	Soluble	Solid	300.0	126406
880-65981-27	BH51	Soluble	Solid	300.0	126406
880-65981-28	BH52	Soluble	Solid	300.0	126406
880-65981-29	BH53	Soluble	Solid	300.0	126406
880-65981-30	BH54	Soluble	Solid	300.0	126406
880-65981-31	BH55	Soluble	Solid	300.0	126406
880-65981-32	BH56	Soluble	Solid	300.0	126406
880-65981-33	BH57	Soluble	Solid	300.0	126406
MB 880-126406/1-A	Method Blank	Soluble	Solid	300.0	126406
LCS 880-126406/2-A	Lab Control Sample	Soluble	Solid	300.0	126406
LCSD 880-126406/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	126406
880-65981-14 MS	BH38	Soluble	Solid	300.0	126406
880-65981-14 MSD	BH38	Soluble	Solid	300.0	126406
880-65981-24 MS	BH48	Soluble	Solid	300.0	126406
880-65981-24 MSD	BH48	Soluble	Solid	300.0	126406

Analysis Batch: 126480

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-65981-54	SW17	Soluble	Solid	300.0	126404
880-65981-55	SW18	Soluble	Solid	300.0	126404
MB 880-126404/1-A	Method Blank	Soluble	Solid	300.0	126404
LCS 880-126404/2-A	Lab Control Sample	Soluble	Solid	300.0	126404
LCSD 880-126404/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	126404
880-65981-54 MS	SW17	Soluble	Solid	300.0	126404
880-65981-54 MSD	SW17	Soluble	Solid	300.0	126404

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH25

Lab Sample ID: 880-65981-1

Date Collected: 12/08/25 12:00

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 13:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 13:08	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 04:52	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126620	12/15/25 08:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126715	12/16/25 04:52	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 18:24	CS	EET MID

Client Sample ID: BH26

Lab Sample ID: 880-65981-2

Date Collected: 12/08/25 12:02

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 13:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 13:28	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 05:07	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	126620	12/15/25 08:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126715	12/16/25 05:07	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 18:29	CS	EET MID

Client Sample ID: BH27

Lab Sample ID: 880-65981-3

Date Collected: 12/08/25 12:05

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 13:49	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 13:49	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 05:22	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126620	12/15/25 08:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126715	12/16/25 05:22	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 18:34	CS	EET MID

Client Sample ID: BH28

Lab Sample ID: 880-65981-4

Date Collected: 12/08/25 12:06

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 14:09	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 14:09	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH28

Lab Sample ID: 880-65981-4

Date Collected: 12/08/25 12:06

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			126897	12/16/25 05:37	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126620	12/15/25 08:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126715	12/16/25 05:37	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 18:39	CS	EET MID

Client Sample ID: BH29

Lab Sample ID: 880-65981-5

Date Collected: 12/08/25 12:09

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 14:30	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 14:30	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 05:52	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126620	12/15/25 08:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126715	12/16/25 05:52	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 18:44	CS	EET MID

Client Sample ID: BH30

Lab Sample ID: 880-65981-6

Date Collected: 12/08/25 12:12

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 14:53	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 14:53	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 06:06	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	126620	12/15/25 08:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126715	12/16/25 06:06	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 18:58	CS	EET MID

Client Sample ID: BH31

Lab Sample ID: 880-65981-7

Date Collected: 12/08/25 12:16

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 15:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 15:13	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 19:52	SA	EET MID
Total/NA	Prep	8015NM Prep			10.09 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 19:52	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH31

Lab Sample ID: 880-65981-7

Date Collected: 12/08/25 12:16

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.04 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 19:03	CS	EET MID

Client Sample ID: BH32

Lab Sample ID: 880-65981-8

Date Collected: 12/08/25 12:20

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 15:33	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 15:33	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 20:36	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 20:36	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 19:18	CS	EET MID

Client Sample ID: BH33

Lab Sample ID: 880-65981-9

Date Collected: 12/08/25 12:22

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 15:54	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 15:54	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 20:52	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 20:52	SA	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 19:23	CS	EET MID

Client Sample ID: BH34

Lab Sample ID: 880-65981-10

Date Collected: 12/08/25 12:24

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 16:14	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 16:14	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 21:06	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 21:06	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 19:28	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH35

Lab Sample ID: 880-65981-11

Date Collected: 12/08/25 12:27

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 21:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 21:45	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 21:22	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 21:22	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 19:33	CS	EET MID

Client Sample ID: BH36

Lab Sample ID: 880-65981-12

Date Collected: 12/08/25 12:29

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	126352	12/11/25 12:37	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126625	12/15/25 22:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 22:05	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 21:36	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 21:36	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 19:38	CS	EET MID

Client Sample ID: BH37

Lab Sample ID: 880-65981-13

Date Collected: 12/08/25 12:32

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	126832	12/16/25 11:06	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126792	12/16/25 14:51	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 14:51	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 21:51	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 21:51	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	126402	12/11/25 15:01	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126462	12/12/25 19:43	CS	EET MID

Client Sample ID: BH38

Lab Sample ID: 880-65981-14

Date Collected: 12/08/25 12:35

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	126832	12/16/25 11:06	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126792	12/16/25 15:12	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 15:12	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH38
Date Collected: 12/08/25 12:35
Date Received: 12/10/25 15:20

Lab Sample ID: 880-65981-14
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			126897	12/17/25 13:12	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126915	12/17/25 08:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126936	12/17/25 13:12	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 17:03	CS	EET MID

Client Sample ID: BH39
Date Collected: 12/08/25 12:36
Date Received: 12/10/25 15:20

Lab Sample ID: 880-65981-15
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	126832	12/16/25 11:06	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126792	12/16/25 17:02	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 17:02	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 22:21	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 22:21	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 17:22	CS	EET MID

Client Sample ID: BH40
Date Collected: 12/08/25 12:41
Date Received: 12/10/25 15:20

Lab Sample ID: 880-65981-16
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	126832	12/16/25 11:06	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126792	12/16/25 17:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 17:22	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 22:36	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 22:36	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 17:27	CS	EET MID

Client Sample ID: BH41
Date Collected: 12/08/25 12:44
Date Received: 12/10/25 15:20

Lab Sample ID: 880-65981-17
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126832	12/16/25 11:06	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126792	12/16/25 17:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 17:43	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 23:06	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 23:06	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH41
Date Collected: 12/08/25 12:44
Date Received: 12/10/25 15:20

Lab Sample ID: 880-65981-17
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.98 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 17:33	CS	EET MID

Client Sample ID: BH42
Date Collected: 12/08/25 12:45
Date Received: 12/10/25 15:20

Lab Sample ID: 880-65981-18
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	126832	12/16/25 11:06	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126792	12/16/25 18:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 18:03	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 23:21	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 23:21	SA	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 17:38	CS	EET MID

Client Sample ID: BH43
Date Collected: 12/08/25 12:50
Date Received: 12/10/25 15:20

Lab Sample ID: 880-65981-19
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	126832	12/16/25 11:06	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126792	12/16/25 18:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 18:24	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 23:36	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 23:36	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 21:34	CS	EET MID

Client Sample ID: BH44
Date Collected: 12/08/25 12:52
Date Received: 12/10/25 15:20

Lab Sample ID: 880-65981-20
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	126832	12/16/25 11:06	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126792	12/16/25 18:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 18:44	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/16/25 23:50	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/16/25 23:50	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 21:39	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH45

Lab Sample ID: 880-65981-21

Date Collected: 12/08/25 12:53

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 12:46	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 12:46	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 00:05	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/17/25 00:05	SA	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 21:45	CS	EET MID

Client Sample ID: BH46

Lab Sample ID: 880-65981-22

Date Collected: 12/08/25 12:57

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 13:06	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 13:06	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 00:20	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/17/25 00:20	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 21:50	CS	EET MID

Client Sample ID: BH47

Lab Sample ID: 880-65981-23

Date Collected: 12/08/25 12:59

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 13:26	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 13:26	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 00:34	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/17/25 00:34	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 21:55	CS	EET MID

Client Sample ID: BH48

Lab Sample ID: 880-65981-24

Date Collected: 12/08/25 13:01

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 13:47	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 13:47	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH48

Lab Sample ID: 880-65981-24

Date Collected: 12/08/25 13:01

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			126897	12/17/25 00:49	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/17/25 00:49	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 22:01	CS	EET MID

Client Sample ID: BH49

Lab Sample ID: 880-65981-25

Date Collected: 12/08/25 13:02

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 14:07	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 14:07	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 01:04	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/17/25 01:04	SA	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 22:17	CS	EET MID

Client Sample ID: BH50

Lab Sample ID: 880-65981-26

Date Collected: 12/08/25 13:05

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 14:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 14:28	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 01:18	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	126630	12/15/25 09:10	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126803	12/17/25 01:18	SA	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 22:22	CS	EET MID

Client Sample ID: BH51

Lab Sample ID: 880-65981-27

Date Collected: 12/08/25 13:07

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 14:48	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 14:48	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 16:45	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 16:45	FC	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH51**Lab Sample ID: 880-65981-27****Date Collected: 12/08/25 13:07****Matrix: Solid****Date Received: 12/10/25 15:20**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.04 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 22:38	CS	EET MID

Client Sample ID: BH52**Lab Sample ID: 880-65981-28****Date Collected: 12/08/25 13:09****Matrix: Solid****Date Received: 12/10/25 15:20**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 15:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 15:08	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 17:26	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 17:26	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 22:43	CS	EET MID

Client Sample ID: BH53**Lab Sample ID: 880-65981-29****Date Collected: 12/08/25 13:11****Matrix: Solid****Date Received: 12/10/25 15:20**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 15:29	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 15:29	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 17:41	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 17:41	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 22:49	CS	EET MID

Client Sample ID: BH54**Lab Sample ID: 880-65981-30****Date Collected: 12/08/25 13:13****Matrix: Solid****Date Received: 12/10/25 15:20**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 15:49	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 15:49	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 18:17	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 18:17	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 22:54	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH55

Lab Sample ID: 880-65981-31

Date Collected: 12/08/25 13:14

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 17:40	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 17:40	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 18:32	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 18:32	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 22:59	CS	EET MID

Client Sample ID: BH56

Lab Sample ID: 880-65981-32

Date Collected: 12/08/25 13:15

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 18:00	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 18:00	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 18:46	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 18:46	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 23:05	CS	EET MID

Client Sample ID: BH57

Lab Sample ID: 880-65981-33

Date Collected: 12/08/25 13:18

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 18:20	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 18:20	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 19:01	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 19:01	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	126406	12/11/25 15:12	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126479	12/12/25 23:10	CS	EET MID

Client Sample ID: BH58

Lab Sample ID: 880-65981-34

Date Collected: 12/08/25 13:20

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 18:41	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 18:41	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH58

Lab Sample ID: 880-65981-34

Date Collected: 12/08/25 13:20

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			126897	12/17/25 19:15	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 19:15	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 13:24	CS	EET MID

Client Sample ID: BH59

Lab Sample ID: 880-65981-35

Date Collected: 12/08/25 13:22

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 19:01	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 19:01	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 19:30	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 19:30	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 13:40	CS	EET MID

Client Sample ID: BH60

Lab Sample ID: 880-65981-36

Date Collected: 12/08/25 13:23

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 19:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 19:22	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 19:44	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 19:44	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 13:46	CS	EET MID

Client Sample ID: BH61

Lab Sample ID: 880-65981-37

Date Collected: 12/08/25 13:24

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 19:42	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 19:42	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 20:14	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 20:14	FC	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH61

Lab Sample ID: 880-65981-37

Date Collected: 12/08/25 13:24

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.96 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 13:51	CS	EET MID

Client Sample ID: BH62

Lab Sample ID: 880-65981-38

Date Collected: 12/08/25 13:25

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 20:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 20:03	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 20:29	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 20:29	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 13:56	CS	EET MID

Client Sample ID: BH63

Lab Sample ID: 880-65981-39

Date Collected: 12/08/25 13:50

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 20:23	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 20:23	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/18/25 21:57	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	127041	12/18/25 07:41	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	127139	12/18/25 21:57	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 14:44	CS	EET MID

Client Sample ID: BH64

Lab Sample ID: 880-65981-40

Date Collected: 12/08/25 13:54

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	126355	12/11/25 12:43	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/15/25 20:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/15/25 20:44	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 20:57	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 20:57	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 14:49	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH65

Lab Sample ID: 880-65981-41

Date Collected: 12/08/25 13:56

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 00:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 00:22	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 21:11	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 21:11	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 14:55	CS	EET MID

Client Sample ID: BH66

Lab Sample ID: 880-65981-42

Date Collected: 12/08/25 13:58

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 00:42	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 00:42	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 21:26	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 21:26	FC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 15:00	CS	EET MID

Client Sample ID: BH67

Lab Sample ID: 880-65981-43

Date Collected: 12/08/25 14:01

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 01:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 01:03	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 21:40	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 21:40	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 15:05	CS	EET MID

Client Sample ID: BH68

Lab Sample ID: 880-65981-44

Date Collected: 12/08/25 14:04

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 01:23	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 01:23	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH68

Lab Sample ID: 880-65981-44

Date Collected: 12/08/25 14:04

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			126897	12/17/25 21:54	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 21:54	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 15:11	CS	EET MID

Client Sample ID: BH69

Lab Sample ID: 880-65981-45

Date Collected: 12/08/25 14:05

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 01:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 01:43	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 22:08	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 22:08	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 15:27	CS	EET MID

Client Sample ID: BH70

Lab Sample ID: 880-65981-46

Date Collected: 12/08/25 14:07

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 02:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 02:04	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 22:22	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	126635	12/15/25 09:30	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126919	12/17/25 22:22	FC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 15:32	CS	EET MID

Client Sample ID: BH71

Lab Sample ID: 880-65981-47

Date Collected: 12/08/25 14:08

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 02:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 02:24	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 16:45	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	126637	12/15/25 09:35	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126921	12/17/25 16:45	FC	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: BH71**Lab Sample ID: 880-65981-47****Date Collected: 12/08/25 14:08****Matrix: Solid****Date Received: 12/10/25 15:20**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.03 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 15:48	CS	EET MID

Client Sample ID: SW11**Lab Sample ID: 880-65981-48****Date Collected: 12/08/25 14:10****Matrix: Solid****Date Received: 12/10/25 15:20**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 02:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 02:45	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 17:26	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126637	12/15/25 09:35	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126921	12/17/25 17:26	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 15:53	CS	EET MID

Client Sample ID: SW12**Lab Sample ID: 880-65981-49****Date Collected: 12/08/25 14:12****Matrix: Solid****Date Received: 12/10/25 15:20**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 03:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 03:05	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 18:03	SA	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10.00 mL	126637	12/15/25 09:35	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126921	12/17/25 18:03	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 15:59	CS	EET MID

Client Sample ID: SW13**Lab Sample ID: 880-65981-50****Date Collected: 12/08/25 14:13****Matrix: Solid****Date Received: 12/10/25 15:20**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 03:26	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 03:26	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 18:17	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	126637	12/15/25 09:35	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126921	12/17/25 18:17	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 16:04	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: SW14

Lab Sample ID: 880-65981-51

Date Collected: 12/08/25 14:14

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 05:16	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 05:16	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 18:32	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	126637	12/15/25 09:35	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126921	12/17/25 18:32	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 16:09	CS	EET MID

Client Sample ID: SW15

Lab Sample ID: 880-65981-52

Date Collected: 12/08/25 14:17

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 05:37	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 05:37	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 18:46	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	126637	12/15/25 09:35	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126921	12/17/25 18:46	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 16:15	CS	EET MID

Client Sample ID: SW16

Lab Sample ID: 880-65981-53

Date Collected: 12/08/25 14:19

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 05:57	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 05:57	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 19:01	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126637	12/15/25 09:35	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126921	12/17/25 19:01	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	126403	12/11/25 15:04	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126478	12/12/25 16:20	CS	EET MID

Client Sample ID: SW17

Lab Sample ID: 880-65981-54

Date Collected: 12/08/25 14:18

Matrix: Solid

Date Received: 12/10/25 15:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 06:18	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 06:18	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Client Sample ID: SW17
Date Collected: 12/08/25 14:18
Date Received: 12/10/25 15:20

Lab Sample ID: 880-65981-54
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			126897	12/17/25 19:15	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	126637	12/15/25 09:35	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126921	12/17/25 19:15	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/15/25 19:24	CS	EET MID

Client Sample ID: SW18
Date Collected: 12/08/25 14:22
Date Received: 12/10/25 15:20

Lab Sample ID: 880-65981-55
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126360	12/11/25 12:48	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126619	12/16/25 06:38	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126840	12/16/25 06:38	SA	EET MID
Total/NA	Analysis	8015 NM		1			126897	12/17/25 19:30	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	126637	12/15/25 09:35	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126921	12/17/25 19:30	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/15/25 19:39	CS	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Laboratory: Eurofins Midland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-65981-1	BH25	Solid	12/08/25 12:00	12/10/25 15:20	48.5"
880-65981-2	BH26	Solid	12/08/25 12:02	12/10/25 15:20	48.5"
880-65981-3	BH27	Solid	12/08/25 12:05	12/10/25 15:20	48.5"
880-65981-4	BH28	Solid	12/08/25 12:06	12/10/25 15:20	48.5"
880-65981-5	BH29	Solid	12/08/25 12:09	12/10/25 15:20	48.5"
880-65981-6	BH30	Solid	12/08/25 12:12	12/10/25 15:20	48.5"
880-65981-7	BH31	Solid	12/08/25 12:16	12/10/25 15:20	48.5"
880-65981-8	BH32	Solid	12/08/25 12:20	12/10/25 15:20	48.5"
880-65981-9	BH33	Solid	12/08/25 12:22	12/10/25 15:20	48.5"
880-65981-10	BH34	Solid	12/08/25 12:24	12/10/25 15:20	48.5"
880-65981-11	BH35	Solid	12/08/25 12:27	12/10/25 15:20	48.5"
880-65981-12	BH36	Solid	12/08/25 12:29	12/10/25 15:20	48.5"
880-65981-13	BH37	Solid	12/08/25 12:32	12/10/25 15:20	48.5"
880-65981-14	BH38	Solid	12/08/25 12:35	12/10/25 15:20	48.5"
880-65981-15	BH39	Solid	12/08/25 12:36	12/10/25 15:20	48.5"
880-65981-16	BH40	Solid	12/08/25 12:41	12/10/25 15:20	48.5"
880-65981-17	BH41	Solid	12/08/25 12:44	12/10/25 15:20	48.5"
880-65981-18	BH42	Solid	12/08/25 12:45	12/10/25 15:20	48.5"
880-65981-19	BH43	Solid	12/08/25 12:50	12/10/25 15:20	48.5"
880-65981-20	BH44	Solid	12/08/25 12:52	12/10/25 15:20	48.5"
880-65981-21	BH45	Solid	12/08/25 12:53	12/10/25 15:20	48.5"
880-65981-22	BH46	Solid	12/08/25 12:57	12/10/25 15:20	48.5"
880-65981-23	BH47	Solid	12/08/25 12:59	12/10/25 15:20	48.5"
880-65981-24	BH48	Solid	12/08/25 13:01	12/10/25 15:20	48.5"
880-65981-25	BH49	Solid	12/08/25 13:02	12/10/25 15:20	48.5"
880-65981-26	BH50	Solid	12/08/25 13:05	12/10/25 15:20	48.5"
880-65981-27	BH51	Solid	12/08/25 13:07	12/10/25 15:20	48.5"
880-65981-28	BH52	Solid	12/08/25 13:09	12/10/25 15:20	48.5"
880-65981-29	BH53	Solid	12/08/25 13:11	12/10/25 15:20	48.5"
880-65981-30	BH54	Solid	12/08/25 13:13	12/10/25 15:20	48.5"
880-65981-31	BH55	Solid	12/08/25 13:14	12/10/25 15:20	48.5"
880-65981-32	BH56	Solid	12/08/25 13:15	12/10/25 15:20	48.5"
880-65981-33	BH57	Solid	12/08/25 13:18	12/10/25 15:20	48.5"
880-65981-34	BH58	Solid	12/08/25 13:20	12/10/25 15:20	48.5"
880-65981-35	BH59	Solid	12/08/25 13:22	12/10/25 15:20	48.5"
880-65981-36	BH60	Solid	12/08/25 13:23	12/10/25 15:20	48.5"
880-65981-37	BH61	Solid	12/08/25 13:24	12/10/25 15:20	48.5"
880-65981-38	BH62	Solid	12/08/25 13:25	12/10/25 15:20	48.5"
880-65981-39	BH63	Solid	12/08/25 13:50	12/10/25 15:20	48.5"
880-65981-40	BH64	Solid	12/08/25 13:54	12/10/25 15:20	48.5"
880-65981-41	BH65	Solid	12/08/25 13:56	12/10/25 15:20	48.5"
880-65981-42	BH66	Solid	12/08/25 13:58	12/10/25 15:20	48.5"
880-65981-43	BH67	Solid	12/08/25 14:01	12/10/25 15:20	48.5"
880-65981-44	BH68	Solid	12/08/25 14:04	12/10/25 15:20	48.5"
880-65981-45	BH69	Solid	12/08/25 14:05	12/10/25 15:20	48.5"
880-65981-46	BH70	Solid	12/08/25 14:07	12/10/25 15:20	48.5"
880-65981-47	BH71	Solid	12/08/25 14:08	12/10/25 15:20	48.5"
880-65981-48	SW11	Solid	12/08/25 14:10	12/10/25 15:20	48.5"
880-65981-49	SW12	Solid	12/08/25 14:12	12/10/25 15:20	48.5"
880-65981-50	SW13	Solid	12/08/25 14:13	12/10/25 15:20	48.5"
880-65981-51	SW14	Solid	12/08/25 14:14	12/10/25 15:20	48.5"
880-65981-52	SW15	Solid	12/08/25 14:17	12/10/25 15:20	48.5"
880-65981-53	SW16	Solid	12/08/25 14:19	12/10/25 15:20	48.5"

Eurofins Midland

Sample Summary

Client: American Safety Services Inc.
Project/Site: Deep Ellum

Job ID: 880-65981-1
SDG: 447

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-65981-54	SW17	Solid	12/08/25 14:18	12/10/25 15:20	48.5"
880-65981-55	SW18	Solid	12/08/25 14:22	12/10/25 15:20	48.5"

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Environment Testing
Xenco



880-65931 Chain of Custody

www.xenco.com Page 1 of 6

Project Manager: **Tracie Hecht**
Company Name: **Americas Safety Services**
Address: **8715 Andrews Hwy**
City, State ZIP: **Odessa, TX 79708**
Phone: **432-888-5349**
Email: **tracie@americassafety.net**

Bill to: (if different)
Company Name:
Address:
City, State ZIP:
Email:

Turn Around
Routine ☒ Rush ☐
Due Date:
TAT starts the day received by the lab, if received by 4:30pm

Temp Blank: ☒ Yes ☐ No
Thermometer ID: **IR8**
Cooler Custody Seals: Yes ☐ No ☒ N/A
Correction Factor: **-0.1**
Sample Custody Seals: Yes ☐ No ☒ N/A
Temperature Reading: **-0.3**
Corrected Temperature: **-0.4**
Total Containers:

Work Order Comments
Program: ☐ UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐
State of Project:
Reporting: Level II ☐ Level III ☐ Level IV ☐
Deliverables: EDD ☐ ADAPT ☐ Other:

Project Name: **Deep Ellum**
Project Number: **447**
Project Location: **New Mexico**
Sampler's Name: **Willie Hernandez**
PO #:

ANALYSIS REQUEST				PRESERVATIVE CODES			
Sample Identification	Matrix	Date Sampled	Time Sampled	Grab/Comp	Depth	Parameters	Pres. Code
BH25	S	12-8	1200	48.5" C		BTEX EPA 80213	X
BH26	S	12-8	1202			EPA 300 chlorides	X
BH27	S	12-8	1205			TPH	X
BH28	S	12-6	1206				
BH29	S	12-6	1209				
BH30	S	12-6	1212				
BH31	S	12-6	1216				
BH32	S	12-8	1220				
BH33	S	12-8	1222				
BH34	S	12-8	1224				

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1. <i>Willie Hernandez</i>	<i>Tracie Hecht</i>	12/10/25	<i>Tracie Hecht</i>	<i>Tracie Hecht</i>	12-10-25 1520
3.					
5.					

Revised Date: 08/25/2020 Rev. 2020.2

Chain of Custody



Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Environment Testing

Xenco

Work Order No: _____

www.xenco.com Page 2 of 6

Project Manager:		Bill to: (if different)	
Company Name:		Company Name:	
Address:		Address:	
City, State ZIP:		City, State ZIP:	
Phone:		Email:	

Project Name:		Turn Around	
Project Number:		☒ Routine ☐ Rush	
Project Location:		Due Date:	
Sampler's Name:		TAT starts the day received by the lab, if received by 4:30pm	
PO #:		Wet Ice: ☒ Yes ☐ No	
Temp Blank:		Thermometer ID:	
Cooler Custody Seals:		Correction Factor:	
Sample Custody Seals:		Temperature Reading:	
Total Containers:		Corrected Temperature:	

Project Name:		Turn Around	
Project Number:		☒ Routine ☐ Rush	
Project Location:		Due Date:	
Sampler's Name:		TAT starts the day received by the lab, if received by 4:30pm	
PO #:		Wet Ice: ☒ Yes ☐ No	
Temp Blank:		Thermometer ID:	
Cooler Custody Seals:		Correction Factor:	
Sample Custody Seals:		Temperature Reading:	
Total Containers:		Corrected Temperature:	

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont	Parameters	Pres. Code	ANALYSIS REQUEST	Preservative Codes	Sample Comments
BH35		12075	1227	48.5"	C	1	X BTEX EPA 80218 m			None: NO	
BH36			1229			1	X EPA 300			DI Water: H ₂ O	
BH37			1232			1				Cool: Cool	
BH38			1235			1				HCL: HC	
BH39			1236			1				HNO ₃ : HN	
BH40			1241			1				H ₂ SO ₄ : H ₂	
BH41			1244			1				H ₃ PO ₄ : HP	
BH42			1245			1				NaHSO ₄ : NABIS	
BH43			1250			1				Na ₂ S ₂ O ₃ : NaSO ₃	
BH44			1252			1				Zn Acetate+NaOH: Zn	
										NaOH+Ascorbic Acid: SAPC	

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11	Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed	TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U	Hg: 1631 / 245.1 / 7470 / 7471	

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1. BH35		12/10/25			12/10/25
3					
5					

Revised Date: 08/25/2020 Rev. 2020.2



Environment Testing
Xenco

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Work Order No: _____

www.xenco.com Page 3 of 6

Project Manager:		Bill to: (if different)	
Company Name:		Company Name:	
Address:		Address:	
City, State ZIP:		City, State ZIP:	
Phone:		Email:	

Project Name:		Turn Around	
Project Number:		Routine ☒ Rush ☐	
Project Location:		Due Date:	
Sampler's Name:		TAT starts the day received by the lab, if received by 4:30pm	
PO #:		Wet Ice: ☒ No ☐ Yes	

Project Name:		Turn Around		Parameters		Pres. Code		ANALYSIS REQUEST		Preservative Codes	
Project Number:		Routine ☒ Rush ☐		Due Date:		TAT starts the day received by the lab, if received by 4:30pm		Wet Ice: ☒ No ☐ Yes		None: NO	
Project Location:		Thermometer ID:		Correction Factor:		Temperature Reading:		Corrected Temperature:		Cool: Cool	
Sampler's Name:		Yes No		Yes No		Yes No		Yes No		MeOH: Me	
PO #:		Yes No		Yes No		Yes No		Yes No		HNO ₃ : HN	
Temp Blank:		Yes No		Yes No		Yes No		Yes No		H ₂ SO ₄ : H ₂	
Cooler Custody Seals:		Yes No		Yes No		Yes No		Yes No		H ₃ PO ₄ : HP	
Sample Custody Seals:		Yes No		Yes No		Yes No		Yes No		NaHSO ₄ : NABIS	
Total Containers:		Yes No		Yes No		Yes No		Yes No		Na ₂ S ₂ O ₃ : NaSO ₃	
		Yes No		Yes No		Yes No		Yes No		Zn Acetate+NaOH: Zn	
		Yes No		Yes No		Yes No		Yes No		NaOH+Ascorbic Acid: SAPC	

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont	Parameters	Pres. Code	ANALYSIS REQUEST	Preservative Codes	Sample Comments
BH45		12/25	1253	48.5"	↓	1					
BH46		12/25	1257		↓	1					
BH47		12/25	1259		↓	1					
BH48		12/25	1301		↓	1					
BH49		12/25	1302		↓	1					
BH50		12/25	1305		↓	1					
BH51		12/25	1307		↓	1					
BH52		12/25	1309		↓	1					
BH53		12/25	1311		↓	1					
BH54		12/25	1313		↓	1					

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
12/25	12/10/25	12/25/25
3	4	
5	6	

Revised Date: 08/25/2020 Rev. 2020.2

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
 Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
 EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
 Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199



Environment Testing
Xenco

Work Order No: _____

www.xenco.com Page 4 of 6

Work Order Comments

Program: ☐ UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐

State of Project: ☐ Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐

Reporting: ☐ Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐

Deliverables: ☐ EDD ☐ ADaPT ☐ Other:

Project Manager: Tracie Hecht

Company Name: American Safety Services

Address: 8715 Andrews Hwy

City, State ZIP: Odessa TX 79715

Phone: 432-888-5349

Bill to: (if different)

Company Name:

Address:

City, State ZIP:

Email:

Project Name: Deep Ellum

Project Number: 441

Project Location: New Mexico

Sampler's Name: Cullie Hernandez

P.O. #:

Turn Around

☒ Routine ☐ Rush

Due Date:

TAT starts the day received by the lab, if received by 4:30pm

Temp Blank: Yes ☒ No ☐ Wet Ice: Yes ☒ No ☐

Samples Received Intact: Yes ☒ No ☐ Thermometer ID:

Cooler Custody Seals: Yes ☒ No ☐ Correction Factor:

Sample Custody Seals: Yes ☒ No ☐ Temperature Reading:

Total Containers: ☒ Corrected Temperature:

ANALYSIS REQUEST				Preservative Codes				
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont	Parameters	Pres. Code
BH56		7:28	13:15	48.5"	C	1		
BH57			13:18					
BH58			13:20					
BH59			13:22					
BH60			13:23					
BH61			13:24					
BH62			13:25					
BH63			13:50					
BH64			13:54					

None: NO DI Water: H₂O
 Cool: Cool MeOH: Me
 HCL: HC HNO₃: HN
 H₂SO₄: H₂ NaOH: Na
 H₃PO₄: HP
 NaHSO₄: NABIS
 Na₂S₂O₃: NaSO₃
 Zn Acetate+NaOH: Zn
 NaOH+Ascorbic Acid: SAPC

Sample Comments

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO₂ Na Sr Ti Sn U V Zn

Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<u>11-18</u>	<u>2</u>	<u>12/10/25</u>	<u>2</u>	<u>2</u>	<u>12-10-25</u>

Revised Date: 06/25/2020 Rev. 2020.2

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199



Work Order No: _____

www.xenco.com Page 5 of 6

Project Manager:		Bill to: (if different)	
Company Name:		Company Name:	
Address:		Address:	
City, State ZIP:		City, State ZIP:	
Phone:		Email:	

Project Name:		Turn Around	
Project Number:		☒ Routine ☐ Rush	
Project Location:		Due Date:	
Sampler's Name:		TAT starts the day received by the lab, if received by 4:30pm	
PO #:			

Project Name:		Turn Around	
Project Number:		☒ Routine ☐ Rush	
Project Location:		Due Date:	
Sampler's Name:		TAT starts the day received by the lab, if received by 4:30pm	
PO #:			

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont
BH 65		12-8-20	1356	48.5"	C	1
BH 66			1358			
BH 67			1401			
BH 68			1404			
BH 69			1405			
BH 70			1407			
BH 71			1408			
SW 11			1410	48.5"		
SW 12			1412	48.5"		
SW 13			1413	48.5"		

Total	200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed	TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471		

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
11-1-20	12-10-25	12-10-25
3		
5		

Revised Date: 08/25/2020 Rev. 2000.2

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Environment Testing
Xenco

Work Order No: _____

Page 4 of 6
www.xenco.com






Work Order Comments											
Program:		UST/PST	☐	PRP	☐	Brownfields	☐	RRC	☐	Superfund	☐
State of Project:											
Reporting:		Level II	☐	Level III	☐	PST/UST	☐	TRRP	☐	Level IV	☐
Deliverables:		EDD	☐			ADaPT	☐	Other:			

Project Manager:	Tracie Hecht	
Company Name:	American Safety Services	
Address:	8715 Andrews Hwy	
City, State ZIP:	Odessa TX 75765	
Phone:	432-888-5345	
Email:		
Bill to: (if different)		
Company Name:		
Address:		
City, State ZIP:		

[illegible]

Total	200.7 / 6010	200.8 / 6020:
Circle Method(s) and Metal(s) to be analyzed	8RCRA Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn TCLP/SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag TI U Hg; 1631 / 245.1 / 7470 / 7471	

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 		12/10/25	2 		12-10-25
3 			4 		
			6 		

Download Date | 6/8/15 1:07 PM

Login Sample Receipt Checklist

Client: American Safety Services Inc.

Job Number: 880-65981-1

SDG Number: 447

Login Number: 65981

List Number: 1

Creator: Dyal, Erica

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Appendix G



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

Seed Mixture for LPC Sand/Shinnery Sites

Holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)* per acre. There shall be no primary or secondary noxious weeds in the seed mixture. Seed will be tested and the viability testing of seed shall be done in accordance with State law(s) and within nine (9) months prior to purchase. Commercial seed shall be either certified or registered seed. The seed container shall be tagged in accordance with State law(s) and available for inspection by the Authorized Officer.

Seed will be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture will be evenly and uniformly planted over the disturbed area (smaller/heavier seeds have a tendency to drop the bottom of the drill and are planted first). Holder shall take appropriate measures to ensure this does not occur. Where drilling is not possible, seed will be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre are to be doubled. Seeding shall be repeated until a satisfactory stand is established as determined by the Authorized Officer. Evaluation of growth may not be made before completion of at least one full growing season after seeding.

Species to be planted in pounds of pure live seed* per acre:

<u>Species</u>	<u>lb/acre</u>
Plains Bristlegrass	5lbs/A
Sand Bluestem	5lbs/A
Little Bluestem	3lbs/A
Big Bluestem	6lbs/A
Plains Coreopsis	2lbs/A
Sand Dropseed	1lbs/A

*Pounds of pure live seed:

Pounds of seed x percent purity x percent germination = pounds pure live seed

TURNER SEED COMPANY, LLC

P. O. Box 791
BRECKENRIDGE, TX 76424
800-722-8616

Order Date: 09/04/2025
Ship Via: UPS Prepaid
Tax #: 81-0710868
P.O. #: 1 acre
Order#:

INVOICE # 317897Sold to

American Environmental Service
Tracie Hecht
8715 Andrews Highway
Odessa, TX 79765

Ship to

American Environmental Service
Tracie Hecht
8715 Andrews Highway
Odessa, TX 79765
Attn:

MIX

Lot No.	Bulk Qty	PLS Lbs	Kind of Seed	Variety of Seed	% Pure Seed	% Total Grm	PLS		
24-1	6.00	5.00	Plains Bristlegrass	Native	93.85	96.00	90.09		
NLB24-2	4.00	3.00	Little Bluestem	Aldous	87.89	98.00	86.13		
BB12204	16.00	12.00	Big Bluestem	Kaw	83.31	95.00	79.14		
GW250824	3.00	2.00	Plains Coreopsis	Coreopsis tinctoria	96.10	98.00	94.17		
3402	2.00	1.00	Sand Dropseed	Native (Borden County	96.84	96.00	92.96		
Total	31.00	23.00							

Received by: _____

Customer Copy

Appendix H



America Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net



United States
Department of
Agriculture

NRCS

Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for Eddy Area, New Mexico

Elevate - Deep Ellum Frac Line



June 9, 2025

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface..... 2

How Soil Surveys Are Made.....5

Soil Map..... 8

 Soil Map.....9

 Legend.....10

 Map Unit Legend..... 11

 Map Unit Descriptions.....11

 Eddy Area, New Mexico.....13

 KM—Kermit-Berino fine sands, 0 to 3 percent slopes.....13

References..... 15

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report Soil Map



Custom Soil Resource Report

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features

 Blowout

 Borrow Pit

 Clay Spot

 Closed Depression

 Gravel Pit

 Gravelly Spot

 Landfill

 Lava Flow

 Marsh or swamp

 Mine or Quarry

 Miscellaneous Water

 Perennial Water

 Rock Outcrop

 Saline Spot

 Sandy Spot

 Severely Eroded Spot

 Sinkhole

 Slide or Slip

 Sodic Spot

 Spoil Area

 Stony Spot

 Very Stony Spot

 Wet Spot

 Other

 Special Line Features

Water Features

 Streams and Canals

Transportation

 Rails

 Interstate Highways

 US Routes

 Major Roads

 Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico
Survey Area Data: Version 20, Sep 3, 2024

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
KM	Kermit-Berino fine sands, 0 to 3 percent slopes	2.1	100.0%
Totals for Area of Interest		2.1	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Custom Soil Resource Report

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Custom Soil Resource Report

Eddy Area, New Mexico**KM—Kermit-Berino fine sands, 0 to 3 percent slopes****Map Unit Setting**

National map unit symbol: 1w4q
Elevation: 3,100 to 4,200 feet
Mean annual precipitation: 10 to 14 inches
Mean annual air temperature: 60 to 64 degrees F
Frost-free period: 190 to 230 days
Farmland classification: Not prime farmland

Map Unit Composition

Kermit and similar soils: 50 percent
Berino and similar soils: 35 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kermit**Setting**

Landform: Plains, alluvial fans
Landform position (three-dimensional): Talf, rise
Down-slope shape: Convex, linear
Across-slope shape: Linear
Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 7 inches: fine sand
H2 - 7 to 60 inches: fine sand

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Excessively drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Very high (20.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline (0.0 to 1.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Low (about 3.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: A
Ecological site: R070BD005NM - Deep Sand
Hydric soil rating: No

Description of Berino**Setting**

Landform: Plains, fan piedmonts
Landform position (three-dimensional): Riser

Custom Soil Resource Report

Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 17 inches: fine sand
H2 - 17 to 50 inches: fine sandy loam
H3 - 50 to 58 inches: loamy sand

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high
(0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 40 percent
Maximum salinity: Very slightly saline to slightly saline (2.0 to 4.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Moderate (about 7.2 inches)

Interpretive groups

Land capability classification (irrigated): 4e
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: B
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Minor Components**Active dune land**

Percent of map unit: 15 percent
Hydric soil rating: No

References

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

Appendix I



American Safety Services, Inc.

8715 Andrews Highway | Odessa, TX 79765 | 432-5527625 | americansafety.net

 Outlook

Re: [EXTERNAL] Re: nAPP2512737112 ELEVATE DEEP ELLUM FRAC LINE Questions

From Tracie Hecht <thecht@americansafety.net>
Date Tue 7/14/2026 4:44 PM
To Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>

Thank you ma'am!

Tracie Hecht
Environmental Manager



From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Tuesday, July 14, 2026 4:31 PM
To: Tracie Hecht <thecht@americansafety.net>
Subject: RE: [EXTERNAL] Re: nAPP2512737112 ELEVATE DEEP ELLUM FRAC LINE Questions

Caution! This message was sent from outside your organization.

[Allow sender](#) | [Block sender](#)

Hi Tracie,

Thank you for taking the time to reach out and clarify the below reasons for rejection. I appreciate that. You can attach a cover page that states here are the previous reasons of rejection with your answers provided or you could just say something like these are addressed in the email attachment found in Appendix C for instance and you could include your correspondence below. As long as they are addressed in the resubmitted report you should be good to go.

If you have further questions feel free to reach out,

Shelly

Shelly Wells * Senior Environmental Scientist
Environmental Bureau
EMNRD-Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, NM 87505
(505)469-7520
Shelly.Wells@emnrd.nm.gov

From: Tracie Hecht <thecht@americansafety.net>
Sent: Tuesday, July 14, 2026 3:06 PM

To: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Subject: Re: [EXTERNAL] Re: nAPP2512737112 ELEVATE DEEP ELLUM FRAC LINE Questions

The attachments might not be coming through, so I am sending them separately.

Tracie Hecht
Environmental Manager



From: Tracie Hecht <thecht@americansafety.net>
Sent: Tuesday, July 14, 2026 4:02 PM
To: Wells, Shelly, EMNRD <shelly.wells@emnrd.nm.gov>
Subject: Re: [EXTERNAL] Re: nAPP2512737112 ELEVATE DEEP ELLUM FRAC LINE Questions

Hi Shelly,

I want to apologize for the delay in getting back to you. The project was inadvertently overlooked, but I wanted to follow up with the information you requested below. A final updated report will be resubmitted on the portal; however, I'd like to get some clarity on where you would prefer the last portion of the explanation to be included in the report.

The sidewall samples were collected at approximately 2 ft bgs using a hand auger, with multiple borings used to complete each composite. I've attached several of the photos, and the COC is included as well. The sidewall samples are listed on page 5 of 6 of the COC. The COC is already incorporated into the report; however, the sample photos were not, so those will be added.

Regarding your question about Figure 2 and the photo on page 24: I do see the bend you pointed out. However, that photo was taken early in the excavation on June 6th while excavation was still in progress. The excavation had to be widened significantly because the initial sidewall samples were not passing field screening. As shown under the same SW heading, the photo on page 26 (bottom left) reflects the updated conditions — the flow lines were pushed back and the excavation was widened thus removing the curve. That's why Figure 2 does not show the curved area.

Please let me know where you'd prefer this clarification to be added in the report, and I'll update it accordingly along with the other changes mentioned above before it is submitted on the portal.

Thank you,

Tracie Hecht
Environmental Manager



From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Monday, March 2, 2026 12:13 PM
To: Tracie Hecht <thecht@americansafety.net>
Subject: nAPP2512737112 ELEVATE DEEP ELLUM FRAC LINE Questions

Good morning Tracie,

I am reviewing the submitted remediation closure request for nAPP2512737112 ELEVATE DEEP ELLUM FRAC LINE and have questions regarding how the 12/8/25 samples were collected. The excavation was already backfilled so what depths were the sidewall samples collected? What was used to collect these? Were they five point composites or grab samples? Any and all information you have regarding the sample collection is useful, including any photographs. In addition, referring to the photographs provided, what area of the excavation is seen on pg. 24, the bottom 2 photos? This part curves and Figure 2 does not show a curved area. I look forward to hearing back from you when you have the time.

Kind regards,

Shelly

Shelly Wells * Senior Environmental Scientist

Environmental Bureau

EMNRD-Oil Conservation Division

1220 S. St. Francis Drive|Santa Fe, NM 87505

(505)469-7520 Shelly.Wells@emnrd.nm.gov

<http://www.emnrd.state.nm.us/OCD/>

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 605110

QUESTIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 605110
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2512737112
Incident Name	NAPP2512737112 ELEVATE DEEP ELLUM FRAC LINE @ G-24-18S-31E
Incident Type	Produced Water Release
Incident Status	Remediation Closure Report Received

Location of Release Source*Please answer all the questions in this group.*

Site Name	ELEVATE DEEP ELLUM FRAC LINE
Date Release Discovered	04/22/2025
Surface Owner	Federal

Incident Details*Please answer all the questions in this group.*

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release*Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure Pipeline (Any) Produced Water Released: 41 BBL Recovered: 0 BBL Lost: 41 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 605110

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 605110
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Cesar Rosendo Title: HSE Tech Email: crosendo@mewbourne.com Date: 07/15/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 605110

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 605110
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	Attached Document
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Greater than 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	None
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	1400
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	59.2
GRO+DRO (EPA SW-846 Method 8015M)	0
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	06/01/2025
On what date will (or did) the final sampling or liner inspection occur	08/19/2025
On what date will (or was) the remediation complete(d)	09/09/2025
What is the estimated surface area (in square feet) that will be reclaimed	4900
What is the estimated volume (in cubic yards) that will be reclaimed	725
What is the estimated surface area (in square feet) that will be remediated	4900
What is the estimated volume (in cubic yards) that will be remediated	725
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 605110

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 605110
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fEEM0112342028 LEA LAND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Cesar Rosendo Title: HSE Tech Email: crosendo@mewbourne.com Date: 07/15/2026
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 605110

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 605110
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 605110

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 605110
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	544498
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	12/09/2025
What was the (estimated) number of samples that were to be gathered	47
What was the sampling surface area in square feet	9400

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	14117
What was the total volume (cubic yards) remediated	2114
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	14117
What was the total volume (in cubic yards) reclaimed	2114
Summarize any additional remediation activities not included by answers (above)	Dig and haul disposal
<i>The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Cesar Rosendo Title: HSE Tech Email: crosendo@mewbourne.com Date: 07/15/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 605110

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 605110
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 605110

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 605110
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
scwells	None	7/21/2026