						-					AME	ENDED REPORT		
APPLIC	CATION	V FOI				LL, RE-E	YTER	, DE	EPEN,	PLUGBAC				
Operator Name and Address								² OGRID Number 16696						
OXY USA Inc. P.O. Box 50250 Midland, TX 79710-0250								30- 059- 20454						
⁴ Property Code ⁵ Property Name									⁶ Well No.					
27111 Bravo Dome Carbon D									Jnit a	234	182			
⁷ Surface Location														
UL or lot no.	Section		nship Range		Lot. Idn	Feet from		North/South Line		Feet from the	East/West line	County		
	1) 18 22 N			34 E		330		Nowth E		990	west	Union		
8 Proposed Bottom Hole Location If Different From Surface														
UL or lot no.	or lot no. Section Township		ship	Range Lot. Idn		Feet from	the	North/South Line		Feet from the	East/West line	County		
⁹ Proposed Pool I								¹⁰ Proposed Pool 2						
Bravo Dome Carbon Dioxide Gas 640 96010														
						r			74.					
11 Work T	N		12 Well Type Code C			· ·	R .			ase Type Code	15 Ground Level Elevation			
¹⁶ Mu	ltiple NO		17	Proposed Dep 2600	18 Form	nation IDD		19	Contractor N/A	20 Spud Date				
<u></u>					Propose	d Casing an		ent P	rooram	11773	0			
Hole S	ize		Casin	g Size		weight/foot	T	tting De		Sacks of Ceme	nt Es	stimated TOC		
12-1/4"		+-	8-5/8"			24#		700'		300sx	Surface			
7-7/8"		1	5·1		5.9#FG/15.5#		1	2600'		300sx	Surface			
7,7,	7-770			32,12 3.5#		3. 20.00								
²² Describe the p	proposed pro	ogram. I	f this a	pplication is t	o DEEPEN	or PLUG BAC	K. give	the data	on the pre	sent productive zo	ne and proposed	new productive zone.		
Describe the blow							, 6		,	F	FF			
1														
}														
SEE ATTACHED														
ĺ														
į.														
23														
²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief.							OIL CONSERVATION DIVISION							
Signature:							Approved by:							
Printed name: David Stewart								Title:						
Title: Sr. Regulatory Analyst								Approval Date: 4/8/04 Expiration Date: 4/8/05						
Date:									Val: NSL MUST BE APPROVED					
432-685-5717						Attached PRIOR TO PRODUCTION								

BDCDGU ____

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-2600'

8" 2M annular hydril preventer.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600'

300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700'

Fresh water/native mud.

Wt 8.6-9.2ppg, Vis 32-36sec

700-2600'

Fresh water/Starch/Gel pH control as needed. Wt 9.0-9.2ppg, Vis 28-29sec District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aziec, NM 87410 District IV 2040 South Pacheco, Santa Fe, NM 87505 State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

Form C-102 Revised October 18, 1994 Instructions on back Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies


AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT													
	API Numb	er		Pool Cod	e		Pool Name						
		9601)	BR	BRAVO DOME CARBON DIOXIDE GAS (640.								
Property	<u> </u>	Property Name					Well Number						
2711	?AVO	DOME	CARE	ON	DIOXIDE G	AS UNIT 2234 182			182				
OGRID		Operator Name						Elevation					
16696			OXY				A INC.		4954.5				
Surface Location													
UL or lot no.	UL or lot no. Section T		nip Range Lot Idn.		Feet from the		North/South line	Feet from th	e East/West	line	County		
D	18	22 N	34 E		330	•	NORTH	990'	WE	ST	UNION		
Bottom Hole Location If Different From Surface													
UL or lot no.	Section	Township	Range	ange Lot Idn. Fe		the	North/South line	Feet from th	e East/West	line	County		
		<u> </u>		<u> </u>									
Dedicated Acres Joint or Infill Consolidation Code Order No.													
640 Y													
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED													
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION													
OPERATOR CERTIFICATION													
990' —	-	Lat - 36°08 Lon -103°2						11 '	I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.				
											30		
	Į					ļ		II.			:		
303,													
								0					
	1			1				Signature	~~~		Z		
]									Stew	art		
ļ					1	}		Printed N		•	A 1		
	1				•	1		Title	. Regula	cory .	Analyst		
	Ì							4/6/04					
	į					į		Date					
								SUR	VEYOR (CERTI	FICATION		
				1		11			shown on this plat				
										n and tha	I surveys made by t the same is true		
								and corre	a to the best of	ny belief.	1		
	ļ					Ì		_	Morch	24.2	QO4.		
	i			1		i		Date of St	irvey	NEXT MEXT	0		

Signature and Seal of Professional Survey

Certificate Number 7911

Jesse M. Mortin



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM