District I 1625 N. French Dr., Hobbs, NM 88240

Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Form C-101

August 1, 2011

Permit 141105

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

	Name and Address	2. OGRID Number	
COG OPERATING LLC 550 W TEXAS MIDLAND , TX 79701		229137 3. API Number 30-025-40560	
4. Property Code 38975	5. Property Name TRES STATE	6. Well No. 001H	

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	32	12S	35E	M	330	S	330	W	LEA

#### 8. Pool Information

WILDCAT G-05 \$133401H:ABO	97898

Additional Well Information

	_	Additional Wen Inform	nation	
9. Work Type         10. Well Type           New Well         OIL           14. Multiple         15. Proposed Depth           N         13884		11. Cable/Rotary	12. Lease Type State	13. Ground Level Elevation 4111
		16. Formation 17. Contractor Wolfcamp		18. Spud Date 1/30/2012
Depth to Ground water		Distance from nearest fresh water > 1000	r well	Distance to nearest surface water > 1000

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	425	300	0
Int1	12.25	9.625	40	4300	1200	0
Int2	8.75	7	29	8600	1000	0
Prod	6.125	4.5	13.5	13884	0	0

### Casing/Cement Program: Additional Comments

COG proposes to drill 17-1/2" hole to 425' w/ fresh water mud system, wt. 8.5, vis 28, set 13-3/8" casing & cement to surf. Drill an 12.25" hole to 4300' w/ brine mud system, wt 10, vis 30, set 9-5/8" casing & cement to surf. Drill 8-3/4" hole to 8600' w/ cut brine mud system, wt 8.7, vis 29-32. Set 7" prod casing @ +/- 8600°. Drill 6-1/8" pilot hole thru Wolfcamp to +/- 9700°, run open hole logs. Spot +/- 250sxs C. Kick off plug from +/- 9700' to +/- 8600'. Drill 6-1/8" hole & kick off @ +/- 8862', building curve over +/- 470' horizontal section in an Westerly direction for +/- 4523' lateral to TD @ +/- 13884' MD, 9520' TVD. Run 4-1/2" prod liner in uncemented open hole lateral & set isolation packers & liner top packer @ +/- 8500' MD.

Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
DoubleRam	2000	2000	

I hereby certify that the information given above is true and complete to the bes of my knowledge and belief. I further certify that the drilling pit will be constructed according to	OIL CONSERVATION DIVISION				
NMOCD guidelines 🛭 a general permit 🗀, or an (attached) alternative OCD-approved plan 🗀.	Approved By: Paul Kautz				
Printed Name: Electronically filed by Diane Kuykendall	Title: Geologist				
Title: Production Reporting Mgr	Approved Date: 5/9/2012	Expiration Date: 5/9/2014			
Email Address: dkuykendall@conchoresources.com					
Date: 12/14/2011 Phone: 432-683-7443	Conditions of Approval Attac	ched			

#### <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phony (575) 303 6161 Francis 250 303 073

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### State of New Mexico

### Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-102 August 1, 2011

Permit 141105

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-40560	2. Pool Code 97898	3. Pool Name WILDCAT G-05 \$133401H;ABO	
4. Property Code 38975	5. Property TRES ST		
7. OGRID No.	8. Operator	Name 9. Elevation	
229137	COG OPERATING LLC 4111		


#### 10. Surface Location

0	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	M	32	12S	35E		330	S	330	W	LEA

#### 11. Bottom Hole Location If Different From Surface

JL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
P	32	12S	35E	P	330	S	330	E	LEA
	cated Acres	13. J	oint or Infill	14	. Consolidation (	Code		15. Order No.	

## NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 12/14/2011

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Jones Date of Survey: 8/4/2011 Certificate Number: 3239

# **Permit Comments**

Operator: COG OPERATING LLC , 229137 Well: TRES STATE #001H

API: 30-025-40560

Created By	Comment	Comment Date	
kholly1	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	12/7/2011	
pkautz	Land s/S	12/16/2011	
CHERRERA	OCD RECEIVED FORM C144 CLEZ. OCD PERMIT # P1-04551	5/9/2012	

## Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: TRES STATE #001H

API: 30-025-40560

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string