<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### State of New Mexico

## Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 147393

#### APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator	Name and Address	2. OGRID Number	
COG OPI	229137		
50.50 (5.50 (	W TEXAS ND , TX 79701	3. API Number	
,		30-015-40444	
4. Property Code	5. Property Name	6. Wett No.	
39257	MINA STATE	002	

#### 7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	27	17S	28E	M	1200	S	990	W	EDDY

#### 8. Pool Information

E CONTRACTOR DE LA CONT	
EMPIRE: GLORIETA-YESO	96210

#### Additional Well Information

		Additional Wen Inform	ation		
9. Work Type         10. Well Type           New Well         OIL           14. Multiple         15. Proposed Depth           N         5600		11. Cable/Rotary	12. Lesse Type State	13. Ground Level Elevation 3682	
		16. Formation Yeso Formation			
Depth to Ground water 110		Distance from nearest fresh water > 1000	Distance from nearest fresh water well > 1000		

19. Proposed Casing and Cement Program

		-			8	
Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	250	300	0
Int1	11	8.625	24	850	400	0
Prod	7.875	5.5	17	5600	900	0

#### Casing/Cement Program: Additional Comments

COG proposes to drill a 17-1/2" hole to 250' w/fr water mud system, wt 8.5, vis 28, set 13-3/8" casing & cement to surface. Drill an 11" hole to 850'w/br mud system, wt 10, vis 30. Set 8-5/8" casing & cement to surface. Drill a 7-7/8" hole to 5600'w/cut brine mud system, wt 9.1, vis 29-32. Test Yeso formation. Run 5-1/2" casing & cement to surface. Note: On production string, a caliper will be run, COG will attempt to circulate cement.

Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
DoubleRam	2000	2000	

of my knowledge and belief.	ation given above is true and complete to the best  Iling pit will be constructed according to	OIL CONSERVATION DIVISION  Approved By: Randy Dade		
	eneral permit , or an (attached) alternative			
Printed Name: Electroni	cally filed by Diane Kuykendall	Title: District Supervisor		
Title: Production Repor	ting Mgr	Approved Date: 7/9/2012	Expiration Date: 7/9/2014	
Email Address: dkuyker	dall@conchoresources.com			
Date: 7/6/2012	Phone: 432-683-7443	Conditions of Approval Atta	ached	

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

<u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-97

Phone: (575) 748-1283 Fax: (575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

### Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-102 August 1, 2011

Permit 147393

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-40444	2. Pool Code 96210	3. Pool Name EMPIRE; GLORIETA-YESO
4. Property Code 39257	5. Property I MINA ST.	
7. OGRID No. 229137	8. Operator 1 COG OPERAT	


#### 10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	27	17S	28E		1200	S	990	W	EDDY

#### 11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	27	17S	28E	M	990	S	990	W	EDDY
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

## NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 7/6/2012

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson Date of Survey: 4/20/2012 Certificate Number: 3239

## **Permit Comments**

Operator: COG OPERATING LLC , 229137 Well: MINA STATE #002

API: 30-015-40444

Created By	Comment	Comment Date
kconnally	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	4/17/2012
CSHAPARD	Land s/S	7/9/2012

# Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: MINA STATE #002

API: 30-015-40444

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string