## District I Form C-103 State of New Mexico 1625 N. French Dr., Hobbs, NM 88240 August 1, 2011 Phone:(575) 393-6161 Fax:(575) 393-0720 Energy, Minerals and Natural District II Permit 154407 811 S. First St., Artesia, NM 88210 Resources WELL API NUMBER Phone:(575) 748-1283 Fax:(575) 748-9720 District III 30-025-40670 Oil Conservation Division 1000 Rio Brazos Rd., Aztec, NM 87410 Indicate Type of Lease Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr. District IV S 1220 S. St Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 6. State Oil & Gas Lease No. SUNDRY NOTICES AND REPORTS ON WELLS Lease Name or Unit Agreement Name (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO SHEARN STATE COM A DIFFRENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH 8. Well Number PROPOSALS.) 001H 1. Type of Well:O 9. OGRID Number Name of Operator REGENERATION ENERGY, CORPORATION 280240 3. Address of Operator 10. Pool name or Wildcat P. O. Box 210, Artesia, NM 88210 4. Well Location line and Unit Letter M 330 feet from the S 380 feet from the 32 238 35E NMPM County Township Range Lea 11. Elevation (Show whether DR, KB, BT, GR, etc.) 3445 GR Pit or Below-grade Tank Application or Closure Depth to Groundwater\_ Distance from nearest fresh water well\_ Distance from nearest surface water\_ Pit Type \_ \_ mi1 Pit Liner Thickness: Below-Grade Tank: Volume\_ bbls; Construction Material\_ 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK | PLUG AND ABANDON | REMEDIAL WORK ☐ ALTER CASING TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON PULL OR ALTER CASING | MULTIPLE COMPL | CASING/CEMENT JOB Other: Other: Drilling/Cement X 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Drilled to 5119'. Ran 9 5/8 36# and 40# J55/N80 set at 5119'. Pump lead, 1200 sxs of ECONOCEM @ 11.9 ppg with 0.125 lbm POLY-E-FLAKE / Tail, 300 sxs 14.8 ppg with 0.125 POLY-E-FLAKE. Pumped 323 bbls fresh water displacement and circulated 83 bbls (192 sxs) of cement to pits. Plug down @ 9:40 a.m. Tag cement at 4440'.8/22/2012 Spudded well. Casing and Cement Program Csg Weight Size Ib/ft Grade Hole Est Dpth 1" Pres Pres Open String Sacks Yield Class Date Type Size TOC Set Dpth Held Drop Hole 54.5 J-55 08/25/12 Surf FreshWater 17.5 13.375 0 1225 1060 500 0 N Int1 12.25 9.625 40 J55N80 0 5119 1500

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines  $\square$ , a general permit  $\square$  or an (attached) alternative OCD-approved plan  $\square$ .

TITLE Geologist

TITLE Secretary/Treasurer

E-mail address jmiller@pvtn.net

DATE 9/4/2012

DATE 9/4/2012 1:30:11 PM

Telephone No. 575-736-3535

SIGNATURE Electronically Signed

APPROVED BY: Paul Kautz

For State Use Only:

Type or print name JOEL W MILLER