

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 156122

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address APACHE CORP 303 Veterans Airpark Lane Midland, TX 79705		2. OGRID Number 873
		3. API Number 30-025-40824
4. Property Code 22503	5. Property Name NORTHEAST DRINKARD UNIT	6. Well No. 267

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	3	21S	37E	M	2890	S	920	W	LEA

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
A	3	21S	37E	T	2465	S	845	W	Lea

9. Pool Information

EUNICE;BLI-TU-DR, NORTH	22900
-------------------------	-------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type Private	15. Ground Level Elevation 3428
16. Multiple N	17. Proposed Depth 7300	18. Formation Drinkard	19. Contractor	20. Spud Date
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	11	8.625	24	1283	467	
Prod	7.875	5.5	17	7000	996	

Casing/Cement Program: Additional Comments

--

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Hydril	3000	2000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC <input checked="" type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input type="checkbox"/> , if applicable. Signature:	OIL CONSERVATION DIVISION Approved By: ELIDIO GONZALES
Printed Name: Electronically filed by Bobby Smith	Title: HOBBS STAFF MANAGER
Title:	Approved Date: 10/18/2012 Expiration Date: 10/18/2014
Email Address: bobby.smith@apachecorp.com	
Date: 10/11/2012 Phone: 432-818-1020	Conditions of Approval Attached

DISTRICT I
1025 N. French Dr., Hobbs, NM 88240
Phone (505) 393-6161 Fax: (505) 393-0720

DISTRICT II
611 S. First St., Artesia, NM 88210
Phone (505) 740-1283 Fax: (505) 740-0720

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3450 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised August 1, 2011

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number 30-025-	Pool Code 22900	Pool Name Eunicez Blinbury-Jubb-Drinkard-North
Property Code	Property Name NORTHEAST DRINKARD UNIT	Well Number 267
OGRID No. 873	Operator Name APACHE CORPORATION	Elevation 3428'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
LOT 13	3	21 S	37 E		2890	SOUTH	920	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Q	3	21 S	37 E		2465	SOUTH	845	WEST	LEA
Dedicated Acres 80	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

32.508531
103.156028

SURFACE LOCATION
Lat - N 32°30'31.14"
Long - W 103°09'23.40"
NMSPCE- N 550780.346
E 904124.552
(NAD-83)
Lat - N 32°30'30.71"
Long - W 103°09'21.70"
NMSPCE- N 550720.307
E 862940.719
(NAD-27)

PROPOSED BOTTOM HOLE LOCATION
Lat - N 32°30'26.94"
Long - W 103°09'24.27"
NMSPCE- N 550354.757
E 904054.518
(NAD-83)
Lat - N 32°30'26.51"
Long - W 103°09'22.57"
NMSPCE- N 550294.711
E 862870.662
(NAD-27)

32.507364 **103.156249**

LOT 4 LOT 3 LOT 2 LOT 1
LOT 5 LOT 6 LOT 7 LOT 8
LOT 12 LOT 11 LOT 10 LOT 9
LOT 13 LOT 14 LOT 15 LOT 16

OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the Division.

Vicki Brown 10/9/12
Signature Date
Vicki Brown
Printed Name
vicki.brown@apachecorp.com
Email Address

SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

SEPTEMBER 14 2012
Date Surveyed
Signature & Seal
Professional Surveyor
7977
Certificate No. 27325
Basin Surveys 27325

Permit Comments

Operator: APACHE CORP , 873

Well: NORTHEAST DRINKARD UNIT #267

API: 30-025-40824

Created By	Comment	Comment Date
VBROWN	The UL option is apparently not working - although this well is in UL Q, I kept getting an error when choosing it. The dedicated acres also did not have the option to choose anything in "Q". When I chose "P" it let me move forward with the permit. Would you please correct the UL to "Q" and dedicated acreage to 80?	10/11/2012
VBROWN	Please use the plat for the correct locations.	10/11/2012
pkautz	Land p/P	10/11/2012

Permit Conditions of Approval

Operator: APACHE CORP , 873

Well: NORTHEAST DRINKARD UNIT #267

API: 30-025-40824

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string