District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Form C-101 August 1, 2011

Permit 157328

Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Opera	or Name and Address	2. OGRID Number	
	ODUCTION, LLC	217955	
	and, TX 79701	3. API Number	
IVIIG	and, 17/7/01	30-025-40853	
4. Property Code	5. Property Name	6. Well No.	
39456	MACHO NACHO STATE	003H	

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
I	7	24S	33E	I	1870	S	330	E	LEA

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	7	24S	33E	3	1870	S	330	W	Lea

9. Pool Information

TRIPLE X;BONE SPRING, WEST 96674

Additional Well Information

	1	Additional Well Informa	tion	1
11. Work Type New Well	12. Wett Type OIL	13. Cable/Rotary	14. Lesse Type State	15. Ground Level Elevation 3595
16. Multiple 17. Proposed Depth N		18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 11/9/2012
Depth to Ground	water	Distance from nearest fresh water w	rel1	Distance to nearest surface water

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54	1250	900	
Int1	12.25	9.625	36	5050	1100	
Prod	7.875	5.5	17	15323	2200	4850

Casing/Cement Program: Additional Comments

Plan to drill a 17-1/2" hole to 1375' with Fresh Water. Run 13-3/8", 54.5#, J-55 csg and cmt to surface. Drill 12-1/4" hole to 5050' with Brine, and run 9-5/8", 36#/40#, J55 and cement to surface. Drill 7-7/8" vertical, curve and lateral with cut brine to approx 15,323' MD. Run 5-1/2", 17#, P-110 csg and cement to 4850' in 1 stage.

22. Proposed Blowout Prevention Program

C			AND THE RESERVE TO THE PARTY OF
Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	Cameron

best of my knowledge and belief.	given above is true and complete to the	OIL CONSERV	ATION DIVISION
I further certify I have complied with 19.15.14.9 (B) NMAC ⊠, if applicat	h 19.15.14.9 (A) NMAC 🛮 and/or ole.	Approved By: ELIDIO GON	VZALES
Signature:			180.0078
Printed Name: Electronically file	d by DIANE KUYKENDALL	Title: HOBBS STAFF MAN	AGER
Title: Production Reporting Man	nager	Approved Date: 11/8/2012	Expiration Date: 11/8/2014
Email Address: dkuykendall@co	ncho.com		
Date: 11/2/2012	Phone: 432-685-4372	Conditions of Approval Atta	ched

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Azter, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-102 August 1, 2011

Permit 157328

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	2000 0000000000000000000000000000000000	Pool Name
30-025-40853	96674		ONE SPRING, WEST
4. Property Code	5. Property		6. Well No.
39456	MACHO NAC		003H
7. OGRID No.	8. Operator	Name	9. Elevation
217955	COG PRODUC	TION, LLC	3595


10. Surface Location

	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
1	I	7	24S	33E		1870	S	330	E	LEA

11. Bottom Hole Location If Different From Surface

JL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	7	24S	33E	3	1870	S	330	W	LEA
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: DIANE KUYKENDALL Title: Production Reporting Manager

Date: 11/2/2012

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson Date of Survey: 3/1/2012 Certificate Number: 3239

Permit Comments

Operator: COG PRODUCTION, LLC , 217955 Well: MACHO NACHO STATE #003H

API: 30-025-40853

Created By	Comment	Comment Date
matyereyes	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	11/2/2012
CHERRERA	OCD RECEIVED FORM C144 CLEZ. OCD PERMIT #P1-5418	11/8/2012

Permit Conditions of Approval

Operator: COG PRODUCTION, LLC , 217955 Well: MACHO NACHO STATE #003H

API: 30-025-40853

OCD Reviewer	Condition
CHERRERA	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines
CHERRERA	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
CHERRERA	Spacing rule violation. Operator must follow up with Change of Status notification on other well to be shut in or abandoned