<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
Phone;(575) 393-6161 Fax:(575) 393-0720
<u>District II</u>
811 S. First St., Artesia, NM 88210

STATE | ### ST

District III

1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505

Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 167684

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

	ator Name and Address	2. OGRID Number 229137		
	DPERATING LLC e Concho Center			
	fland. TX 79701	3. API Number 30-015-41400		
1721	saito, 11 ///of			
4. Property Code	5. Property Name	6. Well No.		
308613	DOWN SOUTH STATE COM	005H		

7. Surface Location

30				7.0	di luce Loc	ution	NO	0 00	2
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
P	19	26S	28E	P	520	S	190	E	EDDY

8. Proposed Bottom Hole Location

2	of Troposca Bottom Hote Escation											
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County			
M	19	26S	28E	4	660	S	330	W	Eddy			

9. Pool Information

HAY HOLLOW;BONE SPRING	30215
------------------------	-------

Additional Well Information

Work Type 12. Well Type New Well OIL		State	15. Ground Level Elevation 3008	
Proposed Depth	18. Formation	19. Contractor	20. Spud Date	
12330	Bone Spring		6/1/2013	
		12330 Bone Spring		

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	400	350	
Int1	12.25	9.625	36	2300	650	1111
Prod	7.875	5.5	17	12330	1475	2090

Casing/Cement Program: Additional Comments

Plan to drill a 17-1/2" hole to 400' with Fresh Water. Run 13-3/8", 48#, H-40 csg and cmt to surface. Drill 12-1/4" hole to 2300' with Brine, and run 9-5/8", 36#, J-55 and cement to surface. Drill 7-7/8" curve and lateral with cut brine to approx 12,330' MD. Run 5-1/2", 17#, P-110 csg and cement to 2090'.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	Cameron

best of my knowledge and belief.	given above is true and complete to the	OIL CONSERVATION DIVISION				
I further certify I have complied wit 19.15.14.9 (B) NMAC ⊠, if applicat		Approved By: Randy Dade				
Signature:						
Printed Name: Electronically file	d by Diane Kuykendall	Title: District Supervisor				
Title: Production Reporting Mg	r	Approved Date: 5/24/2013	Expiration Date: 5/24/2015			
Email Address: dkuykendall@co	onchoresources.com					
Date: 5/24/2013	Phone: 432-683-7443	Conditions of Approval Attached				

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division

August 1, 2011

Form C-102

1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION	AND ACREACE	DEDICATION P	LAT
WELL LUCATION	AND ACKLAGE	DEDICATION	1/2

1. API Number			3. Pool Name LLOW;BONE SPRING	
30-015-41400				
4. Property Code	5. Property Name		6. Well No.	
308613	DOWN SOUTH S	TATE COM	005H	
7. OGRID No.	8. Operator	Name	9. Elevation	
229137	COG OPERATING LLC		3008	


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
P	19	26S	28E		520	S	190	E	EDDY

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
M	19	26S	28E	4	660	S	330	W	EDDY	
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 5/24/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Chad Harcrow Date of Survey: 3/15/2013 Certificate Number: 17777

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: DOWN SOUTH STATE COM #005H

API: 30-015-41400

Created By	Comment	Comment Date
mreyes1	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	5/24/2013
CSHAPARD	Land s/S	5/24/2013

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: DOWN SOUTH STATE COM #005H API: 30-015-41400

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string