District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

Form C-101

August 1, 2011

1220 S. St Francis Dr. Santa Fe, NM 87505

ADDITION FOR DEPART TO DOLL I	DE ENTED	DEEDEN	DITTODACE	OD ADD A ZONE
APPLICATION FOR PERMIT TO DRILL.	. NE-ENIER.	DEEPEN.	PLUGDACK.	OK ADD A LUNE

COGO	or Name and Address PERATING LLC		OGRID Number 229137
	Concho Center and, TX 79701	3. API Number 30-015-41462	
4. Property Code	5. Property Name	*	6. Well No.
39962	BRAGG 10 FEE	001H	

7. Surface Location

77		1	150	7.0	di luce Loc	Ition	20	0 200	
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	10	198	26E	M	150	S	330	W	EDDY

8. Proposed Bottom Hole Location

2				Troposes	L DOTTOIL LE	OLC MOCHELO.	-		
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	10	198	26E	D	330	N	330	W	Eddy

9. Pool Information

ATOKA;GLORIETA-YESO	3250
---------------------	------

Additional Well Information

	Transaction of the state of the	Huditional Well Inform	ution		
11. Work Type New Well	pe 12. Well Type 13. Cable/Rotary OIL		14. Lease Type Private	15. Ground Level Elevation 3335	
16. Multiple 17. Proposed Depth N 7859		18. Formation Yeso Formation			
Depth to Ground water		Distance from nearest fresh water > 1000	well	Distance to nearest surface water > 1000	

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	11	8.625	32	1200	700	0
Prod	7.875	5.5	17	7856	800	0

Casing/Cement Program: Additional Comments

COG proposes to drill an 11" hole to 1200' w/fresh water, run 8-5/8" 32# J-55 and cement to surface. Drill a 7-7/8" hole (and pilot hole) to 4600' and run logs. After evaluation, plug back pilot hole to 2300' with 1000 sacks of cement. Drill out to 2670' MD and kick off and drill curve to 3191' TVD 3497' MD. Drill a 7-7/8" lateral to new BHL @ 3115' TVD 7859' MD. Run a 5 ½" 17# L-80 casing to TD cement to surface with 800 sacks

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	2000	2000	

best of my knowledge and bel		OIL CONSERVATION DIVISION Approved By: Randy Dade				
I further certify I have comp 19.15.14.9 (B) NMAC ⊠, if	olied with 19.15.14.9 (A) NMAC 🛮 and/or applicable.					
Signature:						
Printed Name: Electronic	ally filed by Diane Kuykendall	Title: District Supervisor				
Title: Production Report	ing Mgr	Approved Date: 6/18/2013	Expiration Date: 6/18/2015			
Email Address: dkuyken	dall@conchoresources.com					
Date: 6/17/2013	Phone: 432-683-7443	Conditions of Approval Attached				

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone: (575) 748-1283 Fax: (575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 163323

WELL LOCATION AND ACREAGE DEDICATION PLAT

***	LLE LOCATION AND ACKE	AGE DEDICATION LEAT	
1. API Number	2. Pool Code	3. Pool Name	
30-015-41462	3250	ATOKA;GLORIETA-YESO	
4. Property Code	5. Property N	ame 6. Well No.	
39962	BRAGG 10	FEE 001H	
7. OGRID No.	8. Operator N	ame 9. Elevation	
229137	COG OPERATI	NG LLC 3335	


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	10	198	26E		150	S	330	W	EDDY

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	10	198	26E	D	330	N	330	W	EDDY
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr Date: 6/17/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Eidson Date of Survey: 2/7/2013 Certificate Number: 12641

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: BRAGG 10 FEE #001H

API: 30-015-41462

Created By	Comment	Comment Date
kholly1	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	3/1/2013
CSHAPARD	Land p/P	6/18/2013

Permit Conditions of Approval Operator: COG OPERATING LLC , 229137 Well: BRAGG 10 FEE #001H API: 30-015-41462

OCD Reviewer	Condition	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from ARD surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string	