<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
Phone:(\$75) 393-6161 Fax:(\$75) 393-0720
<u>District II</u>
811 S. First St., Artesia, NM 88210
Phone:(\$75) 748-1283 Fax:(\$75) 748-9720

Phone:(3/5) /48-1285 F8X:(5/5) /48-9/20 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 F8X:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.

State of New Mexico

Santa Fe, NM 87505

Form C-101 August 1, 2011

Domit 16622

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD	1 ZONE
---	--------

COG OP	Name and Address ERATING LLC	 OGRID Number 229137
One Concho Center Midland, TX 79701	3. API Number 30-015-41449	
4. Property Code	5. Property Name	6. Well No.
302513	JUNIPER STATE	006

7. Surface Location

9	()	1		7. 0	urrace Loc	ation	50	0 -00	2
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	21	17S	30E	D	100	N	335	W	EDDY

8. Proposed Bottom Hole Location

	o. 1 toposca Bottom Hote Botation											
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County			
M	16	17S	30E	M	330	S	330	W	Eddy			

9. Pool Information

LOCO HILLS; GLORIETA-YESO	96718
---------------------------	-------

Additional Well Information

		Additional Well Inform	ation		
11. Work: Type 12. Well Type New Well OIL 16. Multiple 17. Proposed Depth N 5900		13. Cable/Rotary	13. Cable/Rotary 14. Lease Type State		
		18. Formation Yeso Formation	20. Spud Date 6/30/2013		
Depth to Ground water		Distance from nearest fresh water > 1000	well	Distance to nearest surface water > 1000	

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	425	450	0
Int1	11	8.625	32	1225	850	0
Prod	7.875	5.5	17	5900	1000	0

Casing/Cement Program: Additional Comments

COG proposes to drill a 17-1/2" hole to 425' w/fr water mud system, wt 8.5, vis 28, set 13-3/8" casing & cement to surface. Drill a 11" hole to 1225'w/br mud system, wt 10, vis 30. Run 8 5/8" casing & cement to surface. Drill a 7-7/8" hole to approx 1581' to KO Point. Directionally drill to approx 5900' TVD, 5921' MD w/cut brine mud system, wt 9.1, vis 29-32. Test Yeso formation. Run 5-1/2" casing & cement to surface. Note: On production string, a caliper will be run, COG will attempt to circulate.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	2000	2000	1.01.01.01.01.01

best of my knowledge and belief.	on given above is true and complete to the	OIL CONSERVATION DIVISION Approved By: Randy Dade				
I further certify I have complied w 19.15.14.9 (B) NMAC ⊠, if applic	ith 19.15.14.9 (A) NMAC 🛮 and/or able.					
Signature:	330000					
Printed Name: Electronically f	led by Diane Kuykendall	Title: District Supervisor				
Title: Production Reporting M	gr	Approved Date: 6/20/2013	Expiration Date: 6/20/2015			
Email Address: dkuykendall@	conchoresources.com					
Date: 6/13/2013	Phone: 432-683-7443	Conditions of Approval Attached				

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division

Form C-102 August 1, 2011 Permit 166334

Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

***	DE LOCITION IL D HON	Elioz Debicinion i Elii	
1. API Number	2. Pool Code	3. Pool Name	
30-015-41449	96718	LOCO HILLS; GLORIETA-YESO	
4. Property Code	5. Property	Name 6. Well No.	
302513	JUNIPER	STATE 006	
7. OGRID No.	8. Operator	Name 9. Elevation	
229137	COG OPERA	TING LLC 3660	

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	21	17S	30E		100	N	335	W	EDDY

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	16	17 S	30E	M	330	S	330	W	EDDY
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 6/13/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Robert Howett Date of Survey: 3/28/2013 Certificate Number: 19680

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: JUNIPER STATE #006

API: 30-015-41449

Created By	Comment	Comment Date
kholly1	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	4/29/2013
CSHAPARD	Land s/S	6/14/2013
CSHAPARD	Selected spacing unit overlaps an existing spacing unit	6/14/2013

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: JUNIPER STATE #006 API: 30-015-41449

OCD Reviewer	Condition	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string	