District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505

Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

Santa Fe, NM 87505

Form C-101 August 1, 2011

1220 S. St Francis Dr.

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE
--

COG OP	Name and Address ERATING LLC	2. OGRID Number 229137
(A)	oncho Center nd, TX 79701	3. API Number 30-015-41521
4. Property Code	5. Property Name	6. Well No.
40008	MYOX 32 FEE	002H

7. Surface Location

200	7. Surface Docution												
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County				
C	32	25S	28E	С	190	N	1980	W	EDDY				

8. Proposed Bottom Hole Location

	C. I Toposed Dovioni More Documen												
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County				
N	32	25S	28E	N	330	S	1980	W	Eddy				

9. Pool Information

DEL ANTARE DITTE DOLLE OPPOSE	16000
DELAWARE RIVER:BONE SPRING	16800

Additional Well Information

11. Work Type 12. Well Type New Well OIL 16. Multiple 17. Proposed Depth		2000 CONTRACTOR (CONTRACTOR CONTRACTOR CONTR			15. Ground Level Elevation 2975
		oposed Depth 18. Formation		19. Contractor	20. Spud Date
N	12	2424	Bone Spring		7/17/2013
Depth to Ground	water		Distance from nearest fresh water	r well	Distance to nearest surface water

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	350	600	
Int1	12.25	9.625	36	2325	900	
Prod	7.875	5.5	17	12424	2000	2000

Casing/Cement Program: Additional Comments

Plan to drill a 17-1/2" hole to 350' with Fresh Water. Run 13-3/8", 48#, H-40 csg and cmt to surface. Drill 12-1/4" hole to 2325' with Brine, and run 9-5/8", 36#, J55 and cement to surface. Drill vertical to approx 7400' then kick off and drill a 7-7/8" curve and lateral with cut brine to approx 12,424' MD. Run 5-1/2", 17#, P-110 csg and cement to 2000' in 1 stage.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	Cameron

best of my knowledge and belief.	given above is true and complete to the	OIL CONSERVATION DIVISION				
I further certify I have complied wit 19.15.14.9 (B) NMAC , if applica		Approved By: Randy Dade				
Signature:						
Printed Name: Electronically fil	ed by Diane Kuykendall	Title: District Supervisor				
Title: Production Reporting Mg	r	Approved Date: 7/10/2013	Expiration Date: 7/10/2015			
Email Address: dkuykendall@c	onchoresources.com					
Date: 7/9/2013	Phone: 432-683-7443	Conditions of Approval Attached				

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(505) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division

August 1, 2011 Permit 169745

Form C-102

1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

***	EEE EGCHIION IE D HCI	ditol Debicinion I Litt		
1. API Number			3. Pool Name WARE RIVER;BONE SPRING	
30-015-41521				
4. Property Code	5. Property Name		6. Well No.	
40008	MYOX	32 FEE	002H	
7. OGRID No.	8. Operator Name		9. Elevation	
229137	COG OPERA	TING LLC	2975	


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	32	25S	28E		190	N	1980	W	EDDY

11. Bottom Hole Location If Different From Surface

			Dottom	Troit Do.					
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	32	25S	28E	N	330	S	1980	W	EDDY
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 7/9/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Chad Harcrow Date of Survey: 6/20/2013 Certificate Number: 17777

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: MYOX 32 FEE #002H API: 30-015-41521

Created By	Comment	Comment Date	
CSHAPARD	Land p/P	7/10/2013	

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: MYOX 32 FEE #002H API: 30-015-41521

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string