District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

Type DoubleRam

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

August 1, 2011 Permit 169842

Form C-101

Manufacturer

Cameron

1220 S. St Francis Dr. Santa Fe, NM 87505

		1. Ope COG		OGRID Number 229137					
			dland, TX					3. API Number 30-015-415	33
4. 1	Property Code 308169			5. Property Name SRO STATE UNIT				6. Welt No. 055H	
		2.0		7. S	urface Loc	ation	50 S		
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	16	26S	28E	С	190	N	2080	W	EDDY
	· · · · · · · · · · · · · · · · · · ·	99	8.	Proposed	Bottom H	ole Locatio	n	0 000 0 000	
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	16	26S	28E	N	330	S	2080	W	Eddy
				9. P	ool Inform	ation		96	
ILDCAT:	BONE SPE	ING							

	• • •		 	
7				10
12 Cable	VD.	ntor		- 1

Depth to Ground water		Distance from nearest fresh water	Distance to nearest surface water		
16. Multiple	17. Proposed Depth	epth 18. Formation 19. (Bone Spring		20. Spud Date	
N	12651			7/19/2013	
11. Work Type	12. Well Type 13. Cable/Rotary OIL		14. Lease Type	15. Ground Level Elevation	
New Well			State	3072	

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	350	345	
Int1	12.25	9.625	36	2490	860	
Prod	7.875	5.5	17	12651	1790	2190

Casing/Cement Program: Additional Comments

Drill 17-1/2" hole to ~350' w/ fresh water spud mud. Run 13-3/8" 48# H40 STC casing to TD and cement to surface in one stage. Will use 1" tubing and Class C w/ 2% CaCl2 to cement to surface, if necessary. Drill 12-1/4" hole to ~2490' with saturated brine water. Rus 9-5/8" 36# J55 LTC casing to TD and cement to surface in one stage. Drill 7-7/8" vertical hole, curve and lateral to 12651' with cut brine. Run 5-1/2" 17# P110 LTC casing to TD and cement in one stage bringing TOC to 2190' (300' overlap).

> 22. Proposed Blowout Prevention Program Working Pressure Test Pressure

> > 3000

3000

best of my knowledge and belief.	ation given above is true and complete to the	OIL CONSERVATION DIVISION			
I further certify I have complied 19.15.14.9 (B) NMAC ⊠, if app	with 19.15.14.9 (A) NMAC And/or licable.	Approved By: Randy Dade			
Signature:					
Printed Name: Electronically	filed by Diane Kuykendall	Title: District Supervisor			
Title: Production Reporting	Mgr	Approved Date: 7/11/2013	Expiration Date: 7/11/2015		
Email Address: dkuykendall	@conchoresources.com	- P & A - L - P	98-95-9-1		
Date: 7/11/2013	Phone: 432-683-7443	Conditions of Approval Attached			

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr.

Form C-102 August 1, 2011

Santa Fe, NM 87505

1. API Number 30-015-41533	2. Pool Code 3. Pool Name 96403 WILDCAT;BONE SPRIN			
. Property Code	5. Property Name		6. Weti No.	
308169	SRO STAT	E UNIT	055H	
7. OGRID No.	8. Operator Name		9. Elevation	
229137	COG OPERA	TING LLC	3072	


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	16	26S	28E		190	N	2080	W	EDDY

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	16	26S	28E	N	330	S	2080	W	EDDY
	cated Acres	13. J	oint or Infill	14	14. Consolidation Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 7/11/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Chad Harcrow Date of Survey: 6/24/2013 Certificate Number: 17777

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: SRO STATE UNIT #055H

API: 30-015-41533

Created By	Comment	Comment Date
mreyes1	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	7/11/2013

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: SRO STATE UNIT #055H API: 30-015-41533

OCD Reviewer	Condition
RDADE	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string