District I 1625 N. French Dr., Hobbs, NM 88240 Phone;(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone;(575) 748-1283 Fax:(575) 748-9720

Phone:(3/5) /48-1283 Fax:(3/5) /48-9/20 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 169908

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBA	CK, OR ADD A ZONE
---	-------------------

APA	or Name and Address ACHE CORP	OGRID Number 873	
303 Veterans Airpark Lane Midland, TX 79705		3. API Number 30-025-41267	
4. Property Code	5. Property Name	6. Well No.	
302328	BERTHA J BARBER	018	

7. Surface Location

	7. Surface Location									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
A	7	20S	37E	A	820	N	475	E	LEA	

8. Proposed Bottom Hole Location

10.00	of Troposed Bottom Hole Bottom								
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
A	7	20S	37E	A	820	N	475	E	Lea

9. Pool Information

EUNICE MONUMENT;GRAYBURG-SAN ANDRES	23000
-------------------------------------	-------

Additional Well Information

11. Work Type 12. Well Type New Well OIL		10.7.5.071	13. Cable/Rotary	14. Lease Type Private	15. Ground Level Elevation 3557
100 miles		osed Depth	18. Formation San Andres	19. Contractor	20. Spud Date
Depth to Ground	water		Distance from nearest fresh water	r well	Distance to nearest surface water

21. Proposed Casing and Cement Program

	Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Γ	Surf	11	8.625	24	1050	375	
Г	Prod	7.875	5.5	17	3950	525	

Casing/Cement Program: Additional Comments

22. Proposed Blowout Prevention Program

	22. I Toposed Blowout Trevention Trogram							
Type	Working Pressure	Test Pressure	Manufacturer					
Hydril	3000	2000						

 I hereby certify that the inforbest of my knowledge and belied 	mation given above is true and complete to the	OIL CONSERVATION DIVISION Approved By: Paul Kautz		
I further certify I have compl 19.15.14.9 (B) NMAC ⊠, if a	ied with 19.15.14.9 (A) NMAC 🛮 and/or opplicable.			
Signature:				
Printed Name: Electronica	lly filed by Bobby Smith	Title: Geologist		
Title:		Approved Date: 7/16/2013	Expiration Date: 7/16/2015	
Email Address: bobby.sm	th@apachecorp.com			
Date: 7/12/2013	Phone: 432-818-1020	Conditions of Approval Attached		

<u>DISTRICT 1</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

Plane: (3/3) 3/3-6/01 Fax (3/3) 3/3-6/20 DISTRICT II
811 S. First St., Artesiu, NM 88210
Phone: (3/5) 748-1283 Fax: (5/75) 748-9720
DISTRICT III
1000 Rio Brazos Roud, Aziec, NM 87410
Phone: (505) 3/34-6/178 Fax: (5/05) 3/34-6/170

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

□AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

ΛΙ	2 Number	T		Pool Code	· · · · · · · · · · · · · · · · · · ·		Pool Name			
30-025			2	3000	Ε	Eunice Monument; Grayburg - San Andres Well Number Well Number				
Property C	ode							We		
302 ·	328			BE	RTHA J BA				18	
0GRID1 873	Vo.		Operator Name APACHE CORPORATION						Elevation 3557'	
	 -	L	_	-	Surface Locati	on	· · · · · · · · · · · · · · · · · · ·			
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
Α	7	20-S	37-E]	820	NORTH	475	EAST	LEA	
			······································	Bottom Hole	Location If Diffe	rent From Surface				
UL or lat No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
Dedicated Acres	Joint or	Infill C	onsolidation C	ode Ord	er No.	<u> </u>				
40								Permit	to 4200'	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	S.L. O 475'->-	OPERATOR CERTIFICATION I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
GEODETIC COORDINATES NAD 27 NME		Kistina Agee Printed Name
SURFACE LOCATION Y=580910.0 N X=823415.4 E	i li	Kristina: agee@apachecorp.com E-mail Address
LAT.=32.592638 N LONG.=103.283255 W LAT.=32' 35' 34" N LONG.=103' 17' 00" W		SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. JUNE 6, 2013
		Date of Survey Signature & Seal of Professional Surveyor:
		3230 506/18/2013 General Figure 18 100

SECTION 7, TOWNSHIP 20 SOUTH, RANGE 37 EAST, N.M.P.M. LEA COUNTY **NEW MEXICO** SOUTHERN UNION BPL 150' NORTH **OFFSET** 3559.2 150' WEST BERTHA J BARBER #18 150' EAST OFFSET **O** ELEV. 3556.6' OFFSET 3554.5 3556,3 LAT.=32,592638 N LONG.=103.283255 W LAT.=32° 35' 34" N LONG.=103° 17' 00" W 150' SOUTH OFFSET 3555.7 600' ARCHEOLOGICAL SURVEY BOUNDARY DIRECTIONS TO BERTHA J BARBER #18: NOTE: FROM THE INTERSECTION OF STATE 322 AND CO. RD. 441 SEE "LOCATION VERIFICATION MAP" (MADDOX) GO SOUTH APPROX. 2.25 MILES ON CO. RD. 441; FOR PROPOSED ROAD LOCATION. TURN LEFT (SOUTHEAST) AND GO APPROX. 0.1 MILE; ROAD VEERS LEFT (EAST) AND GO APPROX. 0.25 MILES TO 100 INTERSECTION; TURN LEFT (NORTHEAST) AND GO APPROX. 0.1 0 100 200 Feet MILE; ROAD VEERS RIGHT (EAST) AND GOES APPROX. 0.3 MILES; Scale: 1"=100' TURN RIGHT (SOUTHEAST) AND GO APPROX. 0.1 MILE; TURN LEFT (NORTH) AND GO APPROX. 0.3 MILES; TURN RIGHT (EAST) *APACHE CORPORATION* AND GO APPROX. 0.1 MILE. THE STAKED LOCATION IS 450 FEET SOUTH. BERTHA J BARBER #18 WELL LOCATED 820 FEET FROM THE NORTH LINE AND 475 FEET FROM THE EAST LINE OF SECTION 7, PROVIDING SURVEYING SERVICES TOWNSHIP 20 SOUTH, RANGE 37 EAST, N.M.P.M., SINCE 1946 LEA COUNTY, NEW MEXICO IOHN WEST SURVEYING COMPANY Survey Date: 6/6/13 CAD Date: 6/15/13 412 N. DAL PASO Drawn By: BKL HOBBS, N.M. 88240 (575) 393-3117 www.jws W.O. No.: 13110637 Rel. W.O.: Sheet 1 of Rev: . www.jwsc.biz

Permit Comments

Operator: APACHE CORP , 873 Well: BERTHA J BARBER #018

API: 30-025-41267

Created By	Comment	Comment Date
pkautz	Land p/P	7/12/2013
DMULL	FORM C-144CLEZ RECEIVED BY OCD HOBBS OFFICE. OCD PERMIT NUMBER P1-08507.	7/16/2013

Permit Conditions of Approval

Operator: APACHE CORP , 873

Well: BERTHA J BARBER #018

API: 30-025-41267

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	In order to seal off protectable water, surface casing must be set 25' below top Rustler Anhydrite