Energy, Minerals and Natural Resources

Form C-101 Revised July 18, 2013

Permit 172088

District I 1625 N. French Dr., Hobbs, NM 88240	State of New Mexico
Phone:(575) 393-6161 Fax:(575) 393-0720 District II	Energy, Minerals and Natural Re
811 S. First St., Artesia, NM 88210	
Phone:(575) 748-1283 Fax:(575) 748-9720 District III	Oil Conservation Division
1000 Rio Brazos Rd., Aztec, NM 87410	1220 S. St Francis Dr.
Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>	Santa Fe, NM 87505
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462	

Ar	PLICATIO	ON FOR PI	ERMIT	TO DRILL,	RE-ENTE	R, DEEPI	EN, PLUGBA	CK, OR A	DD A ZONE			
		1000		e and Address) Number			
MACK ENERGY CORP								138	37			
PO Box 960 Artesia, NM 88211									mber			
			ittesia, IVI	VI 00211				30-015	-41627			
	4. Property Cod	e			5. Property Nan	ie .	N)		6. Well No.			
	40092			C.	ARLSBAD F	EE			001			
	- 1000	718		7 %	urface Loc	ation			1343000			
III I	Carrian	Township	T Down		Feet From	N/S Lin	Foot From	PARITION	Country			
UL - Los		Township	Range	P				E/W Line	100000000000000000000000000000000000000			
P	35	228	27E	r	990	S	990	E	EDDY			
				8. Proposed	Bottom H	ole Loca	tion					
UL - Lo	Section	Township	Range	Lot Idn	Feet From	N/S Lin	e Feet From	E/W Line	County			
P	35	228	27E	P	990	S	990	E	Eddy			
	-	•	•	0 P/	ool Inform	ation		*	•			
ASS DE	AW;BONE S	PRING		7.11	JOI INIOI III	ution			10			
				Addition	al Well In	formatio	n					
11 337	ork Type	12 30-017	· · ·		able/Rotary	- Inatio	NAME OF TAXABLE PARTY.	15 C	and Land Planting			
		12. Well 7	ype	13. C	able Rotary	100000000000000000000000000000000000000		15. Ground Level Elevation				
New	Well	OIL	-	100			Private		3085			
16.	Multiple	17. Propose	d Depth	18	. Formation		Contractor	19. Contractor 20. Spud I				
N 102		1020	00	Во	one Spring	ing		9/10/2013				
De	oth to Ground w	ater		Distance fr	om nearest fresh	fresh water well Distance to nearest surface			to nearest surface water			
					of lined pi	ts		2000				
				Proposed Ca	**************************************		Program					
Туре	Hole Size	Casing Ty		Casing Weight		ing Depth	Sacks of	Cement	Estimated TOC			
Surf	17.5	13.375		48		400	45	0	0			
Int1	12.25	8.625		32		2000	100	00	0			
Prod	7.875	5.5		17	10200		130	00	0			
			Casing	/Cement Pr	ogram: Ad	ditional	Comments					
		100 To 10	to drill a	17 1/2" hole to	400', run 13	3/8" casing			hole to 2000', run			
			22	Droposed RI	owout Pro	ontion I	Program					
Type Working Pressure				onout IIC	Test Pressure		Manufacturer					
D	DoubleRam 3000					3000						
									11			
			en above is	true and complet	e to the	OIL	CONSERVA	ATION D	IVISION			
		mplied with 19	0.15.14.9 (A) NMAC an	d/or Appr	roved By:	Randy Dade					
further of 9.15.14.9			v Terry S	herrell	Title	District 9	upervisor					
further of 9.15.14.9 Signature		nically filed h	Printed Name: Electronically filed by Jerry Sherrell Title: Production Clerk						Title: District Supervisor Approved Date: 8/22/2013 Expiration Date: 8/22/2015			
est of my further of 9.15.14.9 Signature Printed I	Name: Electron	-	y verry o		Appr	oved Date	: 8/22/2013	Expiration	Date: 8/22/2015			
est of my further of 19.15.14.9 Signature Printed I Title: Pro	Name: Electron	c	y vary o		Appr	oved Date	: 8/22/2013	Expiration	Date: 8/22/2015			

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.

Form C-102 August 1, 2011

Permit 172088

Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV** 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-41627	2. Pool Code 10380	3. Pool Name CASS DRAW;BONE SPRING
4. Property Code 40092	5. Property 1 CARLSBAI	
7. OGRID No. 13837	8. Operator 1 MACK ENERG	

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
P	35	22S	27E		990	S	990	E	EDDY

11 Rottom Hole Location If Different From Surface

11. Bottom Hole Escation II Billerent 110m Surface									
UL - Lot	Section	Township	Range	Lot Ide	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 40.00		13. 1	oint or Infill		14. Consolidation	Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Jerry Sherrell Title: Production Clerk Date: 8/22/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Frank Jaramillo Date of Survey: 11/21/2012 Certificate Number: 12797

Permit Comments

Operator: MACK ENERGY CORP , 13837 Well: CARLSBAD FEE #001

API: 30-015-41627

Created By	Comment	Comment Date
JWSHERRELL	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	8/20/2013
CSHAPARD	Land p/P	8/22/2013

Permit Conditions of Approval

Operator: MACK ENERGY CORP , 13837 Well: CARLSBAD FEE #001 API: 30-015-41627

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string