<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 173049

| YAT | | CORPORATION | | | 590 | | 200 | 3 | | 2. OGR | ID Number 25575 | | |
|------------------------|-----------------------------|-----------------------------|-----------------------|---|------------|-----------|--------------------|-----------------------------------|-----------|--------------------------------|------------------------|--------|-----|
| | S 4TH ST ESIA , NM 88210 | 0 | | | | | | | | 3. API N | Number 30-025-41402 | | |
| 4. Property Cod 401 | | 5. Pr | operty Name CRANBE | ERRY BS | SU STATE (| COM | | | | 6. Well | No. 002H | | |
| | | | | | 7. | Surf | ace Location | | | | | | |
| JL - Lot O | Section 11 | Township 21S | Range | 33E | Lot Idn | 0 | Feet From 200 | N/S Line | Feet Fro | m 1980 | E/W Line | County | Lea |
| | | | | | 8. Propos | sed B | ottom Hole Locatio | n | | | | | |
| UL - Lot B | Section 11 | Township 21S | Range | 33E | Lot Idn | В | Feet From 330 | N/S Line | Feet From | m 1980 | E/W Line | County | Lea |
| | 7/3 | -10 | 540 | | 9 | . Poo | Information | 1904 | 200 | | - | 1919 | |
| 3rd Bone Spr | ings Sand | | | | | | | | | | 5535 | | |
| | | | | | Additi | ional | Well Information | | | | | | |
| 11. Work Type Nev | / Well | 12. Well Type OIL | 13. | 13. Cable/Rotary | | | 14. Lease | Type State | 15. Grou | Ground Level Elevation 3796 | | | |
| 16. Multiple N | | 17. Proposed Depth 16294 | 18. | 18. Formation 19. Contractor 3rd Bone Spring Sand | | | actor | 20. Spud Date | | | | | |
| Depth to Ground water | | | Dist | Distance from nearest fresh water well | | | | Distance to nearest surface water | | | | | |
| We will be u | ising a closed-l | oop system in lieu of | lined pits | 24 | Dropoead | Caci | ng and Comont Dro | ogram | | | | | |
| Type | Hole Size | Casing Size | | 21. Proposed Casing and Cement Program Casing Weight/ft Setting Depth Sacks of C | | of Cement | Estimated TOC | | OC | | | | |
| Surf | 17.5 | 13.375 | | | 48 | | 1885 | | 1 | 380 | | 0 | |
| Int1 | 12.25 | 9.625 | ľ | | | 3900 | | 1 | 290 | | 0 | | |
| Int2 | 12.25 | 9.625 | | 40 6165 | | V | | 780 | | 3100 | | | |
| Prod | 8.75 | 5.5 | | 17 16294 2795 | | | 795 | | 0 | | | | |

| 22. Proposed Blowout Preven | ntion Program | |
|-----------------------------|---------------|--------------|
| Working Pressure | Test Pressure | Manufacturer |
| \$11.4 Val. 19 LeVel | 371700 | |

| | 22.11oposcu biowout i icve | inton'i rogium | |
|------------|----------------------------|----------------|--------------|
| Type | Working Pressure | Test Pressure | Manufacturer |
| Double Ram | 3000 | 3000 | |
| Double Ram | 5000 | 5000 | |

| 23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable. Signature: | | | | OIL CONS | ERVATION DIVISION |
|---|-------------------------------------|-------------------|-----------------|---|----------------------------|
| Printed Name: | Electronically filed by LORI FLORES | | Approved By: | Paul Kautz | |
| Title: | Land Regulatory Technician | | Title: | Geologist | |
| Email Address: | lorif@yatespetroleum.com | | Approved Date: | 9/17/2013 | Expiration Date: 9/17/2015 |
| Date: | 9/10/2013 | Conditions of App | proval Attached | 111111111111111111111111111111111111111 | |

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 173049

WELL LOCATION AND ACREAGE DEDICATION PLAT

| 1. API Number | 2. Pool Code | 3. Pool Name | | | |
|-----------------------|---|-----------------------|--|--|--|
| 30-025-41402 | 5535 | 3rd Bone Springs Sand | | | |
| 4. Property Code | 5. Property Name | 6. Well No. | | | |
| 40113 | CRANBERRY BSU STATE COM | 002H | | | |
| 7. OGRID No. 25575 | Operator Name YATES PETROLEUM CORPORATION | 9. Elevation 3796 | | | |


10. Surface Location

| - 0 | | | | | To. Juliucc | Locution | | | | |
|-----|----------|---------|----------|-------|-------------|-----------|----------|-----------|----------|--------|
| | UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
| ١ | 0 | 11 | 218 | 33E | 1000 | 200 | S | 1980 | E | Lea |

11 Rottom Hole Location If Different From Surface

| | | | 111000 | tom more Locatio | II II DIIIOI OIILI I TOIII | ouridoo | | | |
|-------------------------------|---------|---------------------|--------|------------------------|----------------------------|----------|---------------|----------|--------|
| UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
| В | 11 | 218 | 33E | В | 330 | N | 1980 | E | Lea |
| 12. Dedicated Acres 160.00 | | 13. Joint or Infill | | 14. Consolidation Code | | | 15. Order No. | | |

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: LORI FLORES

Title: Land Regulatory Technician

Date: 9/10/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Jones
Date of Survey: 7/14/2013
Certificate Number: 7977

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 173049

PERMIT COMMENTS

| Operator Name and Address: | API Number: |
|-------------------------------------|-------------------------------|
| YATES PETROLEUM CORPORATION [25575] | 30-025-41402 |
| 105 S 4TH ST | Well: |
| ARTESIA, NM 88210 | CRANBERRY BSU STATE COM #002H |

| Created By | Comment | Comment Date |
|---------------|---|-----------------|
| THAHN | H2S is not anticipated, C-102 and drilling plan to follow by mail. | 9/10/2013 |
| | 30' samples to 4500' and 10' samples from 4500' to TD. Logging with GR neutron, Density, Laterolog, CMR and Dipole sonic/FMI Plus Dipole. Mudlogging on after suface casing. Maximum anticipated BHP (Depths are TVD): 0'-1885' is 902 PSI, 1885'-6165' is 3270 PSI, 6165'-11900' is 5618 PSI Pilot hole, 6165'-11659' is 5578 PSI in the Lateral. Pilot hole will be drilled vertically to 11900' and then be plugged back with a 200' isolation plug placed at the bottom, then a open hole whipstock set at approximately 11272'. Well will then be kicked off at approximately 11272' and directionally dri | 9/10/2013 |
| pkautz | Land s/S | 9/10/2013 |
| pkautz | R-111-p potash area | 9/10/2013 |
| DMULL | BLM & SLO RESPONED WITH NO TO REFERENCED LOCATION IS NOT IN THE LMR OR THE BUFFER ZONE. | 9/17/2013 |

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 173049

PERMIT CONDITIONS OF APPROVAL

| Operator Name and Address: | API Number: |
|-------------------------------------|-------------------------------|
| YATES PETROLEUM CORPORATION [25575] | 30-025-41402 |
| 105 S 4TH ST | Well: |
| ARTESIA , NM 88210 | CRANBERRY BSU STATE COM #002H |

| OCD Reviewer | Condition |
|-----------------|--|
| pkautz | Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines |
| pkautz | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| pkautz | Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water |