<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District III

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District III

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 189040

		APPLICATION	FOR PER	MIT TO DRILL	RE-	ENTER, DEEPE	N, PLUGBAC	K, OR AD	DAZC	ONE		
	ES PETROLEUM					,	-		2. OG	RID Number 25575		
	S 4TH ST ESIA , NM 88210								3. API	Number 30-025-41972		
4. Property Code 390		5. Pro	perty Name TRUCKEF	R BRK STATE					6. Wel	II No. 002H		
				7	. Surf	ace Location						
UL - Lot M	Section 2	Township 24S	Range 33	Lot Idn		Feet From 575	N/S Line	Feet From	200	E/W Line W	County	Lea
				8. Propos	sed B	ottom Hole Locati	on					
UL - Lot P	Section 2	Township 24S	Range 33	Lot Idn E	Р	Feet From 400	N/S Line	Feet Fro	230	E/W Line	County	Lea
				9	. Poo	Information						
BELL LAKE;E	ONE SPRING					Control of the Control				5130		
				Addit	ional	Well Information						
11. Work Type New	Well	12. Well Type OIL		13. Cable/Rotary			14. Lease Type State	1		Level Elevation 3606		
16. Multiple N		17. Proposed Depth 15759		18. Formation Bone S	pring		19. Contractor	2	D. Spud Da	ate 9/1/2014		
Depth to Ground	water			Distance from neare	st fres	h water well			istance to	nearest surface water		
We will be u	ısing a closed-lo	op system in lieu of	lined pits									
4000 30	55.60.00.00	WA CHREST 15.11	400		Casi	ng and Cement Pr		00040	404.2 AD	30	200000 0000000	
Туре	Hole Size	Casing Size		Casing Weight/ft		Setting D			f Cement		Estimated TOO	0
Surf	17.5	13.375		48		1315			90		0	
Int1	12.25	9.625	- 8	36		5300			730		0	
Prod	8.75	5.5	4	17		1575	9	2	115	1	4800	

15759 Casing/Cement Program: Additional Comments

	22. Proposed Blowout Preve	ntion Program	
Type	Working Pressure	Test Pressure	Manufacturer
Double Ram	3000	5000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ⋈ and/or 19.15.14.9 (B) NMAC ⋈, if applicable.				OIL CONS	SERVATION DIVISION
Signature:				100000000000	
Printed Name:	Electronically filed by Travis Hahn		Approved By:	Paul Kautz	
Title:	Land Regulatory Agent		Title:	Geologist	
Email Address:	thahn@yatespetroleum.com	20	Approved Date:	7/15/2014	Expiration Date: 7/15/2016
Date:	e: 7/14/2014 Phone: 575-748-4120			proval Attached	*

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-41972	5130	BELL LAKE;BONE SPRING
4. Property Code	5. Property Name	6. Well No.
39010	TRUCKER BRK STATE	002H
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3606


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	2	248	33E	100000000000000000000000000000000000000	575	S	200	W	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section 2	Township 24S	Range 33E	Lot Idn	Feet From 400	N/S Line S	Feet From 230	E/W Line E	County Lea
12. Dedicated Acres 160.00			13. Joint or Infill		14. Consolidation Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 189040

PERMIT COMMENTS

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-025-41972
105 S 4TH ST	Well:
ARTESIA , NM 88210	TRUCKER BRK STATE #002H

Created By	Comment	Comment Date
Ynavarrette	Samples: 30' Samples to 5300'. 10' samples 5300' to TD	7/14/2014
Ynavarrette	MAXIMUM ANTICIPATED BHP: 0'-1315' is 629 PSI 1315'-5300' is 2811 PSI 5300'-11130' is 5325 PSI	7/14/2014
	Well will be drilled to 10653' and will then be kicked off at approxametly 10653' and directionally drilled at 12 degrees per 100' with an 8 3/4" hole to 11419' MD (11130' TVD) where hole size will then be reduced to 8 1/2" and drilled to 15759' MD (10980' TVD) where 5 1/2" casing will be set and cemented 500' into previous casing string. The bottom 100' will not be produced and will consist of the float shoe and float collar. Our bottom perf will not go beyond the 330' hardline. Penetration point of the producing zone will be encountered at 564' FSL and 694' FWL, 2-24S-33E. Deepest TVD is 1113	7/14/2014
Ynavarrette	C-102 and horizontal drilling diagram will follow by mail.	7/14/2014
Cy Cowan	Deepest TVD 11130'.	7/14/2014
Cy Cowan	Deepest TVD 11130'.	7/14/2014
Cy Cowan	Deepest TVD is 11130' in the lateral.	7/14/2014

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 189040

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-025-41972
105 S 4TH ST	Well:
ARTESIA , NM 88210	TRUCKER BRK STATE #002H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water