<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone;(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone;(505) 334-6178 Fax:(505) 334-6170 District IV

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

97964

Distance to nearest surface water

Permit 189567

Operate	YATE			ORPORATIO	ON								2. OGRID	Number 25575		
		SIA, NM	88210										3. API Nur	mber 30-025-4198	3	
4. Propert	y Code 38470)			5. Property		K BQS S	TATE COM					6. Well No	003H		
		20		219				7. Sur	face Location	81:		:62			516	
JL - Lot	М	Section	36	Township 2	248	Range	32E	Lot Idn	Feet From 210	N/S Line	S	Feet From 40		E/W Line W	County	Lea
		200		No.	30	^		8. Proposed E	Sottom Hole Location	on		Ser .			65	
JL - Lot		Section		Township		Range		Lot Idn	Feet From	N/S Line		Feet From		E/W Line	County	
	D		36	2.	4S		32E	D	230		N	4	00 l	W		Lea

9. Pool Information

Additional Well Information						
11. Work Type 12. Well Type 13. Cable/Rotary 14. Lesse Type 15. Ground Level Elevation New Well OIL 3556						
16. Multiple N	17. Proposed Depth 10940	18. Formation Bone Spring	19. Contractor	20. Spud Date 12/1/2014		

■ We will be using a closed-loop system in lieu of lined pits

WC-025 G-07 S243225C;LOWER BONE SPR

Depth to Ground water

21.	Proposed	Casing	and Cemer	nt Program

Distance from nearest fresh water well

	211 Toposca Casing and Coment Togram								
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC			
Surf	17.5	13.375	48	1050	790	0			
Int1	12.25	9.625	36	5020	1640	0			
Prod	8.75	5.5	17	15606	2080	4500			

Casing/Cement Program: Additional Comments

22	Droposod	Dlowout	Prevention	Drogram

	22. Proposed Blowout Prevention Program								
Type	Working Pressure	Test Pressure	Manufacturer						
Double Ram	3000	3000							
Double Dom	5000	E000							

knowledge and be I further certify I I	23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable.			OIL CONSERVATIO	N DIVISION
Signature:	The same of the sa				
Printed Name:	Electronically filed by Travis Hahn		Approved By:	Paul Kautz	
Title:	itle: Land Regulatory Agent			Geologist	4
Email Address: thahn@yatespetroleum.com			Approved Date:	7/24/2014	Expiration Date: 7/24/2016
Date: 7/23/2014 Phone: 575-748-4120			Conditions of Appr	oval Attached	

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-41988	97964	WC-025 G-07 S243225C;LOWER BONE SPR
4. Property Code	5. Property Name	6. Well No.
38470	BASILISK BQS STATE COM	003H
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3556


10. Surface Location

	Total Control								
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	36	24S	32E		210	S	400	W	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section 36	Township 24S	Range 32E	Lot Idn	Feet From 230	N/S Line N	Feet From 400	E/W Line W	County Lea
12. Dedicated Acre			13. Joint or Infill		14. Consolidation Code			15. Order No.	*

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 189567

PERMIT COMMENTS

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-025-41988
105 S 4TH ST ARTESIA , NM 88210	Well: BASILISK BQS STATE COM #003H

Created By	Comment	Comment Date
Cy Cowan	Samples: 30' Sample to 4500'. 10' Samples 4500'-TD	7/23/2014
Cy Cowan	MAXIMUM ANTICIPATED BHP: DEPTHS ARE TVD 0'-1030' 493 PSI 1030'-5020' 2663 PSI 5020'-10970' 5248 PSI	7/23/2014
Cy Cowan	Well will be drilled vertically to approx. 10492'. Well will then be kicked off at approx. 10492' and directionally drilled at 12 degrees per 100' with a 8 3/4" hole to 11245' MD (10970' TVD). Hole size will then be reduced to 8 1/2" and drilled to 15606' MD (10940' TVD) where 5 1/2" casing will be set and cemented 500' into previous casing string. The bottom 100' will not be produced and will consist of our float shoe and float collar. Bottom perf will not cross the 330' hardline. Penetration point of producing zone will be encountered at 691' FSL and 400' FWL, 36-24S-32E. Deepest TVD is 10970	7/23/2014
Cy Cowan	C-102 AND HORIZINTAL DRILLING PLAN WILL BE WILL FOLLOW BY MAIL.	7/23/2014

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesie, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 189567

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-025-41988
105 S 4TH ST	Well:
ARTESIA, NM 88210	BASILISK BQS STATE COM #003H

OCD Reviewer	Condition
DMULL	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water