

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-8161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-8178 Fax:(505) 334-8170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3482

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-101  
August 1, 2011  
Permit 191674

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

1. Operator Name and Address GMT EXPLORATION COMPANY LLC 1560 Broadway Denver, CO 80202		2. OGRID Number 260511
4. Property Code 313635		3. API Number 30-025-42084
5. Property Name BANANA GAP 25 STATE COM		6. Well No. 002H

**7. Surface Location**

UL - Lot	N	Section	25	Township	22S	Range	34E	Lot Idn	Feet From	33	N/S Line	S	Feet From	1670	E/W Line	W	County	Lea
----------	---	---------	----	----------	-----	-------	-----	---------	-----------	----	----------	---	-----------	------	----------	---	--------	-----

**8. Proposed Bottom Hole Location**

UL - Lot	C	Section	25	Township	22S	Range	34E	Lot Idn	C	Feet From	330	N/S Line	N	Feet From	1670	E/W Line	W	County	Lea
----------	---	---------	----	----------	-----	-------	-----	---------	---	-----------	-----	----------	---	-----------	------	----------	---	--------	-----

**9. Pool Information**

OJO CHISO;BONE SPRING, SOUTH	97293
------------------------------	-------

**Additional Well Information**

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3429
16. Multiple N	17. Proposed Depth 15574	18. Formation Wolfcamp	19. Contractor	20. Spud Date 11/9/2014
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

**21. Proposed Casing and Cement Program**

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1750	456	0
Int1	11	8.625	43.5	4950	1156	0
Prod	8.5	5.5	20	15574	2510	4000

**Casing/Cement Program: Additional Comments**

--

**22. Proposed Blowout Prevention Program**

Type	Working Pressure	Test Pressure	Manufacturer
Double Ram	5000	5000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC <input checked="" type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input checked="" type="checkbox"/> if applicable.  Signature:	<b>OIL CONSERVATION DIVISION</b>
Printed Name: Electronically filed by Marissa Walters	Approved By: Paul Kautz
Title: Pertotech	Title: Geologist
Email Address: mwalters@gmtexploration.com	Approved Date: 9/4/2014      Expiration Date: 9/4/2016
Date: 8/29/2014      Phone: 303-586-9275	Conditions of Approval Attached

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-8161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-8178 Fax:(505) 334-8170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3482

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-102  
August 1, 2011  
Permit 191674

**WELL LOCATION AND ACREAGE DEDICATION PLAT**

1. API Number 30-025-42084	2. Pool Code 97293	3. Pool Name OJO CHISO, BONE SPRING, SOUTH
4. Property Code 313635	5. Property Name BANANA GAP 25 STATE COM	6. Well No. 002H
7. OGRID No. 260511	8. Operator Name GMT EXPLORATION COMPANY LLC	9. Elevation 3429


**10. Surface Location**

UL - Lot N	Section 25	Township 22S	Range 34E	Lot Idn	Feet From 33	N/S Line S	Feet From 1670	E/W Line W	County Lea
---------------	---------------	-----------------	--------------	---------	-----------------	---------------	-------------------	---------------	---------------

**11. Bottom Hole Location If Different From Surface**

UL - Lot C	Section 36	Township 22S	Range 34E	Lot Idn	Feet From 330	N/S Line N	Feet From 1670	E/W Line W	County Lea
12. Dedicated Acres 160.00			13. Joint or Infill		14. Consolidation Code Communitization		15. Order No.		

**NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION**

	<p style="text-align: center;"><b>OPERATOR CERTIFICATION</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p>E-Signed By:        Marissa Walters Title:                Pertotech Date:                 8/29/2014</p> <hr/> <p style="text-align: center;"><b>SURVEYOR CERTIFICATION</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>Surveyed By:        Gary Jones Date of Survey:     8/15/2014 Certificate Number: 7977</p>
---	--

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3482

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form APD Comments  
  
 Permit 191674

**PERMIT COMMENTS**

Operator Name and Address: GMT EXPLORATION COMPANY LLC [260511] 1560 Broadway Denver, CO 80202		API Number: 30-025-42084
		Well: BANANA GAP 25 STATE COM #002H
Created By	Comment	Comment Date
mwalters	I will send the C102 via email	8/29/2014

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-8161 Fax:(575) 393-0720  
**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form APD Conditions

Permit 191674

**PERMIT CONDITIONS OF APPROVAL**

Operator Name and Address: GMT EXPLORATION COMPANY LLC [260511] 1560 Broadway Denver, CO 80202	API Number: 30-025-42084
	Well: BANANA GAP 25 STATE COM #002H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface -- 2) PRODUCTION CASING - Cement must tie back into intermediate casing --
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement