<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

TRIPLE X;BONE SPRING

1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 208775

59900

1. Operati		e and Address ON ENERGY P	RODUCTION C	OMPANY, I	LP							2. OGR	D Number 6137		
		W. Sheridan Av homa City, OK										3. API N	lumber 30-025-4274	10	
4. Propert	y Code 4032			5. Property		IAKE 35	STATE					6. Well I	No. 006H		
							7	. Surfa	ace Location						
UL - Lot	Р	Section 35	Township	23S	Range	33E	Lot Idn	Р	Feet From 400	N/S Line	S Feet From	350	E/W Line	County	Lea
							8. Propo	sed Bo	ottom Hole Locatio	n					
UL - Lot		Section	Township	R	Range		Lot Idn		Feet From	N/S Line	Feet From	n	E/W Line	County	
	A	35		23S		33E		A	330		N	350	E		Lea

State of New Mexico **Energy, Minerals and Natural Resources**

Oil Conservation Division

		Additional Well Information		
11. Work Type	12. Well Type	13. Cable/Rotary	14. Lease Type	15. Ground Level Elevation

New Well	OIL	io. Gabiertolary	State	3645
16. Multiple N	17. Proposed Depth 14679	18. Formation 1st Bone Spring Sand	19. Contractor	20. Spud Date
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

■ We will be using a closed-loop system in lieu of lined pits

21 Proposed Casing and Cement Program

	21.110 posed cusing and content 10 grain							
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC		
Surf	17.5	13.375	48	1400	1230	0		
Int1	12.25	9.625	40	5200	1520	0		
Prod	8.75	5.5	17	14679	1960	5250		

Casing/Cement Program: Additional Comments

See Drilling Plans for the 5 1/2" Prod Two Stage Cement

22 Proposed Blowout Prevention Program

	22. I Toposca Biomout i Tever	idon i rogium	
Type	Working Pressure	Test Pressure	Manufacturer
Annular	3000	3000	
Double Ram	3000	3000	
Annular	3000	3000	2
Double Ram	3000	3000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable.				OIL CONSERVATION	ON DIVISION
Signature:					
Printed Name:	Electronically filed by Randy Bolles	5	Approved By:	Paul Kautz	
Title:	Manager, Regulatory Affairs		Title:	Geologist	
Email Address:	Email Address: randy.bolles@dvn.com			8/19/2015	Expiration Date: 8/19/2017
Date: 8/18/2015 Phone: 405-228-8588			Conditions of Appr	oval Attached	-

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-42740	59900	TRIPLE X;BONE SPRING
4. Property Code	5. Property Name	6. Well No.
40329	SEA SNAKE 35 STATE	006H
7. OGRID No. 6137	8. Operator Name DEVON ENERGY PRODUCTION COMPANY, LP	9. Elevation 3645


10. Surface Location

	Total and the second of the se								
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Р	35	23S	33E	P	400	S	350	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Α	35	238	33E	A	330	N	350	E	Lea
12. Dedicated Acre 160.00			13. Joint or Infill		14. Consolidation Code	e		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Permit 208775

Form APD Comments State of New Mexico

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-025-42740
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	SEA SNAKE 35 STATE #006H

Created By	Comment	Comment Date
lgood	The C-102 Plats, Drilling Plans and Directional Plan are being mailed via Fed-ex overnight.	8/18/2015

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 478-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 208775

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
DEVON ENERGY PRODUCTION COMPANY, LP [6137]	30-025-42740
333 W. Sheridan Avenue	Well:
Oklahoma City, OK 73102	SEA SNAKE 35 STATE #006H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186