District I State of New Mexico 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 August 1, 2011 Energy, Minerals and Natural Resources Permit 184286 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 WELL API NUMBER Oil Conservation Division 30-015-41960 District III 1000 Rio Brazos Rd., Aztec, NM 87410 5. Indicate Type of Lease 1220 S. St Francis Dr. Phone:(505) 334-6178 Fax:(505) 334-6170 District IV Santa Fe, NM 87505 6. State Oil & Gas Lease No. 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS MJ STATE (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: 8. Well Number 003 2. Name of Operator 9. OGRID Numbe APACHE CORP 873 3. Address of Operator 10. Pool name or Wildcat 303 Veterans Airpark Lane, Suite 3000, Midland, TX 79705 Unit Letter 4 : 1160 feet from the N from the W line and feet 330 Township 18S Range 27E NMPM County Eddy 11. Elevation (Show whether DR, KB, BT, GR, etc.) 3588 GR Pit or Below-grade Tank Application or Closure ___ Depth to Groundwater____ Distance from nearest fresh water well Distance from nearest surface water bbls; Construction Material_ Pit Liner Thickness: mil Below-Grade Tank: Volume 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTER CASING TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON PULL OR ALTER CASING ☐ MULTIPLE COMPL CASING/CEMENT JOB X Other: Drilling/Cement Other: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion See Attached 3/6/2014 Spudded well. Casing and Cement Program Dpth Set Class Pres Held Csg Size Weight Size Drop lb/ft Hole 03/06/14 8.625 24 J55 330 300 1.33 C 2000 Surf 11 03/09/14 Prod 7.875 5.5 17 J55 4012 750 2.06 C 2500 I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \square , a general permit \square or an (attached) alternative OCD-spproved plan \square . SIGNATURE DATE 4/8/2014 Electronically Signed Type or print name Bobby Smith 432-818-1020 bobby.smith@apachecorp.com

District Supervisor

DATE

4/8/2014 4:28:54 PM

For State Use Only:

APPROVED BY:

Randy Dade

TITLE

SPUD 3/6/2014

3/6/2014

DRILLING F/ 51 TO 330'; LOST RETURNS @ 130'; PUMPED SWEEP WHILE DRILLING REGAINED FULL RETURNS @ 145'NO LOSS,S TO TD; NOTIFIED OCD OF SPUD AND CSG JOB @ 1730 HR 3/6/2014; VIA VOICE MAIL

*CSG STRNG @ 330'; HOLE SZ 11", STRNG SZ 8.625, TYPE J-55, WT 24, SURF CSG PRESSURE TEST: 2000 PSI/ 30 MIN. - OK.

3/7/2014

*RU HSM W/ PAR-FIVE; PUMPED 20 BBLS F/W;LEAD W/ 300 SKS "C"; MIXED @ 14.8 PPG; YIELD @ 1.33 CF/SK; 71 BBLS SLY; DISPLACE W/ 18 BBLS F/W; BUMPED 0300 HR 03 /6/2014; W/ 1048 PSI; PRIOR 250 PSI @ 3 BPM. CIR 6 BBLS 25 SKS CMT TO SURFACE; FLOAT HELD OK; NOTIFIED OCD OF CMT JOB;17:30 HR;3/6/2014; VIA VOICE MAIL

3/9/2014

DRILLING F/3463 TO 4012 T.D. @ 0800 HR 3/9/2014 CIR & COND HOLE.

RU BAKER HUGHES LOGGERS RU 1 ONE RUN; SPECTRAL GAMMA RAY; SPECTRAL DENSITY; COMPENSATED NEUTRON; DUAL LATEROLOG; RD LOGGERS; BAKER LOGGERS TD 4013'.

* RU LEWIS CSG CREW; RUN 98 JTS 5.5 17# J-55 LTC W/ FLOAT COLLAR AND FLOAT SHOE; FC @ 3967'; CSG SET @ 4012; RAN 41 CENTRALIZERS.; TAGGED @ 4013'; 3/9/2014; CIRC;

*HSM;RU PAR-FIVE CEMENTERS;PUMP;20 BBL FW SPACER;20 BBLS MUD FLUSH; LEAD W/ 550 SX 35/65POZ;MIXED@12.6 PPG; YIELD@ 2.06 CF/SK; 202 BBLS SLY; TAIL W/200 SX 50/50 POZ " C"; MIXED @ 14.2 PPG; YIELD @ 1.37 CF/SK; 48BBLS SLY; DISPLACE W/ 92 BBLS; F/W BUMP PLUG @ 0245 HR CST 03 / 10 / 2014 W/ 1856 PSI; PRIOR 1310 PSI @ 3.0 BPM; FLOAT HELD OK CIRC. 60 BBLS CMT, 166 SXS; NOTIFY NM OCD@ 1400 HR 03 / 9 / 2014 VIA VM OF CASING JOB AND CEMENT JOB; ND BOP;SET SLIPS W/ 70000; CUT OFF; JET PITS;

3/10/2014

RIG RELEASED

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 184286

Comments

DRILLING COMMENTS

Operator: APACHE CORP	OGRID: 873
303 Veterans Airpark Lane Midland, TX 79705	Permit Number: 184286
	Permit Type: Drilling

Comments

Created By	Comment	Comment Date

There are no Comments for this Permit