

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-8181 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 478-3470 Fax:(505) 478-3482

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-103
August 1, 2011
Permit 193425

WELL API NUMBER
30-025-41872

5. Indicate Type of Lease
P

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: O	8. Well Number 202
2. Name of Operator APACHE CORP	9. OGRID Number 873
3. Address of Operator 303 Veterans Airpark Lane, Suite 3000, Midland, TX 79705	10. Pool name or Wildcat
4. Well Location Unit Letter <u>G</u> : <u>2040</u> feet from the <u>N</u> line and feet <u>1410</u> from the <u>E</u> line Section <u>9</u> Township <u>21S</u> Range <u>37E</u> NMPM _____ County <u>Lea</u>	

11. Elevation (Show whether DR, KB, BT, GR, etc.)
3467 GR

Pit or Below-grade Tank Application or Closure

Pit Type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTER CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE OF PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
Other: _____		Other: <u>Drilling/Cement</u> <input checked="" type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached
8/25/2014 Spudded well.

Casing and Cement Program

Date	String	Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole
08/25/14	Surf		11	8.625	24	J55		1331	450	1.75	C		1500		
08/31/14	Prod		7.875	5.5	17	L80		6939	1300	2	C		2500		

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan .

SIGNATURE	Electronically Signed	TITLE	DATE	10/1/2014
Type or print name	Bobby Smith	E-mail address	bobby.smith@apachecorp.com	Telephone No. 432-818-1020

For State Use Only:

APPROVED BY:	Paul Kautz	TITLE	Geologist	DATE	10/2/2014 2:15:15 PM
--------------	------------	-------	-----------	------	----------------------

SPUD 8/25/2014 DRLG F/ 52' TO 1331'; CIRC TO TOH; RUN CSG

8/25/2014 CSG STRNG @ 1331'; HOLE SZ 11", STRNG SZ 8.625, TYPE J-55, WT 24, ST&C W/ FLOAT COLLAR & GUIDE SHOE; FLOAT COLLAR @ 1287'; SURF CSG PRESSURE TEST: 1500 PSI/ 30 MIN. - OK. RAN 8 CENTRALIZERS

8/26/2014 LEAD: 250 SKS OF CMT, CL C, 13.5 PPG; YIELD 1.75, TAIL: 200 SKS OF CMT, CL C, 14.8 PPG, YIELD 1.34; CIRC 103 SKS TO SURFACE.

8/27/2014 DRILL OUT CMT & SHOE TRACK; TAG PLUG @ 1290'; TAG FC @ 1294'; TAG SHOE @ 1337'

8/27-8/30 DRL F/ 1331' - T/6939' TD. CIR & COND HOLE.

8/31/2014 CSG STRNG @ 6939'; HOLE SZ 7.875, STRNG SZ 5.5, TYPE L80, WT 17.0, FC @ 6898'; CMT: LEAD 1000 SKS, CL C, PPG 12.6; YIELD 2.0, TAIL 300 SKS, CL C, PPG 14.20; YLD 1.3; CIRC 140 SKS TO SURF. RAN 41 CENT; PROD CSG PRESSURE TEST: 2500 PSI/ 30 MIN. - OK

9/1/2014 – RR

District I
 1825 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Comments
 Permit 193425

DRILLING COMMENTS

Operator: APACHE CORP 303 Veterans Airpark Lane Midland, TX 79705	OGRID: 873 Permit Number: 193425 Permit Type: Drilling
--	--

Comments

Created By	Comment	Comment Date
There are no Comments for this Permit		