<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 214891

77-65	RESOURCES II	NC								2. OGR	ID Number 7377		
	Box 2267 and, TX 79702									3. APIN	Number 30-025-43009		
4. Property Code 389			5. Property Na BL	me ACK BEAR	36 STATE					6. Well	No. 704H		
					7.	Surface	e Location						
UL - Lot A	Section 36	Township 2	Rar 25S	ige 33E	Lot Idn	А	Feet From 254	N/S Line	N	Feet From 675	E/W Line	County	Lea
					8. Propose	ed Bott	tom Hole Locatio	n					
UL - Lot	Section 36	Township	Rar 25S	ige 33E	Lot Idn	Р	Feet From 230	N/S Line	s	Feet From 330	E/W Line	County	Lea
					q	Pool In	formation	100			_	6	
		R WOLFCAM			3.	i voi ili	normation					3094	

	Additional Well Information								
11. Work Type         12. Well Type         13. Cable/Rotary         14. Lease Type         15. Ground Level Elevation           New Well         OIL         3325									
16. Multiple N	17. Proposed Depth 17413	18. Formation Wolfcamp	19. Contractor	20. Spud Date 2/1/2016					
Depth to Ground water		Distance from nearest fresh water well	že	Distance to nearest surface water					

## ■ We will be using a closed-loop system in lieu of lined pits

21. Proposed	Casing	and Cement	Program

	Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC			
1	Surf	14.75	10.75	40.5	1065	500	0			
5 1	Int1	9.875	7.625	29.7	10500	1450	0			
. 8	Prod	6.75	5.5	23	10500	625	10000			
	Prod	6.75	5	23.2	17413	625	10000			

#### Casing/Cement Program: Additional Comments

22. Proposed	Blowout	Prevention	Program

9.0										
Type	Working Pressure	Test Pressure	Manufacturer							
Double Ram	10000	5000								

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.  I further certify I have complied with 19.15.14.9 (A) NMAC ⋈ and/or 19.15.14.9 (B) NMAC ⋈, if applicable.  Signature:				OIL CONS	SERVATION DIVISION
Printed Name:	Electronically filed by Stan Wagne	er	Approved By:	Paul Kautz	
Title:	Regulatory Analyst		Title:	Geologist	1.0225.ca (00)
Email Address:	Stan_Wagner@eogresources.com	Approved Date:	1/11/2016	Expiration Date: 1/11/2018	
Date:	1/7/2016	1/7/2016 Phone: 432-686-3689			A CONTRACTOR OF THE CONTRACTOR

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-43009	98094	WC-025 G-09 S253336D;UPPER WOLFCAMP
4. Property Code	5. Property Name	6. Well No.
38965	BLACK BEAR 36 STATE	704H
7. OGRID No.	8. Operator Name	9. Elevation
7377	EOG RESOURCES INC	3325


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
A	36	25S	33E	A	254	N	675	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Р	36	25S	33E	Р	230	S	330	E	Lea
12. Dedicated Acre 160.00			13. Joint or Infill		14. Consolidation Code	e		15. Order No.	

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 214891

## PERMIT COMMENTS

EOG RESOURCES INC [7377]	API Number: 30-025-43009
P.O. Box 2267 Midland, TX 79702	Well: BLACK BEAR 36 STATE #704H

Created By	Comment	Comment Date

Form APD Conditions

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 478-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 214891

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
EOG RESOURCES INC [7377]	30-025-43009
P.O. Box 2267	Well:
Midland, TX 79702	BLACK BEAR 36 STATE #704H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186