<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 217327

| Operate | EOG | e and Address RESOURCES I | NC | | | | | | 2. 0 | GRID Number 7377 | | |
|------------|------|------------------------------|----------|------------------------|----------------|-------------|--------------------|---------------|-------------------|------------------------|--------|-----|
| | | Box 2267 and, TX 79702 | | | | | | | 3. AF | Number 30-025-43083 | | |
| 4. Propert | 3160 | | | 5. Property Nan BR/ | ne ASWELL 1 | 6 STATE | | | 6. W | ell No. 703H | | |
| | | | | | | 7. S | urface Location | | | | | |
| UL - Lot | 0 | Section 16 | Township | 26S Ran | ge 33E | Lot Idn | Feet From 200 | N/S Line S | Feet From 1880 | E/W Line | County | Lea |
| | | | | | | 8. Proposed | Bottom Hole Locati | on | | | | |
| UL - Lot | | Section | Township | Rang | 2 | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County | |
| | В | 16 | 2 | 6S | 33E | В | 230 | N | 1870 | E | | Lea |

| VI I VVI III VIII VIII VIII VIII VIII | |
|---------------------------------------|-------|
| WC-025 G-09 S263327G:UPPER WOLFCAMP | 98097 |

Additional Well Information

| 11. Work Type New Well | 12. Well Type OIL | 13. Cable/Rotary | 14. Lease Type State | 15. Ground Level Elevation 3289 |
|---------------------------|-----------------------------|--|-------------------------|------------------------------------|
| 16. Multiple N | 17. Proposed Depth 17125 | 18. Formation Upper Wolfcamp | 19. Contractor | 20. Spud Date 6/1/2016 |
| Depth to Ground water | | Distance from nearest fresh water well | | Distance to nearest surface water |

☑ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

| | | | | Ziii i opoood odomg | and comone rogiani | | |
|---|------|-----------|-------------|---------------------|--------------------|-----------------|---------------|
| | Type | Hole Size | Casing Size | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC |
| Г | Surf | 14.75 | 10.75 | 40.5 | 875 | 575 | 0 |
| Γ | Int1 | 9.875 | 7.625 | 29.7 | 10400 | 2900 | 0 |
| Γ | Prod | 6.75 | 5.5 | 17 | 17125 | 525 | 9900 |

Casing/Cement Program: Additional Comments

| 22 | Dropoend | Dlowout | Prevention | Drogram |
|----|----------|---------|------------|---------|
| | | | | |

| | ZZ. Proposed Blowout Preve | nuon Program | |
|------------|----------------------------|---------------|--------------|
| Туре | Working Pressure | Test Pressure | Manufacturer |
| Double Ram | 5000 | 10000 | |

| knowledge and b | I have complied with 19.15.14.9 (A) | | | OIL CONSERVATIO | ON DIVISION |
|-----------------|-------------------------------------|---------------------|-------------------|-----------------|----------------------------|
| Printed Name: | Electronically filed by Stan Wagne | T (| Approved By: | Paul Kautz | |
| Title: | Regulatory Analyst | | Title: | Geologist | |
| Email Address: | Stan_Wagner@eogresources.com | l. | Approved Date: | 2/26/2016 | Expiration Date: 2/26/2018 |
| Date: | 2/26/2016 | Phone: 432-686-3689 | Conditions of App | roval Attached | • |

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

| 1. API Number | 2. Pool Code | 3. Pool Name |
|----------------------|---------------------------------------|--------------------------------------|
| 30-025-43083 | 98097 | WC-025 G-09 \$263327G;UPPER WOLFCAMP |
| 4. Property Code | 5. Property Name | 6. Well No. |
| 316008 | BRASWELL 16 STATE | 703H |
| 7. OGRID No. 7377 | 8. Operator Name EOG RESOURCES INC | 9. Elevation 3289 |


10. Surface Location

| | | | 7-18-70 C | | | | | | 1 2 2 2 2 2 |
|----------|---------|----------|-----------|---------|-----------|----------|-----------|----------|-------------|
| UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
| 0 | 4.0 | 200 | 225 | | 200 | 0 | 4000 | _ | Lee |
| U | 10 | 26S | 33E | | 200 | 5 | 1880 | | Lea |

11. Bottom Hole Location If Different From Surface

| UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
|------------------------------|---------|----------|---------------------|-------------|------------------------|----------|-----------|---------------|--------|
| В | 16 | 26S | 33E | 200-000-000 | 230 | N | 1870 | E | Lea |
| 12. Dedicated Acre 160.00 | | | 13. Joint or Infill | | 14. Consolidation Code | | | 15. Order No. | |

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 217327

PERMIT COMMENTS

| EOG RESOURCES INC [7377] 30-025-43083 | |
|---|--|
| | |
| P.O. Box 2267 Well: | |
| Midland, TX 79702 BRASWELL 16 STATE #703H | |

| Created By Comment Oate | Created By | Comment | Comment Date |
|-------------------------|------------|---------|--------------|
|-------------------------|------------|---------|--------------|

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe. NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 217327

PERMIT CONDITIONS OF APPROVAL

| Operator Name and Address: | API Number: | |
|----------------------------|-------------------------|--|
| EOG RESOURCES INC [7377] | 30-025-43083 | |
| P.O. Box 2267 | Well: | |
| Midland, TX 79702 | BRASWELL 16 STATE #703H | |

| OCD Reviewer | Condition |
|-----------------|--|
| pkautz | Will require a directional survey with the C-104 |
| pkautz | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| pkautz | If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well. |
| pkautz | 1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing |
| pkautz | If cement does not circulate to surface, must run temperature survey or other log to determine top of cement |
| pkautz | Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water |
| pkautz | Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186 |
| pkautz | 1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe. |