Form C-103 District I State of New Mexico August 1, 2011 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **Energy, Minerals and Natural Resources** Permit 238657 District II WELL APINIMBER 811 S. First St., Artesia, NM 88210 Oil Conservation Division Phone:(575) 748-1283 Fax:(575) 748-9720 30-015-44109 **District III** 5. Indicate Type of Lease 1220 S. St Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 6 State Oil & Gas Lease No. District IV **Santa Fe, NM 87505** 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS TURKEY TRACK 9 10 STATE (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: 8. Well Number 032H 2. Name of Operator 9. OGRID Number OXY USA WTP LIMITED PARTNERSHIP 192463 3. Address of Operator 10. Pool name or Wildcat PO Box 4294, Houston, TX 77210 4. Well Location Unit Letter \underline{H} : $\underline{2180}$ feet from the \underline{N} line and feet 395 from the E Section 8 Township 19S Range 29E NMPM County Eddy 11. Elevation (Show whether DR, KB, BT, GR, etc.) 3395 GR Pit or Below-grade Tank Application or Closure ___ Distance from nearest fresh water well__ __ Depth to Groundwater____ _ Distance from nearest surface water Pit Type mil Below-Grade Tank: Volume_ Pit Liner Thickness: bbls; Construction Material 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ALTER CASING REMEDIAL WORK TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON CASING/CEMENT JOB PULL OR ALTER CASING MULTIPLE COMPL X Other: Other: Drilling/Cement 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. See comments for description of work.6/12/2017 Spudded well. Casing and Cement Program String Date Fluid Hole Weight Fst Doth Yield Class Pres Pres Open TOC Type Size Size lb/ft Set Dpth Held Drop Hole 07/04/17 Int1 Brine 12.25 9.625 36 .155 0 3896 1385 1.66 2100 0 Υ I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \square , a general permit \square or an (attached) alternative OCD-approved plan \square

Manager Regulatory

OCD Reviewer

kelley_montgomery@oxy.com

E-mail address

TITI F

7/11/2017

713-366-5716

7/13/2017 2:50:55 PM

Telephone No.

DATE

SIGNATURE

Type or print name

For State Use Only:

Electronically Signed

Karen Sharp

KELLEY MONTGOMERY

Comments

Permit 238657

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DRILLING COMMENTS

Operator:	OGRID:
OXY USA WTP LIMITED PARTNERSHIP	192463
PO Box 4294	Permit Number:
Houston, TX 77210	238657
	Permit Type:
	Drilling

Comments

Created By	Comment	Comment Date
	6/30/17 Move in rig, RU BOP, test @ 250# low 5000# high, test 13-3/8" casing to 1500# for 30 min, good test. RIH & drill new formation to 424', perform FIT test to EMW=15.5ppg, good test. Drill 12-1/4" hole to 3911'.	7/10/2017
	7/4/17 RIH & set 9-5/8" 36# J-55 csg @ 3896', pump 40BFW spacer then cmt w/ 1217sx (361bbl) PPC w/ additives 12.9ppg 1.66 yield followed by 168sx (40bbl) PPC w/ additives 14.8ppg 1.33 yield, circ 505sx (150bbl) cmt to surface, WOC. Install pack-off, test to 5000# for 15 min, good test. RIH & tag cmt @ 3831', test 9-5/8" casing to 2100# for 30 min, good test. Drill new formation to 3921', perform FIT test to EMW=13.4ppg, good test.	7/10/2017
ksharp	Per Gilbert Cordero: Rejected for lack of PT on 9-5/8" casing for 30 minutes. Add and resubmit.	7/11/2017
justinmorris	Tested 9-5/8" casing to 2100# for 30 minutes, good test.	7/11/2017