Submit within 45 days of well completion						Revised November 6, 2013				
oubline within 40 days of won t	Joinpiedon	State of New Mexico Energy, Minerals and Natural Resources				1. WELL API NO. 30-043-21285 2. Well Name:				
	l En									
						N ESCAVADA UNIT #314H				
Oil Conservation Division						3. Well Number: 314H				
1220 S. St Francis Dr.						0				
Santa Fe, NM 87505										
		בו וווח				Surface Hole L	ocation:			
HYDRAULIC FRACTURING FLUID DISCLOSURE						Unit: Lot: Section: 10 Township: 22N Range: 07W Feet from: 1900 N/S Line: S Feet from: 1275 E/W Line: E				
⊠ Original						5. Bottom Hole L Unit:K Lot:K		wnship:22N	Range:07W	
☐ Amendment						Feet from:2264		S Line:S	-	
						Feet from:2358 6. latitude:		N Line:W ongitude:		
						36.1 7. County:	51809	-10	7.557832	
							oval			
Operator Name and Address:					0.00010	420702 40 01 11 505 222 4004				
WPX ENERGY PR PO Box 640 721 South Main Aztec 87410		9. OGRID:		120782	10. Phone Numb	er:	505-333-1801			
11. Last Fracture Date: 8/16/2017 Frac Performed by: Halliburton					12. Production	Production Type: O				
13. Pool Code(s):						ross Fractured Interval:				
98172 15. True Vertical Depth (TVD):						5,634 ft to 13,896 ft Total Volume of Fluid Pumped:				
5,094 ft	t D					1,730,031 gals				
17. Total Volume of Re-Use Water Pumped: N/A						cent of Re-Use Water in Fluid Pumped: Not Disclosed				
19. HYDRAULIC FLUID	COMPOSITION .	AND CONCENTRA	TION:							
Trade Name	Supplier	Purpose	Ingredients	(CAS #) Chen Service #	nical Abstract	Maximum Ingre	dient n Additive (% by	Maximum Ir	gredient on in HF Fluid (% by	
20/ 1/21 14/ 1		D 51.11	144.4			mass)		mass)		
2% KCL Water Cla-Web(TM)	Operator Halliburton	Base Fluid Additive	Water Listed Below	7732-18-5 Listed Belov	A/		98% 0%		84.23695% 0%	
GBW-30 BREAKER	Halliburton	Breaker	Listed Below	Listed Belov			0%		0%	
HC-2	Halliburton	Additive	Listed Below	Listed Belov			0%		0%	
LOSURF-300D	Halliburton	Non-ionic Surfactant		Listed Belov			0%		0%	
NITROGEN LIQUEFIED SAND-PREMIUM BROWN- 20/40, 100 LB SACK	Halliburton Halliburton	Fluid Proppant	Listed Below Listed Below	Listed Belov			0% 0%		0% 0%	
WG-35 GELLING AGENT	Halliburton	Gelling Agent	Listed Below	Listed Belov	N		0%		0%	
MSDS and Non-MSDS Ingredients are listed below the							0%		0%	
Ingredients	Listed Above	Listed Above	1,2,4 Trimethylbenzene	95-63-6			1%		7E-05%	
			Amine salts	Proprietary			0.1%		2E-05%	
			Crystalline silica, quartz				100%		10.1658%	
			Ethanol Glycerine	64-17-5 56-81-5			60% 5%		0.0041% 0.00149%	
			Guar gum	9000-30-0			100%		0.01954%	
			Heavy aromatic	64742-94-5			30%		0.00205%	
			petroleum naphtha Hemicellulase enzyme	9012-54-8			30%		0.00018%	
			Hydroxyalkylammonium				60%		0.00501%	
			chloride Inner salt of alkyl amines	Proprietary			30%		0.00896%	
			Lactose	63-42-3			100%		0.00059%	
			Naphthalene	91-20-3			5%		0.00034%	
			Nitrogen Oxylated phenolic resin	7727-37-9 Proprietary			100% 30%		3.81296% 0.00273%	
			Poly(oxy-1,2-	127087-87-	0		5%		0.00027376	
			ethanediyl), alpha-(4- nonylphenyl)-omega- hydroxy-, branched							
			Potassium chloride	7447-40-7		<u> </u>	2%		1.71912%	
			Quaternary amine	Proprietary		5%			0.00051%	
			Sodium chloride	7647-14-5		30% 60%		-	0.00938%	
20. I, as Operator, hereby certify	that the information she	I own on this disclosure form	Water is true and complete to the be	7732-18-5 est of my know	edge and belief	<u>l</u> f.	60%	<u> </u>	0.02293%	
Signature: Signed Electronically Printed Name: Tiffany Smith Engineering Technician Title: II										
Date: 8/23/201	7							_		
E-mail Address: Tiffany.Smith@wpxenergy.com										
IMOCD does not require the rep			ped in 29 CFR 1910.1200. NM	IOCD does not	require the repo	rting or disclosure	of proprietary, trad	e secret or co	nfidential business	

information.