<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 251936

	me and Address								2. 0	GRID Number			
ASCENT ENERGY, LLC. 14982 Melco Ave									2.41	325830)		
	ker, CO 80134								3. AI	PI Number 30-025	-44780		
4. Property Co	de		5. Prop	erty Name					6. W	'ell No.			
319	772			TOQUE S	STATE COM					302H			
					7. Surfac	e Location							
UL - Lot Section Township				Range		et From	N/S Line	Feet F		E/W Line County		County	
K	6	215	;	331	E K	2501	S		1225		W		Lea
					8. Proposed Bot	tom Hole Loca	tion						
UL - Lot	Section	Township		Range		Feet From	N/S Line	Feet F		E/W Line		County	
M	7	21	S	3:	3E 4	330	S		941		W		Lea
					9. Pool li	nformation							
WC-025 G-0	8 S213304D;BON	E SPRING									97895		
					Additional W	ell Information							
11. Work Type		12. Well Typ	е		13. Cable/Rotary	en imormation	14. Lease Type		15. Ground	d Level Elevation	on		
	w Well		IL		,		State			3789			
16. Multiple		17. Propose			18. Formation		19. Contractor		20. Spud D				
N 16699 Bone Sprir										9/15/2018			
		1	6699										
Depth to Grou		'			Bone Spring Distance from nearest fresh	water well				nearest surfac	e water		
Depth to Ground	using a closed-lo	op system in li	eu of lir	ned pits	Distance from nearest fresh 21. Proposed Casing	g and Cement			Distance to	nearest surfac			
Depth to Ground We will be Type	using a closed-lo	op system in li	eu of lir g Size	ned pits	Distance from nearest fresh 21. Proposed Casing Casing Weight/ft	g and Cement Setting	Depth	Sac	Distance to	nearest surfac		Estimated -	-0C
We will be Type Surf	using a closed-loo Hole Size 17.5	Casin 13.	eu of ling g Size 375	ned pits	21. Proposed Casing Casing Weight/ft 54.5	g and Cement Setting 16	Depth 30	Sac	Distance to	nearest surfac		0	roc
Depth to Ground We will be Type	Hole Size 17.5 12.615	Casin 13.	eu of ling Size	ned pits	Distance from nearest fresh 21. Proposed Casing Casing Weight/ft	g and Cement Setting 16 49	Depth 30	Sac	Distance to	nearest surfac			FOC
We will be Type Surf Int1	using a closed-loo Hole Size 17.5	Casin 13.	eu of ling g Size 375	ned pits	21. Proposed Casing Casing Weight/ft 54.5 40 20	g and Cement Setting 16 49	Depth 30 00 699	Sac	Distance to	nearest surfac		0	roc .
We will be Type Surf Int1	Hole Size 17.5 12.615	Casin 13.	eu of ling Size	ned pits	21. Proposed Casing Casing Weight/ft 54.5 40	g and Cement Setting 16 49	Depth 30 00 699	Sac	Distance to	nearest surfac		0	FOC
We will be Type Surf Int1	Hole Size 17.5 12.615	Casin 13.	eu of ling Size	ned pits	21. Proposed Casing Casing Weight/ft 54.5 40 20 Casing/Cement Progra	g and Cement Setting 16 49 166 m: Additional	Depth 30 00 699 Comments	Sac	Distance to	nearest surfac		0	гос
We will be Type Surf Int1	Hole Size 17.5 12.615 8.75	Casin 13.	eu of ling Size	ned pits	21. Proposed Casing Casing Weight/ft 54.5 40 20 Casing/Cement Progra	g and Cement Setting 16 49 166 m: Additional	Depth 30 00 00 Comments Program		Distance to	nearest surfac	E	0 0 0	ГОС
We will be Type Surf Int1	Hole Size 17.5 12.615 8.75	Casin 13.	eu of ling Size	ned pits	21. Proposed Casing Casing Weight/ft 54.5 40 20 Casing/Cement Progra 22. Proposed Blowo Working Pressure	g and Cement Setting 16 49 166 m: Additional	Depth	essure	Distance to	nearest surfac		0 0 0	FOC
We will be Type Surf Int1	Hole Size 17.5 12.615 8.75	Casin 13.	eu of ling Size	ned pits	21. Proposed Casing Casing Weight/ft 54.5 40 20 Casing/Cement Progra	g and Cement Setting 16 49 166 m: Additional	Depth 30 00 00 Comments Program	essure	Distance to	nearest surfac	E	0 0 0	roc
Type Surf Int1 Prod	Hole Size 17.5 12.615 8.75 Type Double Ram	Casin. 13. 9.6 5	eu of ling Size 375 525 5		21. Proposed Casing Casing Weight/ft 54.5 40 20 Casing/Cement Progra 22. Proposed Blowo Working Pressure 3000	g and Cement Setting 16 49 166 m: Additional	Depth	essure 00	Distance to	t	E	0 0 0	roc
Type Surf Int1 Prod	Hole Size 17.5 12.615 8.75 Type Double Ram	Casin. 13. 9.6 5	eu of ling Size 375 525 5		21. Proposed Casing Casing Weight/ft 54.5 40 20 Casing/Cement Progra 22. Proposed Blowo Working Pressure	g and Cement Setting 16 49 166 m: Additional	Depth	essure 00	Distance to Distan	t	E	0 0 0	ГОС
We will be Type Surf Int1 Prod 23. I hereby a	Hole Size 17.5 12.615 8.75 Type Double Ram Dertify that the info	Casin 13. 9.6 5	g Size 375 325 5	s true and co	21. Proposed Casing Casing Weight/ft 54.5 40 20 Casing/Cement Progra 22. Proposed Blowo Working Pressure 3000	g and Cement Setting 16 49 166 m: Additional	Depth	essure 00	Distance to Distan	t	E	0 0 0	roc
Type Surf Int1 Prod 23. I hereby a knowledge a I further certix, if applica	Hole Size 17.5 12.615 8.75 Type Double Ram Dertify that the info	Casin 13. 9.6 5	g Size 375 325 5	s true and co	21. Proposed Casing Casing Weight/ft 54.5 40 20 Casing/Cement Progra 22. Proposed Blowo Working Pressure 3000 mplete to the best of my	g and Cement Setting 16 49 166 m: Additional	Depth	essure 00	Distance to Distan	t	E	0 0 0	roc
Type Surf Int1 Prod	Hole Size 17.5 12.615 8.75 Type Double Ram Dertify that the info	Casin 13. 9.6 5	g Size 375 325 5 5 bove is	s true and co	21. Proposed Casing Casing Weight/ft 54.5 40 20 Casing/Cement Progra 22. Proposed Blowo Working Pressure 3000 mplete to the best of my	g and Cement Setting 16 49 166 m: Additional	Depth	essure 00 OIL CON:	Distance to Distan	t	E	0 0 0	roc
Type Surf Int1 Prod 23. I hereby (knowledge a I further cert XI, if applica Signature: Printed Name:	Hole Size 17.5 12.615 8.75 Type Double Ram Dertify that the info	Casin 13. 9.6 5	g Size 375 325 5 5 bove is	s true and co	21. Proposed Casing Casing Weight/ft 54.5 40 20 Casing/Cement Progra 22. Proposed Blowo Working Pressure 3000 mplete to the best of my	g and Cement Setting 16 49 16c m: Additional	Depth 30 00 00 00 00 00 00 0	essure 00 OIL CON:	Distance to Distan	t	E	0 0 0	roc
Type Surf Int1 Prod 23. I hereby (knowledge a I further cert X, if applica Signature:	Hole Size 17.5 12.615 8.75 Type Double Ram certify that the info and belief. cify I have complication. Electronication.	Casin 13. 9.6 5	g Size 375 325 5 bove is	s true and co	21. Proposed Casing Casing Weight/ft 54.5 40 20 Casing/Cement Progra 22. Proposed Blowo Working Pressure 3000 mplete to the best of my	g and Cement Setting 16 49 16t m: Additional ut Prevention Approved By:	Depth	ossure OO OIL CON:	Distance to Distan	t	Manufa	0 0 0	FOC

District I

1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 <u>District II</u>

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

Santa Fe, NM 87505


¹ API Number		² Pool Code	³ Pool Name			
		97895	WC-025 G-08 S213304D; BONE SPRING			
⁴ Property Code		⁵ Pr	⁶ Well Number			
		TOQU	E STATE COM	302H		
⁷ OGRID №.		8 OI	perator Name	9 Elevation		
325830		ASCE	ENT ENERGY	3,789'		
¹⁰ Surface Location						

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	6	21 S	33 E		2,501	SOUTH	1,225	WEST	LEA

11 Bottom Hole Location If Different From Surface

				20	ttom 110	e Becation is	Billerent Frei	II Surrace		
UL	or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	L4	7	21 S	33 E		330	SOUTH	941	WEST	LEA
12 De	edicated Acres	¹³ Joint or	r Infill	Consolidation	Code 15 Or	der No.				

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 251936

PERMIT COMMENTS

Operator Name and Address:	API Number:
ASCENT ENERGY, LLC. [325830]	30-025-44780
14982 Melco Ave	Well:
Parker, CO 80134	TOQUE STATE COM #302H

Created By	Comment	Comment Date
	State of New Mexico GIS Coordinator has determine that state agency cannot use or accept GIS coordinates in NAD83. Therefore, the NMOCD cannot accept the APD's submitted because GIS coordinates are in NAD 27.	5/4/2018
pkautz	State of New Mexico GIS Coordinator has determine that state agency cannot use or accept GIS coordinates in NAD83. Therefore, the NMOCD cannot accept the APD's submitted because GIS coordinates are in NAD 27.	5/4/2018
pkautz	Rejected at operators request	5/7/2018

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 251936

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
ASCENT ENERGY, LLC. [325830]	30-025-44780
14982 Melco Ave	Well:
Parker, CO 80134	TOQUE STATE COM #302H

OCD	Condition
Reviewer	
pkautz	Will require a directional survey with the C-104
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 45 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	Potash Area - ** Three String Casing Program - In accordance with R-111-P all strings shall be cemented to surface. ** Salt Protection String - If the cement fails to reach the surface or the bottom of the cellar, where required, the top of the cement shall be located by a temperature or other survey and additional cementing shall be done until the cement.is brought to the surface. ** Stage tool must be a minimum of 50 feet below intermediate shoe.