<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 257748

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUG	BBACK, OR ADD A ZONE
---	----------------------

	APPLICATION FOR PERIVIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE									
1. Operator Name	and Address						2. 0	GRID Number		
MACH	MACK ENERGY CORP 13837									
P.O. E	P.O. Box 960									
Artesi	Artesia, NM 88211-0960 30-005-64319									
4. Property Code 5. Property Name 6. Well No.										
3224	79		DAWSON CRE	EK STATE CON		001H				
	7. Surface Location									
UL - Lot	UL - Lot Section Township Range Lot Idn			Feet From	N/S Line	Feet From	E/W Line	County		
C 36 15S 28E C		С	765	N	1675	W	Chaves			

		8. Proposed Bottom Hole Location										
ı	UL - Lot	Section	Township	Range	Lot Idn	Feet From	Feet From	E/W Line County				
	С	25	15S	28E	С	10	N	1675	W	Chaves		

ROUND TANK;SAN ANDRES	52770	

Additional Well Information

11. Work Type	12. Well Type	13. Cable/Rotary	14. Lease Type	15. Ground Level Elevation
New Well	OIL	•	State	3585
16. Multiple	17. Proposed Depth	18. Formation	19. Contractor	20. Spud Date
N	8649	San Andres		12/1/2018
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	200	450	0
Int1	12.25	9.625	36	1200	585	0
Prod	8.75	7	26	3600	520	0
Prod	8.75	5.5	17	8649	1675	0

Casing/Cement Program: Additional Comments

Mack Energy proposed to drill a 17 1/2" hole to 200', run 13 3/8" csg/cmt. (OPTIONAL- Drill 12 1/4" hole to 1200', run 9 5/8" csg/cmt). Drill 8 3/4" hole to 8649', run 7" & 5 1/2" csg/cmt. Put well on production.

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
Double Ram	3000	3000	

knowledge and be	elief.	true and complete to the best of my NMAC ⊠ and/or 19.15.14.9 (B) NMAC		OIL CONSERVATION	ON DIVISION			
Signature:								
Printed Name:	Electronically filed by Jerry Sherre	ell	Approved By:	Raymond Podany				
Title:	Production Clerk		Title:	Geologist				
Email Address:	jerrys@mec.com		Approved Date:	10/24/2018 Expiration Date: 10/24/2020				
Date:	9/25/2018	Phone: 575-748-1288	Conditions of Approval Attached					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505


Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

٦	λ/	Ŧ	71	[]	F	T	\boldsymbol{C}	16	٦ /	۱,	Γ	1	1	J	Α	N	Jì	n		Δ.	\subset	R	F	ĽΔ	(ΞE	Г	ì	71	ŊΙ	\boldsymbol{C}	۱Δ	١٦	T	\mathbf{C}	N	J	P	Ι.,	4	Т	
- 1	11		رز	٠,	u		∕-	∕	ıΣ	Ά.	11	•	,,	٦.	1	ч	٧.	$\boldsymbol{\mathcal{L}}$	' I	_	·	·L	_	11	"	ندر		"		"		, L'	L		\mathbf{u}	Ι.	٦.	Д.	•	ı x		

1 A	API Number	r		² Pool Cor	le	³ Pool Name Round Tank; San Andres							
			52	770									
⁴ Property (Code				6	⁶ Well Number							
				DAY	WSON CREE	X STATE COM			1H				
OGRID 1	No.			*	8 Operator	Name			⁹ Elevation				
13837	'	MACK ENERGY CORPORATION 3585.2											
[™] Surface Location													
UL or lot no.	Section	Township Range Lot Idn Feet from the North/South line Feet from the East/West line							County				
C	36	15 S	28 E		765	CHAVES							
	" Bottom Hole Location If Different From Surface												
UL or lot no.	Section	Township	Range	Lot Idn Feet from the North/South line Feet from the East/ West line Count									
C	25	15 S	28 E		10	NORTH	1675	WEST	CHAVES				
12 Dedicated Acres	Joint o	r Infill	Consolidation	Code 15 C	Order No.		•						
200		İ											

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 257748

PERMIT COMMENTS

Operator Name and Address:	API Number:
MACK ENERGY CORP [13837]	30-005-64319
P.O. Box 960	Well:
Artesia, NM 88211-0960	DAWSON CREEK STATE COM #001H

Created By Comment Comment Date

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 257748

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
MACK ENERGY CORP [13837]	30-005-64319
P.O. Box 960	Well:
Artesia, NM 88211-0960	DAWSON CREEK STATE COM #001H

OCD Reviewer	Condition
rpodany	Will require a directional survey with the C-104
rpodany	Cement is required to circulate on both surface and intermediate1 strings of casing