
Seturit 1 Come To Accounting District	F
Submit 1 Copy To Appropriate District State of New Mexico Office Minarda and Natural Resources	Form C-103
District I – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Revised July 18, 2013 WELL API NO.
District II $= (575) 7/8 - 1283$	20 021 20683
District III - (505) 746-1265OIL CONSERVATION DIVISION811 S. First St., Artesia, NM 88210District III - (505) 334-61781220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd Aztec NM 87410	STATE 🛛 FEE 🗌
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	6. State Oil & Gas Lease No.
87505	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name BRAVO DOME CARBON DIOXIDE GAS UNIT (27111)
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other: CO ₂ PRODUCER	8. Well Number 181J
2. Name of Operator OXY USA INC	9. OGRID Number 16696
3. Address of Operator	10. Pool name or Wildcat
P.O. Box 4294, HOUSTON, TX 77210-4294	BRAVO DOME CARBON DIOXIDE GAS 640 (96010)
4. Well Location	
Unit Letter _J_: _1780 _feet from the _SOUTH line and2296feet from theEASTline	
	MPM County HARDING
11. Elevation (Show whether DR, RKB, RT, GR GL: 5378'	, etc.)
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING	
TEMPORARILY ABANDON 🛛 CHANGE PLANS 🗌 COMMENCE DRILLING OPNS. 🗌 P AND A 🗌	
PULL OR ALTER CASINGMULTIPLE COMPLCASING/CEMENT JOB	
CLOSED-LOOP SYSTEM	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date	
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
WELLBORE SCHEMATIC ENCLOSED	
PROPOSED:	
SET CIBP @ 2680', MIDDLE OF CIMARRON ANHYDRITE DUMP EQUIVALENT OF 10 FT OF CLASS C CEMENT ON TOP OF CIBP	
TEST CASING, CHART RECORDER WILL MONITOR TEST TO 500 PSI FOR 30 MINUTES	
WELL HAS NEVER BEING PRODUCED, CURRENTLY HAS BEEN USED AS A PRESSURE MONITOR AFTER DRILLING THE	
TUBB FORMATION, THE GRANITE WASH AND ~ 35 FT INTO THE GRANITE. TD 2912'.	
Spud Date: Rig Release Date:	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
C Marine Company	
SIGNATURE	R _ DATE _ 7/18/2019
Type or print nameAL GIUSSANI E-mail address: albert_giussan For State Use Only	i@oxy.com _ PHONE: _806 638 1296
APPROVED BY:_Will Jones_Will JonesTITLEEngineerDATE18 July 2019	

WELLBORE SCHEMATIC: BDCDGU 21 30 18 1 J

CURRENT



WELL NAME BDCDGU 21 30 18 1 J API 30-021-20683 LOCATION TOWNSHIP 21 N RANGE 30 E SECTION 18 UNIT LETTER J 1780 'FROM SOUTH LINE , 2296' FROM EAST LINE 36.047069,-103.784708 NAD83

GL: 5378'