

Form 3160-5  
(June 2015)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**  
**Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.****SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM01165
2. Name of Operator MEWBOURNE OIL COMPANY		6. If Indian, Allottee or Tribe Name
Contact: JACKIE LATHAN E-Mail: jlathan@mewbourne.com		7. If Unit or CA/Agreement, Name and/or No.
3a. Address P O BOX 5270 HOBBS, NM 88241	3b. Phone No. (include area code) Ph: 575-393-5905	8. Well Name and No. GLOCK 17/16 B3EH FED COM 1H
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  Sec 17 T20S R29E NWSW 2090FSL 230FWL 32.571983 N Lat, 104.105042 W Lon		9. API Well No. 30-015-46588-00-X1
		10. Field and Pool or Exploratory Area WC015G04S202920D-BONE SPRING
		11. County or Parish, State EDDY COUNTY, NM

## 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Well Spud	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

03/24/2020

Spud 26" hole @ 418'. Ran 418' of 20" 94# J55 BT&C csg. Cemented w/700 sks Class C w/additives. Mixed @ 12.5#/g w/2.19 yd. Displaced w/150 bbls of FW. Plug down @ 11:45 P.M. 03/26/2020. Circ 423 sks of cmt to the pits. Drilled out with 17 ?? bit.

03/28/2020

TD?ed 17 1/2" hole @ 1398'. Ran 1383' of 13 3/8" 54.5# J55 ST&C csg. Cemented w/750 sks Class C w/additives. Mixed @ 12.9#/g w/1.96 yd. Displaced w/207 bbls of FW. Plug down @ 10:45 P.M. 03/28/2020. Circ 106 sks of cmt to the pits. Test BOPE to 5000# & Annular to 3500#. At 11:30 P.M. 03/29/20, tested csg to 1500# for 30 mins, held OK. FIT to 9.5 PPG EMW. Drilled out with 12 1/4" bit.

Entered - KMS NMOCD

14. I hereby certify that the foregoing is true and correct.	
<b>Electronic Submission #513523 verified by the BLM Well Information System</b> <b>For MEWBOURNE OIL COMPANY, sent to the Carlsbad</b> <b>Committed to AFMSS for processing by PRISCILLA PEREZ on 04/30/2020 (20PP2566SE)</b>	
Name (Printed/Typed) RUBY CABALLERO	Title REGULATORY
Signature (Electronic Submission)	Date 04/30/2020

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By <b>ACCEPTED</b>	JONATHON SHEPARD Title PETROLEUM ENGINEER	Date 12/15/2020
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

**Additional data for EC transaction #513523 that would not fit on the form****32. Additional remarks, continued**

Charts & Schematic attached.

04/01/2020

TD'ed 12 1/4" hole @ 3250. Ran 3039 of 9 5/8" 36# J55 & 40# HCL80 LT&C Csg. Cemented 1st stage with 675 sks Class C w/additives. Mixed @ 12.9#/g w/1.82 yd. Tail w/200 sks Class C Neat. Mixed @ 14.8#/g w/1.32 yd. Displaced w/231 bbl FW. Plug down @ 9:45 A.M. 04/01/20. Set ACP w/2070#. Dromp bomb & open DV tool w/800#. Did not circ cmt off top of DV tool. Lift pressure of 500 psi @ 4.5 bpm. Cmt 2nd stage w/575 sks Class C w/1% CaCl2. Mixed @ 14.8#/g w/1.33 yd. Displaced w/115 bbl FW. Plug down @ 11:15 A.M.. 04/01/20. Circ 80 sks of cmt to the pit. Set Cameron mandrel hanger through BOP w/135k#. At 12:15 A.M. 04/02/20, tested csg to 1500# for 30 mins, held OK. FIT test to EMW of 9.5 PPG. Drilled out with 8 3/4" bit.

04/07/2020

TD'ed 8 3/4" hole @ 9536. Ran 9502' of 7" 29# HCP110 LT&C csg. Cemented lead w/500 sks 50:50 PliteH w/additives. Mixed @ 11.5#/g w/2.71 yd. Tail w/400 sks Class H w/additives. Mixed @ 15.6#/g w/1.18 yd. Displaced w/326 bbls OBM. Plug down @ 9:45 P.M. 04/07/20. Circ 68 sks of cmt to the pits. Set Cameron mandrel hanger through BOP w/212k#. At 2:30 P.M. 04/08/20, tested csg to 1500# 30 mins, held OK. FIT test to 9.8 PPG EMW. Drilled out with 6 1/8" bit.

04/17/2020

TD'ed 6 1/8" hole @ 19408' MD. Ran 19408' of 4 1/2" 13.5# HCP110 BPN csg. Cement w/950 sks w/additives. Mixed @ 13.5#/g w/1.60 yd. Followed w/5 bbls FW. Released dart. Displaced w/258 bbls sugar FW. Plug down @ 2:45 A.M. 04/19/20. Did not bump plug. Set packer w/50k#. Sting out of PBR w/2000# on DP. Displaced 7" csg w/110 bbls of FW. Circ 280 sks of cmt off of liner top to the pit. Circ 280 bbls FW w/polymer. At 4:30 A.M., 04/19/20, tested csg 1500# for 30 mins, held OK. Top of liner @ 8602'.

Rig released on 04/19/2020 @ 5:00 P.M.

Bond on file: NM1693 nationwide & NMB000919

**Revisions to Operator-Submitted EC Data for Sundry Notice #513523**

	<b>Operator Submitted</b>	<b>BLM Revised (AFMSS)</b>
Sundry Type:	SPUD NOI	SPUD SR
Lease:	NMNM01165	NMNM01165
Agreement:		
Operator:	MEWBOURNE OIL COMPANY PO BOX 5270 HOBBS, NM 88241 Ph: 575-393-5905	MEWBOURNE OIL COMPANY P O BOX 5270 HOBBS, NM 88241 Ph: 575.393.5905
Admin Contact:	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com  Ph: 575-393-5905	JACKIE LATHAN REGULATORY E-Mail: jlathan@mewbourne.com  Ph: 575-393-5905
Tech Contact:	RUBY CABALLERO REGULATORY E-Mail: rcaballero@mewbourne.com  Ph: 575-393-5905 Ext: 5032	RUBY CABALLERO REGULATORY E-Mail: rcaballero@mewbourne.com  Ph: 575-393-5905 Ext: 5032
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	BONE SPRING	WC015G04S202920D-BONE SPRING
Well/Facility:	GLOCK 17/16 B3EH FED COM 1H Sec 17 T20S R29E Mer NMP SWSW 2090FSL 230FWL	GLOCK 17/16 B3EH FED COM 1H Sec 17 T20S R29E NWSW 2090FSL 230FWL 32.571983 N Lat, 104.105042 W Lon

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 12512

**CONDITIONS OF APPROVAL**

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM88241				OGRID: 14744	Action Number: 12512	Action Type: C-103N
OCD Reviewer				Condition		
ksimmons				None		