5.

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 July 21, 2008

District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
77 <u>Pit, Close</u> Proposed Alterna	ed-Loop System, Below-Grade tive Method Permit or Closure	<u>Tank, or</u> Plan Application
Type of action: Permit of a Closure of Modificatio Closure pla below-grade tank, or proposed a	pit, closed-loop system, below-grade tank, a pit, closed-loop system, below-grade tank on to an existing permit an only submitted for an existing permitted lternative method	or proposed alternative method c, or proposed alternative method or non-permitted pit, closed-loop system,
<i>Instructions: Please submit one application</i> (Please be advised that approval of this request does not relieve renvironment. Nor does approval relieve the operator of its	(Form C-144) per individual pit, closed-loop system the operator of liability should operations result responsibility to comply with any other applicable states and the states of the s	stem, below-grade tank or alternative request t in pollution of surface water, ground water or the governmental authority's rules, regulations or ordinances.
1. Operator: Simcoe LLC operated by BP Americ Address: 1199 Main Ave., Suite 101, Durango	ca Production Co. OGRID #: , CO 81301	778
Facility or well name: BARNES GAS COM F 00 APPNumber: 3004527810 U/L or Qtr/Qtr K Section Center of Proposed Design: Latitude 36.953017 Surface Owner: Image: Federal Image: State Image: Private Image: Training the state Image: Private Image: Training the state Image: Private Image: Privat	1 OCD Permit Number: Township32.0N Range11W 11W 1 Longitude -107.9 ibal Trust or Indian Allotment -107.9	County: San Juan County 962136 NAD: □1927 🗙 1983
2. 2. 2. 3. 2. 3. 3. 3. 4. 3. 4. 4. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	mil	Other obl Dimensions: L x W x D
3. Closed-loop System: Subsection H of 19.15.17.1 Type of Operation: P&A Drilling a new well intent) Drying Pad Above Ground Steel Tanks Lined Unlined Liner Seams: Welded	1 NMAC Workover or Drilling (Applies to activities w Haul-off Bins Other	which require prior approval of a permit or notice of
	NMAC <u>Tank ID:</u> <u>A</u> Produced Water Sible sidewalls, liner, 6-inch lift and automatic of Produced Water SiNGLE WALLED DOUBLE E HDPE PVC Other	overflow shut-off BOTTOMED SIDEWALLS NOT VISIBLE

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Received by OCD: 7/30/2020 4:40:31 PM	Page 2 of 2		
 6. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,		
 Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible) 			
 8. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC 			
 9. <u>Administrative Approvals and Exceptions</u>: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. <i>Please check a box if one or more of the following is requested, if not leave blank:</i> Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 	office for		
10. <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade tanks essentiated with a closed hom system			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No		
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No ☐ NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to permanent pits</i>)	☐ Yes ☐ No ☐ NA		
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No		
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No		
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No		
Within a 100-year floodplain. - FEMA map	🗌 Yes 🗌 No		

•

11. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
 12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above around steel tanks or haul-off hins and propose to implement waste removal for closure)
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Sitting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16. <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only</u> : (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two			
facilities are required.	0		
Disposal Facility Name: Disposal Facility Permit Number:			
Disposal Facility Name: Disposal Facility Permit Number:			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future Yes (If yes, please provide the information below) No	service and operations?		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 N Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	ИАС		
^{17.} <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.			
 Ground water is less than 50 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	☐ Yes ☐ No ☐ NA		
 Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	☐ Yes ☐ No ☐ NA		
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	☐ Yes ☐ No ☐ NA		
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or pla lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	a 🗌 Yes 🗌 No		
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	n. Yes 🗌 No		
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinanc adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No		
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No		
Within a 100-year floodplain. - FEMA map	🗌 Yes 🗌 No		
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.			

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19. Operator Application Certification:			
Name (Print):	Title:		
Signature:	Date:		
e-mail address:	Telephone:		
20. OCD Approval:	e Plan (only) OCD Conditions (see attachment)		
OCD Representative Signature:	Approval Date: 1/22//2021		
Title: Environmental Specialist	OCD Permit Number: 77		
^{21.} <u>Closure Report (required within 60 days of closure completion)</u> : Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. [V] Chemen Completion Defendent			
22. Closure Method: X Waste Excavation and Removal □ On-Site Closure Method □ Alte If different from approved plan, please explain.	ernative Closure Method 🔲 Waste Removal (Closed-loop systems only)		
^{23.} <u>Closure Report Regarding Waste Removal Closure For Closed-loop Syste</u> <i>Instructions: Please indentify the facility or facilities for where the liquids,</i> <i>two facilities were utilized.</i>	ems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: drilling fluids and drill cuttings were disposed. Use attachment if more than		
Disposal Facility Name:	Disposal Facility Permit Number:		
Disposal Facility Name:	Disposal Facility Permit Number:		
Were the closed-loop system operations and associated activities performed on Yes (If yes, please demonstrate compliance to the items below)	n or in areas that <i>will not</i> be used for future service and operations?		
Required for impacted areas which will not be used for future service and ope Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	rations:		
24. Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) ☑ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number ☑ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique ☑ Site Reclamation (Photo Documentation) On-site Closure Location: Latitude	g items must be attached to the closure report. Please indicate, by a check re) ngitude		
 25. Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure required. 	re report is true, accurate and complete to the best of my knowledge and irements and conditions specified in the approved closure plan.		
Name (Print): Steve Moskal Steven Moskal 2020.07.29 12:41:28	Title: Contract BP Environmental Coord.		
e-mail address: Steve.Moskal@bpx.com	Date: 01/29/2020 Telephone: (505) 330-9179		
	A		

•

22. Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print):	Title:		
Signature:	Date:		
e-mail address:	Telephone:		

.

BPX ENERGY

(formally BP America Production Company) SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

<u>Barnes Gas Com F # 1 – Tank ID: A</u> <u>API #: 3004527810</u> Unit Letter K, Section 26, T32N, R11W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BPX Energy (BPX) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BPX shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BPX shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BPX's NMOCD approved BGT design attached to the BPX Design and Construction Plan. BPX shall close an existing BGT that does not meet the requirements (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BPX's NMOCD approve BGT Design attached to the BPX Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BPX shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- BPX shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement. Notice is attached.
- 2. BPX shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and documented in the attached email.

- 3. BPX shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BPX Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BPX Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BPX Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BPX Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BPX Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BPX Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - j. BPX Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BPX Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

<u>All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.</u>

Received by OCD: 7/30/2020 4:40:31 PM 4 BPX shall remov

BPX shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report. **The BGT was transported for recycling.**

- BPX shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.
 All equipment associated with the BGT has been removed.
- 6. BPX shall test the soils beneath the BGT to determine whether a release has occurred. BPX shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Composite
		(mg/Kg)	Results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.021
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.084
TPH	US EPA Method SW-846 418.1	100	<49
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<60

Notes: mg/Kg = milligram per kilogram, pcs = point composite sample, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soils beneath the BGT were sampled for TPH, BTEX, and chloride. All test parameters were below the stated limits. A field and laboratory reports are attached.

- BPX shall notify the division District III office of its results on form C-141. C-141 is attached.
- If it is determined that a release has occurred, then BPX will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
 <u>Sampling results reveal no evidence of a release had occurred.</u>
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BPX shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area.

Sampling results reveal no evidence of a release had occurred. BGT area has been backfilled with clean, earthen material after remedial activity has been completed.

10. BPX shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BPX shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

BGT area has been backfilled with clean, earthen material. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.

Received by OCD: 7/30/2020 4:40:31 PM

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

BGT area has been backfilled with clean, earthen material. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.

12. BPX shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

BGT area has been backfilled with clean, earthen material. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.

- BPX shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.
 BGT area has been backfilled with clean, earthen material. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.
- Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BPX shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.
 BPX will notify NMOCD when re-vegetation is successfully completed.
- 15. Within 60 days of closure completion, BPX shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

<u>Closure report on C-144 form is included & contains a photo of the current reclamation</u> <u>requirements completed.</u>

16. BPX shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US

June 22, 2020

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

Barnes GC F 001 API 30-045-27810 (K) Section 26 − T32N − R11W San Juan County, New Mexico

Dear Mr. Cory Smith,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95 bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around June 26, 2020.

Should you have any questions, please feel free to contact BP.

Sincerely,

Patti Campbell | Regulatory Analyst BP America Production Company | BPX Energy Inc. (970) 712-5997 patti.campbell@bpx.com



This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying, disclosure or distribution of this email and any attachments is prohibited.

bp



BP America Production Company 1199 Main Ave., Suite 101

June 22, 2020

Bureau of Land Management Abiodun Adeloye 6251 College, Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: BARNES GC F 001 $p_{\eta \nu}$ API# - 3004527810

Dear Mr. Adeloye,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about June 26, 2020. Barring any unforeseen issues, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required, please contact Steve Moskal for a specific time (505)-330-9179.

Sincerely,

Patti Campbell

Patti Campbell BPX – San Juan Regulatory Analyst

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

)

Page 12 of 25

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party BPX Energy (formerly BP America Production Co.)	OGRID 778	
Contact Name Steve Moskal	Contact Telephone (505) 330-9179	
Contact email Steven.Moskal@bpx.com	Incident # (assigned by OCD)	
Contact mailing address 1199 Main Ave., Suite 101, Durango, CO 81301		

Location of Release Source

Latitude	36.953011	(NAD 83 in decimal de	Longitude	-107.962136	
Site Name B	arnes Gas Com F 001		Site Type Natura	al Gas Well	
Date Release	Discovered		API# (if applicable)	3004527810	

Unit Letter	Section	Township	Range	County
K	26	32N	11W	San Juan

Surface Owner: State Federal Tribal Private (Name:

Nature and Volume of Release

Materia	(s) Released (Select all that apply and attach calculations or specific	justification for the volumes provided below)
Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release TPH	BTFX & chloride all below below-grade f	ank (BCT) nermit closure standards
Cause of Release 1111,	DIEA, & chioride an below below-grade to	ank (DOT) per interiosure standarus.
No ev	vidence of a release had occurred.	

Page 2

Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the responsible party consider this a major release?
🗌 Yes 🖾 No	
If YES, was immediate no	btice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?
Not required.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Steve Moskal	Title: Environmental Coordinator
Signature:	Date:
email: <u>Steve.Moskal@bpx.com</u>	Telephone: (505) 330-9179
OCD Only	
Received by:	Date:

Received by OCD: 7/30/2020 4:40:31 PM

Page 14 of 25

CLIENT: BPX	BLAGG ENG P.O. BOX 87, BLG (505)	GINEERING, INC. DOMFIELD, NM 874 632-1199	413	API #: 3004527 TANK ID (if applicble): A	/810
FIELD REPORT:	(circle one): BGT CONFIRMATION / RI	ELEASE INVESTIGATION / OTHER:		PAGE #:1 o	f _ 1
SITE INFORMATION	J: SITE NAME: BARNES	GC F #1		DATE STARTED: 06/2	26/20
QUAD/UNIT: K SEC: 26 TWP:	32N RNG: 11W PM:	NM CNTY: SJ ST:	NM		
1/4 1/4/EOOTAGE: 1 520'S / 1 8					
LEASE #: SF078039	PROD. FORMATION: FT CON	KELLY O.F.S. TRACTOR: BPX - D. BULLE	R	SPECIALIST(S):	CB
REFERENCE POIN	T: WELL HEAD (W.H.) GPS CO	OORD.: 36.95297 X 1	07.96181	GL ELEV.: 6	,446'
1) 95 BGT (DW/DB)	GPS COORD.: 36.95	3011 X 107.962136	DISTANCE/BEA	ARING FROM W.H.: 97.5', N	81.5W
2)	GPS COORD .:		DISTANCE/BEA	ARING FROM W.H.:	
2)					
3)					
4)	GPS COORD.:		DISTANCE/BEA	ARING FROM W.H.:	OVM
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR L	AB USED: HALL			READING (ppm)
1) SAMPLE ID:95 BGT 5-pt (@ 5' SAMPLE DATE: 06/26/20	D SAMPLE TIME: 1119 LAB ANAL'	YSIS: 801	15B/8021B/300.0 (Cl)	1.6
2) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME: LAB ANAL'	YSIS:		
3) SAMPLE ID:		SAMPLE TIME: LAB ANAL'	YSIS:		
4) SAMPLE ID: 5) SAMPLE ID:		SAMPLE TIME: LAB ANAL'	YSIS:		
	SOIL TYPE: SAND / SILTY SAND / SILT	/ SILTY CLAY / CLAY / GRAVEL / OTH	ER BEDRO	OCK (SANDSTONE)	
		ASTICITY (CLAYS): NON PLASTIC / SLIGH	TLY PLASTIC / C	COHESIVE / MEDIUM PLASTIC / HIGH	HLY PLASTIC
CONSISTENCY (NON COHESIVE / SLIGHT	OOSE / FIRM / DENSE /VERY DENSE	CODOR DETECTED: YES NO EXPLAN	IATION -	SHEF / VERTSHEF / HARD	
MOISTURE: DRY/SLIGHTLY MOIST/MOIST/W	VET / SATURATED / SUPER SATURATED				
SAMPLE TYPE: GRAB (COMPOSITE)	# OF PTS	VY AREAS DISPLAYING WETNESS: YES	/ NO EXPLA	NATION - HYDROVAC OPER	ATION
DISCOLORATION/STAINING OBSERVED: YES	NO EXPLANATION -	PREPARATION OF BGT REMO	AL.		
SITE OBSERVATION	VS: LOST INTEGRITY OF EQUIPMENT: YE	ES NO EXPLANATION -			
APPARENT EVIDENCE OF A RELEASE OBSERVI	ED AND/OR OCCURRED : YES NO EXPLAN/	ATION:			
EQUIPMENT SET OVER RECLAIMED AREA:	YES NO EXPLANATION -				
OTHER: <u>NMOCD / BLM_REP(S)_PRESE</u>	<u>INT / NOT PRESENT TO WITNESS CO</u>	ONFIRMATION SAMPLING.			
EXCAVATION DIMENSION ESTIMATION	J. ft X f	t X ft EXC	AVATION ES	TIMATION (Cubic Yards)	
DEPTH TO GROUNDWATER >100'	NEAREST WATER SOURCE >1.000'	NEAREST SURFACE WATER 300' <	< x <1.000'	NMOCD TPH CLOSURE STD [.]	2.500 ppm
SITE SKETCH					
SHE SKETCH	BGT Localed . OII / OII Sile	PLOT PLAN circle: at		1 CALIB. READ. = 98.8 pp	^{om} RF =1.00
				I CALIB. GAS = 100 pp	om
				E: <u>10:50</u> (am)pm DATE: <u>06</u>	6/26/20
			'r	MISCELL, NO	TFS
PBC				A201101002	
T.B.	$\sim 5' \rightarrow (x \overset{\times}{x} x)$			<u>-0. 4301131302</u>	
B.	G. BERM				
GRADIENT		\oplus		DIU #:	
DIRECTION		W.H.			1/40
				rermit date(s): Ub/14	
SE			C Ta	nk OVM = Organic Vapor Me	eter
				D ppm = parts per million	
					<u>N</u>
		X - S	6.P.D.	BGT Sidewalls Visible: Y /	NI.
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVAT					N
	ION DEPRESSION; B.G. = BELOW GRADE; B = BELO	W; T.H. = TEST HOLE; ~ = APPROX.; W.H. = WE	ELL HEAD;	BGT Sidewalls Visible: Y /	N
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BE APPLICABLE OR NOT AVAILABLE; SW - SINGI	10N DEPRESSION; B.G. = BELOW GRADE; B = BELO 1.LOW-GRADE TANK LOCATION; SPD = SAMPLE POIN <u>LE WALL; DW - DOUBLE WALL; SB - SINGLE B</u> OTTON	W; T.H. = TEST HOLE; ~ = APPROX.; W.H. = WE T DESIGNATION; R.W. = RETAINING WALL; NA 4; DB - DOUBLE BOTTOM.	ELL HEAD; - NOT	BGT Sidewalls Visible: Y / /agnetic declination: 10	N N) [°] E

revised: 11/26/13

.

Analytical Report

Hall Environmental Analys	is Laboratory, Inc.
---------------------------	---------------------

Lab Order 2006E40

Date Reported: 6/29/2020

CLIENT:	Blagg Engineering	С	lient Sample ID: 95 BGT 5-pt @5'
Project:	Barnes GC F 001		Collection Date: 6/26/2020 11:19:00 AM
Lab ID:	2006E40-001	Matrix: MEOH (SOIL)	Received Date: 6/27/2020 10:20:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst:	JMT
Chloride	ND	60	mg/Kg	20	6/28/2020 9:20:33 AM	53361
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst:	BRM
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	6/28/2020 1:49:55 AM	53354
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	6/28/2020 1:49:55 AM	53354
Surr: DNOP	103	55.1-146	%Rec	1	6/28/2020 1:49:55 AM	53354
EPA METHOD 8015D: GASOLINE RANGE					Analyst:	RAA
Gasoline Range Organics (GRO)	ND	4.2	mg/Kg	1	6/27/2020 11:32:53 PM	R69963
Surr: BFB	98.8	66.6-105	%Rec	1	6/27/2020 11:32:53 PM	R69963
EPA METHOD 8021B: VOLATILES					Analyst:	RAA
Benzene	ND	0.021	mg/Kg	1	6/27/2020 11:32:53 PM	BS69963
Toluene	ND	0.042	mg/Kg	1	6/27/2020 11:32:53 PM	BS69963
Ethylbenzene	ND	0.042	mg/Kg	1	6/27/2020 11:32:53 PM	BS69963
Xylenes, Total	ND	0.084	mg/Kg	1	6/27/2020 11:32:53 PM	BS69963
Surr: 4-Bromofluorobenzene	101	80-120	%Rec	1	6/27/2020 11:32:53 PM	BS69963

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level. D Sample Diluted Due to Matrix
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix S

- Analyte detected in the associated Method Blank В
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range RL Reporting Limit

Page 1 of 7

	I urn-Around I		SAME UAN			H	AL D		IVI	202	MN	FNTAI	eive
BPX ENERGY	□ Standard	K Rush			1	AN	IAI	S S	S			ATOR	d by
BLAGE ENGINERRIME, INC. 19 Address:	Project Name: BARN	IES 6C	F 001		01 Ha	ww wkins	w.hal NF -	lenvir	onme	ntal.c	om M 8710		• OCD: 7/ ■
	Project #:			2 1	el. 505	-345-	3975	E H	Aucud	5-345	4107	2	/30/2
e#: 505-320-1183							A	nalys	is Re	dues	t		020
or Fax#:	Project Manage	er:		(C		-		[†] O	-	(J1			4:40
C Package: andard □ Level 4 (Full Validation)	STEVE	MOSKH	-1	1508) <i>2</i> 978 (8021	PCB's	SWISC		PO4, S		nəedA\tr			0:31 PM
editation:	Sampler:	FFF BU	ND ND	amt '	2808/	(r.40) 728 10		' ^z ON	(A	Creser	002		
DD (Type)	# of Coolers:		2	EE V	səpi	9 01	slst	' ² 0	OV	I) Ш	14		
	Cooler Temp(ino	cluding CF): Ø	(2.) ho=1.0-5.	19D(oitee	V 83	aM 8	3r, N	(AO	Tofilo	29121		
Time Matrix Sample Name	Container P Type and # T	reservative ype	HEAL No.) XЭТВ 08:Н9Т	9 1808	N) 803 d sHA9	В АЯЗЯ	CI' E' E	S) 0228	Cotal Co	nho		
200 1119 Soll 95 BET @ 5'	40t ×1	Ceel	100 -	XX							X		
													_
						-			-	-			
									\square				
									-				1
									1				
Time: Relinquished by:	Received by:	Via: Prot	United Time	Remarks	10 9	UL B	- SX	TEVE	Mos	L.	-		
Time: Relinquished by: //	Received by:	Via: C.D.n	Date Time 6/27/30 10:20		Ç2	03	202	0	et	200	npliqu	105	Page 16

Client: Project:	Bl Ba	agg Engineering rnes GC F 001									
Sample ID:	MB-53361	SampT	ype: m t	olk	Tes	tCode: EP	A Method	300.0: Anions	5		
Client ID:	PBS	Batch	n ID: 53	361	F	RunNo: 69	968				
Prep Date:	6/28/2020	Analysis D)ate: 6 /	28/2020	S	SeqNo: 24	30868	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride		ND	1.5								
Sample ID:	LCS-53361	SampT	ype: Ics	6	Tes	tCode: EP	A Method	300.0: Anion	5		
Client ID:	LCSS	Batch	n ID: 53	361	F	RunNo: 69	968				
Prep Date:	6/28/2020	Analysis D)ate: 6 /	28/2020	S	SeqNo: 24	30869	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride		14	1.5	15.00	0	94.0	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix S

- в Analyte detected in the associated Method Blank
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL Reporting Limit

Page 2 of 7

.

29-Jun-20

2006E40

WO#:

Client: Project:	Blagg Barne	g Engineering es GC F 001								
Sample ID:	LCS-53344	SampType:	LCS	Tes	tCode: El	PA Method	8015M/D: Die	sel Rang	e Organics	
Client ID:	LCSS	Batch ID:	53344	F	RunNo: 6	9949				
Prep Date:	6/26/2020	Analysis Date:	6/27/2020	S	SeqNo: 24	429356	Units: %Rec	;		
Analyte		Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP		5.2	5.000		105	55.1	146			
Sample ID:	MB-53344	SampType:	MBLK	Tes	tCode: El	PA Method	8015M/D: Die	sel Rang	e Organics	
Client ID:	PBS	Batch ID:	53344	F	RunNo: 6	9949				
Prep Date:	6/26/2020	Analysis Date:	6/27/2020	S	SeqNo: 24	429357	Units: %Rec	:		
Analyte		Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP		11	10.00		110	55.1	146			
Sample ID:	LCS-53347	SampType:	LCS	Tes	tCode: El	PA Method	8015M/D: Die	sel Rang	e Organics	
Client ID:	LCSS	Batch ID:	53347	F	RunNo: 6	9949				
Prep Date:	6/26/2020	Analysis Date:	6/27/2020	S	eqNo: 24	429760	Units: %Rec	;		
Analyte		Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP		5.8	5.000		116	55.1	146			
Sample ID:	LCS-53351	SampType:	LCS	Tes	tCode: El	PA Method	8015M/D: Die	sel Rang	e Organics	
Client ID:	LCSS	Batch ID:	53351	F	RunNo: 6	9949				
Prep Date:	6/27/2020	Analysis Date:	6/27/2020	S	SeqNo: 2	429761	Units: %Rec	;		
Analyte		Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP		4.8	5.000		95.5	55.1	146			
Sample ID:	LCS-53354	SampType:	LCS	Tes	tCode: El	PA Method	8015M/D: Die	sel Rang	e Organics	
Client ID:	LCSS	Batch ID:	53354	F	RunNo: 6	9949				
Prep Date:	6/27/2020	Analysis Date:	6/27/2020	S	SeqNo: 24	429762	Units: mg/K	g		
Analyte		Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range	Organics (DRO)	50	10 50.00	0	100	70	130			
Surr: DNOP		4.4	5.000		88.7	55.1	146			
Sample ID:	MB-53347	SampType:	MBLK	Tes	tCode: El	PA Method	8015M/D: Die	sel Rang	e Organics	
Client ID:	PBS	Batch ID:	53347	F	RunNo: 6	9949				
Prep Date:	6/26/2020	Analysis Date:	6/27/2020	S	SeqNo: 24	429763	Units: %Rec	;		
Analyte		Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	1	12	10.00		118	55.1	146			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

.

2006E40

29-Jun-20

WO#:

Client: Project:	Blagg E Barnes (ngineering GC F 001									
Sample ID: MB-53351 SampType: MBLK			TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: P	PBS Batch ID: 53351			RunNo: 69949							
Prep Date:	6/27/2020	Analysis D)ate: 6/	27/2020	S	SeqNo: 2	429764	Units: %Red	;		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP		8.5		10.00		85.2	55.1	146			
Sample ID: N	/B-53354	SampT	ype: MI	BLK	TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: P	PBS	Batch	n ID: 53	354	F	RunNo: 6	9949				
Prep Date:	6/27/2020	Analysis D)ate: 6/	27/2020	S	SeqNo: 2	429765	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Org	ganics (DRO)	ND	10								
Motor Oil Range	Organics (MRO)	ND	50								
Surr: DNOP		8.3		10.00		83.3	55.1	146			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 7

2006E40

29-Jun-20

WO#:

.

Client: Project:	Blagg Eng Barnes G	gineering C F 001									
Sample ID:	2.5ug gro lcs	SampTy	be: LC	s	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID:	LCSS	Batch	D: R6	9963	RunNo: 69963						
Prep Date:		Analysis Da	te: 6/	27/2020	S	SeqNo: 24	430036	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang Surr: BFB	je Organics (GRO)	25 1100	5.0	25.00 1000	0	102 114	80 66.6	120 105			S
Sample ID:	2006E40-001AMS	SampTy	be: MS	5	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID:	95 BGT 5-pt @5'	Batch	D: R6	9963	F	RunNo: 6	9963				
Prep Date:		Analysis Da	te: 6/	27/2020	S	SeqNo: 24	430052	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	ge Organics (GRO)	20	4.2	20.88	0	96.9	80	120			_
Surr: BFB		950		835.4		113	66.6	105			S
Sample ID:	2006E40-001AMSI) SampTy	be: MS	SD	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID:	95 BGT 5-pt @5'	Batch	D: R6	9963	F	RunNo: 6	9963				
Prep Date:		Analysis Da	te: 6/	28/2020	S	SeqNo: 24	430053	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	ge Organics (GRO)	20	4.2	20.88	0	93.4	80	120	3.61	20	
Surr: BFB		940		835.4		112	66.6	105	0	0	5
Sample ID:	lcs-53341	SampTy	oe: LC	s	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID:	LCSS	Batch	D: 53	341	F	RunNo: 6	9963				
Prep Date:	6/26/2020	Analysis Da	te: 6/	28/2020	Ş	SeqNo: 24	430054	Units: %Ree	C		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB		1100		1000		112	66.6	105			S
Sample ID:	mb	SampTy	be: MI	BLK	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID:	PBS	Batch	D: R6	9963	F	RunNo: 6	9963				
Prep Date:		Analysis Da	te: 6/	27/2020	S	SeqNo: 24	430055	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	je Organics (GRO)	ND	5.0								
Surr: BFB		1100		1000		108	66.6	105			S
Sample ID:	mb-53341	SampTy	be: MI	BLK	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID:	PBS	Batch	D: 53	341	F	RunNo: 6	9963				
Prep Date:	6/26/2020	Analysis Da	te: 6/	28/2020	S	SeqNo: 24	430056	Units: %Red	0		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB		1000		1000		103	66.6	105			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

.

Page 20 of 25

WO#:	2006E40

29-Jun-20

110jeet.	Barnes G	C F 001									
Sample ID:	100ng btex lcs	TestCode: EPA Method 8021B: Volatiles									
Client ID:	LCSS	Batch ID: BS69963			F	RunNo: 69					
Prep Date:		Analysis Date: 6/27/2020			SeqNo: 2430059			Units: mg/k	íg		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.94	0.025	1.000	0	94.1	80	120			
Toluene		0.95	0.050	1.000	0	95.1	80	120			
Ethylbenzene		0.95	0.050	1.000	0	95.2	80	120			
Xylenes, Total		2.9	0.10	3.000	0	96.3	80	120			
Surr: 4-Brom	ofluorobenzene	1.1		1.000		105	80	120			
Sample ID:	Sample ID: 2006E40-001AMS SampType: MS TestCode: EPA Method 8021B: Volatiles										
Client ID:	95 BGT 5-pt @5'	Batc	h ID: BS	69963	F	RunNo: 69	9963				
Prep Date:		Analysis [Date: 6/	28/2020	S	SeqNo: 24	430074	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.77	0.021	0.8354	0	92.5	78.5	119			
Toluene		0.80	0.042	0.8354	0	95.4	75.7	123			
Ethylbenzene		0.80	0.042	0.8354	0	95.6	74.3	126			
Xylenes, Total		2.4	0.084	2.506	0	96.7	72.9	130			
Surr: 4-Brom	ofluorobenzene	0.90		0.8354		107	80	120			
	aple ID: 2006E40-001AMSD SampType: MSD TestCode: EPA Method 8021B: Volatiles										
Sample ID:	2006E40-001AMS	D Samp ⁻	Type: MS	SD.	Tes	tCode: EF	PA Method	8021B: Vola	tiles		
Sample ID: Client ID:	2006E40-001AMSI 95 BGT 5-pt @5'	D Samp ⁻ Batc	Type: MS h ID: BS	69963	Tes F	tCode: EF RunNo: 69	PA Method 9963	8021B: Vola	tiles		
Sample ID: Client ID: Prep Date:	2006E40-001AMSI 95 BGT 5-pt @5'	D Samp ⁻ Batc Analysis [Type: MS h ID: BS Date: 6 /	SD 69963 28/2020	Tes F S	tCode: EF RunNo: 69 SeqNo: 24	PA Method 9963 430075	8021B: Volat	tiles Kg		
Sample ID: Client ID: Prep Date: Analyte	2006E40-001AMSI 95 BGT 5-pt @5'	D Samp ⁻ Batc Analysis [Result	Type: MS h ID: BS Date: 6 / PQL	69963 28/2020 SPK value	Tes F SPK Ref Val	tCode: EF RunNo: 69 SeqNo: 24 %REC	PA Method 9963 430075 LowLimit	8021B: Volat Units: mg/k HighLimit	tiles Gg %RPD	RPDLimit	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene	2006E40-001AMSI 95 BGT 5-pt @5'	D Samp ⁻ Batc Analysis I <u>Result</u> 0.77	Type: MS h ID: BS Date: 6 / PQL 0.021	5D 69963 28/2020 SPK value 0.8354	Tes F SPK Ref Val 0	tCode: EF RunNo: 69 SeqNo: 24 %REC 91.6	PA Method 9963 430075 LowLimit 78.5	8021B: Volat Units: mg/k HighLimit 119	tiles 5g %RPD 0.934	RPDLimit 20	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene	2006E40-001AMSI 95 BGT 5-pt @5'	D Samp ⁻ Batc Analysis [<u>Result</u> 0.77 0.78	Type: MS h ID: BS Date: 6 / <u>PQL</u> 0.021 0.042	5D 69963 28/2020 SPK value 0.8354 0.8354	Tes F SPK Ref Val 0 0	tCode: EF RunNo: 69 SeqNo: 24 %REC 91.6 93.2	PA Method 9963 430075 LowLimit 78.5 75.7	8021B: Volat Units: mg/# HighLimit 119 123	tiles (g 0.934 2.32	RPDLimit 20 20	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene	2006E40-001AMSI 95 BGT 5-pt @5'	D Samp Batc Analysis [Result 0.77 0.78 0.79	Type: MS h ID: BS Date: 6 / PQL 0.021 0.042 0.042	5D 699963 28/2020 SPK value 0.8354 0.8354 0.8354	Tes F SPK Ref Val 0 0 0	tCode: EF RunNo: 69 SeqNo: 24 %REC 91.6 93.2 94.3	PA Method 9963 430075 LowLimit 78.5 75.7 74.3	8021B: Volat Units: mg/k HighLimit 119 123 126	5g %RPD 0.934 2.32 1.35	RPDLimit 20 20 20	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total	2006E40-001AMSI 95 BGT 5-pt @5'	D Samp Batc Analysis I Result 0.77 0.78 0.79 2.4	Type: MS h ID: BS Date: 6 / PQL 0.021 0.042 0.042 0.084	5D 699963 28/2020 SPK value 0.8354 0.8354 0.8354 2.506	Tes F SPK Ref Val 0 0 0 0	tCode: EF RunNo: 6 9 SeqNo: 2 4 %REC 91.6 93.2 94.3 94.9	PA Method 9963 430075 LowLimit 78.5 75.7 74.3 72.9	8021B: Volat Units: mg/k HighLimit 119 123 126 130	5 % RPD 0.934 2.32 1.35 1.87	RPDLimit 20 20 20 20	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Brom	2006E40-001AMSI 95 BGT 5-pt @5' nofluorobenzene	D Samp Batc Analysis I Result 0.77 0.78 0.79 2.4 0.91	Type: MS h ID: BS Date: 6 / PQL 0.021 0.042 0.042 0.084	5D 699963 28/2020 SPK value 0.8354 0.8354 0.8354 2.506 0.8354	Tes F SPK Ref Val 0 0 0 0 0 0	tCode: EF RunNo: 6 9 SeqNo: 2 4 <u>%REC</u> 91.6 93.2 94.3 94.9 109	PA Method 9963 430075 LowLimit 78.5 75.7 74.3 72.9 80	8021B: Volat Units: mg/# HighLimit 119 123 126 130 120	5g <u>%RPD</u> 0.934 2.32 1.35 1.87 0	RPDLimit 20 20 20 20 20 0	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Brom	2006E40-001AMSI 95 BGT 5-pt @5' hofluorobenzene LCS-53341	D Samp Batc Analysis I Result 0.77 0.78 0.79 2.4 0.91 Samp	Type: MS h ID: BS Date: 6/. PQL 0.021 0.042 0.042 0.084 Type: LC	SD 69963 28/2020 SPK value 0.8354 0.8354 0.8354 2.506 0.8354 S	Tes F SPK Ref Val 0 0 0 0 0 Tes	tCode: EF RunNo: 69 SeqNo: 24 91.6 93.2 94.3 94.9 109 tCode: EF	PA Method 9963 430075 LowLimit 78.5 75.7 74.3 72.9 80 PA Method	8021B: Volat Units: mg/k HighLimit 119 123 126 130 120 8021B: Volat	tiles 5g 0.934 2.32 1.35 1.87 0 tiles	RPDLimit 20 20 20 20 0	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Brom Sample ID: Client ID:	2006E40-001AMSI 95 BGT 5-pt @5' offluorobenzene LCS-53341 LCSS	D Samp Batc Analysis I Result 0.77 0.78 0.79 2.4 0.91 Samp Batc	Type: MS h ID: BS Date: 6 / PQL 0.021 0.042 0.042 0.084 Type: LC h ID: 53	5D 699963 28/2020 SPK value 0.8354 0.8354 0.8354 2.506 0.8354 2.506 0.8354 5 341	Tes F SPK Ref Val 0 0 0 0 0 Tes F	tCode: EF RunNo: 69 SeqNo: 24 91.6 93.2 94.3 94.9 109 tCode: EF RunNo: 69	PA Method 9963 430075 LowLimit 78.5 75.7 74.3 72.9 80 PA Method 9963	8021B: Volat Units: mg/# HighLimit 119 123 126 130 120 8021B: Volat	tiles (g 0.934 2.32 1.35 1.87 0 tiles	RPDLimit 20 20 20 20 20 0	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Brom Sample ID: Client ID: Prep Date:	2006E40-001AMSI 95 BGT 5-pt @5' nofluorobenzene LCS-53341 LCSS 6/26/2020	D Samp Batc Analysis I Result 0.77 0.78 0.79 2.4 0.91 Samp Batc Analysis I	Type: MS h ID: BS Date: 6/, PQL 0.021 0.042 0.042 0.084 Type: LC h ID: 53: Date: 6/,	5D 699963 28/2020 SPK value 0.8354 0.8354 0.8354 2.506 0.8354 S 341 28/2020	Tes F SPK Ref Val 0 0 0 0 Tes F S	tCode: EF RunNo: 69 SeqNo: 24 91.6 93.2 94.3 94.9 109 tCode: EF RunNo: 69 SeqNo: 24	PA Method 9963 430075 LowLimit 78.5 75.7 74.3 72.9 80 PA Method 9963 430076	8021B: Volat Units: mg/k HighLimit 119 123 126 130 120 8021B: Volat Units: %Ref	tiles (g %RPD 0.934 2.32 1.35 1.87 0 tiles c	RPDLimit 20 20 20 20 0	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Brom Sample ID: Client ID: Prep Date: Analyte	2006E40-001AMSI 95 BGT 5-pt @5' offluorobenzene LCS-53341 LCSS 6/26/2020	D Samp Batc Analysis I Result 0.77 0.78 0.79 2.4 0.91 Samp Batc Analysis I Result	Type: MS h ID: BS Date: 6/. PQL 0.021 0.042 0.042 0.042 0.084 Type: LC h ID: 53: Date: 6/. PQL	5D 699963 28/2020 SPK value 0.8354 0.8354 0.8354 2.506 0.8354 2.506 0.8354 341 28/2020 SPK value	Tes F SPK Ref Val 0 0 0 0 Tes F SPK Ref Val	tCode: EF RunNo: 69 SeqNo: 24 91.6 93.2 94.3 94.9 109 tCode: EF RunNo: 69 SeqNo: 24 %REC	PA Method 9963 430075 LowLimit 78.5 75.7 74.3 72.9 80 PA Method 9963 430076 LowLimit	8021B: Volat Units: mg/# HighLimit 119 123 126 130 120 8021B: Volat Units: %Ret HighLimit	tilles (g 0.934 2.32 1.35 1.87 0 tilles %RPD	RPDLimit 20 20 20 20 0	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Brom Sample ID: Client ID: Prep Date: Analyte Surr: 4-Brom	2006E40-001AMSI 95 BGT 5-pt @5' offluorobenzene LCS-53341 LCSS 6/26/2020	D Samp Batc Analysis I Result 0.77 0.78 0.79 2.4 0.91 Samp Batc Analysis I Result 1.1	Type: MS h ID: BS Date: 6/. PQL 0.021 0.042	5D 699963 28/2020 SPK value 0.8354 0.8354 0.8354 2.506 0.8354 S 341 28/2020 SPK value 1.000	Tes F SPK Ref Val 0 0 0 0 Tes F SPK Ref Val	tCode: EF RunNo: 69 SeqNo: 24 91.6 93.2 94.3 94.9 109 tCode: EF RunNo: 69 SeqNo: 24 %REC 106	PA Method 9963 430075 LowLimit 78.5 75.7 74.3 72.9 80 PA Method 9963 430076 LowLimit 80	8021B: Volat Units: mg/k HighLimit 119 123 126 130 120 8021B: Volat Units: %Ret HighLimit 120	tiles (g %RPD 0.934 2.32 1.35 1.87 0 tiles c %RPD	RPDLimit 20 20 20 20 0 RPDLimit	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Brom Sample ID: Client ID: Prep Date: Analyte Surr: 4-Brom Sample ID:	2006E40-001AMSI 95 BGT 5-pt @5' ofluorobenzene LCS-53341 LCSS 6/26/2020 ofluorobenzene mb	D Samp Batc Analysis I Result 0.77 0.78 0.79 2.4 0.91 Samp Batc Analysis I Result 1.1	Type: MS h ID: BS Date: 6/, PQL 0.021 0.042	5D 699963 28/2020 SPK value 0.8354 0.8354 0.8354 2.506 0.8354 2.506 0.8354 5 341 28/2020 SPK value 1.000 BLK	Tes F SPK Ref Val 0 0 0 0 Tes SPK Ref Val Tes	tCode: EF RunNo: 69 SeqNo: 24 91.6 93.2 94.3 94.9 109 tCode: EF RunNo: 69 SeqNo: 24 %REC 106	PA Method 9963 430075 LowLimit 78.5 75.7 74.3 72.9 80 PA Method 9963 430076 LowLimit 80 PA Method	8021B: Volat Units: mg/k HighLimit 119 123 126 130 120 8021B: Volat Units: %Ret HighLimit 120 8021B: Volat	tiles (g 0.934 2.32 1.35 1.87 0 tiles c %RPD	RPDLimit 20 20 20 0 0	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Brom Sample ID: Client ID: Prep Date: Analyte Surr: 4-Brom Sample ID: Client ID:	2006E40-001AMSI 95 BGT 5-pt @5' offluorobenzene LCS-53341 LCSS 6/26/2020 offluorobenzene mb PBS	D Samp Batc Analysis I Result 0.77 0.78 0.79 2.4 0.91 Samp Batc Analysis I Result 1.1	Type: MS h ID: BS Date: 6/. PQL 0.021 0.042 0.00	5D 699963 28/2020 SPK value 0.8354 0.8354 0.8354 2.506 0.8354 S 341 28/2020 SPK value 1.000 BLK 699963	Tes F SPK Ref Val 0 0 0 0 Tes SPK Ref Val Tes F	tCode: EF RunNo: 69 SeqNo: 24 91.6 93.2 94.3 94.9 109 tCode: EF RunNo: 69 SeqNo: 24 %REC 106 tCode: EF RunNo: 69	PA Method 9963 430075 LowLimit 78.5 75.7 74.3 72.9 80 PA Method 9963 430076 LowLimit 80 PA Method 9963	8021B: Volat Units: mg/k HighLimit 119 123 126 130 120 8021B: Volat Units: %Ret HighLimit 120 8021B: Volat	tiles (g 0.934 2.32 1.35 1.87 0 tiles (c %RPD tiles	RPDLimit 20 20 20 20 0	Qual
Sample ID: Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Brom Sample ID: Client ID: Prep Date: Analyte Surr: 4-Brom Sample ID: Client ID: Prep Date: Prep Date:	2006E40-001AMSI 95 BGT 5-pt @5' ofluorobenzene LCS-53341 LCSS 6/26/2020 ofluorobenzene mb PBS	D Samp Batc Analysis I Result 0.77 0.78 0.79 2.4 0.91 Samp Batc Analysis I Result 1.1 Samp Batc	Type: MS h ID: BS Date: 6/. PQL 0.021 0.042 0.0400 0.0400 0.0400000000	5D 699963 28/2020 SPK value 0.8354 0.8354 0.8354 2.506 0.8354 2.506 0.8354 3.54 2.506 0.8354 2.500 2.506 0.8354 2.500 2.506 0.8354 2.500 2.506 0.8354 2.500 2.506 0.8354 2.500 2.506 0.8354 2.500 2.506 0.000 2.507 2.5	Tes F SPK Ref Val 0 0 0 0 Tes SPK Ref Val Tes F SPK Ref Val	tCode: EF RunNo: 69 SeqNo: 24 91.6 93.2 94.3 94.9 109 tCode: EF RunNo: 69 SeqNo: 24 KREC 106	PA Method 9963 430075 LowLimit 78.5 75.7 74.3 72.9 80 PA Method 9963 430076 LowLimit 80 PA Method 9963 430077	8021B: Volat Units: mg/k HighLimit 119 123 126 130 120 8021B: Volat Units: %Ret HighLimit 120 8021B: Volat 0015: mg/k	tiles (g 0.934 2.32 1.35 1.87 0 tiles (c %RPD tiles (g	RPDLimit 20 20 20 20 0	Qual

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 6 of 7

.

Page 21 of 25

WO#: 2006E40

29-Jun-20

Client: Project:	Blagg Engineering Barnes GC F 001									
Sample ID: mb	BLK	Tes	tCode: E	PA Method	8021B: Volati	les				
Client ID: PBS	Batch I	D: BS	D: BS69963 RunNo:							
Prep Date:	Analysis Dat	te: 6/ 2	27/2020	S	SeqNo: 2	2430077	Units: mg/Kg	1		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorok	benzene 1.1		1.000		111	80	120			
Sample ID: mb-53	3341 SampTy	be: ME	BLK	Tes	tCode: E	PA Method	8021B: Volati	les		
Client ID: PBS	Batch I	D: 533	341	F	RunNo: (69963				
Prep Date: 6/26	Analysis Dat	te: 6/2	28/2020	5	SeqNo:	2430078	Units: %Rec			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorok	benzene 1.1		1.000		105	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 7

.

2006E40

29-Jun-20

WO#:

ANALYSIS LABORATORY			Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: clients.hallenvironmental.com					Sample Log-In Check List			
Client Name: Blagg	Engineering	Work	Order Num	ber: 200	6E40			RcptNo: 1			
Received By: Desire	ee Dominguez	6/27/20	020 10:20:00	MA C		T	N				
Completed By: Desire Reviewed By: DF	ee Dominguez 21/1020	6/27/20	20 10:24:5	5 AM		T	M				
<u>Chain of Custody</u>											
1. Is Chain of Custody c	omplete?			Yes		N	o 🗌	Not Present			
2. How was the sample	delivered?			Clie	nt						
Log In											
 was an attempt made 	to cool the sampl	es?		Yes		No		NA 🛄			
4. Were all samples rece	ived at a temperat	ure of >0° C	to 6.0°C	Yes		No		NA 🗔			
5. Sample(s) in proper co	ontainer(s)?			Yes		No					
6. Sufficient sample volu	me for indicated te	st(s)?		Yes	~	No					
7. Are samples (except VOA and ONG) properly preserved?				Yes		No					
8. Was preservative adde	ed to bottles?			Yes		No		NA 🗌			
9. Received at least 1 via	I with headspace	<1/4" for AQ \	/OA?	Yes		No		NA 🗹			
10. Were any sample con	tainers received br	oken?		Yes		No					
11.Does paperwork matcl (Note discrepancies or	n bottle labels?			Yes		No		# of preserved bottles checked for pH: (\$2 or >12 unless noted)			
2. Are matrices correctly	identified on Chair	of Custody?		Yes	V	No		Adjusted?			
3. Is it clear what analyse	s were requested?	?		Yes		No					
4. Were all holding times (If no, notify customer	able to be met? for authorization.)			Yes		No		Checked by: DAD 6/27/20			
pecial Handling (if	applicable)										
15. Was client notified of	all discrepancies w	vith this order?	?	Yes		No		NA 🗹			
Person Notified: By Whom:	1		Date Via:	: [eM	ail 🗌	Phone	Fax	☐ In Person			
Regarding: Client Instruction	ns:						_				
16. Additional remarks:											
17. <u>Cooler Information</u>			(Braze)		Selecter 1			T.			
1 0.4	Good	Seal Intact Not Present	Seal No	Seal D	ate	Signed	Ву				

Page 1 of 1

Received by OCD: 7/30/2020 4:40:31 PM



District I 1625 N. French Dr., Hobbs, NM 88240

District II

District IV

Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

District III 1000 Rio Brazos Rd., Aztec, NM 87410 CONDITIONS

Action 9459

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS OF APPROVAL

Operator: BP AMERICA PRODUCTION COMPANY	1199 Main Avenue	(OGRID: 778	Action Number: 9459	Action Type: C-144
Suite 101 Durango, CO81301					
OCD Reviewer		Conditio	n		
csmith	١	None			