

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NWNW / 32.1812091 / -103.361465	County or Parish/State: LEA / NM
Well Number: 111H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138893	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547073	Well Status: Approved Application for Permit to Drill	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 01/20/2021

Time Sundry Submitted: 02:07

Date Operation Actually Began: 01/05/2021

Actual Procedure: Well spud on 1/5/2021 at 21:00 1/5/2021: Drill 17.5 inch surface hole to 1016 ft. 1/6/2021: Run 13.375 inch 54.5 lb J55 surface casing to 1006 ft. Pump 40 bbls gel with CTB-15, followed by 655 sks of 13.5 ppg lead cmt, 445 sks of 14.8 ppg tail cmt. Drop plug and displace with 149 bbls of freshwater. 200 bbls of cement returned back to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 1/13/2021: Drill 12.25 inch first intermediate hole to 5280 ft. 1/14/2021: Run 9.625 inch 40 lb J55 first intermediate casing to 5267 ft. Pump 20 bbls chem water, 20 bbls visc water, followed by 1189 sks of 13.5 ppg lead cmt, 420 sks of 14.8 ppg tail cmt. Drop plug and displace with 395 bbls of freshwater. 145 bbls of cement back. Pressure test casing to 1500 PSI for 30 minutes, good test. Surface Casing Details: Casing ran: 1/5/2021, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 1006 ft, Cement 1100 sacks, Yield 1.34, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. First Intermediate Casing Details: Casing ran: 1/14/2021, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 5267 ft, Cement 1609 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0.

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NWNW / 32.1812091 / -103.361465	County or Parish/State: LEA / NM
Well Number: 111H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138893	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547073	Well Status: Approved Application for Permit to Drill	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: RAMSEY	Signed on: JAN 20, 2021 02:07 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 602 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 460-3316	
Email address: NOT ENTERED	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/28/2021
Signature: Jonathon Shepard	

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 16147

CONDITIONS OF APPROVAL

Operator:	OGRID:	Action Number:	Action Type:
TAP ROCK OPERATING, LLC Suite 200 Golden, CO80401	372043	16147	C-103N
523 Park Point Drive			

OCD Reviewer	Condition
plmartinez	None