For State Use Only:

APPROVED BY:

Kurt Simmons

Form C-103 State of New Mexico 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **Energy, Minerals and Natural Resources** Permit 293375 District II WELL APLNIIMBER 811 S. First St., Artesia, NM 88210 Oil Conservation Division 30-015-46300 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III** 5. Indicate Type of Lease 1220 S. St Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 6 State Oil & Gas Lease No. District IV **Santa Fe, NM 87505** 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS LADY FRANKLIN 25 STATE (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: 8. Well Number 132H 2. Name of Operator 9. OGRID Number COLGATE OPERATING, LLC 371449 3. Address of Operator 10. Pool name or Wildcat 300 North Marienfeld Street, Suite 1000, Midland, TX 79701 line and feet 265 from the W 28E NMPM Township 19S Range County Eddy 11. Elevation (Show whether DR, KB, BT, GR, etc.) 3358 GR Pit or Below-grade Tank Application or Closure __ Depth to Groundwater___ ___ Distance from nearest fresh water well _ Distance from nearest surface water Pit Type mil Below-Grade Tank: Volume_ Pit Liner Thickness: bbls: Construction Material 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON ALTER CASING REMEDIAL WORK TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON CASING/CEMENT JOB PULL OR ALTER CASING MULTIPLE COMPL X Other: Other: Drilling/Cement 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. TD 2/18/2021 RR 2/21/2021 See Attached 2/8/2021 Spudded well. **Casing and Cement Program** Date String Csg Weight Dpth Yield Open Drop Size Size lb/ft TOC Dpth Held Hole 02/08/21 Surf FreshWater 17.5 13.375 54.5 J-55 130 341 402 1.36 1500 0 Υ С 02/08/21 Surf FreshWater 17.5 13.375 54.5 J-55 60 341 144 1.36 С 100 1500 0 Υ 02/08/21 FreshWater 13.375 341 С Υ Surf 17.5 54.5 J-55 33 169 1.36 30 1500 0 02/10/21 Int1 Brine 12.25 9.625 36 J-55 32 3061 400 2.97 С 1500 0 Υ 12.25 9.625 2456 3061 02/10/21 Int1 Brine 36 J-55 212 1.33 С 1500 0 Υ 02/19/21 Prod CutBrine 8.75 5.5 20 HCP110 0 13719 702 2.71 Н Υ 02/19/21 Prod CutBrine 8.75 5.5 20 HCP110 7997 13719 1.94 Υ 899 Н I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \square , a general permit \square or an (attached) alternative OCD-approved plan \square SIGNATURE Electronically Signed TITLE DATE 3/12/2021 Type or print name Mikah Thomas E-mail address mthomas@colgateenergy.com Telephone No. 432-695-4272

Petroleum Specialist - A

DATE

3/15/2021 11:07:24 AM

TITLE

Lady Franklin 25 State 132H 30-015-46300

(2/8/2021) Spud 01:45. TD 17-1/2" hole @ 355'. RIH w/ 8 joints 13-3/8" 54.5# J-55 BTC csg, set @ 341'. Tail w/ 402 sx Premium Plus + 2% CaCl2 + 2# Kol-Seal, yld 1.36 cu ft/sk. Disp. w/ 39.3 bbls. No cement to surface. Ran temp log & identified TOC @ 130'. Ran 1" pipe on backside and pumped 144 sx Premium Plus + 2% CaCl2 + 2# Kol-Seal, yld 1.36 cu ft/sk. No cement to surface. Ran temp log & identified TOC @ 30'. Ran 1" pipe on backside and pumped 169 sx Premium Plus + 2% CaCl2 + 2# Kol-Seal, yld 1.36 cu ft/sk.Circ 127 sx cement to surface. PT BOPE 250/5,000 psi, held each test for 5 mins, Good. 2/9/2021 PT 13-3/8" csg to 1,500 psi for 30 mins, Good.

(2/10/2021) TD 12-1/4" hole @ 3,069'. RIH w/ 73 joints 9-5/8" 36# J-55 BTC csg, set @ 3,061'. Lead w/ 490 sx Mid-Con Lite + 3% Salt + 10% Gel + 2# Kol-Seal + 0.7% CFL-19 + 4% STE-1 + 1% XPC-1 + 0.2% CR-1, yld 2.97 cu ft/sk. Tail w/ 212 sx Premium Plus + 0.2% CR-1, yld 1.33 cu ft/sk. Disp. w/ 228.7 bbls. Circ 175 sx cement to surface. 2/11/2021 PT 9-5/8" csg to 1,500 psi for 30 mins, Good.

(2/18/2021) TD 8-3/4" hole @ 13,739'. RIH w/ 333 joints 5-1/2" 20# HC P-110 GB CD csg, set @ 13,719' MD. Lead w/ 702 sx Premium Plus 50/50 Poz + 5% Salt + 10% Gel + 0.2% CAS-1 + 0.2% CFL-2 + 0.3% CR-1 + 0.2% CDF-2, yld 2.71 cu ft/sk. Tail w/ 899 sx Premium Plus 50/50 Poz + 3% Salt + 2% Gel + 0.3% CAS-2 + 0.3% CFL-19 + 0.1% CR-1 + 6% STE-1 + 0.2% CDF-2, yld 1.94 cu ft/sk. Disp. w/ 279.7 bbls. Circulated 62 sk cement to surface. PT for 5-1/2 csg. will be completed during completions.

2/20/2021 PBTD 13,634' MD/8,805' TVD 2/20/2021 RR @ 18:00.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Comments

Permit 293375

DRILLING COMMENTS

Operator:	OGRID:
COLGATE OPERATING, LLC	371449
300 North Marienfeld Street	Permit Number:
Midland, TX 79701	293375
	Permit Type:
	Drilling

Comments

Created By	Comment	Comment Date
abustamante	Please revise C-103 and re-submit., Casing/hole sizes, depths for surface is duplicated more than once. Add total sacks to round out to one line. Same for Production. Missing test details for surface casing. TD reached? When? Rig Released? When? Please review the form before re-submitting.	3/10/2021
abustamante	Missing TD reached and date. Missing Rig Release date. Test details for surface/intermediate casing are missing in section #13. Please revise and resubmit.	3/10/2021