

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

|                                                                                                                                                    |                                                       |                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|----------------------------------------------------------------------|
| 1. Type of Well<br><input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other                   |                                                       | 5. Lease Serial No.<br>NMNM138848                                    |
| 2. Name of Operator<br>CIMAREX ENERGY COMPANY                                                                                                      |                                                       | 6. If Indian, Allottee or Tribe Name                                 |
| Contact: AMITHY E CRAWFORD<br>E-Mail: acrawford@cimarex.com                                                                                        |                                                       | 7. If Unit or CA/Agreement, Name and/or No.                          |
| 3a. Address<br>600 N MARIENFELD STREET STE 600<br>MIDLAND, TX 79701                                                                                | 3b. Phone No. (include area code)<br>Ph: 432-620-1909 | 8. Well Name and No.<br>TAR HEEL 19-18-7 FEDERAL COM 2H              |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)<br>Sec 19 T26S R30E SWSW 540FSL 389FWL<br>32.022026 N Lat, 103.927956 W Lon |                                                       | 9. API Well No.<br>30-015-46561-00-X1                                |
|                                                                                                                                                    |                                                       | 10. Field and Pool or Exploratory Area<br>PURPLE SAGE-WOLFCAMP (GAS) |
|                                                                                                                                                    |                                                       | 11. County or Parish, State<br>EDDY COUNTY, NM                       |

**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

| TYPE OF SUBMISSION                                   | TYPE OF ACTION                                |                                               |                                                    |                                           |
|------------------------------------------------------|-----------------------------------------------|-----------------------------------------------|----------------------------------------------------|-------------------------------------------|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen               | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off   |
| <input type="checkbox"/> Subsequent Report           | <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Hydraulic Fracturing | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity   |
| <input type="checkbox"/> Final Abandonment Notice    | <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction     | <input type="checkbox"/> Recomplete                | <input checked="" type="checkbox"/> Other |
|                                                      | <input type="checkbox"/> Change Plans         | <input type="checkbox"/> Plug and Abandon     | <input type="checkbox"/> Temporarily Abandon       | Change to Original A                      |
|                                                      | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back            | <input type="checkbox"/> Water Disposal            | PD                                        |

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Cimarex Respectfully requests the following changes:

Change the well name to: Tar Heel 19-18-7 Federal Com 2H

Change the BHL to: 2562' FSL & 330' FWL Section 7 26S 30E

Changes to casing and cement program as attached in Drilling plan.

Please see attached: C102, Directional plan, Drilling Plan, Casing Specs, BOPS & choke Diagrams & Multibowl wellhead.

|                                                                                                                                                                                                                  |                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| 14. I hereby certify that the foregoing is true and correct.                                                                                                                                                     |                          |
| Electronic Submission #538406 verified by the BLM Well Information System<br>For CIMAREX ENERGY COMPANY, sent to the Carlsbad<br>Committed to AFMSS for processing by PRISCILLA PEREZ on 11/29/2020 (21PP0712SE) |                          |
| Name (Printed/Typed) AMITHY E CRAWFORD                                                                                                                                                                           | Title REGULATORY ANALYST |
| Signature (Electronic Submission)                                                                                                                                                                                | Date 11/23/2020          |

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

|                                                                                                                                                                                                                                                           |                          |                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-----------------|
| Approved By ZOTA STEVENS                                                                                                                                                                                                                                  | Title PETROLEUM ENGINEER | Date 12/22/2020 |
| Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. |                          | Office Carlsbad |

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Revisions to Operator-Submitted EC Data for Sundry Notice #538406

|                | Operator Submitted                                                                               | BLM Revised (AFMSS)                                                                                                    |
|----------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Sundry Type:   | APDCH<br>NOI                                                                                     | APDCH<br>NOI                                                                                                           |
| Lease:         | NMNM138848                                                                                       | NMNM138848                                                                                                             |
| Agreement:     |                                                                                                  |                                                                                                                        |
| Operator:      | CIMAREX ENERGY CO.<br>600 N. MARIENFELD SUITE 600<br>MIDLAND, TX 79701<br>Ph: 432-620-1909       | CIMAREX ENERGY COMPANY<br>600 N MARIENFELD STREET STE 600<br>MIDLAND, TX 79701<br>Ph: 432.620.1936<br>Fx: 918.749.8059 |
| Admin Contact: | AMITHY E CRAWFORD<br>REGULATORY ANALYST<br>E-Mail: acrawford@cimarex.com<br><br>Ph: 432-620-1909 | AMITHY E CRAWFORD<br>REGULATORY ANALYST<br>E-Mail: acrawford@cimarex.com<br><br>Ph: 432-620-1909                       |
| Tech Contact:  | AMITHY E CRAWFORD<br>REGULATORY ANALYST<br>E-Mail: acrawford@cimarex.com<br><br>Ph: 432-620-1909 | AMITHY E CRAWFORD<br>REGULATORY ANALYST<br>E-Mail: acrawford@cimarex.com<br><br>Ph: 432-620-1909                       |
| Location:      |                                                                                                  |                                                                                                                        |
| State:         | NM                                                                                               | NM                                                                                                                     |
| County:        | EDDY                                                                                             | EDDY                                                                                                                   |
| Field/Pool:    | PURPLE SAGE WOLFCAMP                                                                             | PURPLE SAGE-WOLFCAMP (GAS)                                                                                             |
| Well/Facility: | TAR HEEL 19-18-7 FEDERAL COM 2H<br>Sec 19 T26S R30E 540FSL 389FWL                                | TAR HEEL 19-18-7 FEDERAL COM 2H<br>Sec 19 T26S R30E SWSW 540FSL 389FWL<br>32.022026 N Lat, 103.927956 W Lon            |

## PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

|                         |                                  |
|-------------------------|----------------------------------|
| <b>OPERATOR'S NAME:</b> | <b>Cimarex Energy</b>            |
| <b>LEASE NO.:</b>       | <b>NMNM138848</b>                |
| <b>LOCATION:</b>        | Section 19,T.26 S.,R.30 E., NMPM |
| <b>COUNTY:</b>          | Eddy County, New Mexico          |

|                              |                             |
|------------------------------|-----------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Tar Heel 19-18-7 Fed Com 2H |
| <b>SURFACE HOLE FOOTAGE:</b> | 540'/S & 389'/W             |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2562'/S & 330'/W            |

COA

|                      |                                         |                                            |                                       |
|----------------------|-----------------------------------------|--------------------------------------------|---------------------------------------|
| H2S                  | <input type="radio"/> Yes               | <input checked="" type="radio"/> No        |                                       |
| Potash               | <input checked="" type="radio"/> None   | <input type="radio"/> Secretary            | <input type="radio"/> R-111-P         |
| Cave/Karst Potential | <input type="radio"/> Low               | <input type="radio"/> Medium               | <input checked="" type="radio"/> High |
| Cave/Karst Potential | <input type="radio"/> Critical          |                                            |                                       |
| Variance             | <input type="radio"/> None              | <input checked="" type="radio"/> Flex Hose | <input type="radio"/> Other           |
| Wellhead             | <input type="radio"/> Conventional      | <input checked="" type="radio"/> Multibowl | <input type="radio"/> Both            |
| Other                | <input type="checkbox"/> 4 String Area  | <input type="checkbox"/> Capitan Reef      | <input type="checkbox"/> WIPP         |
| Other                | <input type="checkbox"/> Fluid Filled   | <input type="checkbox"/> Cement Squeeze    | <input type="checkbox"/> Pilot Hole   |
| Special Requirements | <input type="checkbox"/> Water Disposal | <input checked="" type="checkbox"/> COM    | <input type="checkbox"/> Unit         |

### A. HYDROGEN SULFIDE

Hydrogen Sulfide (H2S) monitors shall be installed prior to drilling out the surface shoe. If H2S is detected in concentrations greater than 100 ppm, the Hydrogen Sulfide area shall meet Onshore Order 6 requirements, which includes equipment and personnel/public protection items. If Hydrogen Sulfide is encountered, provide measured values and formations to the BLM.

### B. CASING

1. The **13-3/8** inch surface casing shall be set at approximately **500\_** feet (a minimum of **70 feet (Eddy County)** into the Rustler Anhydrite and above the salt) and cemented to the surface.
  - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
  - b. Wait on cement (WOC) time for a primary cement job will be a minimum of **8**

**hours** or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)

- c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
- d. If cement falls back, remedial cementing will be done prior to drilling out that string.

2. The minimum required fill of cement behind the **9-5/8** inch intermediate casing is:

- Cement to surface. If cement does not circulate see B.1.a, c-d above.

**Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst or potash.**

**Operator is approved for offline cementing for the 7 inch casing.**

3. The minimum required fill of cement behind the **7** inch production casing is:

- Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

4. The minimum required fill of cement behind the **4-1/2** inch production liner is:

- Cement should tie-back **100 feet** into the previous casing. Operator shall provide method of verification.

### **C. PRESSURE CONTROL**

1. **Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).**

2. Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **5000 (5M)** psi.

- a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
- b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
- c. Manufacturer representative shall install the test plug for the initial BOP test.
- d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
- e. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.

**D. SPECIAL REQUIREMENT (S)****Communitization Agreement**

- The operator will submit a Communitization Agreement to the Santa Fe Office, 301 Dinosaur Trail Santa Fe, New Mexico 87508, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.
- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition, the well sign shall include the surface and bottom hole lease numbers. When the Communitization Agreement number is known, it shall also be on the sign.

**GENERAL REQUIREMENTS**

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)

☒ Eddy County

Call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220,  
(575) 361-2822

☒ Lea County

Call the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (575)  
393-3612

1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
  - a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).
  - b. When the operator proposes to set surface casing with Spudder Rig
    - Notify the BLM when moving in and removing the Spudder Rig.

- Notify the BLM when moving in the 2<sup>nd</sup> Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
  - BOP/BOPE test to be conducted per Onshore Oil and Gas Order No. 2 as soon as 2nd Rig is rigged up on well.
2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.
  3. The record of the drilling rate along with the GR/N well log run from TD to surface (horizontal well – vertical portion of hole) shall be submitted to the BLM office as well as all other logs run on the borehole 30 days from completion. If available, a digital copy of the logs is to be submitted in addition to the paper copies. The Rustler top and top and bottom of Salt are to be recorded on the Completion Report.

#### A. CASING

1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
2. Wait on cement (WOC) for Potash Areas: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends, 2) until cement has been in place at least 24 hours. WOC time will be recorded in the driller's log. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
3. Wait on cement (WOC) for Water Basin: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least 8 hours. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.

5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.
7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.
8. Whenever a casing string is cemented in the R-111-P potash area, the NMOCD requirements shall be followed.

B. PRESSURE CONTROL

1. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in Onshore Oil and Gas Order No. 2 and API RP 53 Sec. 17.
2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: The flex line must meet the requirements of API 16C. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.
3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.
4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:
  - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
  - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.

- c. Manufacturer representative shall install the test plug for the initial BOP test.
  - d. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.
  - e. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
- 5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
  - a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead when specified), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).
  - b. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the plug. However, **no tests** shall commence until the cement has had a minimum of 24 hours setup time, except the casing pressure test can be initiated immediately after bumping the plug (only applies to single stage cement jobs).
  - c. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to Onshore Order 2 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for water basin (8 hours) or potash (24 hours) or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).
  - d. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
  - e. The results of the test shall be reported to the appropriate BLM office.



- f. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- g. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- h. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per Onshore Order No. 2.

#### C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

#### D. WASTE MATERIAL AND FLUIDS


All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

**ZS 122220**

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

☒ AMENDED REPORT





## Cimarex Tar Heel 19-18 Federal Com #2H Rev1 RM 17Nov20 Proposal

### Geodetic Report

(Def Plan)



|                                      |                                                        |                                             |                              |
|--------------------------------------|--------------------------------------------------------|---------------------------------------------|------------------------------|
| <b>Report Date:</b>                  | November 17, 2020 - 01:56 PM                           | <b>Survey / DLS Computation:</b>            | Minimum Curvature / Lubinski |
| <b>Client:</b>                       | Cimarex Energy                                         | <b>Vertical Section Azimuth:</b>            | 359.762 ° (Grid North)       |
| <b>Field:</b>                        | NM Eddy County (NAD 83)                                | <b>Vertical Section Origin:</b>             | 0.000 ft, 0.000 ft           |
| <b>Structure / Slot:</b>             | Cimarex Tar Heel 19-18 Federal Com #2H / New Slot      | <b>TVD Reference Datum:</b>                 | RKB                          |
| <b>Well:</b>                         | Tar Heel 19-18 Federal Com #2H                         | <b>TVD Reference Elevation:</b>             | 3043.500 ft above MSL        |
| <b>Borehole:</b>                     | Tar Heel 19-18 Federal Com #2H                         | <b>Seabed / Ground Elevation:</b>           | 3017.500 ft above MSL        |
| <b>UWI / API#:</b>                   | Unknown / Unknown                                      | <b>Magnetic Declination:</b>                | 6.587 °                      |
| <b>Survey Name:</b>                  | Cimarex Tar Heel 19-18 Federal Com #2H Rev1 RM 17Nov20 | <b>Total Gravity Field Strength:</b>        | 998.4407mgn (9.80665 Based)  |
| <b>Survey Date:</b>                  | January 24, 2019                                       | <b>Gravity Model:</b>                       | GARM                         |
| <b>Tort / AHD / DDI / ERD Ratio:</b> | 102.000 ° / 12905.744 ft / 6.462 / 1.233               | <b>Total Magnetic Field Strength:</b>       | 47623.460 nT                 |
| <b>Coordinate Reference System:</b>  | NAD83 New Mexico State Plane, Eastern Zone, US Feet    | <b>Magnetic Dip Angle:</b>                  | 59.598 °                     |
| <b>Location Lat / Long:</b>          | N 32° 1' 19.29746", W 103° 55' 40.65167"               | <b>Declination Date:</b>                    | November 17, 2020            |
| <b>Location Grid N/E Y/X:</b>        | N 371987.950 ftUS, E 666969.180 ftUS                   | <b>Magnetic Declination Model:</b>          | HDGM 2020                    |
| <b>CRS Grid Convergence Angle:</b>   | 0.2150 °                                               | <b>North Reference:</b>                     | Grid North                   |
| <b>Grid Scale Factor:</b>            | 0.99992717                                             | <b>Grid Convergence Used:</b>               | 0.2150 °                     |
| <b>Version / Patch:</b>              | 2.10.821.3                                             | <b>Total Corr Mag North-&gt;Grid North:</b> | 6.3721 °                     |
|                                      |                                                        | <b>Local Coord Referenced To:</b>           | Well Head                    |

| Comments                    | MD<br>(ft) | Incl<br>(°) | Azim Grid<br>(°) | TVD<br>(ft) | VSEC<br>(ft) | NS<br>(ft) | EW<br>(ft) | DLS<br>(°/100ft) | Northing<br>(ftUS) | Easting<br>(ftUS) | Latitude<br>(N/S ° ' ") | Longitude<br>(E/W ° ' ") |
|-----------------------------|------------|-------------|------------------|-------------|--------------|------------|------------|------------------|--------------------|-------------------|-------------------------|--------------------------|
| SHL [540' FSL,<br>389' FWL] | 0.00       | 0.00        | 1.91             | 0.00        | 0.00         | 0.00       | 0.00       | N/A              | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
| Rustler                     | 100.00     | 0.00        | 205.88           | 100.00      | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 200.00     | 0.00        | 205.88           | 200.00      | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 300.00     | 0.00        | 205.88           | 300.00      | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 400.00     | 0.00        | 205.88           | 400.00      | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 500.00     | 0.00        | 205.88           | 500.00      | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 600.00     | 0.00        | 205.88           | 600.00      | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 700.00     | 0.00        | 205.88           | 700.00      | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 800.00     | 0.00        | 205.88           | 800.00      | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 900.00     | 0.00        | 205.88           | 900.00      | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 1000.00    | 0.00        | 205.88           | 1000.00     | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 1050.00    | 0.00        | 205.88           | 1050.00     | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 1100.00    | 0.00        | 205.88           | 1100.00     | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 1200.00    | 0.00        | 205.88           | 1200.00     | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 1300.00    | 0.00        | 205.88           | 1300.00     | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 1400.00    | 0.00        | 205.88           | 1400.00     | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 1500.00    | 0.00        | 205.88           | 1500.00     | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
|                             | 1600.00    | 0.00        | 205.88           | 1600.00     | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
| 1700.00                     | 0.00       | 205.88      | 1700.00          | 0.00        | 0.00         | 0.00       | 0.00       | 371987.95        | 666969.18          | N 32 1 19.30      | W 103 55 40.65          |                          |
| 1800.00                     | 0.00       | 205.88      | 1800.00          | 0.00        | 0.00         | 0.00       | 0.00       | 371987.95        | 666969.18          | N 32 1 19.30      | W 103 55 40.65          |                          |
| 1900.00                     | 0.00       | 205.88      | 1900.00          | 0.00        | 0.00         | 0.00       | 0.00       | 371987.95        | 666969.18          | N 32 1 19.30      | W 103 55 40.65          |                          |
| Salado (Top<br>Salt)        | 1918.00    | 0.00        | 205.88           | 1918.00     | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
| Nudge 2°/100'<br>DLS        | 2000.00    | 0.00        | 205.88           | 2000.00     | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
| Hold Nudge                  | 2100.00    | 2.00        | 205.88           | 2099.98     | -1.57        | -1.57      | -0.76      | 2.00             | 371986.38          | 666968.42         | N 32 1 19.28            | W 103 55 40.66           |
|                             | 2200.00    | 4.00        | 205.88           | 2199.84     | -6.27        | -6.28      | -3.05      | 2.00             | 371981.67          | 666966.13         | N 32 1 19.24            | W 103 55 40.69           |
|                             | 2300.00    | 6.00        | 205.88           | 2299.45     | -14.09       | -14.12     | -6.85      | 2.00             | 371973.83          | 666962.33         | N 32 1 19.16            | W 103 55 40.73           |
|                             | 2400.00    | 6.00        | 205.88           | 2398.90     | -23.48       | -23.52     | -11.41     | 0.00             | 371964.43          | 666957.77         | N 32 1 19.07            | W 103 55 40.79           |
| Castille (Base<br>Salt)     | 2454.39    | 6.00        | 205.88           | 2453.00     | -28.58       | -28.64     | -13.89     | 0.00             | 371959.31          | 666955.29         | N 32 1 19.01            | W 103 55 40.81           |
|                             | 2500.00    | 6.00        | 205.88           | 2498.36     | -32.86       | -32.93     | -15.97     | 0.00             | 371955.02          | 666953.21         | N 32 1 18.97            | W 103 55 40.84           |
|                             | 2600.00    | 6.00        | 205.88           | 2597.81     | -42.25       | -42.33     | -20.54     | 0.00             | 371945.62          | 666948.65         | N 32 1 18.88            | W 103 55 40.89           |
|                             | 2700.00    | 6.00        | 205.88           | 2697.26     | -51.63       | -51.74     | -25.10     | 0.00             | 371936.21          | 666944.08         | N 32 1 18.79            | W 103 55 40.95           |
|                             | 2800.00    | 6.00        | 205.88           | 2796.71     | -61.02       | -61.14     | -29.66     | 0.00             | 371926.81          | 666939.52         | N 32 1 18.69            | W 103 55 41.00           |
|                             | 2900.00    | 6.00        | 205.88           | 2896.17     | -70.41       | -70.55     | -34.22     | 0.00             | 371917.41          | 666934.96         | N 32 1 18.60            | W 103 55 41.05           |
|                             | 3000.00    | 6.00        | 205.88           | 2995.62     | -79.79       | -79.95     | -38.78     | 0.00             | 371908.00          | 666930.40         | N 32 1 18.51            | W 103 55 41.11           |
|                             | 3100.00    | 6.00        | 205.88           | 3095.07     | -89.18       | -89.36     | -43.35     | 0.00             | 371898.60          | 666925.84         | N 32 1 18.41            | W 103 55 41.16           |
|                             | 3200.00    | 6.00        | 205.88           | 3194.52     | -98.56       | -98.76     | -47.91     | 0.00             | 371889.19          | 666921.28         | N 32 1 18.32            | W 103 55 41.21           |
|                             | 3273.88    | 6.00        | 205.88           | 3268.00     | -105.50      | -105.71    | -51.28     | 0.00             | 371882.25          | 666917.91         | N 32 1 18.25            | W 103 55 41.25           |
|                             | 3281.84    | 6.00        | 205.88           | 3275.92     | -106.24      | -106.46    | -51.64     | 0.00             | 371881.50          | 666917.54         | N 32 1 18.25            | W 103 55 41.26           |
|                             | 3300.00    | 5.64        | 205.88           | 3293.98     | -107.90      | -108.12    | -52.44     | 2.00             | 371879.84          | 666916.74         | N 32 1 18.23            | W 103 55 41.27           |
| Hold Vertical               | 3400.00    | 3.64        | 205.88           | 3393.65     | -115.16      | -115.39    | -55.97     | 2.00             | 371872.57          | 666913.21         | N 32 1 18.16            | W 103 55 41.31           |
|                             | 3500.00    | 1.64        | 205.88           | 3493.54     | -119.29      | -119.53    | -57.98     | 2.00             | 371868.43          | 666911.20         | N 32 1 18.12            | W 103 55 41.33           |
|                             | 3581.84    | 0.00        | 205.88           | 3575.37     | -120.34      | -120.58    | -58.49     | 2.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 3600.00    | 0.00        | 205.88           | 3593.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 3700.00    | 0.00        | 205.88           | 3693.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 3800.00    | 0.00        | 205.88           | 3793.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 3900.00    | 0.00        | 205.88           | 3893.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| Cherry Canyon               | 4000.00    | 0.00        | 205.88           | 3993.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 4100.00    | 0.00        | 205.88           | 4093.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 4191.47    | 0.00        | 205.88           | 4185.00     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 4200.00    | 0.00        | 205.88           | 4193.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 4300.00    | 0.00        | 205.88           | 4293.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 4400.00    | 0.00        | 205.88           | 4393.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 4500.00    | 0.00        | 205.88           | 4493.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 4600.00    | 0.00        | 205.88           | 4593.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 4700.00    | 0.00        | 205.88           | 4693.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 4800.00    | 0.00        | 205.88           | 4793.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 4900.00    | 0.00        | 205.88           | 4893.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| Brushy Canyon               | 5000.00    | 0.00        | 205.88           | 4993.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 5100.00    | 0.00        | 205.88           | 5093.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 5200.00    | 0.00        | 205.88           | 5193.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 5300.00    | 0.00        | 205.88           | 5293.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 5400.00    | 0.00        | 205.88           | 5393.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 5480.47    | 0.00        | 205.88           | 5474.00     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 5500.00    | 0.00        | 205.88           | 5493.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 5600.00    | 0.00        | 205.88           | 5593.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 5700.00    | 0.00        | 205.88           | 5693.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 5800.00    | 0.00        | 205.88           | 5793.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 5900.00    | 0.00        | 205.88           | 5893.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 6000.00    | 0.00        | 205.88           | 5993.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 6100.00    | 0.00        | 205.88           | 6093.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                             | 6200.00    | 0.00        | 205.88           | 6193.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| 6300.00                     | 0.00       | 205.88      | 6293.53          | -120.34     | -120.58      | -58.49     | 0.00       | 371867.38        | 666910.69          | N 32 1 18.11      | W 103 55 41.34          |                          |

| Comments                 | MD<br>(ft) | Incl<br>(°) | Azim Grid<br>(°) | TVD<br>(ft) | VSEC<br>(ft) | NS<br>(ft) | EW<br>(ft) | DLS<br>(°/100ft) | Northing<br>(ftUS) | Easting<br>(ftUS) | Latitude<br>(N/S ° ' ") | Longitude<br>(E/W ° ' ") |
|--------------------------|------------|-------------|------------------|-------------|--------------|------------|------------|------------------|--------------------|-------------------|-------------------------|--------------------------|
|                          | 6400.00    | 0.00        | 205.88           | 6393.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 6500.00    | 0.00        | 205.88           | 6493.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 6600.00    | 0.00        | 205.88           | 6593.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 6700.00    | 0.00        | 205.88           | 6693.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 6800.00    | 0.00        | 205.88           | 6793.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 6900.00    | 0.00        | 205.88           | 6893.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 7000.00    | 0.00        | 205.88           | 6993.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| Top Bone Spring          | 7032.47    | 0.00        | 205.88           | 7026.00     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 7100.00    | 0.00        | 205.88           | 7093.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 7200.00    | 0.00        | 205.88           | 7193.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 7300.00    | 0.00        | 205.88           | 7293.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 7400.00    | 0.00        | 205.88           | 7393.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 7500.00    | 0.00        | 205.88           | 7493.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 7600.00    | 0.00        | 205.88           | 7593.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 7700.00    | 0.00        | 205.88           | 7693.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 7800.00    | 0.00        | 205.88           | 7793.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 7900.00    | 0.00        | 205.88           | 7893.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| Top 1st BSPG SS          | 7938.47    | 0.00        | 205.88           | 7932.00     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 8000.00    | 0.00        | 205.88           | 7993.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 8100.00    | 0.00        | 205.88           | 8093.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 8200.00    | 0.00        | 205.88           | 8193.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 8300.00    | 0.00        | 205.88           | 8293.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| Top 2nd BSPG Carb        | 8382.47    | 0.00        | 205.88           | 8376.00     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 8400.00    | 0.00        | 205.88           | 8393.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 8500.00    | 0.00        | 205.88           | 8493.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 8600.00    | 0.00        | 205.88           | 8593.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| Top 2nd BSPG SS          | 8611.47    | 0.00        | 205.88           | 8605.00     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 8700.00    | 0.00        | 205.88           | 8693.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 8800.00    | 0.00        | 205.88           | 8793.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 8900.00    | 0.00        | 205.88           | 8893.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 9000.00    | 0.00        | 205.88           | 8993.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 9100.00    | 0.00        | 205.88           | 9093.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| Top 3rd BSPG Carb        | 9122.47    | 0.00        | 205.88           | 9116.00     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 9200.00    | 0.00        | 205.88           | 9193.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 9300.00    | 0.00        | 205.88           | 9293.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| Top Harkey SS            | 9397.47    | 0.00        | 205.88           | 9391.00     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 9400.00    | 0.00        | 205.88           | 9393.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 9500.00    | 0.00        | 205.88           | 9493.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 9600.00    | 0.00        | 205.88           | 9593.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 9700.00    | 0.00        | 205.88           | 9693.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 9800.00    | 0.00        | 205.88           | 9793.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| Top 3rd BSPG SS          | 9862.47    | 0.00        | 205.88           | 9856.00     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 9900.00    | 0.00        | 205.88           | 9893.53     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| KOP - Build 12"/100' DLS | 9959.47    | 0.00        | 205.88           | 9953.00     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
|                          | 10000.00   | 4.86        | 359.76           | 9993.48     | -118.62      | -118.86    | -58.50     | 12.00            | 371869.10          | 666910.69         | N 32 1 18.12            | W 103 55 41.34           |
|                          | 10100.00   | 16.86       | 359.76           | 10091.51    | -99.80       | -100.05    | -58.58     | 12.00            | 371887.91          | 666910.61         | N 32 1 18.31            | W 103 55 41.34           |
|                          | 10200.00   | 28.86       | 359.76           | 10183.48    | -61.02       | -61.27     | -58.74     | 12.00            | 371926.69          | 666910.45         | N 32 1 18.69            | W 103 55 41.34           |
| Top Wolfcamp             | 10221.42   | 31.43       | 359.76           | 10202.00    | -50.27       | -50.51     | -58.78     | 12.00            | 371937.44          | 666910.40         | N 32 1 18.80            | W 103 55 41.34           |
|                          | 10300.00   | 40.86       | 359.76           | 10265.38    | -3.96        | -4.21      | -58.97     | 12.00            | 371983.74          | 666910.21         | N 32 1 19.26            | W 103 55 41.34           |
|                          | 10400.00   | 52.86       | 359.76           | 10333.63    | 68.88        | 68.63      | -59.28     | 12.00            | 372056.57          | 666909.91         | N 32 1 19.98            | W 103 55 41.34           |
| Wolfcamp A1 Shale        | 10414.14   | 54.56       | 359.76           | 10342.00    | 80.27        | 80.03      | -59.32     | 12.00            | 372067.97          | 666909.86         | N 32 1 20.09            | W 103 55 41.34           |
|                          | 10500.00   | 64.86       | 359.76           | 10385.24    | 154.31       | 154.07     | -59.63     | 12.00            | 372142.00          | 666909.55         | N 32 1 20.82            | W 103 55 41.34           |
| Build 4"/100' DLS        | 10584.47   | 75.00       | 359.76           | 10414.19    | 233.55       | 233.30     | -59.96     | 12.00            | 372221.24          | 666909.22         | N 32 1 21.61            | W 103 55 41.34           |
|                          | 10600.00   | 75.62       | 359.76           | 10418.13    | 248.57       | 248.33     | -60.02     | 4.00             | 372236.26          | 666909.16         | N 32 1 21.76            | W 103 55 41.34           |
|                          | 10700.00   | 79.62       | 359.76           | 10439.56    | 346.23       | 345.98     | -60.43     | 4.00             | 372333.90          | 666908.76         | N 32 1 22.72            | W 103 55 41.34           |
|                          | 10800.00   | 83.62       | 359.76           | 10454.13    | 445.14       | 444.89     | -60.84     | 4.00             | 372432.81          | 666908.35         | N 32 1 23.70            | W 103 55 41.34           |
|                          | 10900.00   | 87.62       | 359.76           | 10461.77    | 544.83       | 544.58     | -61.25     | 4.00             | 372532.49          | 666907.93         | N 32 1 24.69            | W 103 55 41.34           |
| Landing Point            | 10959.47   | 90.00       | 359.76           | 10463.00    | 604.28       | 604.03     | -61.50     | 4.00             | 372591.94          | 666907.68         | N 32 1 25.28            | W 103 55 41.34           |
|                          | 11000.00   | 90.00       | 359.76           | 10463.00    | 644.81       | 644.56     | -61.67     | 0.00             | 372632.46          | 666907.52         | N 32 1 25.68            | W 103 55 41.34           |
|                          | 11100.00   | 90.00       | 359.76           | 10463.00    | 744.81       | 744.56     | -62.08     | 0.00             | 372732.45          | 666907.10         | N 32 1 26.67            | W 103 55 41.34           |
|                          | 11200.00   | 90.00       | 359.76           | 10463.00    | 844.81       | 844.56     | -62.50     | 0.00             | 372832.45          | 666906.69         | N 32 1 27.66            | W 103 55 41.34           |
|                          | 11300.00   | 90.00       | 359.76           | 10463.00    | 944.81       | 944.56     | -62.91     | 0.00             | 372932.44          | 666906.27         | N 32 1 28.65            | W 103 55 41.34           |
|                          | 11400.00   | 90.00       | 359.76           | 10463.00    | 1044.81      | 1044.56    | -63.33     | 0.00             | 373032.43          | 666905.85         | N 32 1 29.64            | W 103 55 41.34           |
|                          | 11500.00   | 90.00       | 359.76           | 10463.00    | 1144.81      | 1144.56    | -63.75     | 0.00             | 373132.42          | 666905.44         | N 32 1 30.63            | W 103 55 41.34           |
|                          | 11600.00   | 90.00       | 359.76           | 10463.00    | 1244.81      | 1244.56    | -64.16     | 0.00             | 373232.41          | 666905.02         | N 32 1 31.62            | W 103 55 41.34           |
|                          | 11700.00   | 90.00       | 359.76           | 10463.00    | 1344.81      | 1344.56    | -64.58     | 0.00             | 373332.40          | 666904.61         | N 32 1 32.60            | W 103 55 41.34           |
|                          | 11800.00   | 90.00       | 359.76           | 10463.00    | 1444.81      | 1444.56    | -64.99     | 0.00             | 373432.40          | 666904.19         | N 32 1 33.59            | W 103 55 41.34           |
|                          | 11900.00   | 90.00       | 359.76           | 10463.00    | 1544.81      | 1544.56    | -65.41     | 0.00             | 373532.39          | 666903.78         | N 32 1 34.58            | W 103 55 41.34           |
|                          | 12000.00   | 90.00       | 359.76           | 10463.00    | 1644.81      | 1644.56    | -65.82     | 0.00             | 373632.38          | 666903.36         | N 32 1 35.57            | W 103 55 41.34           |
|                          | 12100.00   | 90.00       | 359.76           | 10463.00    | 1744.81      | 1744.56    | -66.24     | 0.00             | 373732.37          | 666902.95         | N 32 1 36.56            | W 103 55 41.35           |
|                          | 12200.00   | 90.00       | 359.76           | 10463.00    | 1844.81      | 1844.56    | -66.65     | 0.00             | 373832.36          | 666902.53         | N 32 1 37.55            | W 103 55 41.35           |
|                          | 12300.00   | 90.00       | 359.76           | 10463.00    | 1944.81      | 1944.56    | -67.07     | 0.00             | 373932.35          | 666902.12         | N 32 1 38.54            | W 103 55 41.35           |
|                          | 12400.00   | 90.00       | 359.76           | 10463.00    | 2044.81      | 2044.56    | -67.48     | 0.00             | 374032.35          | 666901.70         | N 32 1 39.53            | W 103 55 41.35           |
|                          | 12500.00   | 90.00       | 359.76           | 10463.00    | 2144.81      | 2144.56    | -67.90     | 0.00             | 374132.34          | 666901.29         | N 32 1 40.52            | W 103 55 41.35           |
|                          | 12600.00   | 90.00       | 359.76           | 10463.00    | 2244.81      | 2244.56    | -68.32     | 0.00             | 374232.33          | 666900.87         | N 32 1 41.51            | W 103 55 41.35           |
|                          | 12700.00   | 90.00       | 359.76           | 10463.00    | 2344.81      | 2344.56    | -68.73     | 0.00             | 374332.32          | 666900.45         | N 32 1 42.50            |                          |

| Comments | MD<br>(ft) | Incl<br>(°) | Azim Grid<br>(°) | TVD<br>(ft) | VSEC<br>(ft) | NS<br>(ft) | EW<br>(ft) | DLS<br>(°/100ft) | Northing<br>(ftUS) | Easting<br>(ftUS) | Latitude<br>(N/S ° ' ") | Longitude<br>(E/W ° ' ") |
|----------|------------|-------------|------------------|-------------|--------------|------------|------------|------------------|--------------------|-------------------|-------------------------|--------------------------|
|          | 15200.00   | 90.00       | 359.76           | 10463.00    | 4844.81      | 4844.52    | -79.12     | 0.00             | 376832.11          | 666890.07         | N 32 2 7.24             | W 103 55 41.36           |
|          | 15300.00   | 90.00       | 359.76           | 10463.00    | 4944.81      | 4944.52    | -79.53     | 0.00             | 376932.10          | 666889.65         | N 32 2 8.23             | W 103 55 41.36           |
|          | 15400.00   | 90.00       | 359.76           | 10463.00    | 5044.81      | 5044.52    | -79.95     | 0.00             | 377032.10          | 666889.24         | N 32 2 9.22             | W 103 55 41.36           |
|          | 15500.00   | 90.00       | 359.76           | 10463.00    | 5144.81      | 5144.52    | -80.36     | 0.00             | 377132.09          | 666888.82         | N 32 2 10.21            | W 103 55 41.36           |
|          | 15600.00   | 90.00       | 359.76           | 10463.00    | 5244.81      | 5244.52    | -80.78     | 0.00             | 377232.08          | 666888.41         | N 32 2 11.20            | W 103 55 41.36           |
|          | 15700.00   | 90.00       | 359.76           | 10463.00    | 5344.81      | 5344.52    | -81.19     | 0.00             | 377332.07          | 666887.99         | N 32 2 12.19            | W 103 55 41.36           |
|          | 15800.00   | 90.00       | 359.76           | 10463.00    | 5444.81      | 5444.52    | -81.61     | 0.00             | 377432.06          | 666887.58         | N 32 2 13.18            | W 103 55 41.36           |
|          | 15900.00   | 90.00       | 359.76           | 10463.00    | 5544.81      | 5544.52    | -82.02     | 0.00             | 377532.05          | 666887.16         | N 32 2 14.17            | W 103 55 41.36           |
|          | 16000.00   | 90.00       | 359.76           | 10463.00    | 5644.81      | 5644.52    | -82.44     | 0.00             | 377632.05          | 666886.75         | N 32 2 15.16            | W 103 55 41.36           |
|          | 16100.00   | 90.00       | 359.76           | 10463.00    | 5744.81      | 5744.52    | -82.86     | 0.00             | 377732.04          | 666886.33         | N 32 2 16.14            | W 103 55 41.36           |
|          | 16200.00   | 90.00       | 359.76           | 10463.00    | 5844.81      | 5844.52    | -83.27     | 0.00             | 377832.03          | 666885.92         | N 32 2 17.13            | W 103 55 41.36           |
|          | 16300.00   | 90.00       | 359.76           | 10463.00    | 5944.81      | 5944.52    | -83.69     | 0.00             | 377932.02          | 666885.50         | N 32 2 18.12            | W 103 55 41.36           |
|          | 16400.00   | 90.00       | 359.76           | 10463.00    | 6044.81      | 6044.51    | -84.10     | 0.00             | 378032.01          | 666885.08         | N 32 2 19.11            | W 103 55 41.37           |
|          | 16500.00   | 90.00       | 359.76           | 10463.00    | 6144.81      | 6144.51    | -84.52     | 0.00             | 378132.00          | 666884.67         | N 32 2 20.10            | W 103 55 41.37           |
|          | 16600.00   | 90.00       | 359.76           | 10463.00    | 6244.81      | 6244.51    | -84.93     | 0.00             | 378232.00          | 666884.25         | N 32 2 21.09            | W 103 55 41.37           |
|          | 16700.00   | 90.00       | 359.76           | 10463.00    | 6344.81      | 6344.51    | -85.35     | 0.00             | 378331.99          | 666883.84         | N 32 2 22.08            | W 103 55 41.37           |
|          | 16800.00   | 90.00       | 359.76           | 10463.00    | 6444.81      | 6444.51    | -85.76     | 0.00             | 378431.98          | 666883.42         | N 32 2 23.07            | W 103 55 41.37           |
|          | 16900.00   | 90.00       | 359.76           | 10463.00    | 6544.81      | 6544.51    | -86.18     | 0.00             | 378531.97          | 666883.01         | N 32 2 24.06            | W 103 55 41.37           |
|          | 17000.00   | 90.00       | 359.76           | 10463.00    | 6644.81      | 6644.51    | -86.59     | 0.00             | 378631.96          | 666882.59         | N 32 2 25.05            | W 103 55 41.37           |
|          | 17100.00   | 90.00       | 359.76           | 10463.00    | 6744.81      | 6744.51    | -87.01     | 0.00             | 378731.95          | 666882.18         | N 32 2 26.04            | W 103 55 41.37           |
|          | 17200.00   | 90.00       | 359.76           | 10463.00    | 6844.81      | 6844.51    | -87.43     | 0.00             | 378831.95          | 666881.76         | N 32 2 27.03            | W 103 55 41.37           |
|          | 17300.00   | 90.00       | 359.76           | 10463.00    | 6944.81      | 6944.51    | -87.84     | 0.00             | 378931.94          | 666881.35         | N 32 2 28.02            | W 103 55 41.37           |
|          | 17400.00   | 90.00       | 359.76           | 10463.00    | 7044.81      | 7044.51    | -88.26     | 0.00             | 379031.93          | 666880.93         | N 32 2 29.01            | W 103 55 41.37           |
|          | 17500.00   | 90.00       | 359.76           | 10463.00    | 7144.81      | 7144.50    | -88.67     | 0.00             | 379131.92          | 666880.51         | N 32 2 30.00            | W 103 55 41.37           |
|          | 17600.00   | 90.00       | 359.76           | 10463.00    | 7244.81      | 7244.50    | -89.09     | 0.00             | 379231.91          | 666880.10         | N 32 2 30.99            | W 103 55 41.37           |
|          | 17700.00   | 90.00       | 359.76           | 10463.00    | 7344.81      | 7344.50    | -89.50     | 0.00             | 379331.90          | 666879.68         | N 32 2 31.98            | W 103 55 41.37           |
|          | 17800.00   | 90.00       | 359.76           | 10463.00    | 7444.81      | 7444.50    | -89.92     | 0.00             | 379431.90          | 666879.27         | N 32 2 32.97            | W 103 55 41.37           |
|          | 17900.00   | 90.00       | 359.76           | 10463.00    | 7544.81      | 7544.50    | -90.33     | 0.00             | 379531.89          | 666878.85         | N 32 2 33.96            | W 103 55 41.37           |
|          | 18000.00   | 90.00       | 359.76           | 10463.00    | 7644.81      | 7644.50    | -90.75     | 0.00             | 379631.88          | 666878.44         | N 32 2 34.95            | W 103 55 41.37           |
|          | 18100.00   | 90.00       | 359.76           | 10463.00    | 7744.81      | 7744.50    | -91.16     | 0.00             | 379731.87          | 666878.02         | N 32 2 35.94            | W 103 55 41.37           |
|          | 18200.00   | 90.00       | 359.76           | 10463.00    | 7844.81      | 7844.50    | -91.58     | 0.00             | 379831.86          | 666877.61         | N 32 2 36.93            | W 103 55 41.37           |
|          | 18300.00   | 90.00       | 359.76           | 10463.00    | 7944.81      | 7944.50    | -92.00     | 0.00             | 379931.85          | 666877.19         | N 32 2 37.91            | W 103 55 41.37           |
|          | 18400.00   | 90.00       | 359.76           | 10463.00    | 8044.81      | 8044.50    | -92.41     | 0.00             | 380031.85          | 666876.78         | N 32 2 38.90            | W 103 55 41.37           |
|          | 18500.00   | 90.00       | 359.76           | 10463.00    | 8144.81      | 8144.50    | -92.83     | 0.00             | 380131.84          | 666876.36         | N 32 2 39.89            | W 103 55 41.38           |
|          | 18600.00   | 90.00       | 359.76           | 10463.00    | 8244.81      | 8244.50    | -93.24     | 0.00             | 380231.83          | 666875.95         | N 32 2 40.88            | W 103 55 41.38           |
|          | 18700.00   | 90.00       | 359.76           | 10463.00    | 8344.81      | 8344.49    | -93.66     | 0.00             | 380331.82          | 666875.53         | N 32 2 41.87            | W 103 55 41.38           |
|          | 18800.00   | 90.00       | 359.76           | 10463.00    | 8444.81      | 8444.49    | -94.07     | 0.00             | 380431.81          | 666875.11         | N 32 2 42.86            | W 103 55 41.38           |
|          | 18900.00   | 90.00       | 359.76           | 10463.00    | 8544.81      | 8544.49    | -94.49     | 0.00             | 380531.80          | 666874.70         | N 32 2 43.85            | W 103 55 41.38           |
|          | 19000.00   | 90.00       | 359.76           | 10463.00    | 8644.81      | 8644.49    | -94.90     | 0.00             | 380631.79          | 666874.28         | N 32 2 44.84            | W 103 55 41.38           |
|          | 19100.00   | 90.00       | 359.76           | 10463.00    | 8744.81      | 8744.49    | -95.32     | 0.00             | 380731.79          | 666873.87         | N 32 2 45.83            | W 103 55 41.38           |
|          | 19200.00   | 90.00       | 359.76           | 10463.00    | 8844.81      | 8844.49    | -95.73     | 0.00             | 380831.78          | 666873.45         | N 32 2 46.82            | W 103 55 41.38           |
|          | 19300.00   | 90.00       | 359.76           | 10463.00    | 8944.81      | 8944.49    | -96.15     | 0.00             | 380931.77          | 666873.04         | N 32 2 47.81            | W 103 55 41.38           |
|          | 19400.00   | 90.00       | 359.76           | 10463.00    | 9044.81      | 9044.49    | -96.57     | 0.00             | 381031.76          | 666872.62         | N 32 2 48.80            | W 103 55 41.38           |
|          | 19500.00   | 90.00       | 359.76           | 10463.00    | 9144.81      | 9144.49    | -96.98     | 0.00             | 381131.75          | 666872.21         | N 32 2 49.79            | W 103 55 41.38           |
|          | 19600.00   | 90.00       | 359.76           | 10463.00    | 9244.81      | 9244.49    | -97.40     | 0.00             | 381231.74          | 666871.79         | N 32 2 50.78            | W 103 55 41.38           |
|          | 19700.00   | 90.00       | 359.76           | 10463.00    | 9344.81      | 9344.49    | -97.81     | 0.00             | 381331.74          | 666871.38         | N 32 2 51.77            | W 103 55 41.38           |
|          | 19800.00   | 90.00       | 359.76           | 10463.00    | 9444.81      | 9444.48    | -98.23     | 0.00             | 381431.73          | 666870.96         | N 32 2 52.76            | W 103 55 41.38           |
|          | 19900.00   | 90.00       | 359.76           | 10463.00    | 9544.81      | 9544.48    | -98.64     | 0.00             | 381531.72          | 666870.54         | N 32 2 53.75            | W 103 55 41.38           |
|          | 20000.00   | 90.00       | 359.76           | 10463.00    | 9644.81      | 9644.48    | -99.06     | 0.00             | 381631.71          | 666870.13         | N 32 2 54.74            | W 103 55 41.38           |
|          | 20100.00   | 90.00       | 359.76           | 10463.00    | 9744.81      | 9744.48    | -99.47     | 0.00             | 381731.70          | 666869.71         | N 32 2 55.73            | W 103 55 41.38           |
|          | 20200.00   | 90.00       | 359.76           | 10463.00    | 9844.81      | 9844.48    | -99.89     | 0.00             | 381831.69          | 666869.30         | N 32 2 56.72            | W 103 55 41.38           |
|          | 20300.00   | 90.00       | 359.76           | 10463.00    | 9944.81      | 9944.48    | -100.30    | 0.00             | 381931.69          | 666868.88         | N 32 2 57.71            | W 103 55 41.38           |
|          | 20400.00   | 90.00       | 359.76           | 10463.00    | 10044.81     | 10044.48   | -100.72    | 0.00             | 382031.68          | 666868.47         | N 32 2 58.70            | W 103 55 41.38           |
|          | 20500.00   | 90.00       | 359.76           | 10463.00    | 10144.81     | 10144.48   | -101.14    | 0.00             | 382131.67          | 666868.05         | N 32 2 59.69            | W 103 55 41.38           |
|          | 20600.00   | 90.00       | 359.76           | 10463.00    | 10244.81     | 10244.48   | -101.55    | 0.00             | 382231.66          | 666867.64         | N 32 3 0.67             | W 103 55 41.38           |
|          | 20700.00   | 90.00       | 359.76           | 10463.00    | 10344.81     | 10344.48   | -101.97    | 0.00             | 382331.65          | 666867.22         | N 32 3 1.66             | W 103 55 41.39           |
|          | 20800.00   | 90.00       | 359.76           | 10463.00    | 10444.81     | 10444.48   | -102.38    | 0.00             | 382431.64          | 666866.81         | N 32 3 2.65             | W 103 55 41.39           |
|          | 20900.00   | 90.00       | 359.76           | 10463.00    | 10544.81     | 10544.48   | -102.80    | 0.00             | 382531.64          | 666866.39         | N 32 3 3.64             | W 103 55 41.39           |
|          | 21000.00   | 90.00       | 359.76           | 10463.00    | 10644.81     | 10644.47   | -103.21    | 0.00             | 382631.63          | 666865.98         | N 32 3 4.63             | W 103 55 41.39           |
|          | 21100.00   | 90.00       | 359.76           | 10463.00    | 10744.81     | 10744.47   | -103.63    | 0.00             | 382731.62          | 666865.56         | N 32 3 5.62             | W 103 55 41.39           |
|          | 21200.00   | 90.00       | 359.76           | 10463.00    | 10844.81     | 10844.47   | -104.04    | 0.00             | 382831.61          | 666865.14         | N 32 3 6.61             | W 103 55 41.39           |
|          | 21300.00   | 90.00       | 359.76           | 10463.00    | 10944.81     | 10944.47   | -104.46    | 0.00             | 382931.60          | 666864.73         | N 32 3 7.60             | W 103 55 41.39           |
|          | 21400.00   | 90.00       | 359.76           | 10463.00    | 11044.81     | 11044.47   | -104.87    | 0.00             | 383031.59          | 666864.31         | N 32 3 8.59             | W 103 55 41.39           |
|          | 21500.00   | 90.00       | 359.76           | 10463.00    | 11144.81     | 11144.47   | -105.29    | 0.00             | 383131.59          | 666863.90         | N 32 3 9.58             | W 103 55 41.39           |
|          | 21600.00   | 90.00       | 359.76           | 10463.00    | 11244.81     | 11244.47   | -105.70    | 0.00             | 383231.58          | 666863.48         | N 32 3 10.57            | W 103 55 41.39           |
|          | 21700.00   | 90.00       | 359.76           | 10463.00    | 11344.81     | 11344.47   | -106.12    | 0.00             | 383331.57          | 666863.07         | N 32 3 11.56            | W 103 55 41.39           |
|          | 21800.00   | 90.00       | 359.76           | 10463.00    | 11444.81     | 11444.47   | -106.54    | 0.00             | 383431.56          | 666862.65         | N 32 3 12.55            | W 103 55 41.39           |
|          | 21900.00   | 90.00       | 359.76           | 10463.00    | 11544.81     | 11544.47   | -106.95    | 0.00             | 383531.55          | 666862.24         | N 32 3 13.54            | W 103 55 41.39           |
|          | 22000.00   | 90.00       | 359.76           | 10463.00    | 11644.81     | 11644.47   | -107.37    | 0.00             | 383631.54          | 666861.82         | N 32 3 14.53            | W 103 55 41.39           |
|          | 22100.00   | 90.00       | 359.76           | 10463.00    | 11744.81     | 11744.47   | -107.78    | 0.00             | 383731.54          | 666861.41         | N 32 3 15.52            | W 103 55 41.39           |
|          | 22200.00   | 90.00       | 359.76           | 10463.00    | 11844.81     | 11844.46   | -108.20    | 0.00             | 383831.53          | 666860.99         | N 32 3 16.51            | W 103 55 41.39           |
|          | 22300.00   | 90.00       | 359.76           | 10463.00    | 11944.81     | 11944.46   | -108.61    | 0.00             | 383931.52          | 666860.58         | N 32 3 17.50            | W 103 55 41.39           |
|          | 22400.00   | 90.00       | 359.76           | 10463.00    | 12044.81     | 12044.46   | -109.03    | 0.00             | 384031.51          | 666860.16         | N 32 3 18.49            | W 103 55 41.39           |
|          | 22500.00   | 90.00       | 359.76           | 10463.00    | 12144.81     | 12144.46   | -109.44    | 0.00             | 384131.50          | 666859.74         | N 32 3 19.48            | W 103 55 41.39           |
|          | 22600.00   | 90.00       | 359.76           | 10463.00    | 12244.81     | 12244.     |            |                  |                    |                   |                         |                          |





## Cimarex Tar Heel 19-18 Federal Com #2H Rev1 RM 17Nov20 Proposal Geodetic Report (Def Plan)



**Report Date:** November 17, 2020 - 01:56 PM  
**Client:** Cimarex Energy  
**Field:** NM Eddy County (NAD 83)  
**Structure / Slot:** Cimarex Tar Heel 19-18 Federal Com #2H / New Slot  
**Well:** Tar Heel 19-18 Federal Com #2H  
**Borehole:** Tar Heel 19-18 Federal Com #2H  
**UWI / API#:** Unknown / Unknown  
**Survey Name:** Cimarex Tar Heel 19-18 Federal Com #2H Rev1 RM 17Nov20  
**Survey Date:** January 24, 2019  
**Tort / AHD / DDI / ERD Ratio:** 102.000 ° / 12905.744 ft / 6.462 / 1.233  
**Coordinate Reference System:** NAD83 New Mexico State Plane, Eastern Zone, US Feet  
**Location Lat / Long:** N 32° 1' 19.29746", W 103° 55' 40.65167"  
**Location Grid N/E Y/X:** N 371987.950 ftUS, E 666969.180 ftUS  
**CRS Grid Convergence Angle:** 0.2150 °  
**Grid Scale Factor:** 0.99992717  
**Version / Patch:** 2.10.821.3

**Survey / DLS Computation:** Minimum Curvature / Lubinski  
**Vertical Section Azimuth:** 359.762 ° (Grid North)  
**Vertical Section Origin:** 0.000 ft, 0.000 ft  
**TVD Reference Datum:** RKB  
**TVD Reference Elevation:** 3043.500 ft above MSL  
**Seabed / Ground Elevation:** 3017.500 ft above MSL  
**Magnetic Declination:** 6.587 °  
**Total Gravity Field Strength:** 998.4407mgn (9.80665 Based)  
**Gravity Model:** GARM  
**Total Magnetic Field Strength:** 47623.460 nT  
**Magnetic Dip Angle:** 59.598 °  
**Declination Date:** November 17, 2020  
**Magnetic Declination Model:** HDGM 2020  
**North Reference:** Grid North  
**Grid Convergence Used:** 0.2150 °  
**Total Corr Mag North->Grid North:** 6.3721 °  
**Local Coord Referenced To:** Well Head

| Comments                                                            | MD<br>(ft) | Incl<br>(°) | Azim Grid<br>(°) | TVD<br>(ft) | VSEC<br>(ft) | NS<br>(ft) | EW<br>(ft) | DLS<br>(°/100ft) | Northing<br>(ftUS) | Easting<br>(ftUS) | Latitude<br>(N/S ° ' ") | Longitude<br>(E/W ° ' ") |
|---------------------------------------------------------------------|------------|-------------|------------------|-------------|--------------|------------|------------|------------------|--------------------|-------------------|-------------------------|--------------------------|
| SHL [540' FSL, 389' FWL]                                            | 0.00       | 0.00        | 1.91             | 0.00        | 0.00         | 0.00       | 0.00       | N/A              | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
| Nudge 2"/100'                                                       | 2000.00    | 0.00        | 205.88           | 2000.00     | 0.00         | 0.00       | 0.00       | 0.00             | 371987.95          | 666969.18         | N 32 1 19.30            | W 103 55 40.65           |
| Hold Nudge                                                          | 2300.00    | 6.00        | 205.88           | 2299.45     | -14.09       | -14.12     | -6.85      | 2.00             | 371973.83          | 666962.33         | N 32 1 19.16            | W 103 55 40.73           |
| Drop to Vertical                                                    | 3281.84    | 6.00        | 205.88           | 3275.92     | -106.24      | -106.46    | -51.64     | 0.00             | 371881.50          | 666917.54         | N 32 1 18.25            | W 103 55 41.26           |
| 2"/100' DLS                                                         | 3581.84    | 0.00        | 205.88           | 3575.37     | -120.34      | -120.58    | -58.49     | 2.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| Hold Vertical                                                       | 9959.47    | 0.00        | 205.88           | 9953.00     | -120.34      | -120.58    | -58.49     | 0.00             | 371867.38          | 666910.69         | N 32 1 18.11            | W 103 55 41.34           |
| KOP - Build                                                         | 10584.47   | 75.00       | 359.76           | 10414.19    | 233.55       | 233.30     | -59.96     | 12.00            | 372221.24          | 666909.22         | N 32 1 21.61            | W 103 55 41.34           |
| 12"/100' DLS                                                        | 10959.47   | 90.00       | 359.76           | 10463.00    | 604.28       | 604.03     | -61.50     | 4.00             | 372591.94          | 666907.68         | N 32 1 25.28            | W 103 55 41.34           |
| Build 4"/100'                                                       |            |             |                  |             |              |            |            |                  |                    |                   |                         |                          |
| DLS                                                                 |            |             |                  |             |              |            |            |                  |                    |                   |                         |                          |
| Landing Point                                                       |            |             |                  |             |              |            |            |                  |                    |                   |                         |                          |
| Cimarex Tar Heel 19-18 Federal Com #2H - PBHL [2562' FSL, 330' FWL] | 23006.58   | 90.00       | 359.76           | 10463.00    | 12651.39     | 12651.04   | -111.55    | 0.00             | 384638.04          | 666857.64         | N 32 3 24.49            | W 103 55 41.40           |


**Survey Type:** Def Plan

**Survey Error Model:** ISCWSA Rev 0 \*\*\* 3-D 95.000% Confidence 2.7955 sigma  
**Survey Program:**

| Description | Part | MD From<br>(ft) | MD To<br>(ft) | EOU Freq<br>(ft) | Hole Size<br>(in) | Casing Diameter<br>(in) | Expected Max<br>Inclination<br>(deg) | Survey Tool Type           | Borehole / Survey                                                                       |
|-------------|------|-----------------|---------------|------------------|-------------------|-------------------------|--------------------------------------|----------------------------|-----------------------------------------------------------------------------------------|
|             | 1    | 0.000           | 26.000        | 1/100.000        | 17.500            | 13.375                  |                                      | NAL_MWD_IFR1+MS-Depth Only | Tar Heel 19-18 Federal Com #2H / Cimarex Tar Heel 19-18 Federal Com #2H Rev1 RM 17Nov20 |
|             | 1    | 26.000          | 23006.579     | 1/100.000        | 17.500            | 13.375                  |                                      | NAL_MWD_IFR1+MS            | Tar Heel 19-18 Federal Com #2H / Cimarex Tar Heel 19-18 Federal                         |

|                                          |                |                                       |                      |                                                     |                        |                                                              |                                  |
|------------------------------------------|----------------|---------------------------------------|----------------------|-----------------------------------------------------|------------------------|--------------------------------------------------------------|----------------------------------|
| Borehole: Tar Heel 19-18 Federal Com #2H |                | Well: Tar Heel 19-18 Federal Com #2H  |                      | Field: NM Eddy County (NAD 83)                      |                        | Structure: Cimarex Tar Heel 19-18 Federal Com #2H            |                                  |
| Gravity & Magnetic Parameters            |                | Surface Location                      |                      | NAD83 New Mexico State Plane, Eastern Zone, US Feet |                        | Miscellaneous                                                |                                  |
| Model: HDGM 2020                         | Dip: 59.598°   | Date: 17-Nov-2020                     | Lat: N 32 1 19.30    | Northings: 371987.85HUS                             | Grid Conv: 0.215°      | Slot: New Slot                                               | TVD Ref: RKB(3043.5ft above MSL) |
| MagDec: 6.587°                           | FS: 47623.46nT | Gravity FS: 998.441mg (9.80665 Based) | Long: W 103 55 40.65 | Easting: 666969.18HUS                               | Scale Fact: 0.99992717 | Plan: Cimarex Tar Heel 19-18 Federal Com #2H Rev1 RM 17Nov20 |                                  |

| Critical Point                                                      | MD       | INCL  | AZIM   | Critical Points | TVD      | VSEC     | N(+)S(-) | E(+)W(-) | DLS   |
|---------------------------------------------------------------------|----------|-------|--------|-----------------|----------|----------|----------|----------|-------|
| SHL [540° FSL, 389° FWL]                                            | 0.00     | 0.00  | 1.91   |                 | 0.00     | 0.00     | 0.00     | 0.00     | 0.00  |
| Rustler                                                             | 1050.00  | 0.00  | 205.88 |                 | 1050.00  | 0.00     | 0.00     | 0.00     | 0.00  |
| Salado (Top Salt)                                                   | 1918.00  | 0.00  | 205.88 |                 | 1918.00  | 0.00     | 0.00     | 0.00     | 0.00  |
| Nudge 2'100' DLS                                                    | 2000.00  | 0.00  | 205.88 |                 | 2000.00  | 0.00     | 0.00     | 0.00     | 0.00  |
| Hold Nudge                                                          | 2300.00  | 6.00  | 205.88 |                 | 2299.45  | -14.09   | -14.12   | -6.85    | 2.00  |
| Castille (Base Salt)                                                | 2454.39  | 6.00  | 205.88 |                 | 2453.00  | -28.58   | -28.64   | -13.89   | 0.00  |
| Bell Canyon (Top Delaware)                                          | 3273.88  | 6.00  | 205.88 |                 | 3268.00  | -105.50  | -105.71  | -51.28   | 0.00  |
| Drop to Vertical 2'100' DLS                                         | 3281.84  | 6.00  | 205.88 |                 | 3275.92  | -106.24  | -106.46  | -51.64   | 0.00  |
| Hold Vertical                                                       | 3581.84  | 0.00  | 205.88 |                 | 3575.37  | -120.34  | -120.58  | -58.49   | 2.00  |
| Cherry Canyon                                                       | 4191.47  | 0.00  | 205.88 |                 | 4185.00  | -120.34  | -120.58  | -58.49   | 0.00  |
| Brushy Canyon                                                       | 5480.47  | 0.00  | 205.88 |                 | 5474.00  | -120.34  | -120.58  | -58.49   | 0.00  |
| Top Bone Spring                                                     | 7032.47  | 0.00  | 205.88 |                 | 7026.00  | -120.34  | -120.58  | -58.49   | 0.00  |
| Top 1st BSPG SS                                                     | 7938.47  | 0.00  | 205.88 |                 | 7932.00  | -120.34  | -120.58  | -58.49   | 0.00  |
| Top 2nd BSPG Carb                                                   | 8382.47  | 0.00  | 205.88 |                 | 8376.00  | -120.34  | -120.58  | -58.49   | 0.00  |
| Top 2nd BSPG SS                                                     | 8611.47  | 0.00  | 205.88 |                 | 8605.00  | -120.34  | -120.58  | -58.49   | 0.00  |
| Top 3rd BSPG Carb                                                   | 9122.47  | 0.00  | 205.88 |                 | 9116.00  | -120.34  | -120.58  | -58.49   | 0.00  |
| Top Harkey SS                                                       | 9397.47  | 0.00  | 205.88 |                 | 9391.00  | -120.34  | -120.58  | -58.49   | 0.00  |
| Top 3rd BSPG SS                                                     | 9862.47  | 0.00  | 205.88 |                 | 9856.00  | -120.34  | -120.58  | -58.49   | 0.00  |
| KOP - Build 12'100' DLS                                             | 9959.47  | 0.00  | 205.88 |                 | 9953.00  | -120.34  | -120.58  | -58.49   | 0.00  |
| Top Wolfcamp                                                        | 10221.42 | 31.43 | 359.76 |                 | 10202.00 | -50.27   | -50.51   | -58.78   | 12.00 |
| Wolfcamp A1 Shale                                                   | 10414.14 | 54.56 | 359.76 |                 | 10342.00 | 80.27    | 80.03    | -59.32   | 12.00 |
| Build 4'100' DLS                                                    | 10584.47 | 75.00 | 359.76 |                 | 10414.19 | 233.55   | 233.30   | -59.96   | 12.00 |
| Landing Point                                                       | 10959.47 | 90.00 | 359.76 |                 | 10463.00 | 604.28   | 604.03   | -61.50   | 4.00  |
| Cimarex Tar Heel 19-18 Federal Com #2H - PBHL [2562° FSL, 330° FWL] | 23006.58 | 90.00 | 359.76 |                 | 10463.00 | 12651.39 | 12651.04 | -111.55  | 0.00  |
| Wolfcamp A2 Marker                                                  | NaN      |       |        |                 | 10849.00 |          |          |          |       |
| Wolfcamp A1 Target                                                  | NaN      |       |        |                 | 10618.00 |          |          |          |       |




Vertical Section (ft) Azim = 359.76° Scale = 1:650.00(ft) Origin = 0N/-S, 0E/-W



Grid  
True  
Mag  
Grid North  
Tot Corr (M->G 6.372°)  
Mag Dec (6.587°)  
Grid Conv (0.215°)

|                   |             |
|-------------------|-------------|
| <b>CONTROLLED</b> |             |
| Drawn by          | 17Nov20     |
| Copy number       | of 3        |
| Date              | 17-Nov-2020 |
| 1 Client          |             |
| 2 Client          |             |
| 3 Office          |             |
| 4 Office          |             |
| Copy number       | for         |



NS (ft) Scale = 1:791.26(ft)

EW (ft) Scale = 1:791.26(ft)



## Cimarex Tar Heel 19-18 Federal Com #2H Rev1 RM 17Nov20 Anti-Collision Summary Report

**Analysis Date-24hr Time:** November 17, 2020 - 13:57

**Client:** Cimarex Energy

**Field:** NM Eddy County (NAD 83)

**Structure:** Cimarex Tar Heel 19-18 Federal Com #2H

**Slot:** New Slot

**Well:** Tar Heel 19-18 Federal Com #2H

**Borehole:** Tar Heel 19-18 Federal Com #2H

**Scan MD Range:** 0.00ft ~ 23006.58ft

**Analysis Method:** 3D Least Distance

**Reference Trajectory:** Cimarex Tar Heel 19-18 Federal Com #2H Rev1 RM 17Nov20 (Def Plan)

**Depth Interval:** Every 10.00 Measured Depth (ft)

**Rule Set:** NAL Procedure: D&M AntiCollision Standard S002

**Min Pts:** All local minima indicated.

**Version / Patch:** 2.10.821.3

**Database \ Project:** US1153APP452.dir.slb.com\drilling-NM Eddy County 2.10

**Trajectory Error Model:** ISCSA0 3-D 95.000% Confidence 2.7955 sigma, for subject well. For offset wells, error model version is specified with each well respectively.

### Offset Trajectories Summary

#### Offset Selection Criteria

Wellhead distance scan: Not performed!

Selection filters: Definitive Surveys - Definitive Plans - Definitive surveys exclude definitive plans

- All Non-Def Surveys when no Def-Survey is set in a borehole - All Non-Def Plans when no Def-Plan is set in a borehole

| Offset Trajectory | Separation |          |          | Allow Dev. (ft) | Sep. Fact. | Controlling Rule | Reference Trajectory |          | Risk Level |       |       | Alert | Status |
|-------------------|------------|----------|----------|-----------------|------------|------------------|----------------------|----------|------------|-------|-------|-------|--------|
|                   | Ct-Ct (ft) | MAS (ft) | EOU (ft) |                 |            |                  | MD (ft)              | TVD (ft) | Alert      | Minor | Major |       |        |

Results highlighted: Sep-Factor separation <= 1.50 ft

Cimarex Tar Heel 19-18 Federal  
Com #1H Rev1 RM 17Nov20  
(Def Plan)

Fail Minor

|        |        |        |        |      |                |          |          |                 |  |          |  |             |  |
|--------|--------|--------|--------|------|----------------|----------|----------|-----------------|--|----------|--|-------------|--|
| 20.03  | 16.26  | 18.74  | 3.77   | N/A  | MAS = 4.96 (m) | 0.00     | 0.00     | CtCt<=15m<15.00 |  |          |  | Enter Alert |  |
| 20.00  | 16.26  | 18.72  | 3.74   | N/A  | MAS = 4.96 (m) | 26.00    | 26.00    |                 |  |          |  | WRP         |  |
| 19.73  | 19.84  | 6.08   | -0.11  | 1.49 | OSF1.50        | 2060.00  | 2060.00  |                 |  | OSF<1.50 |  | Enter Minor |  |
| 17.95  | 20.17  | 4.05   | -2.24  | 1.33 | OSF1.50        | 2230.00  | 2229.75  |                 |  |          |  | MinPts      |  |
| 19.17  | 20.27  | 5.23   | -1.10  | 1.41 | OSF1.50        | 2300.00  | 2299.45  |                 |  |          |  | MinPts      |  |
| 20.01  | 20.31  | 6.04   | -0.30  | 1.48 | OSF1.50        | 2320.00  | 2319.34  |                 |  | OSF>1.50 |  | Exit Minor  |  |
| 69.78  | 22.01  | 54.67  | 47.76  | 4.96 | OSF1.50        | 2880.00  | 2876.27  |                 |  | OSF>5.00 |  | Exit Alert  |  |
| 126.41 | 38.86  | 100.07 | 87.55  | 4.99 | OSF1.50        | 5070.00  | 5063.53  |                 |  | OSF<5.00 |  | Enter Alert |  |
| 126.41 | 75.98  | 75.33  | 50.43  | 2.51 | OSF1.50        | 9120.00  | 9113.53  |                 |  |          |  | MINPT-O-EOU |  |
| 126.48 | 76.07  | 75.34  | 50.41  | 2.51 | OSF1.50        | 9130.00  | 9123.53  |                 |  |          |  | MinPts      |  |
| 225.94 | 69.06  | 179.47 | 156.38 | 4.97 | OSF1.50        | 9490.00  | 9483.53  |                 |  | OSF>5.00 |  | Exit Alert  |  |
| 869.00 | 261.70 | 694.10 | 607.30 | 5.00 | OSF1.50        | 18820.00 | 10463.00 |                 |  | OSF<5.00 |  | Enter Alert |  |
| 869.00 | 390.18 | 608.45 | 478.81 | 3.33 | OSF1.50        | 23006.58 | 10463.00 |                 |  |          |  | MinPts      |  |

Cimarex Tar Heel 19-18 Federal  
Com #3H Rev1 RM 17Nov20  
(Def Plan)

Warning Alert

|        |        |        |        |       |                |          |          |                 |  |          |  |             |  |
|--------|--------|--------|--------|-------|----------------|----------|----------|-----------------|--|----------|--|-------------|--|
| 20.00  | 16.25  | 18.72  | 3.75   | N/A   | MAS = 4.95 (m) | 0.00     | 0.00     | CtCt<=15m<15.00 |  |          |  | Enter Alert |  |
| 19.99  | 16.25  | 18.71  | 3.74   | N/A   | MAS = 4.95 (m) | 26.00    | 26.00    |                 |  |          |  | WRP         |  |
| 19.99  | 19.54  | 6.54   | 0.45   | 1.54  | OSF1.50        | 2000.00  | 2000.00  |                 |  |          |  | MinPts      |  |
| 20.01  | 19.57  | 6.54   | 0.44   | 1.54  | OSF1.50        | 2010.00  | 2010.00  |                 |  |          |  | MinPts      |  |
| 44.62  | 19.06  | 31.49  | 25.57  | 3.68  | OSF1.50        | 2300.00  | 2299.45  |                 |  |          |  | MinPts      |  |
| 59.25  | 18.81  | 46.28  | 40.44  | 4.96  | OSF1.50        | 2380.00  | 2379.01  |                 |  | OSF>5.00 |  | Exit Alert  |  |
| 655.18 | 47.47  | 623.10 | 607.71 | 21.24 | OSF1.50        | 6820.00  | 6813.53  |                 |  |          |  | MinPt-O-SF  |  |
| 659.88 | 70.80  | 612.26 | 589.09 | 14.21 | OSF1.50        | 10320.00 | 10280.23 |                 |  |          |  | MinPts      |  |
| 659.93 | 70.86  | 612.26 | 589.07 | 14.20 | OSF1.50        | 10330.00 | 10287.44 |                 |  |          |  | MinPt-O-ADP |  |
| 662.71 | 71.42  | 614.67 | 591.29 | 14.19 | OSF1.50        | 10420.00 | 10345.37 |                 |  |          |  | MinPt-O-SF  |  |
| 709.53 | 213.95 | 566.47 | 495.58 | 5.00  | OSF1.50        | 16440.00 | 10463.00 |                 |  | OSF<5.00 |  | Enter Alert |  |
| 709.55 | 420.18 | 429.06 | 289.45 | 2.54  | OSF1.50        | 23006.58 | 10463.00 |                 |  |          |  | MinPts      |  |

Cimarex Tar Heel 19-18 Federal  
Com #18H Rev2 RM 17Nov20  
(Def Plan)

Warning Alert

|         |        |         |         |           |                 |          |          |  |  |          |  |             |  |
|---------|--------|---------|---------|-----------|-----------------|----------|----------|--|--|----------|--|-------------|--|
| 1031.56 | 32.81  | 1030.27 | 998.75  | N/A       | MAS = 10.00 (m) | 0.00     | 0.00     |  |  |          |  | Surface     |  |
| 1031.56 | 32.81  | 1030.27 | 998.75  | 132487.07 | MAS = 10.00 (m) | 26.00    | 26.00    |  |  |          |  | WRP         |  |
| 1031.56 | 32.81  | 1018.09 | 998.75  | 84.56     | MAS = 10.00 (m) | 2000.00  | 2000.00  |  |  |          |  | MinPts      |  |
| 1031.60 | 32.81  | 1018.07 | 998.80  | 84.11     | MAS = 10.00 (m) | 2020.00  | 2020.00  |  |  |          |  | MINPT-O-EOU |  |
| 1040.79 | 32.81  | 1026.84 | 1007.98 | 82.10     | MAS = 10.00 (m) | 2290.00  | 2289.50  |  |  |          |  | MinPt-O-SF  |  |
| 1041.44 | 32.81  | 1027.45 | 1008.63 | 82.12     | MAS = 10.00 (m) | 2300.00  | 2299.45  |  |  |          |  | MinPts      |  |
| 1362.03 | 32.88  | 1339.68 | 1329.15 | 64.61     | OSF1.50         | 5370.00  | 5363.53  |  |  |          |  | MinPt-O-SF  |  |
| 1319.82 | 83.61  | 1263.65 | 1236.21 | 24.03     | OSF1.50         | 11310.00 | 10463.00 |  |  |          |  | MinPt-CtCt  |  |
| 1319.84 | 396.88 | 1054.83 | 922.96  | 5.00      | OSF1.50         | 22050.00 | 10463.00 |  |  | OSF<5.00 |  | Enter Alert |  |
| 1319.84 | 427.42 | 1034.47 | 892.42  | 4.64      | OSF1.50         | 23006.58 | 10463.00 |  |  |          |  | MinPts      |  |

XTO New Era Federal #1  
(Offset) API 30-015-24831  
Blind Plugged D&A Off-7500ft  
(Def Survey)

Warning Alert

|          |         |         |         |        |                 |          |          |  |  |          |  |             |  |
|----------|---------|---------|---------|--------|-----------------|----------|----------|--|--|----------|--|-------------|--|
| 5870.75  | 32.81   | 5861.34 | 5837.94 | 722.90 | MAS = 10.00 (m) | 0.00     | 0.00     |  |  |          |  | Surface     |  |
| 5870.75  | 32.81   | 5858.62 | 5837.94 | 541.30 | MAS = 10.00 (m) | 26.00    | 26.00    |  |  |          |  | WRP         |  |
| 5870.75  | 625.48  | 5453.33 | 5245.27 | 14.10  | OSF1.50         | 2000.00  | 2000.00  |  |  |          |  | MinPt-CtCt  |  |
| 5996.45  | 1802.05 | 4794.65 | 4194.40 | 4.99   | OSF1.50         | 5750.00  | 5743.53  |  |  | OSF<5.00 |  | Enter Alert |  |
| 5996.45  | 2325.78 | 4445.51 | 3670.69 | 3.87   | OSF1.50         | 7420.00  | 7413.53  |  |  |          |  | MinPts      |  |
| 5295.88  | 1903.29 | 4026.60 | 3392.60 | 4.18   | OSF1.50         | 14390.00 | 10463.00 |  |  |          |  | MinPts      |  |
| 5295.99  | 1903.34 | 4026.67 | 3392.65 | 4.19   | OSF1.50         | 14420.00 | 10463.00 |  |  |          |  | MinPt-O-SF  |  |
| 6984.43  | 2097.25 | 5585.84 | 4887.18 | 5.00   | OSF1.50         | 18940.00 | 10463.00 |  |  | OSF>5.00 |  | Exit Alert  |  |
| 10117.07 | 2222.46 | 8635.00 | 7894.61 | 6.83   | OSF1.50         | 23006.58 | 10463.00 |  |  |          |  | TD          |  |

Cimarex Tar Heel 19-18 Federal  
Com #19H Rev2 RM 17Nov20  
(Def Plan)

Pass

|         |        |         |         |           |                 |          |          |  |  |  |  |             |  |
|---------|--------|---------|---------|-----------|-----------------|----------|----------|--|--|--|--|-------------|--|
| 1051.11 | 32.81  | 1049.83 | 1018.30 | N/A       | MAS = 10.00 (m) | 0.00     | 0.00     |  |  |  |  | Surface     |  |
| 1051.11 | 32.81  | 1049.82 | 1018.30 | 121154.94 | MAS = 10.00 (m) | 26.00    | 26.00    |  |  |  |  | WRP         |  |
| 1051.11 | 32.81  | 1037.70 | 1018.30 | 86.60     | MAS = 10.00 (m) | 1990.00  | 1990.00  |  |  |  |  | MinPts      |  |
| 1051.11 | 32.81  | 1037.65 | 1018.31 | 86.22     | MAS = 10.00 (m) | 2000.00  | 2000.00  |  |  |  |  | MINPT-O-EOU |  |
| 1053.52 | 32.81  | 1039.94 | 1020.71 | 85.59     | MAS = 10.00 (m) | 2100.00  | 2099.98  |  |  |  |  | MinPt-O-SF  |  |
| 1072.12 | 32.81  | 1059.08 | 1039.31 | 91.09     | MAS = 10.00 (m) | 2300.00  | 2299.45  |  |  |  |  | MinPts      |  |
| 1979.79 | 52.71  | 1944.23 | 1927.09 | 57.72     | OSF1.50         | 7450.00  | 7443.53  |  |  |  |  | MinPt-O-SF  |  |
| 1979.72 | 70.78  | 1932.11 | 1908.94 | 42.70     | OSF1.50         | 10490.00 | 10380.90 |  |  |  |  | MinPt-CtCt  |  |
| 1979.77 | 70.90  | 1932.07 | 1908.87 | 42.63     | OSF1.50         | 10510.00 | 10389.40 |  |  |  |  | MINPT-O-EOU |  |
| 1979.83 | 70.97  | 1932.09 | 1908.87 | 42.59     | OSF1.50         | 10520.00 | 10393.36 |  |  |  |  | MinPt-O-ADP |  |
| 1996.25 | 422.48 | 1714.20 | 1573.82 | 7.11      | OSF1.50         | 23006.58 | 10463.00 |  |  |  |  | MinPts      |  |



| Offset Trajectory                                                                                              | Separation |          |          | Allow Dev. (ft) | Sep. Fact. | Controlling Rule | Reference Trajectory |          | Risk Level |       |       | Alert | Status      |
|----------------------------------------------------------------------------------------------------------------|------------|----------|----------|-----------------|------------|------------------|----------------------|----------|------------|-------|-------|-------|-------------|
|                                                                                                                | Ct-Ct (ft) | MAS (ft) | EOU (ft) |                 |            |                  | MD (ft)              | TVD (ft) | Alert      | Minor | Major |       |             |
| Cimarex Tar Heel 19-18 Federal<br>Com #20H Rev2 RM 17Nov20<br>(Def Plan)                                       |            |          |          |                 |            |                  |                      |          |            |       |       |       |             |
|                                                                                                                | 1070.67    | 32.81    | 1069.38  | 1037.86         | N/A        | MAS = 10.00 (m)  | 0.00                 | 0.00     |            |       |       |       | Pass        |
|                                                                                                                | 1070.67    | 32.81    | 1069.37  | 1037.86         | 92558.84   | MAS = 10.00 (m)  | 26.00                | 26.00    |            |       |       |       | Surface     |
|                                                                                                                | 1070.67    | 32.81    | 1060.40  | 1037.86         | 119.03     | MAS = 10.00 (m)  | 1490.00              | 1490.00  |            |       |       |       | WRP         |
|                                                                                                                | 1070.70    | 32.81    | 1060.33  | 1037.89         | 117.78     | MAS = 10.00 (m)  | 1510.00              | 1510.00  |            |       |       |       | MinPts      |
|                                                                                                                | 1102.48    | 32.81    | 1090.29  | 1069.67         | 101.05     | MAS = 10.00 (m)  | 2000.00              | 2000.00  |            |       |       |       | MINPT-O-SF  |
|                                                                                                                | 1156.35    | 32.81    | 1144.48  | 1123.54         | 109.21     | MAS = 10.00 (m)  | 2300.00              | 2299.45  |            |       |       |       | MinPts      |
|                                                                                                                | 1999.37    | 54.23    | 1962.80  | 1945.15         | 56.62      | OSF1.50          | 7330.00              | 7323.53  |            |       |       |       | MinPt-O-SF  |
|                                                                                                                | 2010.22    | 63.38    | 1967.54  | 1946.84         | 48.53      | OSF1.50          | 9140.00              | 9133.53  |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 2010.28    | 63.44    | 1967.55  | 1946.83         | 48.48      | OSF1.50          | 9150.00              | 9143.53  |            |       |       |       | MinPt-O-ADP |
|                                                                                                                | 2047.44    | 66.59    | 2002.62  | 1980.85         | 47.00      | OSF1.50          | 9680.00              | 9673.53  |            |       |       |       | MinPt-O-SF  |
|                                                                                                                | 2164.55    | 72.55    | 2115.75  | 2091.99         | 45.53      | OSF1.50          | 11070.00             | 10463.00 |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 2164.58    | 424.54   | 1881.12  | 1740.04         | 7.67       | OSF1.50          | 23006.58             | 10463.00 |            |       |       |       | MinPts      |
| Gothic Production Bedena<br>Federal #2 (Offset) API 30-015-<br>25579 Plugged Blind Off-6500ft<br>(Def Survey)  |            |          |          |                 |            |                  |                      |          |            |       |       |       |             |
|                                                                                                                | 9753.37    | 32.81    | 9752.08  | 9720.56         | N/A        | MAS = 10.00 (m)  | 0.00                 | 0.00     |            |       |       |       | Pass        |
|                                                                                                                | 9753.37    | 32.81    | 9750.15  | 9720.56         | 5031.62    | MAS = 10.00 (m)  | 26.00                | 26.00    |            |       |       |       | Surface     |
|                                                                                                                | 9753.37    | 597.98   | 9354.29  | 9155.39         | 24.52      | OSF1.50          | 2000.00              | 2000.00  |            |       |       |       | WRP         |
|                                                                                                                | 9873.49    | 2012.20  | 8531.59  | 7861.29         | 7.38       | OSF1.50          | 6510.00              | 6503.53  |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 5580.43    | 1420.96  | 4632.69  | 4159.47         | 5.89       | OSF1.50          | 16180.00             | 10463.00 |            |       |       |       | MinPt-O-SF  |
|                                                                                                                | 4292.60    | 792.34   | 3763.94  | 3500.26         | 8.14       | OSF1.50          | 18460.00             | 10463.00 |            |       |       |       | MinPt-O-ADP |
|                                                                                                                | 4126.51    | 591.18   | 3731.96  | 3535.33         | 10.49      | OSF1.50          | 18960.00             | 10463.00 |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 3963.51    | 215.26   | 3819.57  | 3748.24         | 27.78      | OSF1.50          | 20110.00             | 10463.00 |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 4127.43    | 605.90   | 3723.07  | 3521.53         | 10.24      | OSF1.50          | 21260.00             | 10463.00 |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 4290.04    | 803.02   | 3754.27  | 3487.02         | 8.02       | OSF1.50          | 21750.00             | 10463.00 |            |       |       |       | MinPt-O-ADP |
|                                                                                                                | 4910.11    | 1207.67  | 4104.57  | 3702.44         | 6.10       | OSF1.50          | 23006.58             | 10463.00 |            |       |       |       | MinPt-O-SF  |
| ORYX Energy Bedena Federal<br>#1 (Offset) API 30-015-25273<br>Plugged SWD Inc Only Off-<br>6300ft (Def Survey) |            |          |          |                 |            |                  |                      |          |            |       |       |       |             |
|                                                                                                                | 6835.38    | 32.81    | 6834.08  | 6802.57         | 918663.38  | MAS = 10.00 (m)  | 0.00                 | 0.00     |            |       |       |       | Pass        |
|                                                                                                                | 6835.38    | 32.81    | 6833.61  | 6802.57         | 14129.89   | MAS = 10.00 (m)  | 26.00                | 26.00    |            |       |       |       | MinPts      |
|                                                                                                                | 6823.19    | 61.99    | 6781.50  | 6761.20         | 168.03     | OSF1.50          | 1040.00              | 1040.00  |            |       |       |       | WRP         |
|                                                                                                                | 6826.90    | 85.72    | 6769.39  | 6741.18         | 120.98     | OSF1.50          | 1410.00              | 1410.00  |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 6830.81    | 90.31    | 6770.24  | 6740.50         | 114.82     | OSF1.50          | 1570.00              | 1570.00  |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 6825.72    | 115.05   | 6748.65  | 6710.67         | 89.83      | OSF1.50          | 2090.00              | 2089.99  |            |       |       |       | MinPt-O-ADP |
|                                                                                                                | 6826.55    | 117.70   | 6747.72  | 6708.85         | 87.80      | OSF1.50          | 2160.00              | 2159.92  |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 6827.86    | 119.24   | 6748.00  | 6708.62         | 86.67      | OSF1.50          | 2200.00              | 2199.84  |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 6833.75    | 123.20   | 6751.25  | 6710.55         | 83.93      | OSF1.50          | 2300.00              | 2299.45  |            |       |       |       | MinPts      |
|                                                                                                                | 6965.45    | 161.50   | 6857.45  | 6803.95         | 65.08      | OSF1.50          | 3540.00              | 3533.53  |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 6966.00    | 162.26   | 6857.50  | 6803.74         | 64.78      | OSF1.50          | 3550.00              | 3543.53  |            |       |       |       | MinPt-O-ADP |
|                                                                                                                | 6959.43    | 174.99   | 6842.44  | 6784.44         | 59.98      | OSF1.50          | 4380.00              | 4373.53  |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 6961.46    | 231.03   | 6807.12  | 6730.43         | 45.39      | OSF1.50          | 6300.00              | 6293.53  |            |       |       |       | MinPts      |
|                                                                                                                | 6961.98    | 231.08   | 6807.60  | 6730.90         | 45.38      | OSF1.50          | 6380.00              | 6373.53  |            |       |       |       | MinPt-O-SF  |
|                                                                                                                | 4184.96    | 152.62   | 4082.89  | 4032.34         | 41.39      | OSF1.50          | 17190.00             | 10463.00 |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 4185.26    | 153.51   | 4082.60  | 4031.75         | 41.15      | OSF1.50          | 17240.00             | 10463.00 |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 4185.73    | 154.05   | 4082.70  | 4031.68         | 41.01      | OSF1.50          | 17270.00             | 10463.00 |            |       |       |       | MinPt-O-ADP |
|                                                                                                                | 4751.57    | 202.68   | 4616.12  | 4548.89         | 35.33      | OSF1.50          | 19440.00             | 10463.00 |            |       |       |       | MinPt-O-SF  |
|                                                                                                                | 7165.83    | 242.68   | 7003.72  | 6923.15         | 44.47      | OSF1.50          | 23006.58             | 10463.00 |            |       |       |       | TD          |
| XTO Ross Draw 31 Federal<br>Wal Com #6H (Offset) API 30-<br>015-45121 Gas Off-22980ft (Def<br>Survey)          |            |          |          |                 |            |                  |                      |          |            |       |       |       |             |
|                                                                                                                | 9016.32    | 32.81    | 9015.03  | 8983.51         | N/A        | MAS = 10.00 (m)  | 0.00                 | 0.00     |            |       |       |       | Pass        |
|                                                                                                                | 9016.30    | 32.81    | 9015.01  | 8983.49         | N/A        | MAS = 10.00 (m)  | 10.00                | 10.00    |            |       |       |       | Surface     |
|                                                                                                                | 9016.30    | 32.81    | 9015.01  | 8983.49         | N/A        | MAS = 10.00 (m)  | 20.00                | 20.00    |            |       |       |       | MinPt-O-SF  |
|                                                                                                                | 9016.30    | 32.81    | 9015.01  | 8983.49         | N/A        | MAS = 10.00 (m)  | 26.00                | 26.00    |            |       |       |       | MinPts      |
|                                                                                                                | 8974.47    | 32.81    | 8964.55  | 8941.66         | 1021.67    | MAS = 10.00 (m)  | 2100.00              | 2099.98  |            |       |       |       | WRP         |
|                                                                                                                | 8962.38    | 32.81    | 8953.20  | 8929.57         | 1116.37    | MAS = 10.00 (m)  | 2300.00              | 2299.45  |            |       |       |       | MinPt-O-SF  |
|                                                                                                                | 4228.98    | 440.40   | 3934.82  | 3788.58         | 14.45      | OSF1.50          | 11050.00             | 10463.00 |            |       |       |       | MinPt-O-SF  |
|                                                                                                                | 4229.73    | 445.26   | 3932.29  | 3784.47         | 14.30      | OSF1.50          | 11200.00             | 10463.00 |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 4230.35    | 446.01   | 3932.39  | 3784.34         | 14.28      | OSF1.50          | 11240.00             | 10463.00 |            |       |       |       | MinPt-O-ADP |
|                                                                                                                | 4246.11    | 471.61   | 3931.05  | 3774.50         | 13.56      | OSF1.50          | 11780.00             | 10463.00 |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 4260.72    | 501.98   | 3925.42  | 3758.73         | 12.77      | OSF1.50          | 12360.00             | 10463.00 |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 4240.29    | 560.21   | 3866.26  | 3680.08         | 11.38      | OSF1.50          | 13340.00             | 10463.00 |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 4240.62    | 561.15   | 3865.93  | 3679.47         | 11.37      | OSF1.50          | 13400.00             | 10463.00 |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 4241.01    | 561.60   | 3866.00  | 3679.41         | 11.36      | OSF1.50          | 13430.00             | 10463.00 |            |       |       |       | MinPt-O-ADP |
|                                                                                                                | 4235.87    | 616.09   | 3824.59  | 3619.78         | 10.34      | OSF1.50          | 14380.00             | 10463.00 |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 4236.40    | 618.83   | 3823.25  | 3617.57         | 10.29      | OSF1.50          | 14480.00             | 10463.00 |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 4236.81    | 619.32   | 3823.32  | 3617.49         | 10.29      | OSF1.50          | 14510.00             | 10463.00 |            |       |       |       | MinPt-O-ADP |
|                                                                                                                | 4281.63    | 641.21   | 3853.32  | 3640.42         | 10.05      | OSF1.50          | 15250.00             | 10463.00 |            |       |       |       | MinPt-O-SF  |
|                                                                                                                | 9175.44    | 315.97   | 8964.47  | 8859.47         | 43.69      | OSF1.50          | 23006.58             | 10463.00 |            |       |       |       | TD          |
| K P Kauffman McKenna Federal<br>#2 (Offset) API 30-015-20222<br>Inc Only SWD Off-3370ft (Def<br>Survey)        |            |          |          |                 |            |                  |                      |          |            |       |       |       |             |
|                                                                                                                | 5104.40    | 32.81    | 5102.26  | 5071.59         | 30704.20   | MAS = 10.00 (m)  | 0.00                 | 0.00     |            |       |       |       | Pass        |
|                                                                                                                | 5104.40    | 32.81    | 5101.80  | 5071.59         | 8216.62    | MAS = 10.00 (m)  | 26.00                | 26.00    |            |       |       |       | Surface     |
|                                                                                                                | 5094.03    | 57.17    | 5055.25  | 5036.86         | 138.40     | OSF1.50          | 1010.00              | 1010.00  |            |       |       |       | WRP         |
|                                                                                                                | 5097.31    | 67.13    | 5051.90  | 5030.18         | 117.31     | OSF1.50          | 1340.00              | 1340.00  |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 5101.28    | 71.90    | 5052.69  | 5029.38         | 109.40     | OSF1.50          | 1500.00              | 1500.00  |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 5099.40    | 117.32   | 5020.52  | 4982.08         | 66.29      | OSF1.50          | 2060.00              | 2060.00  |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 5100.77    | 123.44   | 5017.81  | 4977.33         | 62.97      | OSF1.50          | 2160.00              | 2159.92  |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 5102.21    | 125.10   | 5018.15  | 4977.11         | 62.14      | OSF1.50          | 2200.00              | 2199.84  |            |       |       |       | MinPt-O-ADP |
|                                                                                                                | 5108.29    | 129.15   | 5021.53  | 4979.14         | 60.23      | OSF1.50          | 2300.00              | 2299.45  |            |       |       |       | MinPts      |
|                                                                                                                | 5216.31    | 172.98   | 5100.33  | 5043.32         | 45.74      | OSF1.50          | 3330.00              | 3323.85  |            |       |       |       | MinPts      |
|                                                                                                                | 5219.22    | 174.97   | 5101.91  | 5044.25         | 45.24      | OSF1.50          | 3370.00              | 3363.72  |            |       |       |       | MinPt-O-SF  |
|                                                                                                                | 7103.83    | 115.48   | 7026.18  | 6988.35         | 93.86      | OSF1.50          | 15460.00             | 10463.00 |            |       |       |       | MinPt-CtCt  |
|                                                                                                                | 7104.39    | 117.21   | 7025.59  | 6987.18         | 92.46      | OSF1.50          | 15550.00             | 10463.00 |            |       |       |       | MINPT-O-EOU |
|                                                                                                                | 7105.19    | 118.18   | 7025.74  | 6987.01         | 91.69      | OSF1.50          | 15600.00             | 10463.00 |            |       |       |       | MinPt-O-ADP |
|                                                                                                                | 8419.32    | 197.02   | 8287.31  | 8222.30         | 64.74      | OSF1.50          | 19980.00             | 10463.00 |            |       |       |       | MinPt-O-SF  |
|                                                                                                                | 10363.34   | 223.24   | 10213.85 | 10140.09        | 70.24      | OSF1.50          | 23006.58             | 10463.00 |            |       |       |       | TD          |
| JC Williams New Era Federal<br>#2 (Offset) API 30-015-25326<br>Plugged Inc Only Off-5717ft<br>(Def Survey)     |            |          |          |                 |            |                  |                      |          |            |       |       |       |             |
|                                                                                                                |            |          |          |                 |            |                  |                      |          |            |       |       |       | Pass        |

| Offset Trajectory                                                                                     | Separation |          |          | Allow Dev. (ft) | Sep. Fact. | Controlling Rule | Reference Trajectory |          | Risk Level |       |       | Alert       | Status |
|-------------------------------------------------------------------------------------------------------|------------|----------|----------|-----------------|------------|------------------|----------------------|----------|------------|-------|-------|-------------|--------|
|                                                                                                       | Cl-Cl (ft) | MAS (ft) | EOU (ft) |                 |            |                  | MD (ft)              | TVD (ft) | Alert      | Minor | Major |             |        |
|                                                                                                       | 5165.25    | 32.81    | 5163.78  | 5132.45         | 27041.23   | MAS = 10.00 (m)  | 0.00                 | 0.00     |            |       |       | MinPts      |        |
|                                                                                                       | 5165.28    | 32.81    | 5163.39  | 5132.47         | 8588.50    | MAS = 10.00 (m)  | 26.00                | 26.00    |            |       |       | WRP         |        |
|                                                                                                       | 5159.80    | 52.19    | 5124.64  | 5107.60         | 151.42     | OSF1.50          | 1360.00              | 1360.00  |            |       |       | MinPt-CtCt  |        |
|                                                                                                       | 5166.02    | 79.10    | 5112.92  | 5086.91         | 99.31      | OSF1.50          | 2060.00              | 2060.00  |            |       |       | MINPT-O-EOU |        |
|                                                                                                       | 5167.42    | 80.81    | 5113.18  | 5086.60         | 97.20      | OSF1.50          | 2100.00              | 2099.98  |            |       |       | MinPt-O-ADP |        |
|                                                                                                       | 5170.39    | 83.83    | 5114.14  | 5086.56         | 93.71      | OSF1.50          | 2160.00              | 2159.92  |            |       |       | MinPt-O-ADP |        |
|                                                                                                       | 5180.84    | 91.81    | 5119.27  | 5089.03         | 85.64      | OSF1.50          | 2300.00              | 2299.45  |            |       |       | MinPts      |        |
|                                                                                                       | 5280.30    | 164.30   | 5170.44  | 5116.00         | 48.49      | OSF1.50          | 4900.00              | 4893.53  |            |       |       | MinPt-CtCt  |        |
|                                                                                                       | 5287.46    | 190.27   | 5160.28  | 5097.18         | 41.89      | OSF1.50          | 5700.00              | 5693.53  |            |       |       | MinPts      |        |
|                                                                                                       | 5287.83    | 190.31   | 5160.63  | 5097.52         | 41.89      | OSF1.50          | 5760.00              | 5753.53  |            |       |       | MinPt-O-SF  |        |
|                                                                                                       | 5448.38    | 150.19   | 6347.84  | 6298.10         | 64.82      | OSF1.50          | 13260.00             | 10463.00 |            |       |       | MinPt-CtCt  |        |
|                                                                                                       | 6448.42    | 150.51   | 6347.71  | 6297.85         | 64.65      | OSF1.50          | 13300.00             | 10463.00 |            |       |       | MINPT-O-EOU |        |
|                                                                                                       | 6448.58    | 150.77   | 6347.74  | 6297.81         | 64.57      | OSF1.50          | 13320.00             | 10463.00 |            |       |       | MinPt-O-ADP |        |
|                                                                                                       | 7248.30    | 192.24   | 7119.81  | 7056.06         | 56.84      | OSF1.50          | 16570.00             | 10463.00 |            |       |       | MinPt-O-SF  |        |
|                                                                                                       | 11686.74   | 233.10   | 11531.01 | 11453.64        | 75.52      | OSF1.50          | 23006.58             | 10463.00 |            |       |       | TD          |        |
| Amoco Production Federal AX #1 (Offset) API 30-015-23311 Plugged Blind Off-3550ft (Def Survey)        |            |          |          |                 |            |                  |                      |          |            |       |       |             | Pass   |
|                                                                                                       | 5438.04    | 32.81    | 5435.66  | 5405.23         | 4942.34    | MAS = 10.00 (m)  | 0.00                 | 0.00     |            |       |       | Surface     |        |
|                                                                                                       | 5438.04    | 32.81    | 5432.93  | 5405.23         | 1421.77    | MAS = 10.00 (m)  | 26.00                | 26.00    |            |       |       | WRP         |        |
|                                                                                                       | 5438.04    | 617.85   | 5025.72  | 4820.20         | 13.23      | OSF1.50          | 2000.00              | 2000.00  |            |       |       | MinPt-CtCt  |        |
|                                                                                                       | 5560.22    | 1101.60  | 4825.39  | 4458.62         | 7.58       | OSF1.50          | 3550.00              | 3543.53  |            |       |       | MinPts      |        |
|                                                                                                       | 6950.56    | 147.36   | 6851.89  | 6803.20         | 71.36      | OSF1.50          | 15220.00             | 10463.00 |            |       |       | MinPt-O-ADP |        |
|                                                                                                       | 6927.00    | 126.78   | 6842.14  | 6800.31         | 82.78      | OSF1.50          | 15790.00             | 10463.00 |            |       |       | MinPt-CtCt  |        |
|                                                                                                       | 6936.92    | 145.83   | 6839.27  | 6791.09         | 71.97      | OSF1.50          | 16160.00             | 10463.00 |            |       |       | MINPT-O-EOU |        |
|                                                                                                       | 6975.36    | 191.66   | 6847.16  | 6783.70         | 54.95      | OSF1.50          | 16610.00             | 10463.00 |            |       |       | MinPt-O-ADP |        |
|                                                                                                       | 9671.44    | 791.12   | 9143.60  | 8880.32         | 18.38      | OSF1.50          | 22540.00             | 10463.00 |            |       |       | MinPt-O-SF  |        |
|                                                                                                       | 10002.63   | 816.43   | 9457.91  | 9186.20         | 18.40      | OSF1.50          | 23006.58             | 10463.00 |            |       |       | TD          |        |
| Hankamer Curtis Federal AT #1 (Offset) API 30-015-04775 Plugged Blind Off-3450ft (Def Survey)         |            |          |          |                 |            |                  |                      |          |            |       |       |             | Pass   |
|                                                                                                       | 5441.90    | 32.81    | 5439.93  | 5409.09         | 7989.45    | MAS = 10.00 (m)  | 0.00                 | 0.00     |            |       |       | Surface     |        |
|                                                                                                       | 5441.90    | 32.81    | 5437.21  | 5409.09         | 1597.89    | MAS = 10.00 (m)  | 26.00                | 26.00    |            |       |       | WRP         |        |
|                                                                                                       | 5441.90    | 602.54   | 5039.78  | 4839.36         | 13.57      | OSF1.50          | 2000.00              | 2000.00  |            |       |       | MinPt-CtCt  |        |
|                                                                                                       | 5561.97    | 1053.00  | 4859.54  | 4508.97         | 7.93       | OSF1.50          | 3440.00              | 3433.58  |            |       |       | MinPts      |        |
|                                                                                                       | 5562.41    | 1053.29  | 4859.79  | 4509.13         | 7.93       | OSF1.50          | 3450.00              | 3443.57  |            |       |       | MinPt-O-SF  |        |
|                                                                                                       | 7035.88    | 130.96   | 6948.15  | 6904.92         | 81.37      | OSF1.50          | 15790.00             | 10463.00 |            |       |       | MinPt-CtCt  |        |
|                                                                                                       | 7041.83    | 142.81   | 6946.13  | 6899.02         | 74.62      | OSF1.50          | 16080.00             | 10463.00 |            |       |       | MINPT-O-EOU |        |
|                                                                                                       | 7072.55    | 179.05   | 6952.76  | 6893.51         | 59.67      | OSF1.50          | 16510.00             | 10463.00 |            |       |       | MinPt-O-ADP |        |
|                                                                                                       | 9805.24    | 757.75   | 9299.64  | 9047.48         | 19.44      | OSF1.50          | 22620.00             | 10463.00 |            |       |       | MinPt-O-SF  |        |
|                                                                                                       | 10078.31   | 777.72   | 9559.40  | 9300.59         | 19.47      | OSF1.50          | 23006.58             | 10463.00 |            |       |       | TD          |        |
| Aldridge & Stroud American Trading #1 (Offset) API 30-015-04774 Plugged Blind Off-1269ft (Def Survey) |            |          |          |                 |            |                  |                      |          |            |       |       |             | Pass   |
|                                                                                                       | 9389.62    | 32.81    | 9388.34  | 9356.81         | N/A        | MAS = 10.00 (m)  | 0.00                 | 0.00     |            |       |       | Surface     |        |
|                                                                                                       | 9389.61    | 32.81    | 9387.02  | 9356.81         | 7169.03    | MAS = 10.00 (m)  | 26.00                | 26.00    |            |       |       | WRP         |        |
|                                                                                                       | 9389.61    | 383.96   | 9133.21  | 9005.65         | 36.80      | OSF1.50          | 1280.00              | 1280.00  |            |       |       | MinPt-CtCt  |        |
|                                                                                                       | 9389.62    | 384.75   | 9132.66  | 9004.87         | 36.72      | OSF1.50          | 1290.00              | 1290.00  |            |       |       | MinPts      |        |
|                                                                                                       | 9389.63    | 384.75   | 9132.70  | 9004.88         | 36.72      | OSF1.50          | 1300.00              | 1300.00  |            |       |       | MinPt-O-SF  |        |
|                                                                                                       | 9458.82    | 382.62   | 9203.31  | 9076.19         | 37.20      | OSF1.50          | 2300.00              | 2299.45  |            |       |       | MinPts      |        |
|                                                                                                       | 12681.29   | 269.40   | 12501.26 | 12411.89        | 70.94      | OSF1.50          | 11000.00             | 10463.00 |            |       |       | MinPt-O-SF  |        |
|                                                                                                       | 9192.08    | 207.91   | 9053.02  | 8984.15         | 66.72      | OSF1.50          | 19740.00             | 10463.00 |            |       |       | MinPt-CtCt  |        |
|                                                                                                       | 9192.89    | 210.33   | 9052.24  | 8982.56         | 65.95      | OSF1.50          | 19860.00             | 10463.00 |            |       |       | MINPT-O-EOU |        |
|                                                                                                       | 9194.10    | 211.79   | 9052.48  | 8982.32         | 65.51      | OSF1.50          | 19930.00             | 10463.00 |            |       |       | MinPt-O-ADP |        |
|                                                                                                       | 9756.50    | 288.10   | 9564.01  | 9468.40         | 51.02      | OSF1.50          | 23006.58             | 10463.00 |            |       |       | MinPt-O-SF  |        |

**1. Geological Formations**

TVD of target 10,463

Pilot Hole TD N/A

MD at TD 23,006

Deepest expected fresh water

| Formation     | Depth (TVD) from KB | Water/Mineral Bearing/Target Zone | Hazards |
|---------------|---------------------|-----------------------------------|---------|
| Rustler       | 1050                | N/A                               |         |
| Salado        | 1918                | N/A                               |         |
| Castille      | 2453                | N/A                               |         |
| Bell Canyon   | 3268                | N/A                               |         |
| Cherry Canyon | 4185                | N/A                               |         |
| Brushy Canyon | 5474                | Hydrocarbons                      |         |
| Bone Spring   | 7026                | Hydrocarbons                      |         |
| Wolfcamp      | 10202               | Hydrocarbons                      |         |

**2. Casing Program**

| Hole Size                 | Casing Depth From | Casing Depth To | Setting Depth TVD | Casing Size | Weight (lb/ft) | Grade            | Conn. | SF Collapse | SF Burst | SF Tension         |
|---------------------------|-------------------|-----------------|-------------------|-------------|----------------|------------------|-------|-------------|----------|--------------------|
| 17 1/2                    | 0                 | 1100            | 1100              | 13-3/8"     | 48.00          | H-40/J-55 Hybrid | ST&C  | 1.47        | 3.44     | 6.10               |
| 12 1/4                    | 0                 | 3248            | 3248              | 9-5/8"      | 36.00          | J-55             | LT&C  | 1.17        | 2.04     | 3.87               |
| 8 3/4                     | 0                 | 9059            | 9059              | 7"          | 29.00          | L-80             | LT&C  | 1.66        | 1.92     | 1.96               |
| 8 3/4                     | 9059              | 10584           | 10342             | 7"          | 29.00          | L-80             | BT&C  | 1.45        | 1.69     | 18.17              |
| 6                         | 9050              | 23006           | 10463             | 4-1/2"      | 11.60          | HCP-110          | BT&C  | 1.30        | 1.57     | 22.39              |
| BLM Minimum Safety Factor |                   |                 |                   |             |                |                  |       | 1.125       | 1        | 1.6 Dry<br>1.8 Wet |

TVD was used on all calculations.

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h

## Cimarex Energy Co., Tar Heel 19-18-7 Federal Com #2H

|                                                                                                                                                  | Y or N |
|--------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| Is casing new? If used, attach certification as required in Onshore Order #1                                                                     | Y      |
| Does casing meet API specifications? If no, attach casing specification sheet.                                                                   | Y      |
| Is premium or uncommon casing planned? If yes attach casing specification sheet.                                                                 | N      |
| Does the above casing design meet or exceed BLM's minimum standards? If not provide justification (loading assumptions, casing design criteria). | Y      |
| Will the intermediate pipe be kept at a minimum 1/3 fluid filled to avoid approaching the collapse pressure rating of the casing?                | N      |
| Is well located within Capitan Reef?                                                                                                             | N      |
| If yes, does production casing cement tie back a minimum of 50' above the Reef?                                                                  | N      |
| Is well within the designated 4 string boundary.                                                                                                 | N      |
| Is well located in SOPA but not in R-111-P?                                                                                                      | N      |
| If yes, are the first 2 strings cemented to surface and 3rd string cement tied back 500' into previous casing?                                   | N      |
| Is well located in R-111-P and SOPA?                                                                                                             | N      |
| If yes, are the first three strings cemented to surface?                                                                                         | N      |
| Is 2nd string set 100' to 600' below the base of salt?                                                                                           | N      |
| Is well located in high Cave/Karst?                                                                                                              | Y      |
| If yes, are there two strings cemented to surface?                                                                                               | Y      |
| (For 2 string wells) If yes, is there a contingency casing if lost circulation occurs?                                                           | N      |
| Is well located in critical Cave/Karst?                                                                                                          | N      |
| If yes, are there three strings cemented to surface?                                                                                             | N      |
| Is AC Report included?                                                                                                                           | N      |

**3. Cementing Program**

| Casing            | # Sk | Wt.<br>lb/gal | Yld<br>ft <sup>3</sup> /sack | H <sub>2</sub> O<br>gal/sk | 500# Comp.<br>Strength<br>(hours) | Slurry Description                                                     |
|-------------------|------|---------------|------------------------------|----------------------------|-----------------------------------|------------------------------------------------------------------------|
| Surface           | 534  | 13.50         | 1.72                         | 9.15                       | 15.5                              | Lead: Class C + Bentonite                                              |
|                   | 143  | 14.80         | 1.34                         | 6.32                       | 9.5                               | Tail: Class C + LCM                                                    |
|                   |      |               |                              |                            |                                   |                                                                        |
| Intermediate      | 595  | 12.90         | 1.88                         | 9.65                       | 12                                | Lead: 35:65 (Poz:C) + Salt + Bentonite                                 |
|                   | 190  | 14.80         | 1.34                         | 6.32                       | 9.5                               | Tail: Class C + LCM                                                    |
|                   |      |               |                              |                            |                                   |                                                                        |
| Production        | 425  | 10.30         | 3.64                         | 22.18                      |                                   | Lead: Tuned Light + LCM                                                |
|                   | 109  | 14.20         | 1.30                         | 5.86                       | 14:30                             | Tail: 50:50 (Poz:H) + Salt + Bentonite + Fluid Loss + Dispersant + SMS |
|                   |      |               |                              |                            |                                   |                                                                        |
| Completion System | 918  | 14.20         | 1.30                         | 5.86                       | 14:30                             | Tail: 50:50 (Poz:H) + Salt + Bentonite + Fluid Loss + Dispersant + SMS |
|                   |      |               |                              |                            |                                   |                                                                        |

| Casing String     | TOC   | % Excess |
|-------------------|-------|----------|
| Surface           | 0     | 45       |
| Intermediate      | 0     | 53       |
| Production        | 3048  | 25       |
| Completion System | 10384 | 10       |

Cimarex request the ability to perform casing integrity tests after plug bump of cement job.

**4. Pressure Control Equipment**

| A variance is requested for the use of a diverter on the surface casing. See attached for schematic. |        |                 |            |   |                         |
|------------------------------------------------------------------------------------------------------|--------|-----------------|------------|---|-------------------------|
| BOP installed and tested before drilling which hole?                                                 | Size   | Min Required WP | Type       |   | Tested To               |
| 12 1/4                                                                                               | 13 5/8 | 2M              | Annular    | X | 50% of working pressure |
|                                                                                                      |        |                 | Blind Ram  |   | 2M                      |
|                                                                                                      |        |                 | Pipe Ram   |   |                         |
|                                                                                                      |        |                 | Double Ram | X |                         |
|                                                                                                      |        |                 | Other      |   |                         |
| 8 3/4                                                                                                | 13 5/8 | 3M              | Annular    | X | 50% of working pressure |
|                                                                                                      |        |                 | Blind Ram  |   | 3M                      |
|                                                                                                      |        |                 | Pipe Ram   |   |                         |
|                                                                                                      |        |                 | Double Ram | X |                         |
|                                                                                                      |        |                 | Other      |   |                         |
| 6                                                                                                    | 13 5/8 | 5M              | Annular    | X | 50% of working pressure |
|                                                                                                      |        |                 | Blind Ram  |   | 5M                      |
|                                                                                                      |        |                 | Pipe Ram   | X |                         |
|                                                                                                      |        |                 | Double Ram | X |                         |
|                                                                                                      |        |                 | Other      |   |                         |

BOP/BOPE will be tested by an independent service company to 250 psi low and the high pressure indicated above per Onshore Order 2 requirements. The System may be upgraded to a higher pressure but still tested to the working pressure listed in the table above. If the system is upgraded all the components installed will be functional and tested.

Pipe rams will be operationally checked each 24 hour period. Blind rams will be operationally checked on each trip out of the hole. These checks will be noted on the daily tour sheets. Other accessories to the BOP equipment will include a Kelly cock and floor safety valve (inside BOP) and choke lines and choke manifold. See attached schematics.

|   |                                                                                                                                                                                                                                                                                                               |                                       |  |  |  |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--|--|--|
| X | Formation integrity test will be performed per Onshore Order #2.<br>On Exploratory wells or on that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.i. |                                       |  |  |  |
| X | A variance is requested for the use of a flexible choke line from the BOP to Choke Manifold. See attached for specs and hydrostatic test chart.                                                                                                                                                               |                                       |  |  |  |
|   | N                                                                                                                                                                                                                                                                                                             | Are anchors required by manufacturer? |  |  |  |



**5. Mud Program**

| Depth            | Type          | Weight (ppg)  | Viscosity | Water Loss |
|------------------|---------------|---------------|-----------|------------|
| 0' to 1100'      | FW Spud Mud   | 8.30 - 8.80   | 30-32     | N/C        |
| 1100' to 3248'   | Brine Water   | 9.70 - 10.20  | 30-32     | N/C        |
| 3248' to 10584'  | FW/Cut Brine  | 8.50 - 9.00   | 30-32     | N/C        |
| 10959' to 23006' | Oil Based Mud | 12.00 - 12.50 | 50-70     | N/C        |

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

|                                                         |                             |
|---------------------------------------------------------|-----------------------------|
| What will be used to monitor the loss or gain of fluid? | PVT/Pason/Visual Monitoring |
|---------------------------------------------------------|-----------------------------|

**6. Logging and Testing Procedures**

| Logging, Coring and Testing |                                                                                                                                                             |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                             | Will run GR/CNL from TD to surface (horizontal well – vertical portion of hole). Stated logs run will be in the Completion Report and submitted to the BLM. |
|                             | No logs are planned based on well control or offset log information.                                                                                        |
|                             | Drill stem test?                                                                                                                                            |
|                             | Coring?                                                                                                                                                     |

| Additional Logs Planned | Interval |
|-------------------------|----------|
|-------------------------|----------|

**7. Drilling Conditions**

| Condition                  |          |
|----------------------------|----------|
| BH Pressure at deepest TVD | 6800 psi |
| Abnormal Temperature       | No       |

Hydrogen Sulfide (H<sub>2</sub>S) monitors will be installed prior to drilling out the surface shoe. If H<sub>2</sub>S is detected in concentrations greater than 100 ppm, the operator will comply with the provisions of Onshore Oil and Gas Order #6. If Hydrogen Sulfide is encountered, measured values and formations will be provided to the BLM.

|   |                                   |
|---|-----------------------------------|
| X | H <sub>2</sub> S is present       |
| X | H <sub>2</sub> S plan is attached |

**8. Other Facets of Operation****9. Wellhead**

A multi-bowl wellhead system will be utilized.

After running the 13-3/8" surface casing, a 13 5/8" BOP/BOPE system with a minimum working pressure of 5000 psi will be installed on the wellhead system and will be pressure tested to 250 psi low followed by a 5000 psi test. Annular will be tested to 50% of working pressure. The pressure test will be repeated at least every 30 days, as per Onshore Order No. 2.

The multi-bowl wellhead will be installed by vendor's representative. A copy of the installation instructions has been sent to the BLM field office.

The wellhead will be installed by a third-party welder while being monitored by the wellhead vendor representative.

All BOP equipment will be tested utilizing a conventional test plug. Not a cup or J-packer type.

A solid steel body pack-off will be utilized after running and cementing the intermediate casing. After installation the pack-off and lower flange will be pressure tested to 5000 psi.


A solid steel body pack-off will be utilized after running and cementing the production casing. After installation the pack-off and lower flange will be pressure tested to 5000 psi.

All casing strings will be tested as per Onshore Order No.2 to at least 0.22 psi/ft or 1,500 whichever is greater and not to exceed 70% of casing burst.


If well conditions dictate conventional slips will be set and BOPE will be tested to appropriate pressures based on permitted pressure requirements.



Drilling 12-1/4" hole  
below 13 3/8" Casing



Drilling 8-3/4" hole  
below 9 5/8" Casing



3000# BOP  
Tar Heel 19-18-7 Fed Com 2H  
Cimarex Energy Co. 19-26S-30E  
Eddy Co., NM

Drilling 6" hole below 7"  
Casing

Fill Line

Flowline

5000# (5M)  
BOP

Annular Preventer

SRR & A

Pipe Rams

Blind Rams

2" Minimum Kill Line

Kill Line

Drilling  
Spool

3" minimum choke line

Choke Line

2 Valves Minimum  
(HCR Required)

2 Valves and a check valve

Wellhead  
Assembly


11" 5000 psi x 7-1/16" 10,000 psi  
Wellhead Assembly

Wellhead  
Assembly


13-5/8" 3000 psi x 11" 5000 psi  
Wellhead Assembly

13-5/8" 3000# psi x 13-3/8" SOW Casing Head

5000# BOP  
Tar Heel 19-18-7 Fed Com 2H  
Cimarex Energy Co. 19-26S-30E  
Eddy Co., NM




## Drilling Operations Choke Manifold 2M/3M Service





# Multi-bowl Wellhead Diagram

## Tar Heel 19-18-7 Federal Com 2H



| Hole Size                 | Casing Depth From | Casing Depth To | Setting Depth TVD | Casing Size | Weight (lb/ft) | Grade            | Conn. | SF Collapse | SF Burst | SF Tension         |
|---------------------------|-------------------|-----------------|-------------------|-------------|----------------|------------------|-------|-------------|----------|--------------------|
| 17 1/2                    | 0                 | 1100            | 1100              | 13-3/8"     | 48.00          | H-40/J-55 Hybrid | ST&C  | 1.47        | 3.44     | 6.10               |
| 12 1/4                    | 0                 | 3248            | 3248              | 9-5/8"      | 36.00          | J-55             | LT&C  | 1.17        | 2.04     | 3.87               |
| 8 3/4                     | 0                 | 9059            | 9059              | 7"          | 29.00          | L-80             | LT&C  | 1.66        | 1.92     | 1.96               |
| 8 3/4                     | 9059              | 10584           | 10342             | 7"          | 29.00          | L-80             | BT&C  | 1.45        | 1.69     | 18.17              |
| 6                         | 9050              | 23006           | 10463             | 4-1/2"      | 11.60          | HCP-110          | BT&C  | 1.30        | 1.57     | 22.39              |
| BLM Minimum Safety Factor |                   |                 |                   |             |                |                  |       | 1.125       | 1        | 1.6 Dry<br>1.8 Wet |

[Print](#)



Tar Heel 19-18-7 Fed Com #2H

## Surface Casing Spec Sheet

### OCTG Performance Data

#### Casing Performance

Availability: ERW

##### Pipe Body Geometry

|                   |             |                           |              |
|-------------------|-------------|---------------------------|--------------|
| Outside Diameter: | 13.375 in   | Inside Diameter:          | 12.715 in    |
| Wall Thickness:   | 0.330 in    | Cross Section Area:       | 13.524 sq in |
| Nominal Weight:   | 48.00 lb/ft | Drift Diameter:           | 12.559 in    |
| Plain End Weight: | 46.02 lb/ft | Alternate Drift Diameter: | -            |

##### Pipe Body Performance

|                           |            |                           |         |
|---------------------------|------------|---------------------------|---------|
| Grade:                    | H40        | Collapse Strength (ERW):  | 740 psi |
| Pipe Body Yield Strength: | 541000 lbf | Collapse Strength (SMLS): | -       |

#### SC Connection

##### Connection Geometry

|                            |            |            |            |
|----------------------------|------------|------------|------------|
|                            | Optimum    | Minimum    | Maximum    |
| <b>Make Up Torque:</b>     | 3220 lb·ft | 2420 lb·ft | 4030 lb·ft |
| Coupling Outside Diameter: | 14.375 in  |            |            |

##### Connection Performance

|                 |            |                                  |          |
|-----------------|------------|----------------------------------|----------|
| Grade:          | H40        | Minimum Internal Yield Pressure: | 1730 psi |
| Joint Strength: | 322000 lbf |                                  |          |

#### LC Connection

##### Connection Geometry

|                            |           |         |         |
|----------------------------|-----------|---------|---------|
|                            | Optimum   | Minimum | Maximum |
| Make Up Torque:            | -         | -       | -       |
| Coupling Outside Diameter: | 14.375 in |         |         |

##### Connection Performance

|                 |     |                                  |   |
|-----------------|-----|----------------------------------|---|
| Grade:          | H40 | Minimum Internal Yield Pressure: | - |
| Joint Strength: | -   |                                  |   |

#### BC Connection

##### Connection Geometry

|                            |           |         |         |
|----------------------------|-----------|---------|---------|
|                            | Optimum   | Minimum | Maximum |
| Make Up Torque:            | -         | -       | -       |
| Coupling Outside Diameter: | 14.375 in |         |         |

##### Connection Performance

|                 |     |                                  |   |
|-----------------|-----|----------------------------------|---|
| Grade:          | H40 | Minimum Internal Yield Pressure: | - |
| Joint Strength: | -   |                                  |   |

#### PE Connection

##### Connection Geometry

|                            |           |         |         |
|----------------------------|-----------|---------|---------|
|                            | Optimum   | Minimum | Maximum |
| Make Up Torque:            | -         | -       | -       |
| Coupling Outside Diameter: | 14.375 in |         |         |

Connection Performance

|                 |     |                                  |          |
|-----------------|-----|----------------------------------|----------|
| Grade:          | H40 | Minimum Internal Yield Pressure: | 1730 psi |
| Joint Strength: | -   |                                  |          |

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

COMMENTS

Action 20495

**COMMENTS**

|                                                                           |        |                |              |
|---------------------------------------------------------------------------|--------|----------------|--------------|
| Operator:                                                                 | OGRID: | Action Number: | Action Type: |
| CIMAREX ENERGY CO. 600 N. Marienfeld Street<br>Suite 600 Midland, TX79701 | 215099 | 20495          | C-103A       |

|            |                         |              |
|------------|-------------------------|--------------|
| Created By | Comment                 | Comment Date |
| kpickford  | KP GEO Review 3/12/2021 | 03/12/2021   |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 20495

**CONDITIONS OF APPROVAL**

|                                                                                        |                                                 |                  |                         |                        |
|----------------------------------------------------------------------------------------|-------------------------------------------------|------------------|-------------------------|------------------------|
| Operator:<br>CIMAREX ENERGY CO. 600 N. Marienfeld Street<br>Suite 600 Midland, TX79701 |                                                 | OGRID:<br>215099 | Action Number:<br>20495 | Action Type:<br>C-103A |
| OCD Reviewer                                                                           | Condition                                       |                  |                         |                        |
| kpickford                                                                              | Adhere to previous NMOCD Conditions of Approval |                  |                         |                        |