

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-45811
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator CROSS TIMBERS ENERGY, LLC		6. State Oil & Gas Lease No. 312477
3. Address of Operator 400 W 7TH STREET, FORT WORTH, TX 76102		7. Lease Name or Unit Agreement Name NEW MEXICO BO STATE
4. Well Location Unit Letter <u>H</u> : <u>2289</u> feet from the <u>N</u> line and <u>996</u> feet from the <u>E</u> line Section <u>12</u> Township <u>18-S</u> Range <u>34-E</u> NMPM County <u>LEA</u>		8. Well Number 11
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3984		9. OGRID Number 298299
		10. Pool name or Wildcat VACUUM;BLINEBRY

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <u>ADD PERFS</u> <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

ESTIMATED MIRU 04/05/2021

- MIRU, POOH w/ rods & tubing
- Perforate from 6,555' – 6,714'. RIH w/ packer & set @ 6,400'.
- Acidize perforations.
- Swab.
- POOH w/ packer.
- RIH w/ tubing and rods. Return well to production.

WBD attached

Spud Date:

05/13/2019

Rig Release Date:

06/02/2019

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Samanntha Avarello TITLE Regulatory Technician DATE 03/26/2021

Type or print name Samanntha Avarello E-mail address: savarello@mspartners.com PHONE: 817-337-7747

**For State Use Only**

APPROVED BY P Kautz TITLE \_\_\_\_\_ DATE 03/30/2021

Conditions of Approval (if any):

Location: 2,289' FNL & 996' FEL Sec: 12  
 County: Lea State: NM

Township: 18S Range: 34E  
 API: 30-025-45811

**Surface Csg**

Size: 9-5/8"  
 Wt & Thrd: 36#  
 Grade: J-55, LTC  
 Set @: 1,770'  
 Sx Cmt: 400 sx + 200 sx  
 Circ: 73 bbls to sfc  
 TOC: Sfc

KB: 4,003'  
 GL: 3,984'  
 Spud Date: 5/13/2019

**CURRENT**

**6/26/2019**

**Tubing:** 173 jts 2-7/8" tubing, TAC @ 5613', 16 jts 2-7/8", IPC, SN @ 6168', PS, OPMA. EOT @ 6204'

**Rods:**

(90) 1" N97 rods  
 (76) 7/8" N97 rods  
 (66) 3/4" N97 rods  
 (12) 1-1/2" K bars  
 stabil  
 RHBO  
 25-200-RHBC-30-5 Insert pump w/ 12' gas anchor

**Blinbry Perfs (6/12/19):**

6,027' - 6,029'  
 6,060' - 6,062'  
 6,094' - 6,096'  
 6,115' - 6,117'

**Production Casing**

Size: 5-1/2"  
 Wt & Thrd: 17#  
 Grade: L-80, LTC  
 Set @: 7,115'  
 1,107 sx POZ & 1,033  
 Sx Cmt: sx Class H  
 Circ: 114 bbls to sfc  
 TOC: Surface

Drift ID: 4.767"

Burst: 7,740 psi

Collapse: 6,280 psi

PBTD: est'd 7,070'

TD: 7,115'

Location: 2,289' FNL & 996' FEL Sec: 12  
County: Lea State: NM

Township: 18S Range: 34E  
API: 30-025-45811

**Surface Csg**

Size: 9-5/8"  
Wt & Thrd: 36#  
Grade: J-55, LTC  
Set @: 1,770'  
Sx Cmt: 400 sx + 200 sx  
Circ: 73 bbls to sfc  
TOC: Sfc

KB: 4,003'  
GL: 3,984'  
Spud Date: 5/13/2019

**PROPOSED****PROPOSED:****Tubing:**

2-7/8", 6.5, L-80 tbg  
2-7/8" x 5-1/2" TAC @ 5600'  
2-7/8" tbg  
SN @ 6750'  
PS  
BPMA

**Rods:**

(96) 1" N97 rods  
(90) 7/8" N97 rods  
(74) 3/4" N97 rods  
(10) 1-1/2" K bars  
stabil  
RHBO  
1.5" Insert pump

**Production Casing**

Size: 5-1/2"  
Wt & Thrd: 17#  
Grade: L-80, LTC  
Set @: 7,115'  
1,107 sx POZ & 1,033  
Sx Cmt: sx Class H  
Circ: 114 bbls to sfc  
TOC: Surface

**Blinebry Perfs (6/12/19):**

6,027' - 6,029'  
6,060' - 6,062'  
6,094' - 6,096'  
6,115' - 6,117'

**Proposed Lower Blinebry Perfs:**

(1 SPF)  
6,555' - 6,563'  
6,570'  
6,578'  
6,627'  
6,634'  
6,637'  
6,652'  
6,661'  
6,667'  
6,707' - 6,708'  
6,710' - 6,714'

Drift ID: 4.767"

Burst: 7,740 psi

Collapse: 6,280 psi

PBTD: est'd 7,070'

TD: 7,115'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 22128

**CONDITIONS OF APPROVAL**

Operator: CROSS TIMBERS ENERGY, LLC      400 West 7th Street      Fort Worth, TX76102			OGRID: 298299	Action Number: 22128	Action Type: C-103E
OCD Reviewer			Condition		
pkautz			None		