

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Rego

Well Name: YADA FED COM Well Location: T24S / R35E / SEC 35 / County or Parish/State: LEA /

SWSW / 32.167313 / -103.3438532

Well Number: 211H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM138891. **Unit or CA Name: Unit or CA Number:** 

NMNM138896

**US Well Number: 3002548254** Well Status: Approved Application for

**Operator: TAP ROCK** Permit to Drill OPERATING LLC

## **Subsequent Report**

Type of Submission: Subsequent Report Type of Action: Drilling Operations

Date Sundry Submitted: 04/05/2021 Time Sundry Submitted: 09:17

Date Operation Actually Began: 03/21/2021

Actual Procedure: Well spud on 3/21/2021 at 2:00 3/21/2021: Drill 17.5 inch surface hole to 690 ft. Run 13.375 inch 54.5 lb J55 surface casing to 679 ft. Pump 40 bbls gel with CTB-15, followed by 295 sks of 13.5 ppg lead cmt, 340 sks of 14.8 ppg tail cmt. Drop plug and displace with 100 bbls of brine. 80 bbls of cement returned back to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 3/22/2021: Test BOPS. Drill 12.25 inch first intermediate hole to 5290 ft. 3/25/2021: Run 9.625 inch 40 lb J55 first intermediate casing to 5272 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 1130 sks of 12.8 ppg lead cmt, 441 sks of 14.8 ppg tail cmt. Drop plug and displace with 397 bbls of freshwater. 70 bbls of cement returned to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 3/26/2021: Drill 8.75 inch second intermediate hole to 11603 ft. 3/28/2021: Run 7.625 inch 29.7 lb P-110 second intermediate casing to 11523 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 421 sks of 11.5 lead cmt, 141 sks of 13.2 ppg tail cmt. Drop plug and displace with 527 bbls of cut brine. 5 bbls of cement to surface. Est TOC at 4950 ft. Pressure test casing to 2550 for 30 minutes, good test. Surface Casing Details: Casing ran: 3/21/2021, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 679 ft, Cement 635 sacks, Yield 1.34, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. First Intermediate Casing Details: Casing ran: 3/25/2021, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 5272 ft, Cement 1571 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0. Second Intermediate Casing Details: Casing ran: 3/28/2021, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 4950 ft, Depth set 11523 ft, Cement 562 sacks, Yield 1.35, Class H, Pressure Held 2550 psi, Pres Drop 0.

Well Location: T24S / R35E / SEC 35 / SWSW / 32.167313 / -103.3438532

County or Parish/State: LEA

Well Number: 211H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM138891,

NMNM138896

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 3002548254** 

Well Status: Approved Application for Permit to Drill

**Operator:** TAP ROCK

**OPERATING LLC** 

## **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

**Operator Electronic Signature: BILL RAMSEY** Signed on: APR 05, 2021 09:16 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN State: CO

Phone: (720) 360-4028

Email address: BRAMSEY@TAPRK.COM

## Field Representative

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

# **BLM Point of Contact**

**BLM POC Name:** Jonathon W Shepard

**BLM POC Phone:** 5752345972

**Disposition:** Accepted

Signature: Jonathon Shepard

**BLM POC Title:** Petroleum Engineer

BLM POC Email Address: jshepard@blm.gov

Disposition Date: 04/14/2021

Page 2 of 2

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 24115

#### **CONDITIONS OF APPROVAL**

Operator:		OGRID:	Action Number:	Action Type:
TAP ROCK OPERA	TING, LLC 523 Park Point Drive	372043	24115	C-103N
Suite 200 Golden, 0	O80401			

OCD Reviewer	Condition
plmartinez	None