District I

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

#### **State of New Mexico**

Form C-101 Revised July 18, 2013

# **Energy Minerals and Natural Resources Oil Conservation Division**

1220 South St. Francis Dr.

☐AMENDED REPORT

APPLICA	1101		1. Operator Na	me and Addres	SS				<sup>2.</sup> OGRID N	umber
		1	FAE II Op 1757 Katy Fre Houston	perating LLC eeway, Suite	1000				32932 <sup>3</sup> API Nur	nber
4 D	6.1		Houston	, TX 77079					30-025-	
4. Property 3269	19			ARN	OTT RAMS	AY NCT	'-B			6. Well No. #003
					7. Surface Loca	tion			_	
UL - Lot	Section 32	Township 25S	Range 37E	Lot Id	fin Feet from $660$		/S Line ORTH	Feet From 660	E/W Line EAS	
<u> </u>				8. Proj	posed Bottom					
UL - Lot A	Section 32	Township 25S	Range 37E	Lot Id	fin Feet from 660		ORTH	Feet From 660	E/W Line EAS	
<u>I</u>			L	9	9. Pool Informa	ntion	L			<u>I</u>
			LANGLI	F MATTI	Pool Name X; 7 RVRS-0	O-GRAY	BURG			Pool Cod 37240
			Li ii (GLI		tional Well Inf		Berte			37210
11. Work T			12. Well Typ		13. Cable/Ro		1.	Lease Type	15	Ground Level Elevation
E-A			O  17. Proposed De	epth	R  18. Formation	ion	1	S 9. Contractor		3004 20. Spud Date
							7/23/2021			
Depth to Ground water Distance from nearest fresh water v			0191		7 RVRS-Q	UEEN		IBD		//23/2021
		osed-loop	Г					1	e to nearest sur	
We will be usi	ng a clo		system in lieu	of lined pits  21. Proposed	earest fresh water w	ement Pro		Distanc		face water
We will be usi	ng a clo	e Size	system in lieu  Casing Size	of lined pits  21. Proposed	earest fresh water w	ement Pro	g Depth	Distanc  Sacks of	f Cement	Face water  Estimated TO
Type Surface	Hole	e Size	system in lieu  Casing Size  13.375"	of lined pits  21. Proposed	Casing and Coing Weight/ft	ement Pro Settin	g Depth	Sacks of	f Cement	Estimated TO Surface
Type Surface Intermediate	Hole 17.	e Size 250" 000"	system in lieu  Casing Size 13.375"  8.625"	of lined pits  21. Proposed	earest fresh water w  Casing and Co  ing Weight/ft  48#  32#	ement Pro Settin 4	g Depth 93'	Sacks o: 600	f Cement 0 sxs 8 sxs	Estimated TO Surface Surface
We will be usi  Type  Surface	Hole 17.	e Size	Casing Size 13.375" 8.625" 5.500"	of lined pits  21. Proposed  Casi	Casing and Coing Weight/ft	ement Pro Settin 4 36	g Depth 93' 600'	Sacks o: 600	f Cement	Estimated TO Surface
Type Surface Intermediate	Hole 17.	e Size 250" 000"	Casing Size 13.375" 8.625" 5.500"	of lined pits  21. Proposed  Casi	Casing and Coing Weight/ft 48# 32# 17#	ement Pro Settin 4 36	g Depth 93' 600'	Sacks o: 600	f Cement 0 sxs 8 sxs	Estimated TO Surface Surface
We will be usi  Type  Surface  Intermediate	Hole 17.	e Size 250" 000"	Casing Size 13.375" 8.625" 5.500" Cas	of lined pits  21. Proposed  Casi	Casing and Coing Weight/ft 48# 32# 17# t Program: Ad	ement Pro Settin 4 36 87 ditional Co	g Depth 93' 600' 797'	Sacks o: 600	f Cement 0 sxs 8 sxs	Estimated TO Surface Surface
We will be usi  Type  Surface  Intermediate	Hole 17.	e Size 250" 000"	Casing Size 13.375" 8.625" 5.500" Cas	of lined pits  21. Proposed  Casi	Casing and Coing Weight/ft 48# 32# 17# t Program: Ad	ement Pro Settin 4 36 87 ditional Co	g Depth 93' 600' 797'	Sacks of 600 3386 800	f Cement 0 sxs 8 sxs	Estimated TO Surface Surface
Type Surface Intermediate Production	Hole 17.	e Size 250" 000" 375"	Casing Size 13.375" 8.625" 5.500" Cas	of lined pits  Casi  Casi  Casi  Casi  Casi  Casi  Casi  Casi  Casi  Casi	Casing and Coing Weight/ft 48# 32# 17# t Program: Ad	ement Pro Settin 4 36 87 ditional Co	g Depth 93' 600' 797' comments	Sacks of 600 3388 800	f Cement 0 sxs 8 sxs	Estimated TO Surface Surface 4280'
Type Surface Intermediate Production	Hole 17. 11. 7.8	e Size 250" 000" 375"	Casing Size 13.375" 8.625" 5.500" Cas	of lined pits  Casi  Casi  Sing/Cement  22. Proposed  Working Pr	Casing and Coing Weight/ft 48# 32# 17# t Program: Ad	ement Pro Settin 4 36 87 ditional Co	g Depth 93' 600' 797' comments gram Test Press	Sacks of 600 3388 800	f Cement 0 sxs 8 sxs	Estimated TO Surface Surface 4280'
Type Surface Intermediate Production  Doi  13. Thereby certifing my knowledge	Hole 17. 11. 7.8 Type Lible Ra	e Size 250" 000" 375" e informatilief.	Casing Size 13.375" 8.625" 5.500" Cas	Casi Casi Casi Casi Casi Casi Casi Casi	Casing and Coing Weight/ft  48#  32#  17#  t Program: Ad  Blowout Prevents are some control of the best of the bes	ement Pro Settin 4 36 87 ditional Co	g Depth 93' 600' 797' comments gram Test Press 3000	Sacks of 600 3388 800	f Cement  ) sxs  8 sxs  ) sxs	Estimated TO Surface Surface 4280'  Manufacturer Unknown
Type Surface Intermediate Production  Dot  Type Surface Intermediate Production	Hole 17. 11. 7.8  Type Uble Ra	e Size 250" 000" 375"  e informatitief. nave comp	Casing Size 13.375" 8.625" 5.500" Casing Size	Casi Casi Casi Casi Casi Casi Casi Casi	Casing and Coing Weight/ft  48#  32#  17#  t Program: Ad  Blowout Prevents are some control of the best of the bes	ement Pro Settin 4 36 87 ditional Co	g Depth 93' 600' 797' comments  gram Test Press 3000 OIL 0	Sacks of 600 3386 800 CONSERVA	f Cement  ) sxs  8 sxs  ) sxs	Estimated TO Surface Surface 4280'  Manufacturer Unknown
Type Surface Intermediate Production  Dot  Type Surface Intermediate Production  Dot  Type Surface Intermediate Production	Type Lible Radius that I had a library that I had a	e Size 250" 000" 375"  am e informatitief. nave comp n, if appli	Casing Size 13.375" 8.625" 5.500" Casing Size	Casi Casi Casi Casi Casi Casi Casi Casi	Casing and Coing Weight/ft  48#  32#  17#  t Program: Ad  Blowout Prevents are some control of the best of the bes	ement Pro Settin 4 36 87 ditional Co	g Depth 93' 600' 797' comments  gram Test Press 3000	Sacks of 600 3386 800 CONSERVA	f Cement  ) sxs  8 sxs  ) sxs	Estimated TO Surface Surface 4280'  Manufacturer Unknown
Type Surface Intermediate Production	Type Jible Radio Hold Hold Hold Hold Hold Hold Hold Hol	e Size 250" 000" 375"  am e informatitief. nave comp , if appli	Casing Size 13.375" 8.625" 5.500" Casing Size	Casi Casi Casi Casi Casi Casi Casi Casi	Casing and Coing Weight/ft  48#  32#  17#  t Program: Ad  Blowout Prevents are some control of the best of the bes	ement Pro Settin 4 36 87 ditional Co	g Depth 93' 600' 797' comments  gram Test Press 3000  OIL 0	Sacks of 600 3386 800 CONSERVA	f Cement  ) sxs  8 sxs  ) sxs	Estimated TO Surface Surface 4280'  Manufacturer Unknown

Conditions of Approval Attached

Phone: 832-219-0990

Date: 08 April 2021

<sup>1</sup> API Number

Y

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 <u>District II</u> 811 S. First St., Artesia, NM 88210

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410

Phone: (505) 334-6178 Fax: (505) 334-6170 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

40

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>2</sup> Pool Code

30-	30-025-11863		7240		LANGLIE MATTIX; 7 RVRS-Q-GRAYE					
<sup>4</sup> Property (	Code		•	5 I	<sup>5</sup> Property Name			<sup>6</sup> Well Number		
32691	9			ARNOTT	ARNOTT RAMSAY NCT-B			#003		
<sup>7</sup> OGRID	<sup>7</sup> OGRID No.			8 (	Operator Name			9 E	<sup>9</sup> Elevation	
32932	329326			FAE II O	FAE II OPERATING, LLC			3004'		
				10 Surf	ace Location	n		•		
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	
Α	32	25S	37E 660 N 660 E			LEA				
			11 Bottom	Hole Locati	on If Differe	ent From Sur	face			
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	
Α	32	25S	37E	İ	660	N	660	E	LEA	
12 Dedicated Acres	13 Joint o	r Infill 14 (	Consolidation Code	15 Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16			17 OPERATOR CERTIFICATION
		,099	I hereby certify that the information contained herein is true and complete to
		99	the best of my knowledge and belief, and that this organization either owns a
		660,	working interest or unleased mineral interest in the land including the
			proposed bottom hole location or has a right to drill this well at this location
			pursuant to a contract with an owner of such a mineral or working interest,
			or to a voluntary pooling agreement or a compulsory pooling order
			heretofore entered by the divis on.
			4/8/2021
	NE/4 NE/4		Signature Date
	Sec 32 (40 acres)		S.g.i.w.i.e
	500 32 (10 00103)		VANESSA NEAL
			Printed Name
			vanessa@faenergyus.com
			E-mail Address
			*SURVEYOR CERTIFICATION
			I hereby certify that the well location shown on this plat
			was plotted from field notes of actual surveys made by
			me or under my supervision, and that the same is true
			and correct to the best of my belief.
			Date of Survey
			Signature and Seal of Professional Surveyor:
			g
			Certificate Number

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

GAS	CAP	TURE	PL	AN
$\mathbf{G}_{\mathbf{A}}$	$\mathcal{L}III$			

Date: 08 APR 2021		
☐ Original	Operator & OGRID No.:	FAE II Operating LLC (329326)
□ Amended - Reason for Amendment:	Workover Arnott Ramsay N	CT-B #003; Re-entry & Add Zone
	•	•

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

## Well(s)/Production Facility - Name of facility

The well(s) that will be located at the production facility are shown in the table below.

Well Name	API	Well Location	Footages	Expected	Flared or	Comments
		(ULSTR)		MCF/D	Vented	
Arnott Ramsay NCT B #003	30-025-11863	A-32-25S-37E	660' FNL & 660' FEL	50	No	

#### **Gathering System and Pipeline Notification**

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to [241472] SOUTHERN UNION GAS SERVICES, LTD (Gas Transporter) and will be connected to Gas Transporter low/high pressure gathering system located in LEA\_ County, New Mexico. It will require \_\_3200\_\_' of pipeline to connect the facility to low/high pressure gathering system. [329326] FAE II OPERATING LLC (Operator) provides (periodically) to Gas Transporter a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, Operator and Gas Transporter have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at Gas Transporter Processing Plant located in Sec.\_\_33\_, Twn.\_24S\_, Rng.\_37E\_, \_\_LEA\_\_ County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

## Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>Gas Transporter</u> system at that time. Based on current information, it is <u>Operator's</u> belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

#### **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 19787

#### **CONDITIONS OF APPROVAL**

Operator:			OGRID:		Action Type:
FAE II OPERATING LLC	11757 Katy Freeway, Suite 1000	Houston, TX77079	329326	19787	APD

OCD Reviewer	Condition
pkautz	None