| <i>ceived by UCD: \$/19/2021 3:07:29 PM</i><br>U.S. Department of the Interior<br>BUREAU OF LAND MANAGEMENT |   | Sundry Print Repo                              |
|---|---|--|
| Well Name: BELL LAKE UNIT NORTH   | Well Location: T23S / R34E / SEC 5 /<br>NWSW / 32.332019 / -103.4994038 | County or Parish/State: LEA / NM               |
| Well Number: 231H   | Type of Well: OIL WELL  | Allottee or Tribe Name:                        |
| <b>Lease Number:</b> NMNM0001244A,<br>NMNM01244A  | Unit or CA Name: BELL LAKE  | Unit or CA Number:<br>NMNM068292X, NMNM68292X  |
| US Well Number: 3002546912  | Well Status: Drilling Well  | <b>Operator:</b> KAISER FRANCIS OIL<br>COMPANY |

#### **Subsequent Report**

Type of Submission: Subsequent Report

Date Sundry Submitted: 05/11/2021

Date Operation Actually Began: 02/22/2021

Type of Action: Hydraulic Fracturing Time Sundry Submitted: 02:29

Actual Procedure: 1/21: Pressure test csg to 9,800#. Test annulus to 500#. TCP State 1: 17,875'-17,997' O/A w/5, 3 1/8" guns. BD perfs @ 6,300#. Establish injection into perfs: 15.5 BPM @ 8,300# for 50 bbls. SD and isolate well. ISIP 6,000#, 5 min 3,500#. 2/21: Stage-Frac lateral 10,671'-17,997' O/A in 43 stages w/88,733 gal 15% HCl, 398,343 bbls SW, and 8,914 bbls HVFR carrying 322,941# 100M and 18,323,990# 30/50 white. 4/21: Drill out all plugs w/ 4.625" roller cone bit. SICP: 2,22#. TLTR: 419,964 bbls.

SR Attachments

**Actual Procedure** 

BLUN\_231H\_WBD\_20210511142913.pdf

| Received by OCD: 5/19/2021 3:07:29 PM<br>Well Name: BELL LAKE UNIT NORTH | Well Location: T23S / R34E / SEC 5 /<br>NWSW / 32.332019 / -103.4994038 | County or Parish/State: LEA7                   |
|--|---|--|
| Well Number: 231H  | Type of Well: OIL WELL  | Allottee or Tribe Name:                        |
| <b>Lease Number:</b> NMNM0001244A,<br>NMNM01244A                         | Unit or CA Name: BELL LAKE  | Unit or CA Number:<br>NMNM068292X, NMNM68292X  |
| <b>US Well Number:</b> 3002546912  | Well Status: Drilling Well  | <b>Operator:</b> KAISER FRANCIS OIL<br>COMPANY |

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

| <b>Operator Electronic Signature:</b> El | RIC HANSEN |
|--|------------|
| Name: KAISER FRANCIS OIL COM             | MPANY      |
| Title: Drilling Engineer                 |            |
| Street Address: 6733 S. Yale Ave.        |            |
| City: Tulsa                              | State: OK  |
| <b>Phone:</b> (918) 491-4339             |            |
| Email address: EricH@kfoc.net            |            |
|  |            |
| Field Penrosentative                     |            |

#### Field Representative

Representative Name: Jeremy ParentStreet Address: 88 Shell RoadCity: JalState: NMPhone: (580)504-2593Email address: JeremyP@kfoc.net

**Zip:** 88252

Signed on: MAY 11, 2021 02:29 PM

### **BLM Point of Contact**

BLM POC Name: Jonathon W Shepard BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov Disposition Date: 05/14/2021

# Received by OCD: 5/19/2021 3:07:29 PM

Page 3 of 4

•

| Kaiser-Francis Oil Company |   | Bell Lake Unit North 231H   |  |
|----------------------------|---|---|--|
| ield:                      | Bell Lake   | API:  | 30-025-46912   |
| ounty:                     | Lea   | Spud Date:  | 9/30/2020<br>Estamon 22, 2021  |
| tate:                      |   | Completed:  | February 22, 2021  |
| HL:<br>HL:                 | Sec 5-23S-34E (2001' FSL & 454' FWL)<br>Sec 32-22S-34E (100' FNL & 350' FWL)  | Elevation:<br>Diagram Updated:  | KB- 3469' GL-3445<br>April 21, 2021  |
|                            |   | 1/21: Pressure test csg to 9,800#.<br>O/A w/5, 3 1/8" guns. BD perfs @  | . Test annulus to 500#. TCP State 1: 17,875'-17,997'<br>6,300#. Establish injection into perfs: 15.5 BPM @   |
|                            |   |   | 7,997' O/A in 43 stages w/88,733 gal 15% HCl, 398,3  |
|                            |   |   | arrying 322,941# 100M and 18,323,990# 30/50 white.   |
|                            | 13 3/8" 54.5# J-55 @ 1295'.<br>Cmt'd w/ 1105 sx . Circ.   | <b>4/21:</b> Drill out all plugs w/ 4.625   | olier cone dit. SICP: 2,22#. TETR: 419,964 ddis.   |
|                            | 9 5/8" 40# HCP-110 @ 4985'.<br>Cmt'd w/ 1270 sx .   |   |  |
|                            |   |   |  |
|                            |   |   |  |
|                            |   |   |  |
|                            |   |   |  |
|                            |   |   |  |
|                            |   |   |  |
|                            |   |   |  |
|                            |   |   |  |
|                            |   |   |  |
|                            |   |   | 5 1/2" 20# HCP-110 GBCD @ 18,103' cmt'd<br>3310 sx. Circ.  |
|                            | KOP @ 9,300'<br>  | , 2006<br>8.877<br>8.877<br>1, 0.99<br>1, 0.907<br>1, 1, 5.64<br>1, 2.571<br>1, 2.5711<br>1, 2.5711<br>1, 2.5711<br>1, 2.5711<br>1, 2.5 |  |
|                            | 10,671'-10,788   10,671'-10,788   10,643'-10,959   11,014'-11,131'   11,166'-11,303'   11,156'-11,303'   11,170'-11,186'   11,70'-11,186'   11,70'-11,186'   11,70'-11,186'   11,70'-11,186'   11,70'-11,186'   11,70'-11,186'   11,70'-11,186'   11,255'-11,186'   12,216'-12,161'   12,246'-12,161'   12,256'-12,657'   12,256'-12,657'   12,266'-12,676'   12,266'-12,676'   12,266'-12,676'   12,266'-12,676'   12,271'-12,847'   12,266'-13,601'   12,266'-13,601'   12,266'-13,601'   12,266'-13,601'   12,266'-13,601'   12,266'-13,601'   12,266'-13,601'   13,266'-13,601'   13,266'-13,601' |   | 1286/1/1-528/1   Image: Constraint of the second |
| L                          |   |   |  |
| L                          |   |   | и и и и и и и и и и и и и и и и и и и  |

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

| OGRID:                                      |
|---|
| 12361                                       |
| Action Number:                              |
| 28882                                       |
| Action Type:                                |
| [C-103] Sub. (Re)Completion Sundry (C-103T) |
|   |

#### CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| plmartinez | None      | 5/26/2021      |

CONDITIONS

Page 4 of 4

Action 28882