

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: MERCILESS 13 FED COM Well Location: T25S / R32E / SEC 13 /

NENE / 32.1371627 / -103.621462

County or Parish/State: LEA /

NM

Well Number: 724H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM110835 Unit or CA Name: Unit or CA Number:

**US Well Number:** 3002547679 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

INCORPORATED

### **Notification**

Type of Submission: Notification Type of Action: Well Spud

**Date Sundry Submitted:** 04/14/2021 **Time Sundry Submitted:** 8:01:09 AM

Date Operation Will Begin: 03/24/2021 Time Operation Will Begin: 11:00:00 AM

APD Approved Date: 07/15/2020

**US Well Number** 3002547679

Field Contact Name: S EVANS Field Contact Number: (432) 636-3600

Rig Name: PIONEERE Rig Number: 85

**Spud Type:** Conductor Hole, Rathole and/or Mousehole

Procedure Description: 3-25-2021 20" Conductor @ 118'

**Disposition:** Accepted

**Accepted Date:** 05/12/2021



# Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: MERCILESS 13 FED COM Well Location: T25S / R32E / SEC 13 / County or Parish/State: LEA /

NENE / 32.1371627 / -103.621462

Well Number: 724H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM110835 Unit or CA Name: Unit or CA Number:

**US Well Number:** 3002547679 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

**INCORPORATED** 

### **Notification**

Type of Submission: Notification Type of Action: Casing and Cementing

Date Sundry Submitted: Apr 28, 2021 Time Sundry Submitted: 1:58:56 PM

Date Operation will begin: Apr 14, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: S EVANS Field Contact Number: 4326363600

Rig Name: PIONEER Rig Number: 85

# **Well Casing Table:**

0 71				_		Bottom Setting Depth MSL
INTERMEDIATE	0	0		11110	11110	-7617
SURFACE	o	О	3493	1000	1000	2493

Procedure Description: 4-15-2021 12 1/4" HOLE

4-15-2021 Surface Hole @ 1,110' MD, 1,110' TVD

Casing shoe @ 1,093' MD, 1,093' TVD

Ran 9-5/8" 40# J-55 LTC

Cement w/ 545 sx Class C (2.08 yld, 12.4 ppg), Trail w/110 sx Class C (1.36 yld, 14.8 ppg)

Test casing to 1,500 psi for 30 min - OK. Circ 208 sx cement to surface

4-20-2021 8 3/4" hole

4-20-2021 Intermediate Hole @ 11,640' MD, 11,625' TVD

Casing shoe @ 1,625' MD Ran 7-5/8", 29.7#, ICYP-110 FXL

Stage 1: Cement w/ 410 sx Class H (1.19 yld, 15.6 ppg). Did not test casing . Did not circ

cement to surface, TOC @ 7,000' by Calc

Stage 2 Bradenhead: Cement w/1000 sx Class C (1.2 yld, 14.8 ppg). TOC @ 525' by Calc. Stage 3: Cement w/78 sx Class C (1.36 yld, 14.8 ppg). Test casing to 2,700 psi for 30 min -

good. TOC @ 0' by Visual. Resume drilling

**Disposition:** Accepted

**Accepted Date:** 05/10/2021



Sundry Print Repo

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: MERCILESS 13 FED COM Well Location: T25S / R32E / SEC 13 / County or Parish/State: LEA /

NENE / 32.1371627 / -103.621462

Well Number: 724H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM110835 Unit or CA Name: Unit or CA Number:

US Well Number: 3002547679 Well Status: Drilling Well Operator: EOG RESOURCES

**INCORPORATED** 

### **Notification**

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: May 10, 2021 Time Sundry Submitted: 11:26:57 AM

Date Operation will begin: Apr 26, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: S EVANS Field Contact Number: 4326363600

Rig Name: PIONEER Rig Number: 85

## **Well Casing Table:**

String Type				_	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	10610	10610	-7129	11110	11110	-7617
PRODUCTION	11110	11110	-7629	20103	12532	-9039
PRODUCTION	0	О		10610	10610	-7117

Procedure Description: 4-27-2021 6 3/4" HOLE

4-27-2021 Production Hole @ 19,970' MD, 12,618' TVD

Casing shoe @ 19,955' MD, 12,618' TVD

Ran 5-1/2", 20#, ICYP-110 TXP (0' - 10,929') (MJ @ 11,884' and 19,488')

Ran 5-1/2", 20#, ICYP-110 WEDGE (10,929' - 12,067') Ran 5-1/2", 20#, ICYP-110 TXP (12,067' - 19,955') Cement w/ 825 sx Class H (1.20 yld, 14.5 ppg)

Test casing to 5,000 psi for 30 min - OK. Did not circ cement to surface, TOC @ 9,262' by Calc.

RR 4-28-2021

**Disposition:** Accepted

**Accepted Date:** 05/10/2021

Well Name: MERCILESS 13 FED COM Well Location: T25S / R32E / SEC 13 / County or Parish/State: LEA /

NENE / 32.1371627 / -103.621462

Well Number: 724H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM110835 Unit or CA Name: Unit or CA Number:

**US Well Number:** 3002547679 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

INCORPORATED

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 30407

#### **CONDITIONS**

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	30407
	Action Type:
	[C-103] Sub. Drilling (C-103N)

#### CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	6/2/2021