

Well Name: JUPITER 19 FED COM	Well Location: T24S / R34E / SEC 19 / NWNW / 32.2082403 / -103.5149113	County or Parish/State: LEA / NM
Well Number: 502H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254787000X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	03/17/2021	Time Sundry Submitted:	12:21:47 PM
Date Operation Will Begin:	02/21/2021	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	09/24/2020		
US Well Number	3002547870		
Field Contact Name:	S EVANS	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	HP258
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:	2-23-2021 20" Conductor @ 119'		
Disposition:	Accepted		
Accepted Date:	05/18/2021		

Well Name: JUPITER 19 FED COM	Well Location: T24S / R34E / SEC 19 / NWNW / 32.2082403 / -103.5149113	County or Parish/State: LEA / NM
Well Number: 502H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254787000X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Mar 24, 2021	Time Sundry Submitted:	7:53:19 AM
Date Operation will begin:	Mar 19, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	S EVAN	Field Contact Number:	4326363600
Rig Name:		Rig Number:	hp258

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3567	1445	1445	2122
INTERMEDIATE	4000	4000	-431	4955	4955	-1388
INTERMEDIATE	0	0	3667	11265	11265	-7698
INTERMEDIATE	0	0		4000	4000	-433

Procedure Description: 3-20-2021 16" HOLE
3-20-2021 Surface Hole @ 1,395' MD, 1,394' TVD
Casing shoe @ 1,380' MD, 1,379' TVD
Ran 13-3/8" 54.5# J-55 STC
Cement w/ 585 sx Class C (1.79 yld, 13.5 ppg), Trail w/ 140 sx Class C (1.35 yld, 14.8 ppg)
Test casing to 1,550 psi for 30 min -OK. Circ 539 sx cement to surface. TOC @ 750' by Calc
Resume drilling

3-22-2021 12 1/4" hole
3-22-2021 1st Intermediate Hole @ 5,208' MD, 5,145' TVD
Casing shoe @ 5,193' MD, 5,130' TVD
Ran 9-5/8", 40#, J-55 LTC (0' - 3,994')
Ran 9-5/8", 40#, HCK-55 LTC (3,994' - 5,193')
Cement w/ 1,130 sx Class C (2.18 yld, 12.7 ppg), Trail w/310 sx Class C (1.39 yld, 14.8 ppg)
Test casing to 1,900 psi for 30 min - Good. Circ 258 sx cement to surface, TOC @ 3,950' by Calc
Resume drilling

Disposition:	Accepted
Accepted Date:	05/18/2021

Received by OCD: 6/2/2021 2:26:15 PM

Page 3 of 5

Well Name: JUPITER 19 FED COM	Well Location: T24S / R34E / SEC 19 / NWNW / 32.2082403 / -103.5149113	County or Parish/State: LEA / NM
Well Number: 502H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254787000X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

CONFIDENTIAL

Well Name: JUPITER 19 FED COM	Well Location: T24S / R34E / SEC 19 / NWNW / 32.2082403 / -103.5149113	County or Parish/State: LEA / NM
Well Number: 502H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254787000X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Mar 30, 2021	Time Sundry Submitted:	12:30:36 PM
Date Operation will begin:	Mar 27, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	S EVANS	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP258

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	11265	11265	-7698	18554	10950	-7383

Procedure Description:	3-28-2021 8 1/2" HOLE 3-28-2021 Production Hole @ 18,604' MD, 11,141' TVD Casing Shoe @ 18,589' MD, 11,141' TVD Ran 5-1/2", 20#, ECP-110, VAM-TOP 0' - 10,393' Ran 5-1/2", 20#, ECP-110, DWC 10,393' - 18,589' (MJ @ 10,395' and 18,095') Cement w/ 455 sx Class L (3.75 yld, 10.5 ppg), TOC @ 1,565' by Calc, Trail w/ 1,765 sx Class H (1.23 yld, 14.5 ppg). Did not circ cement to surface, TOC @ 10,476' by Calc RR 3-29-2021
Disposition:	Accepted
Accepted Date:	05/18/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 30398

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 30398
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	6/2/2021