

Well Name: JUPITER 19 FED COM	Well Location: T24S / R34E / SEC 19 / NWNW / 32.2081496 / -103.5149112	County or Parish/State: LEA / NM
Well Number: 501H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254786900X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	03/17/2021	Time Sundry Submitted:	12:36:22 PM
Date Operation Will Begin:	02/22/2021	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	09/24/2020		
US Well Number	3002547869		
Field Contact Name:	S EVANS	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	HP258
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:	2-23-2021 20" Conductor @ 119'		
Disposition:	Accepted		
Accepted Date:	05/18/2021		

Well Name: JUPITER 19 FED COM	Well Location: T24S / R34E / SEC 19 / NWNW / 32.2081496 / -103.5149112	County or Parish/State: LEA / NM
Well Number: 501H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254786900X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Apr 7, 2021	Time Sundry Submitted:	8:16:57 AM
Date Operation will begin:	Mar 29, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	S EVANS	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP258

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	11288	11288	-7721	18577	10950	-7383
INTERMEDIATE	4000	4000	-431	4955	4955	-1388
INTERMEDIATE	0	0	3667	11288	11288	-7721
INTERMEDIATE	0	0		4000	4000	-433

Procedure Description:	<p>3-30-2021 12 1/4" HOLE 3-30-2021 1st Intermediate Hole @ 5,168' MD, 5,137' TVD Casing shoe @ 5,153' MD, 5,122' TVD Ran 9-5/8", 40#, J-55 LTC (0' - 3,987') Ran 9-5/8", 40#, HCK-55 LTC (3,987' - 5,153') Cement w/ 1,120 sx Class C + 5% NAC-111 (BWOW) + 1% NAC-102 + 4 LB/SK NLM-670 + 0.6% NFP-702 + 2% NBE-733 + 0.225% NCA-1 +0.01 GAL/SK NIC-13 (2.18 yld, 12.7 ppg), Trail w/ 310 sx Class C (1.39 yld, 14.8 ppg) Test casing to 2,075 psi for 30 min - Good. Circ 329 sx cement to surface, TOC @ 4,130' by Calc</p> <p>4-5-2021 8 1/2" hole 4-5-2021 Production Hole @ 18,541' MD, 11,174' TVD Casing Shoe @ 18,516' MD, 11,174' TVD Ran 5-1/2", 20#, EY HCP-110, RDT-BTX (MJ @ 10,325' and 18,039') Cement w/ 455 sx Class C (3.75 yld, 10.5 ppg), TOC @ 1,565' by Calc, followed by 1,765 sx Class C (1.23 yld, 14.5 ppg). No casing test Did not circ cement to surface, TOC @ 10,476' by Calc RR 4-6-2021</p>
Disposition:	Accepted
Accepted Date:	05/12/2021

Received by OCD: 6/2/2021 2:22:41 PM

Page 3 of 5

Well Name: JUPITER 19 FED COM	Well Location: T24S / R34E / SEC 19 / NWNW / 32.2081496 / -103.5149112	County or Parish/State: LEA / NM
Well Number: 501H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254786900X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

CONFIDENTIAL

Well Name: JUPITER 19 FED COM	Well Location: T24S / R34E / SEC 19 / NWNW / 32.2081496 / -103.5149112	County or Parish/State: LEA / NM
Well Number: 501H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17241	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254786900X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Mar 24, 2021	Time Sundry Submitted:	7:46:24 AM
Date Operation will begin:	Mar 18, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	S EVANS	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP258

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3567	1445	1445	2122

Procedure Description:	3-19-2021 16" HOLE 3-19-2021 Surface Hole @ 1,390' MD, 1,390' TVD Casing shoe @ 1,375' MD, 1,375' TVD Ran 13-3/8" 54.5# J-55 STC Cement w/ 910 sx Class C (1.79 yld, 13.5 ppg), Trail w/ 215 sx Class C (1.35 yld, 14.8 ppg) Test casing to 1,500 psi for 30 min -Good.. Circ 471 sx cement to surface Resume drilling 12 1/4" hole
Disposition:	Accepted
Accepted Date:	05/18/2021

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 30396

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 30396
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	6/3/2021