

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 4/1/21
⁴ API Number 30-025-47217	⁵ Pool Name WC-025 G-09 S263416B; Wolfcamp	⁶ Pool Code 98105
⁷ Property Code 328254	⁸ Property Name Railsplitter 15-22 Fed Com	⁹ Well Number 6H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	15	26S	34E		2390	South	1679	East	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	22	26S	34E		34	South	1875	East	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/1/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
92591	Western Refining Company, L.P. 6500 Trowbridge Drive El Paso, TX 79905	Oil
371960	Lucid Energy Delaware, LLC 3100 McKinnon St., Ste. 800, Dallas, TX 75201	Gas

IV. Well Completion Data

²¹ Spud Date 9/20/20	²² Ready Date 4/1/21	²³ TD 20682	²⁴ PBDT 20609	²⁵ Perforations 13249 - 20546	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375	876	680 sx CLC; Circ 307 sx		
9.875	8.625	12507	685 sx CLC; Circ 363 sx		
7.875	5.5	20657	2030 sx CIH; Circ 0 sx		
	Tubing:	0			

V. Well Test Data

³¹ Date New Oil 4/7/21	³² Gas Delivery Date 4/7/21	³³ Test Date 4/7/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 770 bbl	³⁹ Water 4727 bbl	⁴⁰ Gas 921 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Rebecca Deal			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: Rebecca.Deal@dmn.com			Approval Date: 6/4/2021		
Date: 4/29/2021		Phone: 405-228-8429			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-47217	Pool Code 98105	Pool Name WC-025 G-09 S263416B;UPPER WOLFCAMP
Property Code 328254	Property Name RAILSPLITTER 15-22 FED COM	Well Number 6H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3267.4'


Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	15	26-S	34-E		2390	SOUTH	1679	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	22	26-S	34-E		34	SOUTH	1875	EAST	LEA
Dedicated Acres 480	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: Rebecca Deal Date: 4/27/2021

Printed Name: Rebecca Deal, Regulatory Analyst

E-mail Address: rebecca.deal@dmv.com

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

10/30/2020

Date of Survey

Signature & Seal of Professional Surveyor

B. L. LAMAN
NEW MEXICO
22404
PROFESSIONAL SURVEYOR

3/15/2021

Certificate No. 22404 B.L. LAMAN
DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



Final MWD Survey Certification

Lea County, New Mexico

Client: Devon Energy

Well Name: Railsplitter 15-22 Fed Com 6H

Total Job No: SW-200487

API No: 30-025-47217

Start Date: Sept 20th 2020

End Date: Oct 25th 2020

Start Depth: 212 feet

End Depth: 20,682 feet

Vertical Section from well center at TD: 7,635.84 feet

I, Dean Williamson , MWD Operator, hereby certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 10/27/2020

Signed: *Dean Williamson*



Devon Energy

Lea County, NM (NAD83)

S15-T26S-R34E

RAILSPLITTER 15-22 FED COM 6H

OH

Design: OH

Survey Report - Geographic

30 October, 2020





Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 6H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3297.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3297.00usft
Well:	RAILSPLITTER 15-22 FED COM 6H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		S15-T26S-R34E						
Site Position:		Northing:	380,276.36	usft	Latitude:	32.042486		
From:	Lat/Long	Easting:	810,391.12	usft	Longitude:	-103.464999		
Position Uncertainty:	0.00	usft	Slot Radius:	13-3/16	"	Grid Convergence:	0.46	°

Well	RAILSPLITTER 15-22 FED COM 6H					
Well Position	+N/-S	0.00 usft	Northing:	380,399.38 usft	Latitude:	32.042753
	+E/-W	0.00 usft	Easting:	813,590.57 usft	Longitude:	-103.454671
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	3,267.00 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	9/10/2020	6.53	59.87	47,511.83609330

Design	OH				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00		181.00

Survey Program	Date	10/30/2020			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
212.00	20,629.00	Survey #1 - MWD (OH)	OWSG (Rev2) MWD	OWSG MWD - Standard	
20,682.00	20,682.00	Survey #2 - Proj to TD (OH)	BLIND	OWSG BLIND	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	380,399.38	813,590.57	32.042753	-103.454671
212.00	0.90	183.90	211.99	-1.66	-0.11	380,397.72	813,590.46	32.042749	-103.454672
272.00	0.90	186.70	271.98	-2.60	-0.20	380,396.78	813,590.37	32.042746	-103.454672
363.00	1.10	187.90	362.97	-4.17	-0.40	380,395.20	813,590.17	32.042742	-103.454673
455.00	1.20	192.00	454.95	-5.99	-0.73	380,393.39	813,589.85	32.042737	-103.454674
546.00	1.40	201.50	545.93	-7.96	-1.33	380,391.42	813,589.24	32.042731	-103.454676
638.00	1.40	202.90	637.90	-10.04	-2.18	380,389.34	813,588.39	32.042726	-103.454679
729.00	1.60	212.30	728.87	-12.14	-3.29	380,387.24	813,587.28	32.042720	-103.454682
811.00	1.70	217.10	810.84	-14.07	-4.64	380,385.30	813,585.94	32.042714	-103.454687
962.00	1.30	214.80	961.78	-17.27	-6.97	380,382.11	813,583.61	32.042706	-103.454694
1,053.00	0.40	153.30	1,052.77	-18.40	-7.41	380,380.98	813,583.16	32.042703	-103.454696



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 6H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3297.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3297.00usft
Well:	RAILSPLITTER 15-22 FED COM 6H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,144.00	1.10	47.50	1,143.77	-18.09	-6.63	380,381.29	813,583.95	32.042703	-103.454693
1,233.00	1.60	32.30	1,232.74	-16.46	-5.33	380,382.91	813,585.24	32.042708	-103.454689
1,326.00	4.00	24.40	1,325.63	-12.41	-3.30	380,386.97	813,587.28	32.042719	-103.454682
1,416.00	4.00	25.00	1,415.41	-6.71	-0.67	380,392.67	813,589.90	32.042735	-103.454674
1,511.00	4.90	9.10	1,510.12	0.30	1.37	380,399.68	813,591.94	32.042754	-103.454667
1,607.00	6.00	358.20	1,605.69	9.36	1.86	380,408.74	813,592.43	32.042779	-103.454665
1,702.00	5.90	347.50	1,700.18	19.09	0.65	380,418.47	813,591.22	32.042806	-103.454669
1,797.00	6.20	335.30	1,794.66	28.52	-2.55	380,427.90	813,588.02	32.042832	-103.454679
1,893.00	5.90	334.90	1,890.12	37.70	-6.81	380,437.08	813,583.76	32.042857	-103.454692
1,988.00	5.80	335.00	1,984.63	46.47	-10.91	380,445.85	813,579.66	32.042881	-103.454705
2,083.00	5.60	334.60	2,079.16	55.01	-14.93	380,454.39	813,575.64	32.042905	-103.454718
2,178.00	5.40	333.90	2,173.72	63.21	-18.89	380,462.59	813,571.69	32.042927	-103.454731
2,273.00	5.00	335.10	2,268.33	70.98	-22.59	380,470.36	813,567.98	32.042949	-103.454742
2,368.00	4.90	336.40	2,362.97	78.45	-25.96	380,477.83	813,564.61	32.042969	-103.454753
2,463.00	4.50	342.50	2,457.65	85.73	-28.71	380,485.10	813,561.87	32.042989	-103.454762
2,559.00	4.50	337.50	2,553.36	92.80	-31.28	380,492.18	813,559.29	32.043009	-103.454770
2,653.00	5.20	324.00	2,647.03	99.65	-35.20	380,499.03	813,555.38	32.043028	-103.454782
2,748.00	4.80	332.60	2,741.66	106.66	-39.56	380,506.04	813,551.02	32.043047	-103.454796
2,843.00	4.50	339.80	2,836.35	113.69	-42.67	380,513.07	813,547.90	32.043067	-103.454806
2,938.00	4.60	350.60	2,931.06	120.94	-44.58	380,520.32	813,545.99	32.043087	-103.454812
3,033.00	4.60	347.90	3,025.75	128.43	-46.00	380,527.81	813,544.57	32.043107	-103.454816
3,128.00	5.10	336.20	3,120.41	136.02	-48.50	380,535.40	813,542.07	32.043128	-103.454824
3,224.00	4.80	332.10	3,216.05	143.47	-52.11	380,542.85	813,538.47	32.043149	-103.454836
3,319.00	4.80	330.40	3,310.72	150.44	-55.93	380,549.82	813,534.65	32.043168	-103.454848
3,414.00	3.60	346.10	3,405.47	156.79	-58.61	380,556.17	813,531.97	32.043185	-103.454856
3,509.00	3.20	332.40	3,500.30	162.04	-60.55	380,561.41	813,530.02	32.043200	-103.454862
3,605.00	3.40	322.00	3,596.14	166.65	-63.55	380,566.03	813,527.03	32.043213	-103.454872
3,700.00	4.70	318.40	3,690.90	171.78	-67.87	380,571.16	813,522.71	32.043227	-103.454886
3,795.00	4.70	311.90	3,785.58	177.29	-73.35	380,576.67	813,517.23	32.043242	-103.454903
3,890.00	4.70	304.90	3,880.27	182.12	-79.44	380,581.50	813,511.14	32.043255	-103.454923
3,985.00	4.60	300.00	3,974.95	186.25	-85.93	380,585.63	813,504.65	32.043267	-103.454944
4,081.00	4.50	298.00	4,070.65	189.94	-92.59	380,589.32	813,497.99	32.043277	-103.454965
4,176.00	2.70	328.60	4,165.47	193.60	-97.04	380,592.98	813,493.53	32.043287	-103.454979
4,271.00	2.40	347.30	4,260.38	197.45	-98.65	380,596.83	813,491.93	32.043298	-103.454984
4,366.00	2.20	340.90	4,355.30	201.12	-99.68	380,600.50	813,490.89	32.043308	-103.454988
4,461.00	1.60	336.80	4,450.25	204.06	-100.80	380,603.44	813,489.77	32.043316	-103.454991
4,556.00	2.50	334.10	4,545.18	207.14	-102.23	380,606.52	813,488.35	32.043325	-103.454996
4,651.00	2.40	355.50	4,640.10	210.99	-103.29	380,610.37	813,487.29	32.043335	-103.454999
4,745.00	1.90	33.00	4,734.04	214.26	-102.59	380,613.64	813,487.98	32.043344	-103.454997
4,840.00	1.60	41.80	4,828.99	216.57	-100.85	380,615.95	813,489.72	32.043351	-103.454991
4,934.00	1.80	87.30	4,922.96	217.62	-98.50	380,617.00	813,492.07	32.043353	-103.454983
5,029.00	2.30	99.10	5,017.90	217.38	-95.13	380,616.76	813,495.44	32.043353	-103.454973
5,124.00	2.50	80.50	5,112.81	217.43	-91.20	380,616.80	813,499.37	32.043353	-103.454960
5,219.00	1.50	73.30	5,207.75	218.12	-87.97	380,617.50	813,502.60	32.043355	-103.454949
5,314.00	0.60	12.80	5,302.74	218.97	-86.67	380,618.35	813,503.91	32.043357	-103.454945
5,409.00	0.50	5.40	5,397.74	219.86	-86.52	380,619.24	813,504.05	32.043359	-103.454945
5,504.00	0.90	359.10	5,492.73	221.02	-86.49	380,620.40	813,504.08	32.043363	-103.454945
5,599.00	0.90	348.20	5,587.72	222.50	-86.66	380,621.88	813,503.92	32.043367	-103.454945
5,694.00	1.00	352.50	5,682.70	224.05	-86.92	380,623.43	813,503.66	32.043371	-103.454946
5,789.00	1.10	350.00	5,777.69	225.77	-87.18	380,625.15	813,503.39	32.043376	-103.454947
5,884.00	1.20	347.20	5,872.67	227.64	-87.56	380,627.02	813,503.01	32.043381	-103.454948
5,979.00	1.30	346.30	5,967.65	229.66	-88.04	380,629.04	813,502.54	32.043386	-103.454949
6,075.00	1.10	351.70	6,063.62	231.63	-88.43	380,631.01	813,502.14	32.043392	-103.454951
6,170.00	1.10	351.50	6,158.61	233.43	-88.70	380,632.81	813,501.88	32.043397	-103.454951
6,265.00	1.10	356.00	6,253.59	235.24	-88.89	380,634.62	813,501.68	32.043402	-103.454952



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 6H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3297.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3297.00usft
Well:	RAILSPLITTER 15-22 FED COM 6H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,360.00	1.00	350.70	6,348.57	236.97	-89.09	380,636.35	813,501.48	32.043406	-103.454953
6,455.00	0.80	356.80	6,443.56	238.45	-89.26	380,637.83	813,501.31	32.043410	-103.454953
6,550.00	1.00	353.10	6,538.55	239.94	-89.40	380,639.32	813,501.17	32.043415	-103.454953
6,646.00	0.90	354.70	6,634.54	241.52	-89.57	380,640.90	813,501.00	32.043419	-103.454954
6,741.00	1.10	356.20	6,729.52	243.17	-89.70	380,642.55	813,500.88	32.043423	-103.454954
6,836.00	1.30	355.20	6,824.50	245.15	-89.85	380,644.53	813,500.72	32.043429	-103.454955
6,931.00	1.20	358.40	6,919.48	247.22	-89.97	380,646.60	813,500.61	32.043435	-103.454955
7,027.00	1.30	359.90	7,015.46	249.32	-90.00	380,648.70	813,500.58	32.043440	-103.454955
7,122.00	1.20	4.70	7,110.43	251.39	-89.92	380,650.77	813,500.66	32.043446	-103.454955
7,217.00	1.30	6.70	7,205.41	253.45	-89.71	380,652.83	813,500.86	32.043452	-103.454954
7,312.00	1.20	4.80	7,300.39	255.51	-89.50	380,654.89	813,501.07	32.043457	-103.454953
7,407.00	1.20	3.00	7,395.37	257.49	-89.37	380,656.87	813,501.21	32.043463	-103.454953
7,502.00	1.10	357.50	7,490.35	259.40	-89.35	380,658.78	813,501.22	32.043468	-103.454953
7,598.00	0.90	356.20	7,586.33	261.07	-89.44	380,660.45	813,501.13	32.043473	-103.454953
7,693.00	0.70	348.00	7,681.32	262.38	-89.61	380,661.76	813,500.96	32.043476	-103.454954
7,788.00	0.20	315.20	7,776.32	263.07	-89.85	380,662.45	813,500.72	32.043478	-103.454954
7,884.00	0.20	244.00	7,872.32	263.11	-90.12	380,662.49	813,500.45	32.043478	-103.454955
7,979.00	0.40	270.30	7,967.32	263.04	-90.60	380,662.42	813,499.97	32.043478	-103.454957
8,075.00	0.40	280.20	8,063.32	263.10	-91.27	380,662.48	813,499.31	32.043478	-103.454959
8,169.00	0.50	300.10	8,157.31	263.37	-91.94	380,662.75	813,498.63	32.043479	-103.454961
8,264.00	0.50	299.60	8,252.31	263.78	-92.66	380,663.16	813,497.91	32.043480	-103.454963
8,359.00	0.50	293.60	8,347.31	264.15	-93.40	380,663.53	813,497.17	32.043481	-103.454966
8,453.00	0.40	253.90	8,441.30	264.22	-94.09	380,663.60	813,496.48	32.043481	-103.454968
8,548.00	0.30	203.80	8,536.30	263.90	-94.51	380,663.28	813,496.06	32.043481	-103.454969
8,642.00	0.60	178.30	8,630.30	263.19	-94.60	380,662.57	813,495.98	32.043479	-103.454970
8,737.00	0.60	181.10	8,725.29	262.19	-94.59	380,661.57	813,495.98	32.043476	-103.454970
8,831.00	0.70	174.20	8,819.29	261.13	-94.54	380,660.51	813,496.03	32.043473	-103.454970
8,926.00	0.70	169.90	8,914.28	259.98	-94.38	380,659.36	813,496.19	32.043470	-103.454969
9,020.00	0.60	181.10	9,008.28	258.92	-94.29	380,658.30	813,496.28	32.043467	-103.454969
9,114.00	0.80	180.40	9,102.27	257.78	-94.31	380,657.15	813,496.27	32.043464	-103.454969
9,208.00	0.80	189.80	9,196.26	256.47	-94.42	380,655.85	813,496.15	32.043460	-103.454969
9,303.00	0.70	202.10	9,291.25	255.28	-94.75	380,654.66	813,495.82	32.043457	-103.454970
9,398.00	0.70	194.60	9,386.24	254.18	-95.12	380,653.56	813,495.46	32.043454	-103.454972
9,492.00	0.60	203.70	9,480.24	253.18	-95.46	380,652.56	813,495.11	32.043451	-103.454973
9,587.00	0.50	207.60	9,575.23	252.35	-95.85	380,651.73	813,494.72	32.043449	-103.454974
9,682.00	0.50	225.90	9,670.23	251.70	-96.34	380,651.08	813,494.23	32.043447	-103.454976
9,776.00	0.60	240.30	9,764.23	251.17	-97.06	380,650.55	813,493.51	32.043446	-103.454978
9,871.00	0.20	223.40	9,859.22	250.80	-97.61	380,650.18	813,492.96	32.043445	-103.454980
9,966.00	0.60	108.60	9,954.22	250.52	-97.25	380,649.90	813,493.32	32.043444	-103.454979
10,061.00	0.60	90.80	10,049.22	250.36	-96.28	380,649.74	813,494.29	32.043443	-103.454975
10,155.00	0.30	300.90	10,143.22	250.48	-96.00	380,649.86	813,494.57	32.043444	-103.454974
10,250.00	1.00	276.80	10,238.21	250.70	-97.04	380,650.08	813,493.53	32.043444	-103.454978
10,344.00	1.20	281.30	10,332.19	250.99	-98.82	380,650.37	813,491.75	32.043445	-103.454984
10,438.00	1.30	278.80	10,426.17	251.35	-100.84	380,650.73	813,489.74	32.043446	-103.454990
10,533.00	1.30	271.10	10,521.14	251.53	-102.98	380,650.91	813,487.59	32.043447	-103.454997
10,628.00	1.30	258.50	10,616.12	251.34	-105.11	380,650.72	813,485.46	32.043446	-103.455004
10,723.00	1.00	244.50	10,711.10	250.77	-106.92	380,650.15	813,483.66	32.043445	-103.455010
10,817.00	1.00	231.90	10,805.09	249.91	-108.30	380,649.29	813,482.27	32.043442	-103.455014
10,912.00	1.80	229.50	10,900.06	248.43	-110.09	380,647.81	813,480.48	32.043438	-103.455020
11,007.00	2.40	237.10	10,994.99	246.38	-112.90	380,645.76	813,477.68	32.043433	-103.455029
11,101.00	2.10	238.40	11,088.92	244.41	-116.02	380,643.79	813,474.56	32.043427	-103.455039
11,196.00	2.00	243.90	11,183.86	242.77	-118.99	380,642.14	813,471.59	32.043423	-103.455049
11,291.00	1.90	253.60	11,278.81	241.59	-121.99	380,640.97	813,468.59	32.043420	-103.455059
11,385.00	1.80	258.80	11,372.76	240.86	-124.93	380,640.24	813,465.64	32.043418	-103.455068
11,480.00	2.10	263.20	11,467.70	240.37	-128.12	380,639.75	813,462.45	32.043417	-103.455078



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 6H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3297.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3297.00usft
Well:	RAILSPLITTER 15-22 FED COM 6H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,575.00	2.30	262.20	11,562.63	239.90	-131.74	380,639.28	813,458.84	32.043415	-103.455090
11,670.00	1.90	245.50	11,657.57	238.99	-135.06	380,638.37	813,455.51	32.043413	-103.455101
11,764.00	2.00	223.60	11,751.52	237.16	-137.61	380,636.54	813,452.96	32.043408	-103.455109
11,859.00	2.00	211.00	11,846.46	234.54	-139.61	380,633.92	813,450.97	32.043401	-103.455116
11,954.00	2.20	206.30	11,941.39	231.48	-141.27	380,630.86	813,449.31	32.043393	-103.455121
12,048.00	1.90	202.60	12,035.33	228.43	-142.67	380,627.80	813,447.91	32.043384	-103.455126
12,143.00	1.70	198.30	12,130.29	225.63	-143.71	380,625.01	813,446.86	32.043376	-103.455129
12,237.00	1.60	202.80	12,224.25	223.10	-144.66	380,622.48	813,445.91	32.043370	-103.455132
12,332.00	1.50	198.50	12,319.21	220.70	-145.57	380,620.08	813,445.01	32.043363	-103.455135
12,427.00	1.50	191.10	12,414.18	218.30	-146.20	380,617.68	813,444.37	32.043356	-103.455137
12,455.00	1.50	189.40	12,442.17	217.58	-146.33	380,616.96	813,444.24	32.043354	-103.455138
12,574.00	1.90	172.40	12,561.12	214.09	-146.33	380,613.46	813,444.25	32.043345	-103.455138
KOP									
12,669.00	14.60	178.20	12,654.94	200.50	-145.74	380,599.88	813,444.83	32.043307	-103.455136
12,764.00	29.90	170.50	12,742.63	164.96	-141.43	380,564.34	813,449.15	32.043210	-103.455123
12,859.00	41.80	169.60	12,819.49	110.27	-131.77	380,509.65	813,458.80	32.043059	-103.455094
12,953.00	49.70	177.90	12,885.09	43.47	-124.78	380,442.85	813,465.79	32.042875	-103.455073
12,974.67	51.44	178.89	12,898.85	26.74	-124.32	380,426.12	813,466.26	32.042829	-103.455072
RAILSPLITTER 6H FTP (2537 FSL, 1820 FEL)									
13,048.00	57.40	181.90	12,941.50	-32.86	-124.78	380,366.52	813,465.79	32.042666	-103.455075
13,143.00	64.30	177.00	12,987.77	-115.74	-123.87	380,283.64	813,466.70	32.042438	-103.455074
13,238.00	68.90	175.40	13,025.49	-202.70	-118.07	380,196.68	813,472.50	32.042199	-103.455058
13,333.00	78.70	173.20	13,051.97	-293.36	-108.98	380,106.02	813,481.59	32.041949	-103.455031
13,427.00	91.10	174.50	13,060.31	-386.26	-98.98	380,013.12	813,491.60	32.041694	-103.455001
13,522.00	93.50	179.60	13,056.49	-481.02	-94.09	379,918.36	813,496.48	32.041433	-103.454988
13,617.00	92.00	181.60	13,051.94	-575.90	-95.09	379,823.48	813,495.49	32.041172	-103.454993
13,711.00	90.10	181.50	13,050.21	-669.85	-97.63	379,729.53	813,492.95	32.040914	-103.455004
13,806.00	88.10	181.30	13,051.70	-764.80	-99.95	379,634.58	813,490.62	32.040653	-103.455014
13,901.00	87.70	180.80	13,055.19	-859.72	-101.69	379,539.66	813,488.88	32.040392	-103.455022
13,995.00	88.60	180.70	13,058.22	-953.66	-102.92	379,445.72	813,487.65	32.040134	-103.455028
14,090.00	89.00	179.60	13,060.21	-1,048.64	-103.17	379,350.74	813,487.41	32.039873	-103.455032
14,185.00	88.90	178.30	13,061.95	-1,143.61	-101.43	379,255.77	813,489.15	32.039612	-103.455029
14,279.00	89.10	179.80	13,063.59	-1,237.58	-99.87	379,161.80	813,490.71	32.039354	-103.455026
14,372.00	90.40	179.60	13,064.00	-1,330.57	-99.38	379,068.81	813,491.19	32.039098	-103.455027
14,467.00	89.60	179.00	13,064.00	-1,425.56	-98.22	378,973.82	813,492.35	32.038837	-103.455026
14,562.00	88.80	178.60	13,065.32	-1,520.53	-96.23	378,878.85	813,494.34	32.038576	-103.455022
14,657.00	89.10	178.90	13,067.06	-1,615.49	-94.16	378,783.89	813,496.41	32.038315	-103.455018
14,751.00	88.40	178.80	13,069.12	-1,709.45	-92.27	378,689.93	813,498.30	32.038056	-103.455014
14,846.00	89.10	178.50	13,071.19	-1,804.40	-90.04	378,594.98	813,500.54	32.037795	-103.455009
14,941.00	88.70	179.30	13,073.01	-1,899.37	-88.21	378,500.01	813,502.36	32.037534	-103.455006
15,036.00	87.30	178.50	13,076.33	-1,994.29	-86.39	378,405.09	813,504.18	32.037273	-103.455002
15,131.00	88.60	178.00	13,079.73	-2,089.18	-83.49	378,310.20	813,507.08	32.037012	-103.454996
15,226.00	89.40	178.30	13,081.38	-2,184.12	-80.42	378,215.26	813,510.15	32.036751	-103.454988
15,321.00	88.70	179.60	13,082.96	-2,279.08	-78.68	378,120.30	813,511.89	32.036490	-103.454985
15,416.00	91.10	179.30	13,083.12	-2,374.07	-77.77	378,025.31	813,512.80	32.036229	-103.454985
15,432.65	91.31	179.35	13,082.77	-2,390.72	-77.58	378,008.66	813,513.00	32.036184	-103.454984
S15/22 Crossing									
15,511.00	92.30	179.60	13,080.31	-2,469.02	-76.86	377,930.35	813,513.71	32.035968	-103.454984
15,606.00	92.40	179.90	13,076.41	-2,563.94	-76.45	377,835.44	813,514.13	32.035707	-103.454985
15,701.00	92.20	179.30	13,072.60	-2,658.86	-75.78	377,740.51	813,514.79	32.035446	-103.454986
15,795.00	92.50	179.40	13,068.74	-2,752.78	-74.72	377,646.60	813,515.86	32.035188	-103.454985
15,891.00	92.20	180.30	13,064.81	-2,848.70	-74.47	377,550.68	813,516.11	32.034925	-103.454986
15,986.00	92.70	181.60	13,060.75	-2,943.59	-76.04	377,455.78	813,514.53	32.034664	-103.454994
16,081.00	92.70	182.00	13,056.27	-3,038.44	-79.02	377,360.94	813,511.55	32.034403	-103.455006
16,176.00	90.50	182.60	13,053.62	-3,133.32	-82.83	377,266.06	813,507.74	32.034142	-103.455021



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 6H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3297.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3297.00usft
Well:	RAILSPLITTER 15-22 FED COM 6H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,271.00	91.30	184.20	13,052.13	-3,228.14	-88.47	377,171.24	813,502.11	32.033882	-103.455041
16,366.00	87.30	184.70	13,053.29	-3,322.83	-95.83	377,076.55	813,494.74	32.033622	-103.455068
16,462.00	87.50	181.90	13,057.64	-3,418.56	-101.35	376,980.82	813,489.22	32.033359	-103.455088
16,557.00	87.40	182.20	13,061.87	-3,513.40	-104.75	376,885.97	813,485.83	32.033098	-103.455101
16,651.00	87.90	180.10	13,065.72	-3,607.30	-106.63	376,792.08	813,483.94	32.032840	-103.455110
16,746.00	89.40	179.70	13,067.96	-3,702.27	-106.47	376,697.11	813,484.11	32.032579	-103.455112
16,841.00	90.30	180.10	13,068.21	-3,797.27	-106.30	376,602.11	813,484.27	32.032318	-103.455114
16,936.00	91.70	181.20	13,066.55	-3,892.25	-107.38	376,507.13	813,483.20	32.032057	-103.455120
17,031.00	89.10	179.90	13,065.89	-3,987.23	-108.29	376,412.15	813,482.28	32.031796	-103.455125
17,127.00	90.00	181.00	13,066.64	-4,083.22	-109.04	376,316.16	813,481.53	32.031532	-103.455130
17,222.00	88.90	179.60	13,067.56	-4,178.21	-109.54	376,221.17	813,481.03	32.031271	-103.455134
17,316.00	87.70	178.90	13,070.34	-4,272.16	-108.31	376,127.22	813,482.26	32.031013	-103.455133
17,411.00	89.20	178.30	13,072.91	-4,367.09	-105.99	376,032.29	813,484.58	32.030752	-103.455128
17,506.00	89.70	178.60	13,073.83	-4,462.05	-103.42	375,937.33	813,487.15	32.030491	-103.455122
17,600.00	89.90	178.60	13,074.15	-4,556.02	-101.13	375,843.35	813,489.45	32.030232	-103.455117
17,695.00	89.50	178.50	13,074.65	-4,650.99	-98.72	375,748.39	813,491.85	32.029971	-103.455112
17,790.00	89.10	178.20	13,075.81	-4,745.95	-95.99	375,653.43	813,494.59	32.029710	-103.455106
17,885.00	89.10	178.90	13,077.30	-4,840.90	-93.58	375,558.48	813,496.99	32.029449	-103.455100
17,979.00	89.10	179.40	13,078.78	-4,934.88	-92.19	375,464.50	813,498.39	32.029191	-103.455098
18,073.00	88.80	179.20	13,080.50	-5,028.86	-91.04	375,370.52	813,499.53	32.028932	-103.455097
18,168.00	89.40	179.60	13,082.00	-5,123.84	-90.05	375,275.54	813,500.53	32.028671	-103.455096
18,262.00	88.80	179.50	13,083.47	-5,217.83	-89.31	375,181.55	813,501.27	32.028413	-103.455096
18,357.00	88.80	179.90	13,085.46	-5,312.80	-88.81	375,086.58	813,501.76	32.028152	-103.455097
18,451.00	89.50	181.40	13,086.86	-5,406.78	-89.88	374,992.60	813,500.70	32.027894	-103.455103
18,546.00	89.10	180.60	13,088.02	-5,501.76	-91.53	374,897.62	813,499.04	32.027633	-103.455111
18,640.00	88.50	179.90	13,089.98	-5,595.74	-91.95	374,803.64	813,498.63	32.027374	-103.455115
18,735.00	89.90	180.10	13,091.31	-5,690.73	-91.95	374,708.65	813,498.63	32.027113	-103.455117
18,743.68	89.99	180.04	13,091.32	-5,699.41	-91.96	374,699.97	813,498.62	32.027089	-103.455118
RAILSPLITTER 6H TGT									
18,829.00	90.90	179.40	13,090.66	-5,784.72	-91.53	374,614.66	813,499.04	32.026855	-103.455118
18,923.00	91.30	178.90	13,088.85	-5,878.69	-90.14	374,520.69	813,500.43	32.026597	-103.455116
19,018.00	92.60	179.30	13,085.62	-5,973.62	-88.65	374,425.75	813,501.92	32.026336	-103.455114
19,113.00	93.80	179.60	13,080.32	-6,068.47	-87.74	374,330.91	813,502.84	32.026075	-103.455114
19,208.00	94.00	179.80	13,073.85	-6,163.25	-87.24	374,236.13	813,503.33	32.025814	-103.455115
19,302.00	91.00	180.60	13,069.75	-6,257.15	-87.57	374,142.23	813,503.00	32.025556	-103.455118
19,397.00	91.40	183.00	13,067.76	-6,352.07	-90.55	374,047.31	813,500.02	32.025295	-103.455130
19,492.00	89.00	183.90	13,067.43	-6,446.89	-96.27	373,952.49	813,494.30	32.025035	-103.455151
19,587.00	88.90	183.60	13,069.17	-6,541.67	-102.48	373,857.71	813,488.09	32.024775	-103.455174
19,681.00	89.30	184.80	13,070.65	-6,635.41	-109.37	373,763.97	813,481.21	32.024517	-103.455198
19,776.00	88.80	183.80	13,072.22	-6,730.12	-116.49	373,669.25	813,474.09	32.024257	-103.455224
19,870.00	87.80	183.10	13,075.01	-6,823.91	-122.14	373,575.47	813,468.43	32.023999	-103.455244
19,965.00	86.50	182.60	13,079.74	-6,918.67	-126.86	373,480.71	813,463.71	32.023739	-103.455262
20,060.00	88.00	182.70	13,084.29	-7,013.46	-131.25	373,385.92	813,459.33	32.023478	-103.455279
20,155.00	88.50	182.60	13,087.20	-7,108.31	-135.64	373,291.07	813,454.94	32.023218	-103.455295
20,250.00	88.40	181.30	13,089.77	-7,203.22	-138.87	373,196.16	813,451.71	32.022957	-103.455308
20,344.00	86.10	178.50	13,094.28	-7,297.10	-138.71	373,102.28	813,451.87	32.022699	-103.455310
20,439.00	91.50	179.70	13,096.27	-7,392.03	-137.22	373,007.35	813,453.36	32.022438	-103.455308
20,533.00	92.10	179.60	13,093.31	-7,485.98	-136.64	372,913.40	813,453.93	32.022180	-103.455309
20,616.50	90.97	178.30	13,091.08	-7,569.43	-135.11	372,829.95	813,455.46	32.021950	-103.455306
100' FSL HL Crossing									
20,618.14	90.95	178.27	13,091.05	-7,571.07	-135.06	372,828.31	813,455.51	32.021946	-103.455306
RAILSPLITTER 6H LTP (100 FSL, 1820 FEL)									
20,629.00	90.80	178.10	13,090.88	-7,581.93	-134.72	372,817.45	813,455.86	32.021916	-103.455305



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well RAILSPLITTER 15-22 FED COM 6H
Project:	Lea County, NM (NAD83)	TVD Reference:	30' KB @ 3297.00usft
Site:	S15-T26S-R34E	MD Reference:	30' KB @ 3297.00usft
Well:	RAILSPLITTER 15-22 FED COM 6H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
20,682.00	90.80	178.10	13,090.14	-7,634.89	-132.96	372,764.49	813,457.61	32.021770	-103.455301
BHL - RAILSPLITTER 6H BHL (20 FSL, 1820 FEL)									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
12,574.00	12,561.12	214.09	-146.33	KOP	
15,432.65	13,082.77	-2,390.72	-77.58	S15/22 Crossing	
20,616.50	13,091.08	-7,569.43	-135.11	100' FSL HL Crossing	
20,682.00	13,090.14	-7,634.89	-132.96	BHL	

Checked By: _____ Approved By: _____ Date: _____

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO.	30-025-47217
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Railsplitter 15-22 Fed Com
8. Well Number	6H
9. OGRID Number	6137
10. Pool name or Wildcat	WC-025 G-09 S263416B; Wolfcamp

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ 2. Name of Operator Devon Energy Production Company, L.P. 3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102 4. Well Location Unit Letter <u>J</u> : <u>2390</u> feet from the <u>South</u> line and <u>1679</u> feet from the <u>East</u> line Section <u>15</u> Township <u>26S</u> Range <u>34E</u> NMPM County <u>Lea</u> 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3267	
---	--

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ OTHER: ☐		SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: Completion ☒	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


12/12/20 - 4/1/21: MIRU WL & PT. TIH & ran CBL, TOC @ 7420'. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 13,249'-20,546'. Frac totals 18,068,250# prop, 60 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD 20,609'. CHC, FWB, ND BOP. Tubing to be ran at later date. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rebecca Deal TITLE Regulatory Analyst DATE 4/29/2021

Type or print name Rebecca Deal E-mail address: Rebecca.Deal@dmn.com PHONE: 405-228-8429
For State Use Only

APPROVED BY: John Garcia TITLE Petroleum Specialist DATE 6/3/2021
 Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO. 30-025-47217								
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Railsplitter 15-22 Fed Com				
						6. Well Number: 6H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Devon Energy Production Company, L.P.						9. OGRID 6137				
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102						11. Pool name or Wildcat WC-025 G-09 S263416B; Wolfcamp				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	J	15	26S	34E		2390	South	1679	East	Lea
BH:	O	22	26S	34E		34	South	1875	East	Lea
13. Date Spudded 9/20/20	14. Date T.D. Reached 10/25/20		15. Date Rig Released 10/30/20			16. Date Completed (Ready to Produce) 4/1/21		17. Elevations (DF and RKB, RT, GR, etc.) 3267 GL		
18. Total Measured Depth of Well 20682 MD, 13090 TVD			19. Plug Back Measured Depth 20609			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 13249-20546, Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375		54.5		876		17.5		680 sx CIC; circ 307 sx		
8.625		32		12507		9.875		685 sx CIC; circ 363 sx		
5.5		20		20657		7.875		2030 sx CIH; circ 0 sx		TOC @ 8976
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN						
26. Perforation record (interval, size, and number) 13249 - 20546, total 704 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 13249-20546 Acidize and frac in 36 stages. See detailed summary attached.				
28. PRODUCTION										
Date First Production 4/1/21		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 4/7/21	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 770	Gas - MCF 921	Water - Bbl. 4727	Gas - Oil Ratio 1196.1039			
Flow Tubing Press. psi	Casing Pressure psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By				
31. List Attachments Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name Rebecca Deal		Title Regulatory Analyst		Date 4/29/2021				
E-mail Address Rebecca.Deal@dmr.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from..... N/Ato..... N/A
No. 2, from..... N/Ato..... N/A
No. 3, from..... N/Ato..... N/A
No. 4, from..... N/Ato..... N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 26244

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 26244
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 26244

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 26244
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 and 3160-5 within 10 days to NMOCD after BLM approval.	6/4/2021