

District I
1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 05/24/2021
⁴ API Number 30 - 015-47961	⁵ Pool Name CEDAR CANYON BONE SPRING	⁶ Pool Code 11520
⁷ Property Code: 329988	⁸ Property Name: TAILS CC 10-3 FEDERAL COM	⁹ Well Number: 24H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	10	24S	29E		400	SOUTH	1740	EAST	EDDY

¹¹ Bottom Hole Location FTP- 274' FSL 2507' FEL LTP- 168' FNL 2601' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 2	3	24S	29E		22	NORTH	2610	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F	¹⁴ Gas Connection Date: TBD	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 02/23/21	²² Ready Date 05/24/2021	²³ TD 19421'M 8784'V	²⁴ PBSD 19387'M 8784'V	²⁵ Perforations 9095-19275'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
14-3/4"	10-3/4"	558'	605		
9-7/8"	7-5/8"	8133'	1954		
6-3/4"	5-1/2" x 4-1/2"	19400'	1357		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 05/24/2021 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

KURT SIMMONS

Title: NMOC, SANTA FE

Approval Date: 06/09/2021

RT C-104 EXPIRES 08/24/2021

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 05/24/2021
⁴ API Number 30 - 015-47961	⁵ Pool Name PIERCE CROSSING BONE SPRING EAST	⁶ Pool Code 96473
⁷ Property Code: 329988	⁸ Property Name: TAILS CC 10-3 FEDERAL COM	⁹ Well Number: 24H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	10	24S	29E		400	SOUTH	1740	EAST	EDDY

¹¹ Bottom Hole Location

FTP- 274' FSL 2507' FEL LTP- 168' FNL 2601' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 2	3	24S	29E		22	NORTH	2610	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 02/23/21	²² Ready Date 05/24/2021	²³ TD 19421'M 8784'V	²⁴ PBSD 19387'M 8784'V	²⁵ Perforations 9095-19275'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
14-3/4"	10-3/4"	558'		605	
9-7/8"	7-5/8"	8133'		1954	
6-3/4"	5-1/2" x 4-1/2"	19400'		1357	

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 05/24/2021 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by: Kurt Simmons

Title: NMOCD, Santa Fe

Approval Date: 06/09/2021

RT C-104 EXPIRES 08/24/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47961	² Pool Code 96473/11520	320 acres PIERCE CROSSING BONE SPRING EAST/ CEDAR CANYON BONE SPRING	³ Pool Name 958.62 acres
⁴ Property Code 329988	⁵ Property Name TAILS CC 10_3 FEDERAL COM		⁶ Well Number 24H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.		⁹ Elevation 2943'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	10	24S	29E		400	SOUTH	1740	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 2	3	24S	29E		22	NORTH	2610	EAST	EDDY

¹² Dedicated Acres 1278.62	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99977803 Convergence Angle: 00°11'10.650012"

Horizontal Spacing Unit




OXY



Borehole:	Well:	Field:	Structure:
Tails CC 10_3 Federal Com 24H	Tails CC 10_3 Federal Com 24H	NM Eddy County (NAD 83)	Oxy Tails CC 10_3 Federal Com Pad

Gravity & Magnetic Parameters					Surface Location			NAD83 New Mexico State Plane, Eastern Zone, US Feet			Miscellaneous				
Model:	HDGM 2020	Dip:	59.916°	Date:	05-Mar-2021	Lat:	N 32 13 33.40	Northing:	446122.8RUS	Grid Conv:	0.1941°	Slot:	Tails CC 10_3 Federal Com 24H	TVD Ref:	RKB(2966.9ft above MSL)
MagDec:	6.757°	FS:	47723.84nT	Gravity FS:	998.471mgn (9.80665 Based)	Lon:	W 103 58 9.79	Easting:	653879.4RUS	Scale Fact:	0.9999236	Plan:	Oxy Tails CC 10_3 Federal Com 24H Gyro-MWD 0' to 19421' MD		

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	
Last Gyro Survey	553.20	0.10	255.27	553.18	1.03	0.92	-1.30	0.61
First MWD Survey	656.00	0.09	70.26	655.98	1.03	0.92	-1.32	0.18
Actual KOP	7964.00	8.14	225.10	7872.46	-480.71	-532.70	-591.38	0.54
Second Bone Spring Lower Sandstone Intersection	8656.22	32.44	346.95	8528.90	-391.85	-454.46	-720.18	8.14
100' FNL Crossed	8900.00	51.03	351.55	8712.99	-234.07	-298.45	-747.80	15.21
Exit Target Box	18360.00	89.82	357.88	8784.94	9170.59	9126.47	-908.15	0.22
100' FSL Crossed	19343.00	90.43	355.78	8785.20	10151.90	10108.63	-939.67	1.27
Final MWD	19393.00	90.75	356.33	8784.69	10201.89	10158.51	-943.11	1.27
Proj to TD	19421.00	90.75	356.33	8784.32	10229.88	10186.45	-944.90	0.00



Schlumberger



Oxy Tails CC 10_3 Federal Com 24H Gyro+MWD 0' to 19421'MD Survey Geodetic Report (Def Survey)

Report Date: March 28, 2021 - 09:35 PM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Tails CC 10_3 Federal Com Pad / Tails CC 10_3 Federal Com 24H
Well: Tails CC 10_3 Federal Com 24H
Borehole: Tails CC 10_3 Federal Com 24H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Tails CC 10_3 Federal Com 24H Gyro+MWD 0' to 19421'MD
Survey Date: March 02, 2021
Tort / AHD / DDI / ERD Ratio: 287.844 " / 11665.125 ft / 6.869 / 1.324
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 13' 33.9821", W 103° 58' 9.79215"
Location Grid N/E Y/X: N 446122.800 RUS, E 653879.400 RUS
CRS Grid Convergence Angle: 0.1941 °
Grid Scale Factor: 0.9999236
Version / Patch: 2.10.825.0

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 355.143 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 2966.900 ft above MSL
Seabed / Ground Elevation: 2942.900 ft above MSL
Magnetic Declination: 6.757 °
Total Gravity Field Strength: 998.4712mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47723.849 nT
Magnetic Dip Angle: 59.916 °
Declination Date: March 05, 2021
Magnetic Declination Model: HDGM 2020
North Reference: Grid North
Grid Convergence Used: 0.1941 °
Total Corr Mag North->Grid: 6.5632 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP SHL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	446122.80	653879.40	N 32 13 33.40	W 103 58 9.79
	24.00	0.00	0.00	24.00	0.00	0.00	0.00	0.00	0.00	0.00	446122.80	653879.40	N 32 13 33.40	W 103 58 9.79
	92.10	0.45	96.85	92.10	-0.05	-0.03	0.27	0.66	0.27	96.85	446122.77	653879.67	N 32 13 33.40	W 103 58 9.78
	179.60	0.41	72.86	179.60	-0.06	0.02	0.91	0.21	0.91	88.77	446122.82	653880.31	N 32 13 33.40	W 103 58 9.79
	269.90	0.37	321.02	269.90	0.25	0.34	1.03	0.72	1.09	71.69	446123.14	653880.43	N 32 13 33.40	W 103 58 9.78
	364.30	0.68	300.73	364.29	0.83	0.86	0.36	0.38	0.94	22.49	446123.66	653879.76	N 32 13 33.41	W 103 58 9.79
	458.80	0.68	259.16	458.79	1.10	1.05	-0.67	0.51	1.24	327.16	446123.85	653878.73	N 32 13 33.41	W 103 58 9.80
	553.20	0.10	255.27	553.18	1.03	0.92	-1.30	0.61	1.60	305.17	446123.72	653878.10	N 32 13 33.41	W 103 58 9.81
	656.00	0.09	70.26	655.98	1.03	0.92	-1.32	0.18	1.61	305.08	446123.72	653878.08	N 32 13 33.41	W 103 58 9.81
	747.00	0.07	282.04	746.98	1.07	0.96	-1.30	0.17	1.62	306.37	446123.76	653878.10	N 32 13 33.41	W 103 58 9.81
Last Gyro Survey	839.00	0.09	272.11	838.98	1.09	0.97	-1.43	0.03	1.73	304.26	446123.77	653877.97	N 32 13 33.41	W 103 58 9.81
	931.00	0.04	142.46	930.98	1.07	0.95	-1.48	0.13	1.76	302.68	446123.75	653877.92	N 32 13 33.41	W 103 58 9.81
	1022.00	0.10	313.10	1021.98	1.11	1.01	-1.52	0.15	1.81	302.80	446123.78	653877.88	N 32 13 33.41	W 103 58 9.81
	1114.00	0.04	198.07	1113.98	1.14	1.00	-1.59	0.13	1.88	302.29	446123.80	653877.81	N 32 13 33.41	W 103 58 9.81
	1206.00	0.07	111.70	1205.98	1.08	0.95	-1.55	0.09	1.82	301.63	446123.75	653877.85	N 32 13 33.41	W 103 58 9.81
	1297.00	0.08	283.70	1296.98	1.08	0.95	-1.56	0.16	1.82	301.32	446123.75	653877.84	N 32 13 33.41	W 103 58 9.81
	1389.00	0.07	157.77	1388.98	1.04	0.91	-1.60	0.15	1.84	299.67	446123.71	653877.80	N 32 13 33.41	W 103 58 9.81
	1481.00	0.06	358.92	1480.98	1.04	0.91	-1.58	0.14	1.82	299.88	446123.71	653877.82	N 32 13 33.41	W 103 58 9.81
	1574.00	0.02	210.95	1573.98	1.07	0.94	-1.59	0.08	1.85	300.68	446123.74	653877.81	N 32 13 33.41	W 103 58 9.81
	1666.00	0.12	292.84	1665.98	1.10	0.97	-1.68	0.13	1.94	299.81	446123.77	653877.72	N 32 13 33.41	W 103 58 9.81
First MWD Survey	1855.00	0.01	131.92	1854.98	1.18	1.03	-1.85	0.07	2.12	299.07	446123.83	653877.55	N 32 13 33.41	W 103 58 9.81
	1950.00	0.07	100.61	1949.98	1.16	1.01	-1.79	0.06	2.06	299.53	446123.81	653877.61	N 32 13 33.41	W 103 58 9.81
	2045.00	0.10	331.97	2044.98	1.22	1.08	-1.77	0.16	2.07	301.28	446123.88	653877.63	N 32 13 33.41	W 103 58 9.81
	2138.00	0.17	61.94	2137.98	1.34	1.20	-1.68	0.22	2.07	305.50	446124.00	653877.72	N 32 13 33.41	W 103 58 9.81
	2231.00	0.23	151.97	2230.98	1.21	1.09	-1.47	0.29	1.83	306.54	446123.89	653877.93	N 32 13 33.41	W 103 58 9.81
	2326.00	0.15	180.54	2325.98	0.91	0.80	-1.38	0.13	1.59	299.96	446123.60	653878.02	N 32 13 33.41	W 103 58 9.81
	2420.00	0.03	105.69	2419.98	0.78	0.67	-1.36	0.15	1.51	296.12	446123.47	653878.04	N 32 13 33.40	W 103 58 9.81
	2514.00	0.25	221.07	2513.98	0.63	0.50	-1.47	0.28	1.55	288.96	446123.30	653877.93	N 32 13 33.40	W 103 58 9.81
	2607.00	0.19	227.76	2606.98	0.39	0.25	-1.72	0.07	1.73	278.21	446123.05	653877.68	N 32 13 33.40	W 103 58 9.81
	2701.00	0.14	252.34	2700.98	0.27	0.11	-1.94	0.09	1.94	273.19	446122.91	653877.46	N 32 13 33.40	W 103 58 9.81
	2794.00	0.10	145.46	2793.98	0.18	0.01	-2.00	0.21	2.00	270.19	446122.81	653877.40	N 32 13 33.40	W 103 58 9.82
	2888.00	0.20	60.59	2887.98	0.17	0.02	-1.81	0.23	1.81	270.62	446122.82	653877.59	N 32 13 33.40	W 103 58 9.81
	2983.00	0.08	288.15	2982.98	0.27	0.12	-1.73	0.27	1.74	274.02	446122.92	653877.62	N 32 13 33.40	W 103 58 9.81
	3076.00	0.13	36.69	3075.98	0.37	0.23	-1.73	0.19	1.75	277.46	446123.03	653877.67	N 32 13 33.40	W 103 58 9.81
	3170.00	0.13	140.39	3169.98	0.36	0.23	-1.60	0.22	1.62	278.19	446123.03	653877.80	N 32 13 33.40	W 103 58 9.81
	3265.00	0.07	227.59	3264.98	0.24	0.11	-1.57	0.15	1.58	273.92	446122.91	653877.83	N 32 13 33.40	W 103 58 9.81
	3358.00	0.03	31.03	3357.98	0.23	0.09	-1.60	0.11	1.60	273.23	446122.89	653877.80	N 32 13 33.40	W 103 58 9.81
	3452.00	0.23	269.23	3451.98	0.26	0.11	-1.78	0.26	1.78	273.50	446122.91	653877.62	N 32 13 33.40	W 103 58 9.81
	3546.00	0.07	124.91	3545.98	0.24	0.07	-1.82	0.31	1.92	272.19	446122.87	653877.48	N 32 13 33.40	W 103 58 9.81
	3641.00	0.11	313.89	3640.98	0.27	0.10	-1.84	0.19	1.94	273.06	446122.90	653877.46	N 32 13 33.40	W 103 58 9.81
	3735.00	0.08	115.57	3734.98	0.40	0.23	-1.99	0.10	2.00	276.60	446123.03	653877.41	N 32 13 33.40	W 103 58 9.82
	3829.00	0.06	108.66	3828.98	0.44	0.28	-1.93	0.11	1.95	278.22	446123.08	653877.47	N 32 13 33.40	W 103 58 9.81
	3922.00	0.23	111.47	3921.98	0.34	0.20	-1.71	0.18	1.72	276.51	446122.99	653877.69	N 32 13 33.40	W 103 58 9.81
	4016.00	0.43	199.43	4015.98	-0.07	-0.21	-1.65	0.51	1.66	262.87	446122.59	653877.75	N 32 13 33.40	W 103 58 9.81
	4111.00	1.19	223.95	4110.97	-1.04	-1.25	-2.46	0.86	2.76	242.96	446121.55	653876.94	N 32 13 33.39	W 103 58 9.82
	4205.00	2.62	236.25	4204.91	-2.72	-3.15	-4.52	1.57	5.84	237.37	446119.65	653874.48	N 32 13 33.37	W 103 58 9.85
	4298.00	5.24	243.91	4297.69	-5.29	-6.20	-10.50	2.87	12.19	239.45	446116.60	653868.90	N 32 13 33.34	W 103 58 9.91
	4391.00	7.49	245.09	4390.11	-8.90	-10.62	-19.81	2.42	22.48	241.81	446112.18	653859.59	N 32 13 33.29	W 103 58 10.02
	4485.00	10.13	247.02	4482.99	-13.58	-16.43	-32.98	2.83	36.85	243.52	446106.37	653846.42	N 32 13 33.24	W 103 58 10.18
	4578.00	11.70	246.10	4574.31	-19.20	-23.44	-49.14	1.70	54.44	244.49	446099.36	653830.27	N 32 13 33.17	W 103 58 10.37
	4672.00	12.86	244.62	4666.15	-25.98	-31.79	-67.30	1.28	74.43	244.72	446091.01	653821.10	N 32 13 33.09	W 103 58 10.58
	4765.00	13.85	243.41	4757.68	-33.71	-41.18	-96.84	0.74	95.86	244.56	446081.62	653812.84	N 32 13 32.99	W 103 58 10.80
	4860.00	13.00	241.15	4849.17	-42.07	-51.20	-105.64	0.77	117.39	244.14	446071.61	653773.77	N 32 13 32.90	W 103 58 11.02
	4954.00	13.17	237.49	4940.74	-51.34	-62.05	-123.93	0.90	138.59	243.40	446060.75	653755.48	N 32 13 32.79	W 103 58 11.24
	5142.00	13.02	230.76	5123.86	-73.24	-86.96	-158.39	0.81	180.69	241.23	446035.85	653721.02	N 32 13 32.54	W 103 58 11.63
	5236.00	13.08	230.41	5215.43	-85.28	-100.44	-174.79	0.11	201.59	240.12	446022.37	653704.62	N 32 13 32.41	W 103 58 11.83
	5330.00	12.91	228.31	5307.63	-97.63	-114.20	-190.83	0.53	222.39	239.10	446008.61	653688.59	N 32 13 32.27	W 103 58 12.02
	5424.00	12.64	226.02	5398.70	-110.42	-128.33	-206.07	0.61	242.76	238.09	445994.48	653673.35	N 32 13 32.14	W 103 58 12.20
	5519.00	14.13	226.43	5491.11	-124.23	-143.54	-221.95	1.57	264.32	237.11	445979.27	653657.46	N 32 13 31.99	W 103 58 12.38
	5613.00	14.97	225.38	5582.10	-139.17	-159.97	-238.91	0.94	287.52	236.19	445962.84	653640.51	N 32 13 31.82	W 103 58 12.58
	5708.00	15.90	225.26	5673.67	-155.36	-177.75	-256.88	0.98	312.39	235.32	445945.06	653622.54	N 32 13 31.65	W 103 58 12.79
	5802.00	15.66	224.72	5764.13	-171.85	-195.83	-274.96	0.30	337.57	234.54	445928.99	653604.46	N 32 13 31.47	W 103 58 13.00
	5896.00	15.81	222.30	5845.61	-188.78	-214.32	-292.59	0.72	362.61	233.77	445906.50	653589.07	N 32 13 31.29	W 103 58 13.21
	5990.00	15.66	222.11	5945.08	-206.14	-233.20	-309.63	0.17	387.62	233.01	445889.62	653569.80	N 32 13 31.10	W 103 58 13.41
	6084.00	15.74	222.74	6035.58	-223.40	-251.97	-326.79	0.20	412.65	232.37	445870.85	653562.64	N 32 13 30.92	W 103 58 13.61
	6178.00	15.85	223.55	612										

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')
	9526.00	92.53	353.84	8809.53	369.99	301.40	-822.82	2.95	876.29	290.12	446424.18	653056.64	N 32 13 36.41	W 103 58 19.36
	9711.00	93.30	0.44	8800.11	554.53	485.83	-832.04	3.59	963.49	300.28	446608.59	653047.43	N 32 13 38.23	W 103 58 19.46
	9898.00	92.15	1.93	8791.22	740.27	672.57	-828.18	1.01	1066.87	309.08	446795.31	653051.29	N 32 13 40.08	W 103 58 19.41
	9990.00	91.54	5.67	8788.25	831.16	764.30	-822.08	4.12	1122.49	312.91	446887.04	653057.38	N 32 13 40.99	W 103 58 19.33
	10083.00	90.62	5.44	8786.50	922.61	856.85	-813.08	1.02	1181.22	316.50	446979.58	653066.38	N 32 13 41.90	W 103 58 19.22
	10176.00	90.80	3.69	8785.51	1014.35	949.54	-806.68	1.88	1245.29	319.69	447072.27	653073.78	N 32 13 42.82	W 103 58 19.13
	10269.00	90.37	0.11	8784.72	1106.68	1042.47	-802.80	3.86	1315.64	322.41	447165.19	653076.86	N 32 13 43.74	W 103 58 19.09
	10361.00	90.73	4.02	8783.84	1197.99	1134.39	-799.28	4.27	1387.69	324.83	447257.10	653080.18	N 32 13 44.65	W 103 58 19.05
	10454.00	90.14	4.40	8783.13	1289.83	1227.14	-792.46	0.75	1460.77	327.15	447349.84	653087.01	N 32 13 45.57	W 103 58 18.97
	10545.00	90.72	3.34	8782.45	1379.77	1317.92	-786.32	1.33	1534.67	329.18	447440.62	653093.15	N 32 13 46.47	W 103 58 18.89
	10638.00	90.30	1.25	8781.62	1472.04	1410.84	-782.59	2.29	1613.36	330.98	447533.53	653096.87	N 32 13 47.38	W 103 58 18.85
	10823.00	90.25	359.33	8780.73	1656.28	1595.83	-781.66	1.04	1776.98	333.90	447716.50	653097.81	N 32 13 49.22	W 103 58 18.83
	10916.00	90.35	359.11	8780.25	1749.04	1688.82	-782.92	0.26	1861.47	335.13	447811.49	653096.54	N 32 13 50.14	W 103 58 18.84
	11008.00	90.17	359.43	8779.83	1840.80	1780.81	-784.09	0.40	1945.79	336.24	447903.47	653095.37	N 32 13 51.05	W 103 58 18.85
	11101.00	89.94	359.22	8779.74	1933.56	1873.80	-785.19	0.33	2031.66	337.26	447996.46	653094.27	N 32 13 51.97	W 103 58 18.86
	11194.00	90.00	359.25	8779.79	2026.32	1966.79	-786.43	0.07	2118.20	338.21	448089.44	653093.03	N 32 13 52.89	W 103 58 18.87
	11287.00	90.08	359.51	8779.72	2119.06	2059.79	-787.44	0.29	2205.17	339.08	448182.43	653092.02	N 32 13 53.81	W 103 58 18.88
	11380.00	90.34	359.14	8778.38	2211.82	2152.78	-788.53	0.49	2292.65	339.88	448275.41	653090.93	N 32 13 54.73	W 103 58 18.89
	11472.00	90.46	359.14	8778.74	2303.59	2244.77	-789.91	0.13	2379.70	340.61	448367.39	653089.55	N 32 13 55.64	W 103 58 18.90
	11657.00	89.91	359.29	8778.14	2488.12	2429.75	-792.45	0.31	2555.71	341.94	448552.36	653087.01	N 32 13 57.47	W 103 58 18.92
	11752.00	90.22	358.31	8778.04	2582.93	2524.73	-794.44	1.08	2646.77	342.53	448647.33	653085.02	N 32 13 58.41	W 103 58 18.94
	11846.00	89.46	357.71	8778.30	2676.81	2618.67	-797.70	1.03	2737.47	343.06	448741.26	653081.76	N 32 13 59.34	W 103 58 18.98
	11940.00	89.25	877.56	8777.26	2770.58	2712.63	-799.49	3.57	2828.00	343.58	448835.22	653079.97	N 32 14 00.27	W 103 58 18.99
	12035.00	89.77	0.68	8775.95	2865.17	2807.62	-798.83	2.23	2919.05	344.12	448930.20	653080.63	N 32 14 01.21	W 103 58 18.98
	12130.00	89.96	1.63	8776.17	2959.65	2902.60	-796.92	1.02	3010.01	344.65	449025.17	653082.54	N 32 14 02.15	W 103 58 18.96
	12224.00	90.22	1.99	8776.02	3053.01	2996.55	-793.95	0.47	3099.95	345.16	449119.11	653085.51	N 32 14 03.08	W 103 58 18.92
	12413.00	89.75	3.42	8776.07	3240.36	3185.33	-785.03	0.80	3280.64	346.16	449307.88	653094.43	N 32 14 04.94	W 103 58 18.81
	12508.00	89.62	3.67	8776.59	3334.34	3280.15	-779.16	0.30	3371.42	346.64	449402.69	653100.30	N 32 14 05.88	W 103 58 18.73
	12696.00	89.94	2.01	8778.88	3520.63	3467.90	-769.84	0.94	3552.32	347.48	449590.43	653098.42	N 32 14 07.74	W 103 58 18.62
	12791.00	89.94	357.60	8779.76	3615.28	3562.87	-770.17	4.75	3645.16	347.80	449685.39	653109.29	N 32 14 08.68	W 103 58 18.62
	12885.00	91.75	355.79	8778.38	3709.23	3656.69	-775.58	2.72	3738.04	348.03	449779.21	653103.88	N 32 14 09.61	W 103 58 18.68
	12979.00	90.90	355.20	8776.20	3803.20	3750.38	-782.97	1.10	3831.23	348.21	449872.88	653096.50	N 32 14 10.53	W 103 58 18.76
	13074.00	90.12	356.51	8775.36	3898.19	3845.12	-789.83	1.80	3925.40	348.39	449967.62	653089.63	N 32 14 11.47	W 103 58 18.84
	13169.00	89.75	357.58	8775.66	3993.15	3939.99	-791.66	1.29	4019.35	349.84	450062.46	653084.73	N 32 14 12.41	W 103 58 18.89
	13263.00	89.76	358.70	8776.25	4087.00	4033.94	-797.78	1.22	4112.07	348.81	450156.42	653081.68	N 32 14 13.34	W 103 58 18.92
	13357.00	89.48	359.63	8776.87	4180.77	4127.93	-799.15	1.03	4204.57	349.04	450250.40	653080.31	N 32 14 14.27	W 103 58 18.93
	13452.00	89.74	359.40	8777.52	4275.49	4222.92	-799.95	0.37	4298.02	349.27	450345.39	653079.51	N 32 14 15.21	W 103 58 18.94
	13547.00	89.57	358.90	8778.09	4370.25	4317.91	-801.36	0.56	4391.64	349.49	450440.37	653078.10	N 32 14 16.15	W 103 58 18.95
	13641.00	90.15	358.04	8778.32	4464.09	4411.87	-803.87	1.10	4484.51	349.67	450534.33	653075.59	N 32 14 17.08	W 103 58 18.98
	13735.00	89.45	357.47	8778.65	4558.00	4505.80	-807.56	0.96	4577.60	349.84	450626.25	653071.91	N 32 14 18.01	W 103 58 19.02
	13924.00	89.55	357.25	8780.30	4746.85	4694.59	-816.26	0.13	4765.03	350.14	450817.02	653063.20	N 32 14 19.88	W 103 58 19.11
	14018.00	89.39	357.47	8781.17	4840.77	4788.49	-820.59	0.29	4858.29	350.28	450910.91	653058.87	N 32 14 20.81	W 103 58 19.16
	14113.00	89.43	358.05	8781.98	4935.67	4883.41	-824.30	0.66	4952.49	350.42	451005.83	653055.16	N 32 14 21.75	W 103 58 19.20
	14207.00	89.42	358.49	8782.76	5029.53	4977.37	-827.14	0.52	5045.62	350.56	451099.77	653052.32	N 32 14 22.68	W 103 58 19.23
	14395.00	89.70	358.86	8783.56	5121.76	5165.31	-831.49	0.25	5231.81	351.25	451291.70	653047.98	N 32 14 23.64	W 103 58 19.27
	14584.00	89.89	359.39	8784.88	5405.70	5354.28	-834.37	0.30	5418.91	351.14	451476.66	653045.09	N 32 14 24.61	W 103 58 19.30
	14679.00	89.67	359.63	8785.24	5500.43	5449.28	-835.19	0.34	5512.91	351.29	451571.65	653044.28	N 32 14 25.53	W 103 58 19.30
	14773.00	90.01	0.19	8785.50	5594.10	5543.28	-835.33	1.70	5605.87	351.43	451665.64	653044.13	N 32 14 26.48	W 103 58 19.30
	14868.00	89.62	1.77	8785.81	5688.61	5638.26	-833.71	0.71	5699.57	351.59	451760.62	653045.76	N 32 14 27.42	W 103 58 19.28
	15056.00	89.65	2.49	8787.01	5875.20	5826.13	-826.72	0.38	5884.49	351.92	451948.47	653052.74	N 32 14 31.08	W 103 58 19.19
	15150.00	89.51	3.45	8787.73	5970.00	5920.70	-821.85	1.03	5976.77	352.10	452042.33	653049.61	N 32 14 32.00	W 103 58 19.13
	15244.00	89.73	3.46	8788.71	6061.33	6013.82	-816.19	0.27	6068.95	352.27	452136.15	653063.28	N 32 14 32.93	W 103 58 19.06
	15339.00	89.21	1.09	8789.98	6155.58	6108.73	-812.42	2.50	6162.52	352.42	452231.05	653067.05	N 32 14 33.87	W 103 58 19.01
	15433.00	88.38	357.79	8791.95	6249.28	6202.69	-813.34	3.62	6255.79	352.53	452325.01	653066.13	N 32 14 34.80	W 103 58 19.02
	15528.00	89.31	356.44	8793.87	6344.20	6297.55	-818.12	1.73	6350.47	352.60	452419.85	653061.35	N 32 14 35.74	W 103 58 19.07
	15622.00	90.47	359.98	8796.30	6436.16	6386.16	-825.96	3.12	6444.33	352.64	452513.48	653053.50	N 32 14 36.67	W 103 58 19.03
	15716.00	89.54	355.57	8797.73	6532.11	6484.60	-836.15	1.03	6538.29	352.65	452606.80	653043.31	N 32 14 37.59	W 103 58 19.27
	15811.00	90.36	355.37	8796.98	6627.10	6579.16	-845.31	1.90	6633.24	352.68	452701.44	653034.16	N 32 14 38.53	W 103 58 19.37
	15905.00	91.04	358.17	8795.84	6721.05	6672.96	-850.60	3.07	6726.98	352.74	452795.27	653028.87	N 32 14 39.46	W 103 58 19.43
	15999.00	89.02	357.60	8795.79	6814.93	6766.92	-854.07	2.23	6820.60	352.81	452889.19	653025.40	N 32 14 40.39	W 103 58 19.47
	16094.00	90.62	357.87	8796.09	6909.83	6861.84	-857.82	1.71	6915.25	352.87	452984.10	653021.64	N 32 14 41.33	W 103 58 19.51
	16188.00	91.18	359.39	8794.61	7003.64	6955.80	-860.07	1.72	7008.77	352.95	453076.05	653019.40	N 32 14 42.26	W 103 58 19.53
	16283.00	90.22	359.92	8793.45	7098.34	7050.79	-860.64	1.15	7103.12	353.04	453173.04	653018.82	N 32 14 43.20	W 103 58 19.53
	16378.00	90.42	358.26	8792.92	7193.11	7145.77	-862.15	1.76	7197.60	353.12	453268.01	653017.32	N 32 14 44.13	W 103 58 19.55
	16472.00	89.97	357.87	8792.60	7286.99	7239.72	-865.33	0.63	7291.25	353.18	453361.95	653014.14	N 32 14 45.06	W 103 58 19.58
	16567.00	90.64	358.64	8792.09	7381.85	7334.67	-868.22	1.07	7385.88	353.25	453456.9			

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 29510

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 29510
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 29510

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 29510
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	RT C-104 EXPIRES 08/24/2021; SUBMIT COMPLETION SUNDRY AND REPORT AS AVAILABLE.	6/9/2021